

Andreas Jahn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9405089/publications.pdf>

Version: 2024-02-01

108
papers

4,245
citations

126907

33
h-index

128289

60
g-index

114
all docs

114
docs citations

114
times ranked

4272
citing authors

#	ARTICLE	IF	CITATIONS
1	Isoniazid-associated pellagra during mass scale-up of tuberculosis preventive therapy: a case-control study. <i>The Lancet Global Health</i> , 2022, 10, e705-e714.	6.3	4
2	Perspectives on the use of modelling and economic analysis to guide HIV programmes in sub-Saharan Africa. <i>Lancet HIV</i> , 2022, 9, e517-e520.	4.7	3
3	Cost-effectiveness of easy-access, risk-informed oral pre-exposure prophylaxis in HIV epidemics in sub-Saharan Africa: a modelling study. <i>Lancet HIV</i> , 2022, 9, e353-e362.	4.7	19
4	Factors associated with HIV viral suppression among children and adults receiving antiretroviral therapy in Malawi in 2021: Evidence from the Laboratory Management Information System. <i>Tropical Medicine and International Health</i> , 2022, 27, 639-646.	2.3	1
5	Early post-partum viremia predicts long-term non-suppression of viral load in HIV-positive women on ART in Malawi: Implications for the elimination of infant transmission. <i>PLoS ONE</i> , 2021, 16, e0248559.	2.5	6
6	Early-phase scale-up of isoniazid preventive therapy for people living with HIV in two districts in Malawi (2017). <i>PLoS ONE</i> , 2021, 16, e0248115.	2.5	2
7	The potential role of long-acting injectable cabotegravir+rilpivirine in the treatment of HIV in sub-Saharan Africa: a modelling analysis. <i>The Lancet Global Health</i> , 2021, 9, e620-e627.	6.3	31
8	Trends in knowledge of HIV status and efficiency of HIV testing services in sub-Saharan Africa, 2000-2020: a modelling study using survey and HIV testing programme data. <i>Lancet HIV</i> , 2021, 8, e284-e293.	4.7	82
9	What is the optimum time to start antiretroviral therapy in people with HIV and tuberculosis coinfection? A systematic review and meta-analysis. <i>Journal of the International AIDS Society</i> , 2021, 24, e25772.	3.0	13
10	Inferring population HIV incidence trends from surveillance data of recent HIV infection among HIV testing clients. <i>Aids</i> , 2021, 35, 2383-2388.	2.2	6
11	Naomi: a new modelling tool for estimating HIV epidemic indicators at the district level in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25788.	3.0	23
12	The National Evaluation of Malawi's PMTCT Program (NEMAPP) study: 24-month HIV-exposed infant outcomes from a prospective cohort study. <i>HIV Medicine</i> , 2021, .	2.2	6
13	Treatment-adjusted prevalence to assess HIV testing programmes. <i>Bulletin of the World Health Organization</i> , 2021, 99, 874-882.	3.3	4
14	Prevalence of nonsuppressed viral load and associated factors among HIV-positive adults receiving antiretroviral therapy in Eswatini, Lesotho, Malawi, Zambia and Zimbabwe (2015 to 2017): results from population-based nationally representative surveys. <i>Journal of the International AIDS Society</i> , 2020, 23, e25631.	3.0	29
15	Updated assessment of risks and benefits of dolutegravir versus efavirenz in new antiretroviral treatment initiators in sub-Saharan Africa: modelling to inform treatment guidelines. <i>Lancet HIV</i> , 2020, 7, e193-e200.	4.7	41
16	Emerging priorities for HIV service delivery. <i>PLoS Medicine</i> , 2020, 17, e1003028.	8.4	39
17	Evaluation of 6-Month Versus Continuous Isoniazid Preventive Therapy for Mycobacterium tuberculosis in Adults Living With HIV/AIDS in Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 85, 643-650.	2.1	4
18	Protocol for a Case-Control Study to Investigate the Association of Pellagra With Isoniazid Exposure During Tuberculosis Preventive Treatment Scale-Up in Malawi. <i>Frontiers in Public Health</i> , 2020, 8, 551308.	2.7	3

#	ARTICLE	IF	CITATIONS
19	Cost-effectiveness of diagnosis as a metric for monitoring effectiveness of HIV testing programmes in low-income settings in southern Africa: health economic and modelling analysis. <i>Journal of the International AIDS Society</i> , 2019, 22, e25325.	3.0	20
20	The missed potential of CD4 and viral load testing to improve clinical outcomes for people living with HIV in lower-resource settings. <i>PLoS Medicine</i> , 2019, 16, e1002820.	8.4	32
21	Low detectable postpartum viral load is associated with HIV transmission in Malawi's prevention of mother-to-child transmission programme. <i>Journal of the International AIDS Society</i> , 2019, 22, e25290.	3.0	24
22	Optimizing HIV testing services in sub-Saharan Africa: cost and performance of verification testing with self-tests and tests for triage. <i>Journal of the International AIDS Society</i> , 2019, 22, e25237.	3.0	8
23	Timing of combination antiretroviral therapy (cART) initiation is not associated with stillbirth among HIV-infected pregnant women in Malawi. <i>Tropical Medicine and International Health</i> , 2019, 24, 727-735.	2.3	10
24	HIV surveillance based on routine testing data from antenatal clinics in Malawi (2011-2018). <i>Aids</i> , 2019, 33, S295-S302.	2.2	6
25	National HIV testing and diagnosis coverage in sub-Saharan Africa. <i>Aids</i> , 2019, 33, S255-S269.	2.2	41
26	Risks and benefits of dolutegravir-based antiretroviral drug regimens in sub-Saharan Africa: a modelling study. <i>Lancet HIV</i> , 2019, 6, e116-e127.	4.7	84
27	Pediatric HIV Treatment Gaps in 7 East and Southern African Countries: Examination of Modeled, Survey, and Routine Program Data. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, S134-S141.	2.1	10
28	National estimates and risk factors associated with early mother-to-child transmission of HIV after implementation of option B+: a cross-sectional analysis. <i>Lancet HIV</i> , 2018, 5, e688-e695.	4.7	40
29	Prevention of mother-to-child transmission of HIV: a cross-sectional study in Malawi. <i>Bulletin of the World Health Organization</i> , 2018, 96, 256-265.	3.3	25
30	HIV transmission and retention in care among HIV-exposed children enrolled in Malawi's prevention of mother-to-child transmission programme. <i>Journal of the International AIDS Society</i> , 2017, 20, 21947.	3.0	28
31	Lessons Learned From Option B+ in the Evolution Toward Test and Start From Malawi, Cameroon, and the United Republic of Tanzania. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 75, S43-S50.	2.1	57
32	Multi-month prescriptions, fast-track refills, and community ART groups: results from a process evaluation in Malawi on using differentiated models of care to achieve national HIV treatment goals. <i>Journal of the International AIDS Society</i> , 2017, 20, 21650.	3.0	123
33	Adherence to Antiretroviral Therapy During and After Pregnancy: Cohort Study on Women Receiving Care in Malawi's Option B+ Program. <i>Clinical Infectious Diseases</i> , 2016, 63, ciw500.	5.8	123
34	CD4 Variability in Malawi: Implications for Use of a CD4 Threshold of 500 Cells/mm ³ Versus Universal Eligibility for Antiretroviral Therapy. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw180.	0.9	2
35	Scale-up of ART in Malawi has reduced case notification rates in HIV-positive and HIV-negative tuberculosis. <i>Public Health Action</i> , 2016, 6, 247-251.	1.2	11
36	HIV and tuberculosis in prisons in sub-Saharan Africa. <i>Lancet</i> , 2016, 388, 1215-1227.	13.7	107

#	ARTICLE	IF	CITATIONS
37	Act local, think global: how the Malawi experience of scaling up antiretroviral treatment has informed global policy. <i>BMC Public Health</i> , 2016, 16, 938.	2.9	26
38	Developing a point-of-care electronic medical record system for TB/HIV co-infected patients: experiences from Lighthouse Trust, Lilongwe, Malawi. <i>BMC Research Notes</i> , 2016, 9, 146.	1.4	28
39	The rise and fall of tuberculosis in Malawi: associations with HIV infection and antiretroviral therapy. <i>Tropical Medicine and International Health</i> , 2016, 21, 101-107.	2.3	27
40	Retention in care during the first 3 years of antiretroviral therapy for women in Malawi's option B+ programme: an observational cohort study. <i>Lancet HIV</i> , 2016, 3, e175-e182.	4.7	154
41	Scaling-up antiretroviral therapy in Malawi. <i>Bulletin of the World Health Organization</i> , 2016, 94, 772-776.	3.3	30
42	Monitoring treatment outcomes in patients with chronic disease: lessons from tuberculosis and HIV/AIDS care and treatment programmes. <i>Tropical Medicine and International Health</i> , 2015, 20, 961-964.	2.3	11
43	Decline in adverse outcomes and death in tuberculosis patients in Malawi: association with HIV interventions. <i>Public Health Action</i> , 2015, 5, 116-118.	1.2	5
44	Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 610-614.	2.1	22
45	Modelling the Contributions of Malaria, HIV, Malnutrition and Rainfall to the Decline in Paediatric Invasive Non-typhoidal Salmonella Disease in Malawi. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003979.	3.0	48
46	Strategies for monitoring and evaluation of resource-limited national antiretroviral therapy programs: the two-phase design. <i>BMC Medical Research Methodology</i> , 2015, 15, 31.	3.1	8
47	A Reduction in Adult Blood Stream Infection and Case Fatality at a Large African Hospital following Antiretroviral Therapy Roll-Out. <i>PLoS ONE</i> , 2014, 9, e92226.	2.5	30
48	Uptake of prevention of mother-to-child-transmission using Option B+ in northern rural Malawi: a retrospective cohort study. <i>Sexually Transmitted Infections</i> , 2014, 90, 309-314.	1.9	29
49	Improved Retention of Patients Starting Antiretroviral Treatment in Karonga District, Northern Malawi, 2005-2012. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, e27-e33.	2.1	23
50	Bacterial Meningitis in Malawian Adults, Adolescents, and Children During the Era of Antiretroviral Scale-up and Haemophilus influenzae Type b Vaccination, 2000-2012. <i>Clinical Infectious Diseases</i> , 2014, 58, e137-e145.	5.8	58
51	Timing of antiretroviral therapy and regimen for HIV-infected patients with tuberculosis: the effect of revised HIV guidelines in Malawi. <i>BMC Public Health</i> , 2014, 14, 183.	2.9	14
52	Decline in national tuberculosis notifications with national scale-up of antiretroviral therapy in Malawi. <i>Public Health Action</i> , 2014, 4, 113-115.	1.2	14
53	Cohort analysis of antenatal care and delivery outcomes in pregnancy: a basis for improving maternal health. <i>Public Health Action</i> , 2014, 4, 75-78.	1.2	5
54	Retention in care under universal antiretroviral therapy for HIV-infected pregnant and breastfeeding women (Option B+™) in Malawi. <i>Aids</i> , 2014, 28, 589-598.	2.2	317

#	ARTICLE	IF	CITATIONS
55	Incidence of Pregnancy Among Women Accessing Antiretroviral Therapy in Urban Malawi: A Retrospective Cohort Study. <i>AIDS and Behavior</i> , 2013, 17, 471-478.	2.7	29
56	Is Option B+ the best choice?. <i>Lancet, The</i> , 2013, 381, 1272.	13.7	8
57	Is Option B+ the best choice?. <i>Lancet, The</i> , 2013, 381, 1272-1273.	13.7	17
58	Comparison of Treatment Outcomes of New Smear-Positive Pulmonary Tuberculosis Patients by HIV and Antiretroviral Status in a TB/HIV Clinic, Malawi. <i>PLoS ONE</i> , 2013, 8, e56248.	2.5	59
59	Are They Really Lost? â€œTrueâ€ Status and Reasons for Treatment Discontinuation among HIV Infected Patients on Antiretroviral Therapy Considered Lost to Follow Up in Urban Malawi. <i>PLoS ONE</i> , 2013, 8, e75761.	2.5	74
60	Prevalence of HIV Drug Resistance Before and 1 Year After Treatment Initiation in 4 Sites in the Malawi Antiretroviral Treatment Program. <i>Clinical Infectious Diseases</i> , 2012, 54, S362-S368.	5.8	16
61	Profile: The Karonga Health and Demographic Surveillance System. <i>International Journal of Epidemiology</i> , 2012, 41, 676-685.	1.9	109
62	â€˜Task shiftingâ€™ in an antiretroviral clinic in Malawi: can health surveillance assistants manage patients safely? [Short communication]. <i>Public Health Action</i> , 2012, 2, 178-180.	1.2	6
63	Mortality and loss to follow-up in the first year of ART. <i>Aids</i> , 2012, 26, 365-373.	2.2	63
64	How operational research influenced the scale up of antiretroviral therapy in Malawi. <i>Health Care Management Science</i> , 2012, 15, 197-205.	2.6	10
65	Improving data quality and supervision of antiretroviral therapy sites in Malawi: an application of Lot Quality Assurance Sampling. <i>BMC Health Services Research</i> , 2012, 12, 196.	2.2	12
66	Simplifying ART cohort monitoring: Can pharmacy stocks provide accurate estimates of patients retained on antiretroviral therapy in Malawi?. <i>BMC Health Services Research</i> , 2012, 12, 210.	2.2	8
67	Adult mortality and probable cause of death in rural northern Malawi in the era of HIV treatment. <i>Tropical Medicine and International Health</i> , 2012, 17, e74-83.	2.3	37
68	Very Early Anthropometric Changes After Antiretroviral Therapy Predict Subsequent Survival, in Karonga, Malawi. <i>Open AIDS Journal</i> , 2012, 6, 36-44.	0.5	7
69	Prevention of mother-to-child transmission of HIV and the health-related Millennium Development Goals: time for a public health approach. <i>Lancet, The</i> , 2011, 378, 282-284.	13.7	212
70	Re-Treatment Tuberculosis Cases Categorised as â€œOtherâ€: Are They Properly Managed?. <i>PLoS ONE</i> , 2011, 6, e28034.	2.5	10
71	Is transcription of data on antiretroviral treatment from electronic to paper-based registers reliable in Malawi?. <i>Public Health Action</i> , 2011, 1, 10-12.	1.2	12
72	Operational research in Malawi: making a difference with cotrimoxazole preventive therapy in patients with tuberculosis and HIV. <i>BMC Public Health</i> , 2011, 11, 593.	2.9	19

#	ARTICLE	IF	CITATIONS
73	Vital registration in rural Africa: is there a way forward to report on health targets of the Millennium Development Goals?. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2011, 105, 301-309.	1.8	9
74	What happens to ART-eligible patients who do not start ART? Dropout between screening and ART initiation: a cohort study in Karonga, Malawi. <i>BMC Public Health</i> , 2010, 10, 601.	2.9	37
75	Outcome assessment of decentralization of antiretroviral therapy provision in a rural district of Malawi using an integrated primary care model. <i>Tropical Medicine and International Health</i> , 2010, 15, 90-97.	2.3	92
76	Early active follow-up of patients on antiretroviral therapy (ART) who are lost to follow-up: the "Back-to-Care" project in Lilongwe, Malawi. <i>Tropical Medicine and International Health</i> , 2010, 15, 82-89.	2.3	83
77	Population-Level Reduction in Adult Mortality after Extension of Free Anti-Retroviral Therapy Provision into Rural Areas in Northern Malawi. <i>PLoS ONE</i> , 2010, 5, e13499.	2.5	62
78	Gender differences in retention and survival on antiretroviral therapy of HIV-1 infected adults in Malawi. <i>Malawi Medical Journal</i> , 2010, 22, 49-56.	0.6	65
79	Declining child mortality in northern Malawi despite high rates of infection with HIV. <i>Bulletin of the World Health Organization</i> , 2010, 88, 746-753.	3.3	15
80	Using Touchscreen Electronic Medical Record Systems to Support and Monitor National Scale-Up of Antiretroviral Therapy in Malawi. <i>PLoS Medicine</i> , 2010, 7, e1000319.	8.4	125
81	An appraisal of indicators used to monitor the treated population in antiretroviral programmes in low-income countries. <i>Aids</i> , 2010, 24, 2603-2607.	2.2	8
82	Diagnosis and management of antiretroviral-therapy failure in resource-limited settings in sub-Saharan Africa: challenges and perspectives. <i>Lancet Infectious Diseases</i> , The, 2010, 10, 60-65.	9.1	55
83	Child Mortality in Rural Malawi: HIV Closes the Survival Gap between the Socio-Economic Strata. <i>PLoS ONE</i> , 2010, 5, e11320.	2.5	14
84	Scaling Up Antiretroviral Therapy in Malawi-Implications for Managing Other Chronic Diseases in Resource-Limited Countries. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 52, S14-S16.	2.1	49
85	Peripheral neuropathy in HIV-positive patients at an antiretroviral clinic in Lilongwe, Malawi. <i>Tropical Doctor</i> , 2009, 39, 78-80.	0.5	24
86	Health leadership in sub-Saharan Africa. <i>Tropical Doctor</i> , 2009, 39, 193-195.	0.5	3
87	The vital signs of chronic disease management. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009, 103, 537-540.	1.8	27
88	Switching to second-line antiretroviral therapy in resource-limited settings: comparison of programmes with and without viral load monitoring. <i>Aids</i> , 2009, 23, 1867-1874.	2.2	136
89	Different delivery models for antiretroviral therapy in sub-Saharan Africa in the context of "Universal Access". <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 310-311.	1.8	17
90	Ascertainment of childhood vaccination histories in northern Malawi. <i>Tropical Medicine and International Health</i> , 2008, 13, 129-138.	2.3	36

#	ARTICLE	IF	CITATIONS
91	Individual, household and community factors associated with HIV test refusal in rural Malawi. <i>Tropical Medicine and International Health</i> , 2008, 13, 1341-1350.	2.3	32
92	Population-level effect of HIV on adult mortality and early evidence of reversal after introduction of antiretroviral therapy in Malawi. <i>Lancet, The</i> , 2008, 371, 1603-1611.	13.7	209
93	Use of Antenatal Clinic Surveillance to Assess the Effect of Sexual Behavior on HIV Prevalence in Young Women in Karonga District, Malawi. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008, 48, 196-202.	2.1	11
94	Assessing the quality of data aggregated by antiretroviral treatment clinics in Malawi. <i>Bulletin of the World Health Organization</i> , 2008, 86, 310-314.	3.3	75
95	Antiretroviral Therapy in the Malawi Police Force: Access to Therapy and Treatment Outcomes. <i>Malawi Medical Journal</i> , 2008, 20, 23-7.	0.6	4
96	Adapting the DOTS Framework for Tuberculosis Control to the Management of Non-Communicable Diseases in Sub-Saharan Africa. <i>PLoS Medicine</i> , 2008, 5, e124.	8.4	62
97	Antiretroviral Therapy in the Malawi Defence Force: Access, Treatment Outcomes and Impact on Mortality. <i>PLoS ONE</i> , 2008, 3, e1445.	2.5	12
98	Implication of New WHO Growth Standards on Identification of Risk Factors and Estimated Prevalence of Malnutrition in Rural Malawian Infants. <i>PLoS ONE</i> , 2008, 3, e2684.	2.5	23
99	Electronic medical record systems, data quality and loss to follow-up: survey of antiretroviral therapy programmes in resource-limited settings. <i>Bulletin of the World Health Organization</i> , 2008, 86, 939-947.	3.3	139
100	HIV Testing and Antiretroviral Therapy in Government and Mission Hospitals in Malawi: 2002 – 2007. <i>Malawi Medical Journal</i> , 2008, 20, 4-6.	0.6	3
101	Implication of new WHO growth standards on estimated prevalence and identification of early risk factors for malnutrition in rural Malawian infants. <i>FASEB Journal</i> , 2008, 22, 299.4.	0.5	0
102	Estimating the need for antiretroviral treatment and an assessment of a simplified HIV/AIDS case definition in rural Malawi. <i>Aids</i> , 2007, 21, S105-S113.	2.2	25
103	HIV epidemic trend and antiretroviral treatment need in Karonga District, Malawi. <i>Epidemiology and Infection</i> , 2007, 135, 922-932.	2.1	30
104	A National Survey of Teachers on Antiretroviral Therapy in Malawi: Access, Retention in Therapy and Survival. <i>PLoS ONE</i> , 2007, 2, e620.	2.5	19
105	A national survey of prisoners on antiretroviral therapy in Malawi: access to treatment and outcomes on therapy. <i>Journal of Infection in Developing Countries</i> , 2007, 1, 303-307.	1.2	12
106	A national survey of the impact of rapid scale-up of antiretroviral therapy on health-care workers in Malawi: effects on human resources and survival. <i>Bulletin of the World Health Organization</i> , 2007, 85, 851-7.	3.3	25
107	A national survey of prisoners on antiretroviral therapy in Malawi: access to treatment and outcomes on therapy. <i>Journal of Infection in Developing Countries</i> , 2007, 1, 303-7.	1.2	8
108	Evaluation of a village-informant driven demographic surveillance system in Karonga, Northern Malawi. <i>Demographic Research</i> , 0, 16, 219-248.	3.0	45