Silvia Florescu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9406019/publications.pdf

Version: 2024-02-01

		172457	138484
59	8,935	29	58
papers	citations	h-index	g-index
59	59	59	13082
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. Psychological Medicine, 2023, 53, 1583-1591.	4.5	8
2	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
3	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6.	2.7	3
4	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	3.1	7
5	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
6	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, .	2.7	1
7	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	4.5	21
8	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
9	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10
10	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
11	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
12	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
13	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. JAMA Psychiatry, 2020, 77, 830.	11.0	53
14	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
15	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	3.3	27
16	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€N agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	4.1	22
17	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. European Journal of Public Health, 2019, 29, 481-487.	0.3	13
18	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27

#	Article	IF	Citations
19	â€~Are The Times Aâ€Changin'? Trends in adolescent substance use in Europe. Addiction, 2018, 113, 1317-13	332.3	121
20	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
21	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
22	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
23	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
24	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
25	Substance dependence among those without symptoms of substance abuse in the World Mental Health Survey. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	13
26	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	11.0	274
27	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
28	Posttraumatic stress disorder associated with unexpected death of a loved one: Cross-national findings from the world mental health surveys. Depression and Anxiety, 2017, 34, 315-326.	4.1	33
29	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82
30	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
31	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	7 5
32	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
33	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	3.0	801
34	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	1.5	6
35	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507
36	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	5 . 5	258

#	Article	IF	Citations
37	Post-traumatic stress disorder associated with life-threatening motor vehicle collisions in the WHO World Mental Health Surveys. BMC Psychiatry, 2016, 16, 257.	2.6	34
38	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
39	A Crossâ€National Examination of Differences in Classification of Lifetime Alcohol Use Disorder Between <scp>DSM</scp> â€ <scp>IV</scp> and <scp>DSM</scp> â€5: Findings from the World Mental Health Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 1728-1736.	2.4	35
40	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
41	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.6	6
42	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	11.0	372
43	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387
44	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
45	Gender differences in mental disorders and suicidality in Europe: Results from a large cross-sectional population-based study. Journal of Affective Disorders, 2015, 173, 245-254.	4.1	181
46	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	7.2	100
47	The Associations Between Preexisting Mental Disorders andÂSubsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. Journal of Pain, 2015, 16, 42-52.	1.4	29
48	Are there gender differences in service use for mental disorders across countries in the European Union? Results from the EU-World Mental Health survey. Journal of Epidemiology and Community Health, 2014, 68, 649-656.	3.7	57
49	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
50	Under-reporting bipolar disorder in large-scale epidemiologic studies. Journal of Affective Disorders, 2014, 159, 147-154.	4.1	21
51	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. American Journal on Addictions, 2014, 23, 145-155.	1.4	15
52	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
53	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.5	27
54	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. PLoS ONE, 2013, 8, e80573.	2.5	119

SILVIA FLORESCU

#	Article	IF	CITATIONS
55	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	2.8	201
56	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
57	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	2.8	1,854
58	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
59	Psychotic Experiences. , 0, , 286-296.		0