

# Kassahun Alemu Gelaye

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9406228/publications.pdf>

Version: 2024-02-01

141  
papers

1,694  
citations

304743

22  
h-index

454955

30  
g-index

146  
all docs

146  
docs citations

146  
times ranked

1756  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and Associated Factors of Antenatal Depression among Women Attending Antenatal Care Service at Gondar University Hospital, Northwest Ethiopia. PLoS ONE, 2016, 11, e0155125.	2.5	68
2	The prevalence of non-communicable diseases in northwest Ethiopia: survey of Dabat Health and Demographic Surveillance System. BMJ Open, 2017, 7, e015496.	1.9	52
3	Adherence towards COVID-19 mitigation measures and its associated factors among Gondar City residents: A community-based cross-sectional study in Northwest Ethiopia. PLoS ONE, 2020, 15, e0244265.	2.5	51
4	The 12 items Amharic version WHODAS-2 showed cultural adaptation and used to measure disability among road traffic trauma victims in Ethiopia. BMC Psychology, 2021, 9, 1.	2.1	50
5	Latrine utilization and associated factors among people living in rural areas of Denbia district, Northwest Ethiopia, 2013, a cross-sectional study. Pan African Medical Journal, 2014, 18, 334.	0.8	48
6	Spatiotemporal clusters of malaria cases at village level, northwest Ethiopia. Malaria Journal, 2014, 13, 223.	2.3	47
7	Malaria Infection Has Spatial, Temporal, and Spatiotemporal Heterogeneity in Unstable Malaria Transmission Areas in Northwest Ethiopia. PLoS ONE, 2013, 8, e79966.	2.5	46
8	Prevalence of domestic violence and associated factors among pregnant women attending antenatal care service at University of Gondar Referral Hospital, Northwest Ethiopia. BMC Women's Health, 2018, 18, 138.	2.0	40
9	Spatial distribution and determinants of acute respiratory infection among under-five children in Ethiopia: Ethiopian Demographic Health Survey 2016. PLoS ONE, 2019, 14, e0215572.	2.5	40
10	Mothers' education and ANC visit improved exclusive breastfeeding in Dabat Health and Demographic Surveillance System Site, northwest Ethiopia. PLoS ONE, 2017, 12, e0179056.	2.5	38
11	Prevalence and determinants of contraceptive utilization among married women at Dabat Health and Demographic Surveillance System site, northwest Ethiopia. BMC Women's Health, 2018, 18, 118.	2.0	38
12	Spatial distribution of antenatal care utilization and associated factors in Ethiopia: evidence from Ethiopian demographic health surveys. BMC Pregnancy and Childbirth, 2018, 18, 242.	2.4	36
13	Effect of mobile text message reminders on routine childhood vaccination: a systematic review and meta-analysis. Systematic Reviews, 2019, 8, 154.	5.3	35
14	Latrine use among rural households in northern Ethiopia: a case study in Hawzien district, Tigray. International Journal of Environmental Studies, 2013, 70, 629-636.	1.6	34
15	Men Traveling Away from Home Are More Likely to Bring Malaria into High Altitude Villages, Northwest Ethiopia. PLoS ONE, 2014, 9, e95341.	2.5	33
16	Timely completion of vaccination and its determinants among children in northwest, Ethiopia: a multilevel analysis. BMC Public Health, 2020, 20, 908.	2.9	30
17	Spatial patterns and determinants of postnatal care use in Ethiopia: findings from the 2016 demographic and health survey. BMJ Open, 2019, 9, e025066.	1.9	29
18	Genital self-sampling for HPV-based cervical cancer screening: a qualitative study of preferences and barriers in rural Ethiopia. BMC Public Health, 2019, 19, 1026.	2.9	28

#	ARTICLE	IF	CITATIONS
19	Survival status of HIV positive adults on antiretroviral treatment in Debre Markos Referral Hospital, Northwest Ethiopia: retrospective cohort study. <i>Pan African Medical Journal</i> , 2014, 17, 88.	0.8	27
20	Incidence and risk factors of first-line antiretroviral treatment failure among human immunodeficiency virus-infected children in Amhara regional state, Ethiopia: a retrospective follow-up study. <i>BMJ Open</i> , 2018, 8, e019181.	1.9	26
21	Geographic differences in maternal and child health care utilization in four Ethiopian regions; a cross-sectional study. <i>International Journal for Equity in Health</i> , 2019, 18, 173.	3.5	26
22	Determinants of the Continuum of Maternal Healthcare Services in Northwest Ethiopia: Findings from the Primary Health Care Project. <i>Journal of Pregnancy</i> , 2020, 2020, 1-8.	2.4	26
23	Correlates of early neonatal feeding practice in Dabat HDSS site, northwest Ethiopia. <i>International Breastfeeding Journal</i> , 2017, 12, 25.	2.6	25
24	Spatial patterns of childhood diarrhea in Ethiopia: data from Ethiopian demographic and health surveys (2000, 2005, and 2011). <i>BMC Infectious Diseases</i> , 2017, 17, 426.	2.9	23
25	Time to sputum culture conversion and its determinants among Multi-drug resistant Tuberculosis patients at public hospitals of the Amhara Regional State: A multicenter retrospective follow up study. <i>PLoS ONE</i> , 2018, 13, e0199320.	2.5	23
26	Magnitude and trend of perinatal mortality and its relationship with inter-pregnancy interval in Ethiopia: a systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 432.	2.4	22
27	Does menstrual hygiene management and water, sanitation, and hygiene predict reproductive tract infections among reproductive women in urban areas in Ethiopia?. <i>PLoS ONE</i> , 2020, 15, e0237696.	2.5	22
28	Determinants of malaria among under-five children in Ethiopia: Bayesian multilevel analysis. <i>BMC Public Health</i> , 2020, 20, 1468.	2.9	21
29	Does phone messaging improve tuberculosis treatment success? A systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , 2020, 20, 42.	2.9	21
30	Community cervical cancer screening: Barriers to successful home-based HPV self-sampling in Dabat district, North Gondar, Ethiopia. A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0243036.	2.5	21
31	Spatial variations of women's home delivery after antenatal care visits at lay Gayint District, Northwest Ethiopia. <i>BMC Public Health</i> , 2019, 19, 677.	2.9	19
32	Frequent Antenatal Care Visits Increase Institutional Delivery at Dabat Health and Demographic Surveillance System Site, Northwest Ethiopia. <i>Journal of Pregnancy</i> , 2019, 2019, 1-6.	2.4	19
33	Reducing amount and frequency of meal as a major coping strategy for food insecurity. <i>Archives of Public Health</i> , 2018, 76, 56.	2.4	18
34	Stunting and Its Determinants among Adolescent Girls: Findings from the Nutrition Surveillance Project, Northwest Ethiopia. <i>Ecology of Food and Nutrition</i> , 2019, 58, 481-494.	1.6	18
35	Pneumonia remains a leading public health problem among under-five children in peri-urban areas of north-eastern Ethiopia. <i>PLoS ONE</i> , 2020, 15, e0235818.	2.5	17
36	Depression, Anxiety, and Stress Symptoms and Its Associated Factors Among Residents of Gondar Town During the Early Stage of COVID-19 Pandemic. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 1073-1083.	2.5	17

#	ARTICLE	IF	CITATIONS
37	Global prevalence of <i>Mycobacterium bovis</i> infections among human tuberculosis cases: Systematic review and meta-analysis. <i>Zoonoses and Public Health</i> , 2021, 68, 704-718.	2.2	16
38	Injury-related gaining momentum as external causes of deaths in Ethiopian health and demographic surveillance sites: evidence from verbal autopsy study. <i>Global Health Action</i> , 2018, 11, 1430669.	1.9	15
39	High Hidden Burden of Diabetes Mellitus among Adults Aged 18 Years and Above in Urban Northwest Ethiopia. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-9.	2.3	15
40	Prevalence and associated factors of acute diarrhea among under-five children in Kamashi district, western Ethiopia: community-based study. <i>BMC Pediatrics</i> , 2020, 20, 236.	1.7	15
41	Prevalence of disability and associated factors in Dabat Health and Demographic Surveillance System site, northwest Ethiopia. <i>BMC Public Health</i> , 2017, 17, 762.	2.9	14
42	Choice of initial antiretroviral drugs and treatment outcomes among HIV-infected patients in sub-Saharan Africa: systematic review and meta-analysis of observational studies. <i>Systematic Reviews</i> , 2017, 6, 173.	5.3	14
43	Travel to farms in the lowlands and inadequate malaria information significantly predict malaria in villages around Lake Tana, northwest Ethiopia: a matched case-control study. <i>Malaria Journal</i> , 2018, 17, 290.	2.3	14
44	Barriers of persistent long-lasting insecticidal nets utilization in villages around Lake Tana, Northwest Ethiopia: a qualitative study. <i>BMC Public Health</i> , 2019, 19, 1303.	2.9	14
45	Community-Led Total Sanitation and the rate of latrine ownership. <i>BMC Research Notes</i> , 2019, 12, 14.	1.4	14
46	Factors associated with the preference of institutional delivery after antenatal care attendance in Northwest Ethiopia. <i>BMC Health Services Research</i> , 2019, 19, 810.	2.2	14
47	Community's perceived high risk of coronavirus infections during early phase of epidemics are significantly influenced by socio-demographic background, in Gondar City, Northwest Ethiopia: A cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0242654.	2.5	14
48	Tuberculosis and HIV are the leading causes of adult death in northwest Ethiopia: evidence from verbal autopsy data of Dabat health and demographic surveillance system, 2007-2013. <i>Population Health Metrics</i> , 2017, 15, 27.	2.7	13
49	Mothers intention and preference to use mobile phone text message reminders for child vaccination in Northwest Ethiopia. <i>BMJ Health and Care Informatics</i> , 2021, 28, e100193.	3.0	13
50	Time to recovery and determinants of severe acute malnutrition among 6-59 months children treated at outpatient therapeutic programme in North Gondar zone, Northwest Ethiopia: a prospective follow up study. <i>Italian Journal of Pediatrics</i> , 2019, 45, 136.	2.6	12
51	Home-based HPV self-sampling assisted by a cloud-based electronic data system: Lessons learnt from a pilot community cervical cancer screening campaign in rural Ethiopia. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2020, 9, 100198.	4.5	12
52	Factors associated with the time to cessation of breastfeeding among mothers who have index children aged two to three years in Debre Markos, northwest Ethiopia: a retrospective follow up study. <i>BMC Pediatrics</i> , 2018, 18, 77.	1.7	11
53	Spatial modeling, prediction and seasonal variation of malaria in northwest Ethiopia. <i>BMC Research Notes</i> , 2019, 12, 273.	1.4	11
54	Anxiety and associated factors among Ethiopian health professionals at early stage of COVID-19 pandemic in Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0252664.	2.5	11

#	ARTICLE	IF	CITATIONS
55	Effect of a phone reminder system on patient-centered tuberculosis treatment adherence among adults in Northwest Ethiopia: a randomised controlled trial. <i>BMJ Health and Care Informatics</i> , 2021, 28, e100268.	3.0	11
56	Epidemiology of streptomycin resistant Salmonella from humans and animals in Ethiopia: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020, 15, e0244057.	2.5	11
57	Household food insecurity predisposes to undiversified diet in northwest Ethiopia: finding from the baseline survey of nutrition project, 2016. <i>BMC Research Notes</i> , 2019, 12, 54.	1.4	10
58	Factors Affecting Under-Five Mortality in Ethiopia: A Multilevel Negative Binomial Model. <i>Pediatric Health, Medicine and Therapeutics</i> , 2020, Volume 11, 525-534.	1.6	10
59	Time to immunologic recovery and determinant factors among adults who initiated ART in Felege Hiwot Referral Hospital, northwest Ethiopia. <i>BMC Research Notes</i> , 2017, 10, 277.	1.4	9
60	Incidence of preterm premature rupture of membranes and its association with inter-pregnancy interval: a prospective cohort study. <i>Scientific Reports</i> , 2022, 12, 5714.	3.3	9
61	Geographical variation in determinants of high-risk fertility behavior among reproductive age women in Ethiopia using the 2016 demographic and health survey: a geographically weighted regression analysis. <i>Archives of Public Health</i> , 2020, 78, 74.	2.4	8
62	Prevalence and determinants of incomplete or not at all vaccination among children aged 12â€“36 months in Dabat and Gondar districts, northwest of Ethiopia: findings from the primary health care project. <i>BMJ Open</i> , 2020, 10, e041163.	1.9	8
63	Time-to-Recovery from Severe Pneumonia and Its Determinants Among Children Under-Five Admitted to University of Gondar Comprehensive Specialized Hospital in Ethiopia: A Retrospective Follow-Up Study; 2015â€“2020. <i>Pediatric Health, Medicine and Therapeutics</i> , 2021, Volume 12, 189-196.	1.6	8
64	Knowledge and attitude of the communities towards COVID-19 and associated factors among Gondar City residents, northwest Ethiopia: A community based cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0248821.	2.5	8
65	Effect of Mobile Phone Text Message Reminders on the Completion and Timely Receipt of Routine Childhood Vaccinations: Superiority Randomized Controlled Trial in Northwest Ethiopia. <i>JMIR MHealth and UHealth</i> , 2021, 9, e27603.	3.7	8
66	Trained health extension workers correctly identify high blood pressure in rural districts of northwest Ethiopia: a diagnostic accuracy study. <i>BMC Health Services Research</i> , 2022, 22, 375.	2.2	8
67	Treatment outcomes of diabetic ketoacidosis among diabetes patients in Ethiopia. Hospital-based study. <i>PLoS ONE</i> , 2022, 17, e0264626.	2.5	8
68	Poor child complementary Feeding Practices in northwest Ethiopia: Finding from the Baseline Survey of Nutrition Project, 2016. <i>Italian Journal of Pediatrics</i> , 2019, 45, 154.	2.6	7
69	Time to recovery from obstetric fistula and determinants in Gondar university teaching and referral hospital, northwest Ethiopia. <i>BMC Women's Health</i> , 2019, 19, 5.	2.0	7
70	Duration of exposure and educational level as predictors of occupational respiratory symptoms among adults in Ethiopia: A systematic review and meta-analysis. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110181.	1.8	7
71	Spatiotemporal distribution and determinants of delayed first antenatal care visit among reproductive age women in Ethiopia: a spatial and multilevel analysis. <i>BMC Public Health</i> , 2021, 21, 1570.	2.9	7
72	Spatial distribution and predictors of domestic violence against women: evidence from analysis of Ethiopian demographic health survey 2016. <i>BMC Women's Health</i> , 2021, 21, 334.	2.0	7

#	ARTICLE	IF	CITATIONS
73	Development of automated text-message reminder system to improve uptake of childhood vaccination in North-West, Ethiopia. <i>Online Journal of Public Health Informatics</i> , 2019, 11, e15.	0.7	7
74	Epidemiology and factors associated with peripheral neuropathy among HIV infected patients in Gondar, Ethiopia: A cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0211354.	2.5	6
75	Effect of mobile phone text message reminders on improving completeness and timeliness of routine childhood vaccinations in North-West, Ethiopia: a study protocol for randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e031254.	1.9	6
76	Prevalence and determinants of modern contraceptive utilization among rural lactating mothers: findings from the primary health care project in two northwest Ethiopian districts. <i>BMC Women's Health</i> , 2020, 20, 67.	2.0	6
77	Distance, difference in altitude and socioeconomic determinants of utilisation of maternal and child health services in Ethiopia: a geographic and multilevel modelling analysis. <i>BMJ Open</i> , 2021, 11, e042095.	1.9	6
78	&lt;p&gt;Community Level of COVID-19 Information Exposure and Influencing Factors in Northwest Ethiopia&lt;/p&gt;. <i>Risk Management and Healthcare Policy</i> , 2020, Volume 13, 2635-2644.	2.5	5
79	The role of mass media exposure on tuberculosis knowledge and attitude among migrant and seasonal farmworkers in Northwest Ethiopia. <i>BMC Infectious Diseases</i> , 2020, 20, 579.	2.9	5
80	Prevalence and risk factors for road traffic injuries and mortalities in Ethiopia: systematic review and meta-analysis. <i>Injury Prevention</i> , 2021, 27, 384-394.	2.4	5
81	Acceptability, Barriers and Facilitators of Mobile Text Message Reminder System Implementation in Improving Child Vaccination: A Qualitative Study in Northwest Ethiopia. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 605-616.	2.7	5
82	Spatial distribution and geographical heterogeneity factors associated with poor consumption of foods rich in vitamin A among children age 6â€“23 months in Ethiopia: Geographical weighted regression analysis. <i>PLoS ONE</i> , 2021, 16, e0252639.	2.5	5
83	Epidemiology of <i>Mycobacterium tuberculosis</i> lineages and strain clustering within urban and peri-urban settings in Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0253480.	2.5	5
84	Midwife-led continuity of care improved maternal and neonatal health outcomes in north Shoa zone, Amhara regional state, Ethiopia: A quasi-experimental study. <i>Women and Birth</i> , 2022, 35, 340-348.	2.0	5
85	Cultural adaptation and validation of the Sidamic version of the World Health Organization Quality-of-Life-Bref Scale measuring the quality of life of women with severe preeclampsia in southern Ethiopia, 2020. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 239.	2.4	5
86	Spatial patterns and determinants of undernutrition among late-adolescent girls in Ethiopia by using Ethiopian demographic and health surveys, 2000, 2005, 2011 and 2016: a spatial and multilevel analysis. <i>BMC Public Health</i> , 2021, 21, 2005.	2.9	5
87	Residential Food Environment, Household Wealth and Maternal Education Association to Preschoolersâ€™ Consumption of Plant-Based Vitamin A-Rich Foods: The EAT Addis Survey in Addis Ababa. <i>Nutrients</i> , 2022, 14, 296.	4.1	5
88	Valid and reliable neonatal near-miss assessment scale in Ethiopia: a psychometric validation. <i>Global Health Action</i> , 2022, 15, 2029334.	1.9	5
89	The effect of inter-pregnancy interval on stillbirth in urban South Ethiopia: a community-based prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 847.	2.4	5
90	Sanitation predictors of childhood morbidities in Ethiopia: evidence from Dabat Health and Demographic Surveillance System. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 43.	3.4	4



#	ARTICLE	IF	CITATIONS
91	Caregivers <sup>™</sup> and Health Extension Workers <sup>™</sup> Perceptions and Experiences of Outreach Management of Childhood Illnesses in Ethiopia: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3816.	2.6	4
92	Determinants of Early Initiation of Breastfeeding in West Belessa District, Northwest Ethiopia. <i>Nutrition and Metabolic Insights</i> , 2022, 15, 117863882110652.	1.9	4
93	Do deaths from road traffic injuries follow a classical trimodal pattern in North West Ethiopia? A hospital-based prospective cohort study. <i>BMJ Open</i> , 2021, 11, e051017.	1.9	4
94	Rural households at risk of malaria did not own sufficient insecticide treated nets at Dabat HDSS site: evidence from a cross sectional re-census. <i>BMC Public Health</i> , 2017, 17, 888.	2.9	3
95	Low practice of malaria prevention among migrants and seasonal farmworkers in Metema and west Armaheho districts, Northwest Ethiopia. <i>BMC Infectious Diseases</i> , 2021, 21, 145.	2.9	3
96	The Effect of Socioeconomic and Behavioral Factors on Childhood Stunting in Janamora District, Ethiopia. <i>Nutrition and Dietary Supplements</i> , 0, Volume 13, 91-101.	0.7	3
97	The effect of antenatal depression on birth weight among newborns in South Gondar zone, Northwest Ethiopia: a population-based prospective cohort study. <i>Archives of Public Health</i> , 2021, 79, 121.	2.4	3
98	Adherence to TB treatment remains low during continuation phase among adult patients in Northwest Ethiopia. <i>BMC Infectious Diseases</i> , 2021, 21, 725.	2.9	3
99	Clinical Characteristics and In-Hospital Outcome of Acute Heart Failure Patients Admitted to the Medical Ward of University of Gondar Comprehensive Specialized Hospital, Northwest Ethiopia. <i>Vascular Health and Risk Management</i> , 2021, Volume 17, 581-590.	2.3	3
100	Assessment of content validity for a Neonatal Near miss Scale in the context of Ethiopia. <i>Global Health Action</i> , 2021, 14, 1983121.	1.9	3
101	Occupational Health Problems among Seasonal and Migrant Farmworkers in Ethiopia: A Cross-Sectional Study. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 4447-4456.	2.5	3
102	&lt;p&gt;Low Knowledge and Attitude Towards Visceral Leishmaniasis Among Migrants and Seasonal Farm Workers in Northwest Ethiopia&lt;/p&gt;. <i>Research and Reports in Tropical Medicine</i> , 2020, Volume 11, 159-168.	1.4	3
103	Age at First Marriage and Fertility Decline in Dabat Health and Demographic Surveillance System Site, Northwest Ethiopia: Decomposition Analysis. <i>International Journal of Women's Health</i> , 2021, Volume 13, 1197-1206.	2.6	3
104	Does socioeconomic inequality exist in minimum acceptable diet intake among children aged 6â€“23â€‰months in sub-Saharan Africa? Evidence from 33 sub-Saharan African countries <sup>™</sup> demographic and health surveys from 2010 to 2020. <i>BMC Nutrition</i> , 2022, 8, 30.	1.6	3
105	Developing and Piloting TB Medication and Refilling Reminder System in Ethiopia. <i>Studies in Health Technology and Informatics</i> , 2020, 270, 1251-1252.	0.3	3
106	More Than Three-Fourths of AstraZeneca (ChAdox1 COV-19) COVID-19 Vaccinated Individuals Develop Post Immunization Adverse Event in Northwest Ethiopia. <i>Infection and Drug Resistance</i> , 2022, Volume 15, 2409-2416.	2.7	3
107	Combined effect of pill refilling and self-medication reminder system on patients <sup>™</sup> adherence to tuberculosis treatment during continuation phase in Northwest Ethiopia: a study protocol for randomised controlled trial. <i>BMJ Health and Care Informatics</i> , 2019, 26, e100050.	3.0	2
108	Depression remains a neglected public health problem among pregnant women in Northwest Ethiopia. <i>Archives of Public Health</i> , 2021, 79, 132.	2.4	2

#	ARTICLE	IF	CITATIONS
109	Half-time evaluation of a new 4-year Ph.D. program in nursing and midwifery at the University of Gondar, Ethiopia. <i>Global Health Action</i> , 2021, 14, 1905304.	1.9	2
110	Health care providers' perceptions and experiences related to Midwife-led continuity of care—A qualitative study. <i>PLoS ONE</i> , 2021, 16, e0258248.	2.5	2
111	Development and Psychometric Validation of the Hypertension Beliefs Assessment Tool Among Adult Population in Northwest Ethiopia. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 2659-2671.	1.8	2
112	Midwife-led continuity of care increases women's satisfaction with antenatal, intrapartum, and postpartum care: North Shoa, Amhara regional state, Ethiopia: A quasi-experimental study. <i>Women and Birth</i> , 2022, 35, 553-562.	2.0	2
113	Effects of inter-pregnancy intervals on preterm birth, low birth weight and perinatal deaths in urban South Ethiopia: a prospective cohort study. <i>Maternal Health, Neonatology and Perinatology</i> , 2022, 8, 3.	2.2	2
114	Common mental disorders among seasonal migrant farmworkers in Northwest Ethiopia. <i>BMC Psychiatry</i> , 2021, 21, 69.	2.6	1
115	Intervention fidelity and its determinants of focused antenatal care package implementation, in south Wollo zone, Northeast Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 150.	2.4	1
116	Level of Implementation Fidelity of Youth-Friendly Services in Northwest Ethiopia. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 1097-1108.	2.5	1
117	Disability scores rate changes and predictors among road traffic injury victims admitted at Gondar specialized comprehensive hospital northwest Ethiopia: A prospective follow-up study. <i>Traffic Injury Prevention</i> , 2022, 23, 40-45.	1.4	1
118	Seizure control status and associated factors among pediatric epileptic patients at a neurologic outpatient clinic in Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0259079.	2.5	1
119	Effect of antenatal depression on the initiation of breastfeeding in South Gondar zone, Northwest Ethiopia: A population-based prospective cohort study. <i>Heliyon</i> , 2022, 8, e08759.	3.2	1
120	Mothers experience on neonatal danger signs and associated factors in northwest Ethiopia: a community based cross-sectional study.. <i>Pan African Medical Journal</i> , 2022, 41, 83.	0.8	1
121	Malaria Infection is High at Transit and Destination Phases Among Seasonal Migrant Workers in Development Corridors of Northwest Ethiopia: A Repeated Cross-Sectional Study. <i>Research and Reports in Tropical Medicine</i> , 2021, Volume 12, 107-121.	1.4	0
122	Factors associated with localization of tuberculosis disease among patients in a high burden country: A health facility-based comparative study in Ethiopia. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2021, 23, 100231.	1.3	0
123	Individual and contextual factors affect the implementation fidelity of youth-friendly services, northwest Ethiopia: A multilevel analysis. <i>PLoS ONE</i> , 2022, 17, e0263733.	2.5	0
124	Insufficient Supply, Diagnostic Services, and Lack of Trained Personnel in Primary Hospitals in North-West Ethiopia Worsened Trauma Care: A Mixed-Method Study. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, , 1-8.	1.3	0
125	Title is missing!. , 2020, 15, e0235818.		0
126	Title is missing!. , 2020, 15, e0235818.		0



#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2020, 15, e0235818.		0
128	Title is missing!. , 2020, 15, e0235818.		0
129	Title is missing!. , 2020, 15, e0243036.		0
130	Title is missing!. , 2020, 15, e0243036.		0
131	Title is missing!. , 2020, 15, e0243036.		0
132	Title is missing!. , 2020, 15, e0243036.		0
133	Title is missing!. , 2020, 15, e0237696.		0
134	Title is missing!. , 2020, 15, e0237696.		0
135	Title is missing!. , 2020, 15, e0237696.		0
136	Title is missing!. , 2020, 15, e0237696.		0
137	Title is missing!. , 2020, 15, e0244265.		0
138	Title is missing!. , 2020, 15, e0244265.		0
139	Title is missing!. , 2020, 15, e0244265.		0
140	Title is missing!. , 2020, 15, e0244265.		0
141	Spatio-Temporal Variation of Malaria Incidence and Risk Factors in West Gojjam Zone, Northwest Ethiopia. Environmental Health Insights, 2022, 16, 117863022210957.	1.7	0