

Joseph R Calabrese

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9406382/publications.pdf>

Version: 2024-02-01

72
papers

3,932
citations

304743

22
h-index

128289

60
g-index

74
all docs

74
docs citations

74
times ranked

5066
citing authors

#	ARTICLE	IF	CITATIONS
1	Canadian Network for Mood and Anxiety Treatments (<scp>CANMAT</scp>) and International Society for Bipolar Disorders (<scp>ISBD</scp>) 2018 guidelines for the management of patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 20, 97-170.	1.9	1,079
2	Bipolar disorders. <i>Nature Reviews Disease Primers</i> , 2018, 4, 18008.	30.5	518
3	Differential responses to lithium in hyperexcitable neurons from patients with bipolar disorder. <i>Nature</i> , 2015, 527, 95-99.	27.8	461
4	Impact of Bipolar Disorder on a U.S. Community Sample. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 425-432.	2.2	224
5	A randomized proof-of-mechanism trial applying the "fast-fail"™ approach to evaluating μ -opioid antagonism as a treatment for anhedonia. <i>Nature Medicine</i> , 2020, 26, 760-768.	30.7	129
6	Latest maintenance data on lamotrigine in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003, 13, 57-66.	0.7	107
7	Adjunctive Armodafinil for Major Depressive Episodes Associated With Bipolar I Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1363-1370.	2.2	96
8	PTSD Comorbidity and Suicidal Ideation Associated With PTSD Within the Ohio Army National Guard. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1072-1078.	2.2	96
9	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 620-628.	5.4	80
10	Latent profile analyses of posttraumatic stress disorder, depression and generalized anxiety disorder symptoms in trauma-exposed soldiers. <i>Journal of Psychiatric Research</i> , 2015, 68, 19-26.	3.1	74
11	Structural relations between DSM-5 PTSD and major depression symptoms in military soldiers. <i>Journal of Affective Disorders</i> , 2015, 175, 373-378.	4.1	66
12	Combination Lithium and Divalproex Sodium in Pediatric Bipolar Symptom Restabilization. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 142-148.	0.5	65
13	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , 2016, 16, 129.	2.6	61
14	Selective kappa-opioid antagonism ameliorates anhedonic behavior: evidence from the Fast-fail Trial in Mood and Anxiety Spectrum Disorders (FAST-MAS). <i>Neuropsychopharmacology</i> , 2020, 45, 1656-1663.	5.4	50
15	Methodological approaches and magnitude of the clinical unmet need associated with amotivation in mood disorders. <i>Journal of Affective Disorders</i> , 2014, 168, 439-451.	4.1	43
16	Balancing benefits and harms of treatments for acute bipolar depression. <i>Journal of Affective Disorders</i> , 2014, 169, S24-S33.	4.1	41
17	General distress is more important than PTSD's cognition and mood alterations factor in accounting for PTSD and depression's comorbidity. <i>Journal of Affective Disorders</i> , 2017, 211, 118-123.	4.1	40
18	International Consensus Group on Bipolar I Depression Treatment Guidelines. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 571-9.	2.2	36

#	ARTICLE	IF	CITATIONS
19	Disagreement between self-reported and clinician-ascertained suicidal ideation and its correlation with depression and anxiety severity in patients with major depressive disorder or bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 60, 117-124.	3.1	34
20	Mental Health Over Time in a Military Sample: The Impact of Alcohol Use Disorder on Trajectories of Psychopathology After Deployment. <i>Journal of Traumatic Stress</i> , 2015, 28, 547-555.	1.8	30
21	Subthreshold PTSD and PTSD in a prospective longitudinal cohort of military personnel: Potential targets for preventive interventions. <i>Depression and Anxiety</i> , 2018, 35, 1048-1055.	4.1	30
22	Circadian rhythms in bipolar disorder patient-derived neurons predict lithium response: preliminary studies. <i>Molecular Psychiatry</i> , 2021, 26, 3383-3394.	7.9	29
23	The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 1743-1749.	5.4	28
24	A Double-Blind and Placebo-Controlled Trial of Aripiprazole in Symptomatic Youths at Genetic High Risk for Bipolar Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 864-874.	1.3	23
25	White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 355-365.	2.3	22
26	Efficacy and safety of sublingual ramelteon as an adjunctive therapy in the maintenance treatment of bipolar I disorder in adults: A phase 3, randomized controlled trial. <i>Journal of Affective Disorders</i> , 2017, 221, 275-282.	4.1	22
27	Retrospective age-of-onset and projected lifetime prevalence of psychiatric disorders among U.S. Army National Guard soldiers. <i>Journal of Affective Disorders</i> , 2016, 202, 171-177.	4.1	21
28	Posttraumatic stress disorder's dysphoria dimension and relations with generalized anxiety disorder symptoms. <i>Psychiatry Research</i> , 2015, 228, 150-155.	3.3	20
29	Clinical predictors of non-response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , 2021, 23, 821-831.	1.9	20
30	Short-term antidepressant treatment of bipolar depression: Are ISBD recommendations useful in clinical practice?. <i>Journal of Affective Disorders</i> , 2015, 171, 155-160.	4.1	19
31	Onset of Alcohol Use Disorders and Comorbid Psychiatric Disorders in a Military Cohort: Are there Critical Periods for Prevention of Alcohol Use Disorders?. <i>Prevention Science</i> , 2016, 17, 347-356.	2.6	19
32	Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. <i>Journal of Affective Disorders</i> , 2014, 161, 30-35.	4.1	18
33	Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 223, 146-152.	4.1	18
34	Overview of Patient Care Issues and Treatment in Bipolar II Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, e18.	2.2	18
35	Evolving methodologies in bipolar disorder maintenance research. <i>British Journal of Psychiatry</i> , 2001, 178, s157-s163.	2.8	16
36	The effect of personalized guideline-concordant treatment on quality of life and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 169, 144-148.	4.1	15

#	ARTICLE	IF	CITATIONS
37	Civilian Stressors Associated with Alcohol Use Disorders in the National Guard. <i>American Journal of Preventive Medicine</i> , 2014, 47, 461-466.	3.0	15
38	Coincident alcohol dependence and depression increases risk of suicidal ideation among Army National Guard soldiers. <i>Annals of Epidemiology</i> , 2017, 27, 157-163.e1.	1.9	15
39	Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. <i>Journal of Affective Disorders</i> , 2019, 259, 164-172.	4.1	13
40	A Randomized, Placebo-Controlled Pilot Study of Quetiapine-XR Monotherapy or Adjunctive Therapy to Antidepressant in Acute Major Depressive Disorder with Current Generalized Anxiety Disorder. <i>Psychopharmacology Bulletin</i> , 2016, 46, 8-23.	0.0	13
41	Nonsteroidal anti-inflammatory drugs (NSAIDs) and paracetamol do not affect 6-month mood-stabilizing treatment outcome among 482 patients with bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 281-290.	4.1	12
42	A placebo controlled study of quetiapine-XR in bipolar depression accompanied by generalized anxiety with and without a recent history of alcohol and cannabis use. <i>Psychopharmacology</i> , 2017, 234, 2233-2244.	3.1	12
43	Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. <i>Journal of Affective Disorders</i> , 2019, 246, 126-131.	4.1	11
44	Predictors of bipolar disorder risk among patients currently treated for major depression. <i>MedGenMed: Medscape General Medicine</i> , 2006, 8, 38.	0.2	11
45	Latent dimensions of posttraumatic stress disorder and their relations with alcohol use disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 421-429.	3.1	10
46	Major depressive disorder with mixed features and treatment response to lurasidone: A symptom network model. <i>Journal of Affective Disorders</i> , 2020, 277, 1045-1054.	4.1	10
47	Citalopram Treatment of Fluoxetine-Intolerant Depressed Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 562-567.	2.2	10
48	A novel application of the <i>Intent to Attend</i> assessment to reduce bias due to missing data in a randomized controlled clinical trial. <i>Clinical Trials</i> , 2014, 11, 494-502.	1.6	9
49	Incidence and Risk for Mood and Anxiety Disorders in a Representative Sample of Ohio Army National Guard Members, 2008â€“2012. <i>Public Health Reports</i> , 2016, 131, 614-622.	2.5	9
50	Entrainment of Circadian Rhythms to Temperature Reveals Amplitude Deficits in Fibroblasts from Patients with Bipolar Disorder and Possible Links to Calcium Channels. <i>Molecular Neuropsychiatry</i> , 2019, 5, 115-124.	2.9	9
51	Bipolar disorders and the effectiveness of novel anticonvulsants. <i>Journal of Clinical Psychiatry</i> , 2002, 63 Suppl 3, 5-9.	2.2	9
52	Childhood trauma and treatment outcomes during moodâ€stabilising treatment with lithium or quetiapine among outpatients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 615-627.	4.5	9
53	Correction of depressionâ€associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 521-529.	1.9	8
54	Current concepts in rapid cycling bipolar disorder. <i>Current Psychiatry Reports</i> , 2000, 2, 310-315.	4.5	7

#	ARTICLE	IF	CITATIONS
55	Pharmacogenetics of lithium response: close to clinical practice?. <i>Lancet, The</i> , 2016, 387, 1034-1036.	13.7	7
56	Diagnosing Mania in the Age of DSM-5. <i>American Journal of Psychiatry</i> , 2017, 174, 8-10.	7.2	7
57	The effects of valbenazine on tardive dyskinesia in patients with a primary mood disorder. <i>Journal of Affective Disorders</i> , 2019, 246, 217-223.	4.1	7
58	Direct incremental healthcare costs associated with mood disorders in the United States, 2007â€“2017. <i>Journal of Affective Disorders</i> , 2020, 273, 304-309.	4.1	7
59	Connectivity-based identification of a potential neurosurgical target for mood disorders. <i>Journal of Psychiatric Research</i> , 2020, 125, 113-120.	3.1	7
60	Familial severe psychiatric history in bipolar disorder and correlation with disease severity and treatment response. <i>Journal of Affective Disorders</i> , 2020, 273, 131-137.	4.1	7
61	Cardiometabolic risk markers during mood-stabilizing treatment: Correlation with drug-specific effects, depressive symptoms and treatment response. <i>Journal of Affective Disorders</i> , 2022, 300, 41-49.	4.1	6
62	Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. <i>Bipolar Disorders</i> , 2018, 21, 350-360.	1.9	5
63	Adjunctive antidepressant treatment among 763 outpatients with bipolar disorder: Findings from the Bipolar CHOICE and LiTMUS trials. <i>Depression and Anxiety</i> , 2021, 38, 114-123.	4.1	5
64	Variation in response to short-term antidepressant treatment between patients with continuous and non-continuous cycling bipolar disorders. <i>Journal of Affective Disorders</i> , 2015, 174, 126-130.	4.1	4
65	Lithium plus antipsychotics or anticonvulsants for bipolar disorder: Comparing clinical response and metabolic changes. <i>Australian and New Zealand Journal of Psychiatry</i> , 2023, 57, 93-103.	2.3	3
66	Correlation between white blood cell count and mood-stabilising treatment response in two bipolar disorder trials. <i>Acta Neuropsychiatrica</i> , 2019, 31, 230-234.	2.1	2
67	Sex and Bipolar Subtype Association with Self-Reported Hazardous Alcohol Consumption in Bipolar Depression. <i>Journal of Dual Diagnosis</i> , 2008, 4, 291-302.	1.2	1
68	Response and remission rates during 24 weeks of mood-stabilizing treatment for bipolar depression depending on early non-response. <i>Psychiatry Research</i> , 2021, 305, 114194.	3.3	1
69	Cingulum bundle connectivity in treatment-refractory compared to treatment-responsive patients with bipolar disorder and healthy controls: a tractography and surgical targeting analysis. <i>Journal of Neurosurgery</i> , 2022, 137, 709-721.	1.6	1
70	Protein Biomarkers in Monocytes and CD4 Lymphocytes for Predicting Lithium Treatment Response of Bipolar Disorder: a Feasibility Study with Tyramine-Based Signal-Amplified Flow Cytometry.. <i>Psychopharmacology Bulletin</i> , 2022, 52, 8-35.	0.0	1
71	Cohort profile: the Ohio Army National Guard Mental Health Initiative (OHARNG-MHI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2107-2116.	3.1	0
72	Mood Stabilizers. , 0, , 2202-2222.		0