

Salvatore Campione

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9410127/publications.pdf>

Version: 2024-02-01

149
papers

4,112
citations

117625

34
h-index

118850

62
g-index

154
all docs

154
docs citations

154
times ranked

3676
citing authors

#	ARTICLE	IF	CITATIONS
1	An All-Dielectric Polaritonic Metasurface with a Giant Nonlinear Optical Response. Nano Letters, 2022, 22, 896-903.	9.1	22
2	A Method of Moments Wide Band Adaptive Rational Interpolation Method for High-Quality Factor Resonant Cavities. IEEE Transactions on Antennas and Propagation, 2022, 70, 3595-3604.	5.1	3
3	Strong Coupling in All-Dielectric Intersubband Polaritonic Metasurfaces. Nano Letters, 2021, 21, 367-374.	9.1	18
4	Penetration Through Slots in Overmoded Cavities. IEEE Transactions on Electromagnetic Compatibility, 2021, , 1-6.	2.2	0
5	Penetration through slots in cylindrical cavities with cavity modes overlapping with the first slot resonance. Electromagnetics, 2021, 41, 98-109.	0.7	2
6	Characterization and integration of the singular test integrals in the method of moments implementation of the electric field integral equation. Engineering Analysis With Boundary Elements, 2021, 124, 185-193.	3.7	4
7	Developing Uncertainty Quantification Strategies in Electromagnetic Problems Involving Highly Resonant Cavities. Journal of Verification, Validation and Uncertainty Quantification, 2021, 6, .	0.4	0
8	Experimental Evidence of the Lorentz-Like Effective Medium Resonance in Semiconductor Hyperbolic Metamaterials Using Strong Coupling to Plasmonic Metasurfaces. IEEE Transactions on Antennas and Propagation, 2020, 68, 1748-1754.	5.1	3
9	Broadband, High-Speed, and Large-Amplitude Dynamic Optical Switching with Yttrium-Doped Cadmium Oxide. Advanced Functional Materials, 2020, 30, 1908377.	14.9	38
10	Effect of Line-Tower Coupling on E1 Pulse Excitation of an Electrical Transmission Line. , 2020, , .		1
11	PENETRATION THROUGH SLOTS IN CYLINDRICAL CAVITIES OPERATING AT FUNDAMENTAL CAVITY MODES IN THE PRESENCE OF ELECTROMAGNETIC ABSORBERS. Progress in Electromagnetics Research M, 2020, 96, 119-127.	0.9	2
12	High Quality Factor Toroidal Resonances in Dielectric Metasurfaces. ACS Photonics, 2020, 7, 1699-1707.	6.6	112
13	Penetration Through Slots in Cylindrical Cavities Operating at Fundamental Cavity Modes. IEEE Transactions on Electromagnetic Compatibility, 2020, 62, 1980-1988.	2.2	6
14	Symmetric triangle quadrature rules for arbitrary functions. Computers and Mathematics With Applications, 2020, 79, 2885-2896.	2.7	8
15	Broadband, High-Speed, and Extraordinarily Large All-Optical Switching with Yttrium-doped Cadmium Oxide. , 2020, , .		0
16	Intersubband Polaritonics in Dielectric Metasurfaces. , 2020, , .		0
17	Enhancing Absorption Bandwidth through Vertically Oriented Metamaterials. Applied Sciences (Switzerland), 2019, 9, 2223.	2.5	6
18	Broadband and Efficient Second-Harmonic Generation from a Hybrid Dielectric Metasurface/Semiconductor Quantum-Well Structure. ACS Photonics, 2019, 6, 1458-1465.	6.6	26

#	ARTICLE	IF	CITATIONS
19	Modeling shielded cables in Xyce based on transmission-line theory. , 2019, , .		0
20	Hybrid Dielectric Metasurfaces: From Strong Light-Matter Interaction to Extreme Nonlinearities. , 2019, , .		0
21	Perturbation theory to model shielding effectiveness of cavities loaded with electromagnetic dampeners. Electronics Letters, 2019, 55, 644-646.	1.0	7
22	High-Mobility Transparent Conducting Oxides for Compact Epsilon-Near-Zero Silicon Photonic Phase Modulators. , 2019, , .		0
23	A Hybrid Dielectric-Semiconductor Resonant Nanostructure for Broadband and Efficient Second-Harmonic Generation. , 2019, , .		0
24	Multipole-Based Cable Braid Electromagnetic Penetration Model: Electric Penetration Case. IEEE Transactions on Electromagnetic Compatibility, 2018, 60, 444-452.	2.2	8
25	Parametric Analysis of Vertically Oriented Metamaterials for Wideband Omnidirectional Perfect Absorption. , 2018, , .		1
26	Semiconductor Hyperbolic Metamaterials at the Quantum Limit. Scientific Reports, 2018, 8, 16694.	3.3	8
27	A metasurface optical modulator using voltage-controlled population of quantum well states. Applied Physics Letters, 2018, 113, 201101.	3.3	10
28	FIRST PRINCIPLES MODEL OF ELECTRIC CABLE BRAID PENETRATION WITH DIELECTRICS. Progress in Electromagnetics Research C, 2018, 82, 1-11.	0.9	4
29	Quality factor assessment of finite-size all-dielectric metasurfaces at the magnetic dipole resonance. Nanomaterials and Nanotechnology, 2018, 8, 184798041882016.	3.0	2
30	Improved quantitative circuit model of realistic patch-based nanoantenna-enabled detectors. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 2144.	2.1	2
31	Viscoelastic optical nonlocality of low-loss epsilon-near-zero nanofilms. Scientific Reports, 2018, 8, 9335.	3.3	30
32	Gigahertz speed operation of epsilon-near-zero silicon photonic modulators. Optica, 2018, 5, 233.	9.3	93
33	Compact epsilon-near-zero silicon photonic phase modulators. Optics Express, 2018, 26, 21594.	3.4	31
34	Low dissipation spectral filtering using a field-effect tunable III-V hybrid metasurface. Applied Physics Letters, 2018, 113, .	3.3	9
35	Vertically oriented metamaterial broadband linear polariser. Electronics Letters, 2018, 54, 584-585.	1.0	2
36	Coupling effects in dense arrays of 3D optical metamaterials. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
37	Electromagnetic pulse excitation of finite- and infinitely-long lossy conductors over a lossy ground plane. <i>Journal of Electromagnetic Waves and Applications</i> , 2017, 31, 209-224.	1.6	7
38	Three dimensional metafilms with dual channel unit cells. <i>Applied Physics Letters</i> , 2017, 110, 143107.	3.3	16
39	Femtosecond optical polarization switching using a cadmium oxide-based perfect absorber. <i>Nature Photonics</i> , 2017, 11, 390-395.	31.4	245
40	Huygensâ€™™ Metasurfaces Enabled by Magnetic Dipole Resonance Tuning in Split Dielectric Nanoresonators. <i>Nano Letters</i> , 2017, 17, 4297-4303.	9.1	66
41	Transient GaAs Plasmonic Metasurfaces at Terahertz Frequencies. <i>ACS Photonics</i> , 2017, 4, 15-21.	6.6	36
42	Dipole Approximation to Predict the Resonances of Dimers Composed of Dielectric Resonators for Directional Emission. <i>Radio Science</i> , 2017, 52, 1235-1241.	1.6	3
43	Multipolar second harmonic generation in a symmetric nonlinear metamaterial. <i>Scientific Reports</i> , 2017, 7, 8101.	3.3	8
44	Active tuning of high-Q dielectric metasurfaces. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	44
45	Submicrometer Epsilon-Near-Zero Electroabsorption Modulators Enabled by High-Mobility Cadmium Oxide. <i>IEEE Photonics Journal</i> , 2017, 9, 1-7.	2.0	36
46	Three-dimensional cut wire pair behavior and controllable bianisotropic response in vertically oriented meta-atoms. <i>Optics Express</i> , 2017, 25, 32198.	3.4	6
47	High-Contrast, All-Optical Switching of Infrared Light using a Cadmium Oxide Perfect Absorber. , 2017, , .		0
48	High-Mobility Transparent Conducting Oxides for Compact Epsilon-Near-Zero Silicon Integrated Optical Modulators. , 2017, , .		0
49	SHIELDING EFFECTIVENESS OF MULTIPLE-SHIELD CABLES WITH ARBITRARY TERMINATIONS VIA TRANSMISSION LINE ANALYSIS. <i>Progress in Electromagnetics Research C</i> , 2016, 65, 93-102.	0.9	14
50	Spectral filtering using active metasurfaces compatible with narrow bandgap III-V infrared detectors. <i>Optics Express</i> , 2016, 24, 21512.	3.4	9
51	Experimental verification of epsilon-near-zero plasmon polariton modes in degenerately doped semiconductor nanolayers. <i>Optics Express</i> , 2016, 24, 18782.	3.4	44
52	Directional and monochromatic thermal emitter from epsilon-near-zero conditions in semiconductor hyperbolic metamaterials. <i>Scientific Reports</i> , 2016, 6, 34746.	3.3	50
53	Broken Symmetry Dielectric Resonators for High Quality Factor Fano Metasurfaces. <i>ACS Photonics</i> , 2016, 3, 2362-2367.	6.6	271
54	Near-Infrared Strong Coupling between Metamaterials and Epsilon-near-Zero Modes in Degenerately Doped Semiconductor Nanolayers. <i>ACS Photonics</i> , 2016, 3, 293-297.	6.6	68

#	ARTICLE	IF	CITATIONS
55	Electromagnetic coupling and array packing induce exchange of dominance on complex modes in 3D periodic arrays of spheres with large permittivity. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 261.	2.1	6
56	Ultrafast Dynamics of Epsilon-Near-Zero Modes in GaAs at Terahertz Frequencies. , 2016, , .		0
57	Epsilon-Near-Zero Modes for Tailored Light-Matter Interaction. <i>Physical Review Applied</i> , 2015, 4, .	3.8	46
58	Theory of epsilon-near-zero modes in ultrathin films. <i>Physical Review B</i> , 2015, 91, .	3.2	215
59	Optical properties of transiently-excited semiconductor hyperbolic metamaterials. <i>Optical Materials Express</i> , 2015, 5, 2385.	3.0	18
60	Control of Strong Light-Matter Coupling Using the Capacitance of Metamaterial Nanocavities. <i>Nano Letters</i> , 2015, 15, 1959-1966.	9.1	28
61	Experimental demonstration of directive Si ₃ N ₄ optical leaky wave antennas with semiconductor perturbations at near infrared frequencies. , 2015, , .		3
62	Phased-array sources based on nonlinear metamaterial nanocavities. <i>Nature Communications</i> , 2015, 6, 7667.	12.8	115
63	Polarization-Independent Silicon Metadevices for Efficient Optical Wavefront Control. <i>Nano Letters</i> , 2015, 15, 5369-5374.	9.1	344
64	Tailoring dielectric resonator geometries for directional scattering and Huygens™ metasurfaces. <i>Optics Express</i> , 2015, 23, 2293.	3.4	88
65	Enhanced third harmonic generation from the epsilon-near-zero modes of ultrathin films. <i>Applied Physics Letters</i> , 2015, 106, .	3.3	126
66	What is an epsilon-near-zero mode?. , 2015, , .		0
67	Realizing high-quality, ultralarge momentum states and ultrafast topological transitions using semiconductor hyperbolic metamaterials. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015, 32, 1809.	2.1	14
68	Third harmonic generation in ultrathin epsilon-near-zero media. , 2015, , .		0
69	Coherent Second Harmonic Generation in a Quantum Well-Metasurface Coupled System. , 2015, , .		0
70	Tailored Light-Matter Interaction through Epsilon-Near-Zero Modes. , 2015, , .		0
71	Tailoring the properties of dielectric resonator-based metamaterials. , 2014, , .		0
72	Optical Magnetic Mirrors using All Dielectric Metasurfaces. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
73	Gallium Nitride Nanowire Distributed Feedback Lasers. , 2014, , .		0
74	Surface plasmon polariton enhanced ultrathin nano-structured CdTe solar cell. Optics Express, 2014, 22, A1372.	3.4	11
75	Optical magnetic mirrors without metals. Optica, 2014, 1, 250.	9.3	188
76	Fano collective resonance as complex mode in a two-dimensional planar metasurface of plasmonic nanoparticles. Applied Physics Letters, 2014, 105, .	3.3	18
77	Array of dipoles near a hyperbolic metamaterial: Evanescent-to-propagating Floquet wave transformation. Physical Review B, 2014, 89, .	3.2	10
78	Second-harmonic double-resonance cones in dispersive hyperbolic metamaterials. Physical Review B, 2014, 89, .	3.2	39
79	Second harmonic generation from metamaterials strongly coupled to intersubband transitions in quantum wells. Applied Physics Letters, 2014, 104, .	3.3	61
80	Array-induced Fano resonances make high quality factors possible in plasmonic systems. , 2014, , .		0
81	Directional perfect absorption using deep subwavelength low-permittivity films. Physical Review B, 2014, 90, .	3.2	111
82	Electrodynamic modeling of strong coupling between a metasurface and intersubband transitions in quantum wells. Physical Review B, 2014, 89, .	3.2	24
83	Metamaterials strongly coupled to intersubband transitions: Circuit model and second order nonlinear processes. , 2014, , .		0
84	Second harmonic generation in quantum wells enhanced via coupling to metamaterials. , 2014, , .		0
85	Artificial magnetism at terahertz frequencies from three-dimensional lattices of TiO ₂ microspheres accounting for spatial dispersion and magnetoelectric coupling. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 1078.	2.1	21
86	Theory of a Directive Optical Leaky Wave Antenna Integrated into a Resonator and Enhancement of Radiation Control. Journal of Lightwave Technology, 2014, 32, 1741-1749.	4.6	21
87	Critical excitation-rate enhancement of a dipolar scatterer close to a plasmonic nanosphere and importance of multipolar self-coupling. Physical Review B, 2014, 90, .	3.2	5
88	Optical leaky wave antennas integrated with resonator topologies. , 2014, , .		0
89	Optical Strong Coupling between near-Infrared Metamaterials and Intersubband Transitions in III-Nitride Heterostructures. ACS Photonics, 2014, 1, 906-911.	6.6	25
90	Distributed feedback gallium nitride nanowire lasers. Applied Physics Letters, 2014, 104, .	3.3	36

#	ARTICLE	IF	CITATIONS
91	Enhanced Magnetic and Electric Fields via Fano Resonances in Metasurfaces of Circular Clusters of Plasmonic Nanoparticles. ACS Photonics, 2014, 1, 254-260.	6.6	73
92	Maximizing Strong Coupling between Metasurface Resonators and Intersubband Transitions. , 2014, , .		0
93	Strong Light-Matter Coupling in Mid-Infrared Monolithic Metamaterial Nanocavities. , 2014, , .		0
94	Magnetoinductive Waves and Complex Modes in Two-Dimensional Periodic Arrays of Split Ring Resonators. IEEE Transactions on Antennas and Propagation, 2013, 61, 3554-3563.	5.1	19
95	Effective medium representation and complex modes in 3D periodic metamaterials made of cubic resonators with large permittivity at mid-infrared frequencies. Photonics and Nanostructures - Fundamentals and Applications, 2013, 11, 423-435.	2.0	17
96	Strong coupling in the sub-wavelength limit using metamaterial nanocavities. Nature Communications, 2013, 4, 2882.	12.8	96
97	Wideband Planar Transmission Line Hyperbolic Metamaterial for Subwavelength Focusing and Resolution. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 4110-4117.	4.6	20
98	Conditions for electric field enhancement in ϵ -near-zero Slabs under TM-polarized oblique incidence. , 2013, , .		0
99	Electric field enhancement in ϵ -near-zero slabs under TM-polarized oblique incidence. Physical Review B, 2013, 87, .	3.2	102
100	Low-damping epsilon-near-zero slabs: Nonlinear and nonlocal optical properties. Physical Review B, 2013, 87, .	3.2	72
101	Directing Cluster Formation of Au Nanoparticles from Colloidal Solution. Langmuir, 2013, 29, 4242-4251.	3.5	22
102	Absorption of near fields generated by a two-dimensional array of dipoles above a hyperbolic metamaterial. , 2013, , .		0
103	Substrate effects onto complex modes and optical properties of 2D arrays of linear trimers of plasmonic nanospheres. , 2013, , .		1
104	Fano resonances in metasurfaces made of linear trimers of plasmonic nanoparticles. Optics Letters, 2013, 38, 5216.	3.3	18
105	Comparison of electric field enhancements: Linear and triangular oligomers versus hexagonal arrays of plasmonic nanospheres. Optics Express, 2013, 21, 7957.	3.4	25
106	Near-infrared surface plasmon polariton dispersion control with hyperbolic metamaterials. Optics Express, 2013, 21, 11107.	3.4	24
107	Studying dipole moment modification in a single fluorescent dye beside metallic Nano-Particle based on the Green's function theory. , 2013, , .		0
108	Subwavelength focusing and resolution with hyperbolic transmission line metamaterial. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
109	Artificial magnetism at terahertz frequencies in 3D arrays of TiO ₂ microspheres including spatial dispersion and magnetoelectric coupling. , 2013, , .		0
110	Increased local density of states and electromagnetic well effect by using very thin hyperbolic metamaterial. , 2013, , .		0
111	Concept of an optical leaky-wave antenna embedded in a Fabry-Pérot resonator. , 2013, , .		1
112	Wave dynamics in a hyperbolic metamaterial excited by a two-dimensional periodic array of sources at its surface. , 2013, , .		0
113	Monolithic metallic nanocavities for strong light-matter interaction to quantum-well intersubband excitations. Optics Express, 2013, 21, 32572.	3.4	13
114	Ultra-Strong Light-Matter Interaction with Mid-Infrared Metamaterials. , 2013, , .		1
115	Dispersion control of near-infrared surface plasmon polariton using hyperbolic metamaterials. , 2013, , .		0
116	Leaky modes in low-damping $\hat{\mu}$ -near-zero slabs. , 2013, , .		0
117	Nonlocal effects on second harmonic generation in low-damping epsilon-near-zero slabs. , 2013, , .		0
118	Influence of the Metamaterial Geometry on Ultra-Strong Light-Matter Interaction. , 2013, , .		0
119	Complex modes and artificial magnetism in three-dimensional periodic arrays of titanium dioxide microspheres at millimeter waves. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 1697.	2.1	12
120	An optical leaky wave antenna with Si perturbations inside a resonator for enhanced optical control of the radiation. Optics Express, 2012, 20, 21305.	3.4	31
121	Hiding and absorbing the power emitted by a dipole at the interface of an indefinite medium. , 2012, , .		0
122	Radiation properties of an integrated optical leaky wave antenna with periodic silicon perturbations. , 2012, , .		0
123	Enhancing radiation control of an optical leaky wave antenna in a resonator. Proceedings of SPIE, 2012, , .	0.8	2
124	Metamaterials based on plasmonic nanoshells and loss-compensation using fluorescent dye molecules and quantum dots. Proceedings of SPIE, 2012, , .	0.8	0
125	Hyperbolic metamaterial as super absorber for scattered fields generated at its surface. Physical Review B, 2012, 86, .	3.2	98
126	Magnetoinductive waves in 2D periodic arrays of split ring resonators. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
127	Ewald method for 3D periodic dyadic Green's functions and complex modes in composite materials made of spherical particles under the dual dipole approximation. <i>Radio Science</i> , 2012, 47, .	1.6	34
128	Composite material made of plasmonic nanoshells with quantum dot cores: loss-compensation and $\hat{\mu}$ -near-zero physical properties. <i>Nanotechnology</i> , 2012, 23, 235703.	2.6	33
129	Gain-assisted harmonic generation in near-zero permittivity metamaterials made of plasmonic nanoshells. <i>New Journal of Physics</i> , 2012, 14, 103016.	2.9	41
130	Non- $\hat{\epsilon}$ -lithographic SERS Substrates: Tailoring Surface Chemistry for Au Nanoparticle Cluster Assembly. <i>Small</i> , 2012, 8, 2239-2249.	10.0	68
131	Electromagnetic Metamaterials as Artificial Composite Structures. <i>The Electrical Engineering Handbook</i> , 2012, , 595-682.	0.2	1
132	Second and Third Harmonic Generation at $\hat{\mu}$ -Near-Zero Crossing Point in Arrays of Plasmonic Nanoshells. , 2012, , .		0
133	Description and characterization of the complex modes in a linear chain of gold nanospheres. , 2011, , .		2
134	Characterization of complex plasmonic modes in two-dimensional periodic arrays of metal nanospheres. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011, 28, 1446.	2.1	34
135	Silicon-based optical leaky wave antenna with narrow beam radiation. <i>Optics Express</i> , 2011, 19, 8735.	3.4	69
136	Complex bound and leaky modes in chains of plasmonic nanospheres. <i>Optics Express</i> , 2011, 19, 18345.	3.4	45
137	Dual polarized near-field focusing plate for near-field optical focusing in two dimensions. <i>Optics Express</i> , 2011, 19, 24483.	3.4	2
138	Complex modes and effective refractive index in 3D periodic arrays of plasmonic nanospheres. <i>Optics Express</i> , 2011, 19, 26027.	3.4	31
139	Complex modes and near-zero permittivity in 3D arrays of plasmonic nanoshells: loss compensation using gain [Invited]. <i>Optical Materials Express</i> , 2011, 1, 1077.	3.0	101
140	LINEAR AND PLANAR PERIODIC ARRAYS OF METALLIC NANOSPHERES: FABRICATION, OPTICAL PROPERTIES AND APPLICATIONS. , 2011, , 141-194.		3
141	A dual polarized near-field focusing plate at microwave frequencies providing sub-wavelength focusing in two dimensions. , 2011, , .		1
142	Characterization of the optical modes in 3D-periodic arrays of metallic nanospheres. , 2011, , .		3
143	Control of the radiation of a silicon-based optical leaky wave antenna through optical pumping. , 2011, , .		3
144	An optical leaky wave antenna with silicon perturbations for electronic control. <i>Proceedings of SPIE</i> , 2011, , .	0.8	5

#	ARTICLE	IF	CITATIONS
145	Erbium-based plasmonic-assisted vertical emitter. , 2011, , .		0
146	A comparison of metalayers based on arrayed pairs of planar conductors. , 2011, , .		0
147	Closed form formulas and tunability of resonances in pairs of gold-dielectric nanoshells. Proceedings of SPIE, 2010, , .	0.8	3
148	Symmetric and antisymmetric resonances in a pair of metal-dielectric nanoshells: tunability and closed-form formulas. Journal of Nanophotonics, 2010, 4, 041577.	1.0	13
149	A stable fast solver for quasi-Helmholtz decomposition methods. , 2009, , .		1