
Bamidele I Olu-Owolabi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9416322/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Kinetic and thermodynamic studies of the adsorption of lead (II) ions onto phosphate-modified kaolinite clay. Journal of Hazardous Materials, 2007, 144, 386-395.	12.4	288
2	Adsorption of Pb (II) and Cd (II) from aqueous solutions onto sodium tetraborate-modified Kaolinite clay: Equilibrium and thermodynamic studies. Hydrometallurgy, 2008, 93, 1-9.	4.3	192
3	The effect of some operating variables on the adsorption of lead and cadmium ions on kaolinite clay. Journal of Hazardous Materials, 2006, 134, 130-139.	12.4	189
4	Hydrothermal treatments of Finger millet (Eleusine coracana) starch. Food Hydrocolloids, 2005, 19, 974-983.	10.7	175
5	Effect of heat-moisture treatment on physicochemical properties of white sorghum starch. Food Hydrocolloids, 2008, 22, 225-230.	10.7	164
6	Functional properties of native, physically and chemically modified breadfruit (Artocarpus artilis) starch. Industrial Crops and Products, 2005, 21, 343-351.	5.2	142
7	Heavy metal contamination of roadside topsoil in Osogbo, Nigeria: its relationship to traffic density and proximity to highways. Environmental Geology, 2003, 44, 150-157.	1.2	124
8	Evaluation of pyrene sorption–desorption on tropical soils. Journal of Environmental Management, 2014, 137, 1-9.	7.8	111
9	Adsorption of some heavy metal ions on sulfate- and phosphate-modified kaolin. Applied Clay Science, 2005, 29, 145-148.	5.2	108
10	Phytoremediation potential of Eichornia crassipes in metal-contaminated coastal water. Bioresource Technology, 2009, 100, 4521-4526.	9.6	104
11	Synthesis of covalently bonded graphene oxide–iron magnetic nanoparticles and the kinetics of mercury removal. RSC Advances, 2015, 5, 2536-2542.	3.6	99
12	Functional, physicochemical and retrogradation properties of sword bean (Canavalia gladiata) acetylated and oxidized starches. Carbohydrate Polymers, 2006, 65, 93-101.	10.2	95
13	Comparative study of the photocatalytic degradation of 2–chlorophenol under UV irradiation using pristine and Ag-doped species of TiO2, ZnO and ZnS photocatalysts. Journal of Environmental Management, 2020, 260, 110145.	7.8	93
14	Modeling of fixed-bed column studies for the adsorption of cadmium onto novel polymer–clay composite adsorbent. Journal of Hazardous Materials, 2010, 179, 415-423.	12.4	82
15	Graphene oxide–tripolyphosphate hybrid used as a potent sorbent for cationic dyes. Carbon, 2014, 79, 174-182.	10.3	77
16	Adsorptive removal of 2,4,6-trichlorophenol in aqueous solution using calcined kaolinite-biomass composites. Journal of Environmental Management, 2017, 192, 94-99.	7.8	70
17	Kinetic and thermodynamic aspects of the adsorption of Pb2+ and Cd2+ ions on tripolyphosphate-modified kaolinite clay. Chemical Engineering Journal, 2008, 136, 99-107.	12.7	69
18	Microscale scavenging of pentachlorophenol in water using amine and tripolyphosphate-grafted SBA-15 silica: Batch and modeling studies. Journal of Environmental Management, 2014, 146, 42-49.	7.8	66

#	Article	IF	CITATIONS
19	Effects of time, soil organic matter, and iron oxides on the relative retention and redistribution of lead, cadmium, and copper on soils. Environmental Science and Pollution Research, 2015, 22, 10331-10339.	5.3	64
20	Calcined biomass-modified bentonite clay for removal of aqueous metal ions. Journal of Environmental Chemical Engineering, 2016, 4, 1376-1382.	6.7	63
21	Predicting the dynamics and performance of a polymer–clay based composite in a fixed bed system for the removal of lead (II) ion. Chemical Engineering Research and Design, 2012, 90, 1105-1115.	5.6	62
22	Comparison of sorption of Pb2+ and Cd2+ on Kaolinite clay andÂpolyvinylÂalcohol-modified Kaolinite clay. Adsorption, 2008, 14, 791-803.	3.0	56
23	Mechanism of Pb2+ removal from aqueous solution using a nonliving moss biomass. Chemical Engineering Journal, 2012, 195-196, 270-275.	12.7	56
24	Competitive biosorption of Pb(II) and Cd(II) ions from aqueous solutions using chemically modified moss biomass (Barbula lambarenensis). Environmental Earth Sciences, 2017, 76, 1.	2.7	53
25	Adsorption of Zn2+ and Cu2+ onto sulphate and phosphate-modified bentonite. Applied Clay Science, 2011, 51, 170-173.	5.2	45
26	Removal of Cu2+ and Cd2+ from Aqueous Solution by Bentonite Clay Modified with Binary Mixture of Goethite and Humic Acid. Water, Air, and Soil Pollution, 2010, 211, 459-474.	2.4	44
27	Fractal-like concepts for evaluation of toxic metals adsorption efficiency of feldspar-biomass composites. Journal of Cleaner Production, 2018, 171, 884-891.	9.3	43
28	Removal of Lead and Cadmium Ions from Aqueous Solution by Polyvinyl Alcohol-Modified Kaolinite Clay: A Novel Nano-Clay Adsorbent. Adsorption Science and Technology, 2008, 26, 383-405.	3.2	42
29	Utilizing eco-friendly kaolinite-biochar composite adsorbent for removal of ivermectin in aqueous media. Journal of Environmental Management, 2021, 279, 111619.	7.8	42
30	Kinetic and thermodynamics of the removal of Zn2+ and Cu2+ from aqueous solution by sulphate and phosphate-modified Bentonite clay. Journal of Hazardous Materials, 2010, 184, 731-738.	12.4	40
31	Distribution and interactions of pentachlorophenol in soils: The roles of soil iron oxides and organic matter. Journal of Contaminant Hydrology, 2016, 191, 99-106.	3.3	39
32	Polyamidoamine-Functionalized Graphene Oxide–SBA-15 Mesoporous Composite: Adsorbent for Aqueous Arsenite, Cadmium, Ciprofloxacin, Ivermectin, and Tetracycline. Industrial & Engineering Chemistry Research, 2021, 60, 3957-3968.	3.7	39
33	Sorption and desorption of fluorene on five tropical soils from different climes. Geoderma, 2015, 239-240, 179-185.	5.1	37
34	Pasting, Thermal, Hydration, and Functional Properties of Annealed and Heat-Moisture Treated Starch of Sword Bean (<i>Canavalia gladiata</i>). International Journal of Food Properties, 2011, 14, 157-174.	3.0	34
35	Effect of succinylation on the physicochemical, rheological, thermal and retrogradation properties of red and white sorghum starches. Food Hydrocolloids, 2011, 25, 515-520.	10.7	31
36	Competitive adsorption of metal ions onto goethite–humic acid-modified kaolinite clay. International Journal of Environmental Science and Technology, 2016, 13, 1043-1054.	3.5	27

BAMIDELE I OLU-OWOLABI

#	Article	IF	CITATIONS
37	Fuzzy comprehensive assessment of metal contamination of water and sediments in Ondo Estuary, Nigeria. Chemistry and Ecology, 2008, 24, 269-283.	1.6	25
38	Effect of chemical modifications on thermal, rheological and morphological properties of yellow sorghum starch. Journal of Food Science and Technology, 2015, 52, 8364-8370.	2.8	25
39	Clay-carbonaceous material composites: Towards a new class of functional adsorbents for water treatment. Surfaces and Interfaces, 2020, 19, 100506.	3.0	25
40	Green synthesis of ZnO coated hybrid biochar for the synchronous removal of ciprofloxacin and tetracycline in wastewater. RSC Advances, 2021, 11, 18483-18492.	3.6	24
41	Comparison of two-stage sorption design models for the removal of lead ions by polyvinyl-modified Kaolinite clay. Journal of Hazardous Materials, 2009, 171, 215-221.	12.4	22
42	Successful scale-up performance of a novel papaya-clay combo adsorbent: up-flow adsorption of a basic dye. Desalination and Water Treatment, 2015, 56, 536-551.	1.0	21
43	Sorption behaviour of pentachlorophenol in sub-Saharan tropical soils: soil types sorption dynamics. Environmental Earth Sciences, 2016, 75, 1.	2.7	21
44	Empirical Assessment and Reusability of an Eco-Friendly Amine-Functionalized SBA-15 Adsorbent for Aqueous Ivermectin. Industrial & Engineering Chemistry Research, 2021, 60, 2365-2373.	3.7	19
45	SAPK: A Novel Composite Resin for Water Treatment with Very High Zn ²⁺ , Cd ²⁺ , and Pb ²⁺ Adsorption Capacity. Industrial & Engineering Chemistry Research, 2013, 52, 578-585.	3.7	15
46	Concentration-dependent and simultaneous sorption and desorption of pyrene and fluorene on major soil minerals in sub-Saharan Africa. Applied Clay Science, 2018, 153, 257-264.	5.2	15
47	Mesoporous SBA-15 Functionalized with G-5 Poly(amidoamine): A Sustainable Adsorbent for Effective Sequestration of an Emerging Aqueous Contaminant. ACS Applied Nano Materials, 2021, 4, 3052-3061.	5.0	15
48	Pb/Ca ion exchange on kaolinite clay modified with phosphates. Journal of Soils and Sediments, 2010, 10, 1103-1114.	3.0	14
49	Assessment of the effects of soil organic matter and iron oxides on the individual sorption of two polycyclic aromatic hydrocarbons. Environmental Earth Sciences, 2021, 80, 1.	2.7	11
50	Natural Rubber/ Organoclay Nanocomposite from Tea (<i>Camellia) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2 Science, 2012, 2, 1-5.</i>	227 Td (&l 2.0	t;/i> <i&g 11</i&g
51	Comparative empirical evaluation of the aqueous adsorptive sequestration potential of low-cost feldspar-biochar composites for ivermectin. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2022, 634, 127930.	4.7	10
52	Empirical aspects of an emerging agricultural pesticide contaminant retention on two sub-Saharan soils. Gondwana Research, 2022, 105, 311-319.	6.0	8
53	Kinetic field dissipation and fate of endosulfan after application on Theobroma cacao farm in tropical Southwestern Nigeria. Environmental Monitoring and Assessment, 2019, 191, 196.	2.7	7
54	Seasonal and spatial variations analysis of pollution status of Ondo coastal environment Nigeria using principal component analysis. Geochemical Journal, 2010, 44, 89-98.	1.0	6

#	Article	IF	CITATIONS
55	Fuzzy logic modeling of bioaccumulation pattern of metals in coastal biota of Ondo State, Nigeria. Environmental Monitoring and Assessment, 2012, 184, 89-102.	2.7	5
56	Adsorption of polynuclear aromatic hydrocarbons from aqueous solution: Agrowaste-modified kaolinite vs surfactant modified bentonite. Bulletin of the Chemical Society of Ethiopia, 2017, 30, 369.	1.1	5
57	GC-MS fragmentation patterns of sprayed endosulfan and its sulphate metabolite in samples of <i>Theobroma cacao</i> L from a field kinetic study. European Journal of Mass Spectrometry, 2019, 25, 362-371.	1.0	5
58	Microwave Synthesized Carbon Materials as Low-cost and Efficient Adsorbents for the Removal of Antibiotics in Single and Binary Systems. Arabian Journal for Science and Engineering, 2022, 47, 5755-5765.	3.0	4
59	Fuzzy Logic Modeling of Contamination Degree of Ni and V Metal Species in Sediments from the Crude Oil Prospecting Area of the Ondo Coast, Nigeria. Human and Ecological Risk Assessment (HERA), 2012, 18, 902-918.	3.4	2
60	Physicochemical and Thermodynamic Adsorption Studies of a Ferric Luvisol Soil in Western Nigeria. Soil and Sediment Contamination, 2009, 19, 119-131.	1.9	1
61	Fate and Mobility of Copper in Soil of Cocoa Plantations in Two Southwestern States of Nigeria Treated with Copper-Based Fungicides. Soil and Sediment Contamination, 2012, 21, 918-936.	1.9	1
62	Monitoring Copper Bioaccumulation in Cocoa from Copper-Based Pesticide–Treated Cocoa Farms Using Fuzzy Similarity Method. Bioremediation Journal, 2013, 17, 131-147.	2.0	1
63	Water quality assessment and heavy metals in sediment, soil and vegetable around Oke-Afa Canal, Lagos, Nigeria. International Journal of Environment and Waste Management, 2012, 10, 400.	0.3	0
64	Modelling the speciation pattern of metals in Ondo coastal water with geochemical model – PHREEQCI. Water Practice and Technology, 2012, 7, .	2.0	0