Luke C Mullany

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9416502/publications.pdf

Version: 2024-02-01

138 papers

6,917 citations

39 h-index 71685 **76** g-index

145 all docs 145
docs citations

145 times ranked 7671 citing authors

#	Article	IF	Citations
1	Causes and age of neonatal death and associations with maternal and newborn care characteristics in Nepal: a verbal autopsy study. Archives of Public Health, 2022, 80, 26.	2.4	10
2	Validation of MINORMIX Approach for Estimation of Low Birthweight Prevalence Using a Rural Nepal Dataset. Journal of Nutrition, 2022, 152, 872-879.	2.9	1
3	Evaluation of individual and ensemble probabilistic forecasts of COVID-19 mortality in the United States. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2113561119.	7.1	136
4	Does higher early neonatal mortality in boys reverse over the neonatal period? A pooled analysis from three trials of Nepal. BMJ Open, 2022, 12, e056112.	1.9	7
5	Development of an imputation model to recalibrate birth weights measured in the early neonatal period to time at delivery and assessment of its impact on size-for-gestational age and low birthweight prevalence estimates: a secondary analysis of a pregnancy cohort in rural Nepal. BMJ Open. 2022. 12. e060105.	1.9	5
6	Birthweight and Environmental Conditions Impact Skin Barrier Adaptation in Neonates Receiving Natural Oil Massage. Biomedicine Hub, 2021, 6, 17-24.	1.2	3
7	Modeling of Future COVID-19 Cases, Hospitalizations, and Deaths, by Vaccination Rates and Nonpharmaceutical Intervention Scenarios — United States, April–September 2021. Morbidity and Mortality Weekly Report, 2021, 70, 719-724.	15.1	126
8	Effect of birthweight measurement quality improvement on low birthweight prevalence in rural Ethiopia. Population Health Metrics, 2021, 19, 35.	2.7	5
9	An analytic perspective of a mixed methods study during humanitarian crises in South Sudan: translating facility- and community-based newborn guidelines into practice. Conflict and Health, 2021, 15, 5.	2.7	1
10	Reliability of maternal recall of delivery and immediate newborn care indicators in Sarlahi, Nepal. BMC Pregnancy and Childbirth, 2021, 21, 82.	2.4	12
11	Assessment of facility and health worker readiness to provide quality antenatal, intrapartum and postpartum care in rural Southern Nepal. BMC Health Services Research, 2020, 20, 16.	2.2	22
12	Urinary tract infections in pregnancy in a rural population of Bangladesh: population-based prevalence, risk factors, etiology, and antibiotic resistance. BMC Pregnancy and Childbirth, 2020, 20, 1.	2.4	353
13	Prevalence of symptomatic urinary incontinence and pelvic organ prolapse among women in rural Nepal. International Urogynecology Journal, 2020, 31, 1851-1858.	1.4	9
14	Risk of preterm birth associated with maternal gingival inflammation and oral hygiene behaviours in rural Nepal: a community-based, prospective cohort study. BMJ Open, 2020, 10, e036515.	1.9	10
15	Predictors of neonatal mortality: development and validation of prognostic models using prospective data from rural Bangladesh. BMJ Global Health, 2020, 5, e001983.	4.7	6
16	Coverage of the WHO's four essential elements of newborn care and their association with neonatal survival in southern Nepal. BMC Pregnancy and Childbirth, 2020, 20, 540.	2.4	8
17	Nausea, vomiting and poor appetite during pregnancy and adverse birth outcomes in rural Nepal: an observational cohort study. BMC Pregnancy and Childbirth, 2020, 20, 545.	2.4	8
18	Adherence to and acceptability of three alcoholâ€free, antiseptic oral rinses: A communityâ€based pilot randomized controlled trial among pregnant women in rural Nepal. Community Dentistry and Oral Epidemiology, 2020, 48, 501-512.	1.9	4

#	Article	IF	Citations
19	Community-based cluster randomized controlled trial: empowering households to identify and provide appropriate care for low-birthweight newborns in Nepal. BMC Public Health, 2020, 20, 1274.	2.9	3
20	Assessment of indirect protection from maternal influenza immunization among non-vaccinated household family members in a randomized controlled trial in Sarlahi, Nepal. Vaccine, 2020, 38, 6826-6831.	3.8	0
21	Feasibility of training community health workers to conduct periodontal examinations: a validation study in rural Nepal. BMC Health Services Research, 2020, 20, 412.	2.2	3
22	Efficacy, duration of protection, birth outcomes, and infant growth associated with influenza vaccination in pregnancy: a pooled analysis of three randomised controlled trials. Lancet Respiratory Medicine,the, 2020, 8, 597-608.	10.7	40
23	Global burden of respiratory infections associated with seasonal influenza in children under 5 years in 2018: a systematic review and modelling study. The Lancet Global Health, 2020, 8, e497-e510.	6.3	235
24	Cognitive–behavioral therapy-based intervention to treat symptoms of anxiety in pregnancy in a prenatal clinic using non-specialist providers in Pakistan: design of a randomised trial. BMJ Open, 2020, 10, e037590.	1.9	19
25	Stigma toward small babies and their mothers in Ghana: A study of the experiences of postpartum women living with HIV. PLoS ONE, 2020, 15, e0239310.	2.5	5
26	Impact of Improved Biomass and Liquid Petroleum Gas Stoves on Birth Outcomes in Rural Nepal: Results of 2 Randomized Trials. Global Health, Science and Practice, 2020, 8, 372-382.	1.7	26
27	Maternal short stature and under-weight status are independent risk factors for preterm birth and small for gestational age in rural Bangladesh. European Journal of Clinical Nutrition, 2019, 73, 733-742.	2.9	23
28	Low Birthweight, Retention in HIV Care, and Adherence to ART Among Postpartum Women Living with HIV in Ghana. AIDS and Behavior, 2019, 23, 433-444.	2.7	8
29	Validity of self-reported receipt of iron supplements during pregnancy: implications for coverage measurement. BMC Pregnancy and Childbirth, 2019, 19, 113.	2.4	13
30	Impact of sunflower seed oil versus mustard seed oil on skin barrier function in newborns: a community-based, cluster-randomized trial. BMC Pediatrics, 2019, 19, 512.	1.7	21
31	Effect of population-based antenatal screening and treatment of genitourinary tract infections on birth outcomes in Sylhet, Bangladesh (MIST): a cluster-randomised clinical trial. The Lancet Global Health, 2019, 7, e148-e159.	6.3	23
32	Prevalence of and risk factors for abnormal vaginal flora and its association with adverse pregnancy outcomes in a rural district in northâ€east Bangladesh. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 309-319.	2.8	12
33	Development of a Psychological Intervention to Address Anxiety During Pregnancy in a Low-Income Country. Frontiers in Psychiatry, 2019, 10, 927.	2.6	38
34	Incidence of Natal Teeth in Sarlahi District of Nepal. Journal of Nepal Health Research Council, 2019, 17, 100-102.	0.8	1
35	Ethnic and age differences in prediction of mortality by mid-upper arm circumference in children below 3 years of age in Nepal. Public Health Nutrition, 2018, 21, 2230-2237.	2.2	5
36	Impact of Timing of Influenza Vaccination in Pregnancy on Transplacental Antibody Transfer, Influenza Incidence, and Birth Outcomes: A Randomized Trial in Rural Nepal. Clinical Infectious Diseases, 2018, 67, 334-340.	5.8	30

3

#	Article	lF	Citations
37	Incidence and risk factors of neonatal infections in a rural Bangladeshi population: a community-based prospective study. Journal of Health, Population and Nutrition, 2018, 37, 6.	2.0	19
38	Impact of maternal vaccination timing and influenza virus circulation on birth outcomes in rural Nepal. International Journal of Gynecology and Obstetrics, 2018, 140, 65-72.	2.3	10
39	Understanding health systems to improve community and facility level newborn care among displaced populations in South Sudan: a mixed methods case study. BMC Pregnancy and Childbirth, 2018, 18, 325.	2.4	19
40	Universal versus conditional day 3 follow-up for children with non-severe unclassified fever at the community level in the Democratic Republic of the Congo: A cluster-randomized, community-based non-inferiority trial. PLoS Medicine, 2018, 15, e1002552.	8.4	1
41	Oral health knowledge, behavior, and care seeking among pregnant and recently-delivered women in rural Nepal: a qualitative study. BMC Oral Health, 2018, 18, 97.	2.3	24
42	Causes and incidence of community-acquired serious infections among young children in south Asia (ANISA): an observational cohort study. Lancet, The, 2018, 392, 145-159.	13.7	140
43	Perceptions, careseeking, and experiences pertaining to non-cephalic births in rural Sarlahi District, Nepal: a qualitative study. BMC Pregnancy and Childbirth, 2018, 18, 89.	2.4	0
44	Levels and correlates of nutritional status of women of childbearing age in rural Bangladesh. Public Health Nutrition, 2018, 21, 3037-3047.	2.2	13
45	Burden and Risk Factors for Coronavirus Infections in Infants in Rural Nepal. Clinical Infectious Diseases, 2018, 67, 1507-1514.	5.8	34
46	Universal versus conditional three-day follow up visit for children with uncomplicated fever at the community level: design of a cluster-randomized, community-based, non-inferiority trial in Tanganyika, Democratic Republic of Congo. BMC Pediatrics, 2017, 17, 36.	1.7	5
47	Risk and burden of adverse intrapartum-related outcomes associated with non-cephalic and multiple birth in rural Nepal: a prospective cohort study. BMJ Open, 2017, 7, e013099.	1.9	6
48	Impact of Chlorhexidine Cord Cleansing on Mortality, Omphalitis and Cord Separation Time Among Facility-Born Babies in Nepal and Bangladesh. Pediatric Infectious Disease Journal, 2017, 36, 1011-1013.	2.0	6
49	Year-round influenza immunisation during pregnancy in Nepal: a phase 4, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2017, 17, 981-989.	9.1	185
50	Nutritional status of infants at six months of age following maternal influenza immunization: A randomized placebo-controlled trial in rural Nepal. Vaccine, 2017, 35, 6743-6750.	3.8	4
51	"You have to take action― changing knowledge and attitudes towards newborn care practices during crisis in South Sudan. Reproductive Health Matters, 2017, 25, 124-139.	1.2	21
52	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21 st standard: analysis of CHERGÂdatasets. BMJ: British Medical Journal, 2017, 358, j3677.	2.3	258
53	State of newborn care in South Sudan's displacement camps: a descriptive study of facility-based deliveries. Reproductive Health, 2017, 14, 161.	3.1	22
54	Illness recognition, decision-making, and care-seeking for maternal and newborn complications: a qualitative study in Sarlahi District, Nepal. Journal of Health, Population and Nutrition, 2017, 36, 45.	2.0	17

#	Article	IF	CITATIONS
55	Evaluation of a mHealth Data Quality Intervention to Improve Documentation of Pregnancy Outcomes by Health Surveillance Assistants in Malawi: A Cluster Randomized Trial. PLoS ONE, 2016, 11, e0145238.	2.5	26
56	Postnatal care utilization and local understandings of contagion among HIV-infected and uninfected women in rural, southern Zambia. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1052-1057.	1.2	3
57	Centralized Data Management in a Multicountry, Multisite Population-based Study. Pediatric Infectious Disease Journal, 2016, 35, S23-S28.	2.0	6
58	Prevalence, Serotype Distribution and Mortality Risk Associated With Group B Streptococcus Colonization of Newborns in Rural Bangladesh. Pediatric Infectious Disease Journal, 2016, 35, 1309-1312.	2.0	15
59	Accuracy of Home-Based Ultrasonographic Diagnosis of Obstetric Risk Factors by Primary-Level Health Care Workers in Rural Nepal. Obstetrics and Gynecology, 2016, 128, 604-612.	2.4	17
60	High-Resolution Plasmodium falciparum Malaria Risk Mapping in Mutasa District, Zimbabwe: Implications for Regaining Control. American Journal of Tropical Medicine and Hygiene, 2016, 95, 141-147.	1.4	9
61	Validity of Newborn Clinical Assessment to Determine Gestational Age in Bangladesh. Pediatrics, 2016, 138, .	2.1	44
62	Validity of home-based sonographic diagnosis of obstetric risk factors by auxiliary nurse midwives in rural Nepal. The Lancet Global Health, 2016, 4, S23.	6.3	2
63	Effect of an improved biomass stove on acute lower respiratory infections in young children in rural Nepal: a cluster-randomised, step-wedge trial. The Lancet Global Health, 2016, 4, S19.	6.3	21
64	Community survey on awareness and use of obstetric ultrasonography in rural Sarlahi District, Nepal. International Journal of Gynecology and Obstetrics, 2016, 134, 126-130.	2.3	8
65	An exploration of village-level uterotonic practices in Fenerive-Est, Madagascar. BMC Pregnancy and Childbirth, 2016, 16, 69.	2.4	9
66	Social isolation and health in widowhood: A qualitative study of Nepali widows' experiences. Health Care for Women International, 2016, 37, 1277-1288.	1.1	14
67	Reduction in Malaria Incidence following Indoor Residual Spraying with Actellic 300 CS in a Setting with Pyrethroid Resistance: Mutasa District, Zimbabwe. PLoS ONE, 2016, 11, e0151971.	2.5	32
68	Militarization, human rights violations and community responses as determinants of health in southeastern Myanmar: results of a cluster survey. Conflict and Health, 2015, 9, 32.	2.7	5
69	Sex differences in morbidity and care-seeking during the neonatal period in rural southern Nepal. Journal of Health, Population and Nutrition, 2015, 33, 11.	2.0	6
70	Health and Human Rights in Karen State, Eastern Myanmar. PLoS ONE, 2015, 10, e0133822.	2.5	8
71	Screening and treatment of maternal genitourinary tract infections in early pregnancy to prevent preterm birth in rural Sylhet, Bangladesh: a cluster randomized trial. BMC Pregnancy and Childbirth, 2015, 15, 326.	2.4	24
72	Safety and efficacy of alternative antibiotic regimens compared with 7 day injectable procaine benzylpenicillin and gentamicin for outpatient treatment of neonates and young infants with clinical signs of severe infection when referral is not possible: a randomised, open-label, equivalence trial. The Lancet Global Health, 2015, 3, e279-e287.	6.3	85

#	Article	IF	Citations
73	Comparison of US Birth Weight References and the International Fetal and Newborn Growth Consortium for the 21st Century Standard. JAMA Pediatrics, 2015, 169, e151438.	6.2	39
74	Nutrition and maternal, neonatal, and child health. Seminars in Perinatology, 2015, 39, 361-372.	2.5	154
75	Skin, thermal and umbilical cord care practices for neonates in southern, rural Zambia: a qualitative study. BMC Pregnancy and Childbirth, 2015, 15, 149.	2.4	33
76	Prevalence of Small-for-Gestational-Age and Its Mortality Risk Varies by Choice of Birth-Weight-for-Gestation Reference Population. PLoS ONE, 2014, 9, e92074.	2.5	62
77	Direct observation of uterotonic drug use at public health facility-based deliveries in four districts in India. International Journal of Gynecology and Obstetrics, 2014, 127, 25-30.	2.3	23
78	Risk for Family Rejection and Associated Mental Health Outcomes Among Conflict-Affected Adult Women Living in Rural Eastern Democratic Republic of the Congo. Health Care for Women International, 2014, 35, 789-807.	1.1	36
79	Accessibility and potency of uterotonic drugs purchased by simulated clients in four districts in India. BMC Pregnancy and Childbirth, 2014, 14, 386.	2.4	17
80	Cumulative effects of heat exposure and storage conditions of Oxytocin-in-Uniject in rural Ghana: implications for scale up. Global Health, Science and Practice, 2014, 2, 285-294.	1.7	16
81	Neonatal Mortality Risks Among Preterm Births in a Rural <scp>B</scp> angladeshi Cohort. Paediatric and Perinatal Epidemiology, 2014, 28, 510-520.	1.7	12
82	National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. The Lancet Global Health, 2013, 1, e26-e36.	6.3	577
83	Injections during labor and intrapartumâ€related hypoxic injury and mortality in rural southern Nepal. International Journal of Gynecology and Obstetrics, 2013, 122, 22-26.	2.3	6
84	The effect of umbilical cord cleansing with chlorhexidine on omphalitis and neonatal mortality in community settings in developing countries: a meta-analysis. BMC Public Health, 2013, 13, S15.	2.9	79
85	Mortality risk in preterm and small-for-gestational-age infants in low-income and middle-income countries: a pooled country analysis. Lancet, The, 2013, 382, 417-425.	13.7	637
86	Effect on Postpartum Hemorrhage of Prophylactic Oxytocin (10 IU) by Injection by Community Health Officers in Ghana: A Community-Based, Cluster-Randomized Trial. PLoS Medicine, 2013, 10, e1001524.	8.4	28
87	Sex differences in neonatal mortality in Sarlahi, Nepal: the role of biology and environment. Journal of Epidemiology and Community Health, 2013, 67, 986-991.	3.7	24
88	Chlorhexidine Cleansing of the Umbilical Cord and Separation Time: A Cluster-Randomized Trial. Pediatrics, 2013, 131, 708-715.	2.1	24
89	Incidence of and risk factors for neonatal jaundice among newborns in southern <scp>N</scp> epal. Tropical Medicine and International Health, 2013, 18, 1317-1328.	2.3	58
90	Home Care Practices for Newborns in Rural Southern Nepal During the First 2 weeks of Life. Journal of Tropical Pediatrics, 2012, 58, 200-207.	1.5	21

#	Article	IF	Citations
91	Impact of 4.0% Chlorhexidine Cord Cleansing on the Bacteriologic Profile of the Newborn Umbilical Stump in Rural Sylhet District, Bangladesh. Pediatric Infectious Disease Journal, 2012, 31, 444-450.	2.0	26
92	The effect of cord cleansing with chlorhexidine on neonatal mortality in rural Bangladesh: a community-based, cluster-randomised trial. Lancet, The, 2012, 379, 1022-1028.	13.7	156
93	Clean cord care practices and neonatal mortality: evidence from rural Uttar Pradesh, India: Table 1. Journal of Epidemiology and Community Health, 2012, 66, 755-758.	3.7	15
94	Communityâ€based stillbirth rates and risk factors in rural Sarlahi, Nepal. International Journal of Gynecology and Obstetrics, 2011, 113, 199-204.	2.3	23
95	Incidence of and Risk Factors for Neonatal Respiratory Depression and Encephalopathy in Rural Sarlahi, Nepal. Pediatrics, 2011, 128, e915-e924.	2.1	19
96	Ancillary Care in Public Health Intervention Research in Low-Resource Settings: Researchers' Practices and Decision-Making. Journal of Empirical Research on Human Research Ethics, 2011, 6, 73-81.	1.3	16
97	Health and Human Rights in Chin State, Western Burma: A Population-Based Assessment Using Multistaged Household Cluster Sampling. PLoS Medicine, 2011, 8, e1001007.	8.4	20
98	Risk of Mortality Associated With Neonatal Hypothermia in Southern Nepal. JAMA Pediatrics, 2010, 164, 650-6.	3.0	108
99	Incidence and Seasonality of Hypothermia Among Newborns in Southern Nepal. JAMA Pediatrics, 2010, 164, 71-7.	3.0	39
100	Neonatal hypothermia and associated risk factors among newborns of southern Nepal. BMC Medicine, 2010, 8, 43.	5.5	58
101	Community-based Health Workers Achieve High Coverage in Neonatal Intervention Trials: A Case Study from Sylhet, Bangladesh. Journal of Health, Population and Nutrition, 2010, 28, 610-8.	2.0	13
102	Daily Supplementation with Iron Plus Folic Acid, Zinc, and Their Combination Is Not Associated with Younger Age at First Walking Unassisted in Malnourished Preschool Children from a Deficient Population in Rural Nepal. Journal of Nutrition, 2010, 140, 1317-1321.	2.9	21
103	Pregnancy-related Mortality in Southern Nepal Between 2001 and 2006: Independent Estimates From a Prospective, Population-based Cohort and a Direct Sisterhood Survey. American Journal of Epidemiology, 2010, 172, 855-860.	3.4	5
104	Impact of Community-Based Maternal Health Workers on Coverage of Essential Maternal Health Interventions among Internally Displaced Communities in Eastern Burma: The MOM Project. PLoS Medicine, 2010, 7, e1000317.	8.4	73
105	Neonatal Hypothermia in Low-Resource Settings. Seminars in Perinatology, 2010, 34, 426-433.	2.5	80
106	Chlorhexidine Gel Versus Aqueous for Preventive Use on Umbilical Stump. Pediatric Infectious Disease Journal, 2010, 29, 999-1003.	2.0	16
107	Potential Role of Traditional Birth Attendants in Neonatal Healthcare in Rural Southern Nepal. Journal of Health, Population and Nutrition, 2009, 27, 53-61.	2.0	45
108	Impact of 4.0% chlorhexidine cleansing of the umbilical cord on mortality and omphalitis among newborns of Sylhet, Bangladesh: design of a community-based cluster randomized trial. BMC Pediatrics, 2009, 9, 67.	1.7	26

#	Article	IF	Citations
109	Crossâ€border malaria control for internally displaced persons: observational results from a pilot programme in eastern Burma/Myanmar. Tropical Medicine and International Health, 2009, 14, 512-521.	2.3	27
110	Nasopharyngeal carriage of <i>S. pneumoniae</i> among young children in rural Nepal. Tropical Medicine and International Health, 2009, 14, 1025-1033.	2.3	16
111	Vaginal and neonatal skin cleansing with chlorhexidine. Lancet, The, 2009, 374, 1873-1875.	13.7	3
112	Risk of Mortality Subsequent to Umbilical Cord Infection Among Newborns of Southern Nepal. Pediatric Infectious Disease Journal, 2009, 28, 17-20.	2.0	43
113	Incidence and Risk Factors for Newborn Umbilical Cord Infections on Pemba Island, Zanzibar, Tanzania. Pediatric Infectious Disease Journal, 2009, 28, 503-509.	2.0	24
114	The MOM Project: Delivering Maternal Health Services among Internally Displaced Populations in Eastern Burma. Reproductive Health Matters, 2008, 16, 44-56.	1.2	40
115	Risk Factors for Neonatal Mortality Due to Birth Asphyxia in Southern Nepal: A Prospective, Community-Based Cohort Study. Pediatrics, 2008, 121, e1381-e1390.	2.1	93
116	Verbal Autopsy Methods to Ascertain Birth Asphyxia Deaths in a Community-based Setting in Southern Nepal. Pediatrics, 2008, 121, e1372-e1380.	2.1	31
117	Zinc Modifies the Association between Nasopharyngeal Streptococcus pneumoniae Carriage and Risk of Acute Lower Respiratory Infection among Young Children in Rural Nepal. Journal of Nutrition, 2008, 138, 2462-2467.	2.9	18
118	Breast-Feeding Patterns, Time to Initiation, and Mortality Risk among Newborns in Southern Nepal. Journal of Nutrition, 2008, 138, 599-603.	2.9	217
119	A Randomized Controlled Trial of the Impact of Chlorhexidine Skin Cleansing on Bacterial Colonization of Hospital-Born Infants in Nepal. Pediatric Infectious Disease Journal, 2008, 27, 505-511.	2.0	26
120	Access To Essential Maternal Health Interventions and Human Rights Violations among Vulnerable Communities in Eastern Burma. PLoS Medicine, 2008, 5, e242.	8.4	62
121	Population-based survey methods to quantify associations between human rights violations and health outcomes among internally displaced persons in eastern Burma. Journal of Epidemiology and Community Health, 2007, 61, 908-914.	3.7	62
122	Impact of Newborn Skin-Cleansing With Chlorhexidine on Neonatal Mortality in Southern Nepal: A Community-Based, Cluster-Randomized Trial. Pediatrics, 2007, 119, e330-e340.	2.1	109
123	Safety and Effect of Chlorhexidine Skin Cleansing on Skin Flora of Neonates in Bangladesh. Pediatric Infectious Disease Journal, 2007, 26, 492-495.	2.0	33
124	The use of chlorhexidine to reduce maternal and neonatal mortality and morbidity in low-resource settings. International Journal of Gynecology and Obstetrics, 2007, 97, 89-94.	2.3	53
125	Effect of daily zinc supplementation on child mortality in southern Nepal: a community-based, cluster randomised, placebo-controlled trial. Lancet, The, 2007, 370, 1230-1239.	13.7	114
126	Effect of routine prophylactic supplementation with iron and folic acid on preschool child mortality in southern Nepal: community-based, cluster-randomised, placebo-controlled trial. Lancet, The, 2006, 367, 144-152.	13.7	177

#	Article	IF	CITATIONS
127	Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. Lancet, The, 2006, 367, 910-918.	13.7	254
128	Safety and Impact of Chlorhexidine Antisepsis Interventions for Improving Neonatal Health in Developing Countries. Pediatric Infectious Disease Journal, 2006, 25, 665-675.	2.0	90
129	Mortality rates in conflict zones in Karen, Karenni, and Mon states in eastern Burma. Tropical Medicine and International Health, 2006, 11, 1119-1127.	2.3	61
130	Responding to AIDS, Tuberculosis, Malaria, and Emerging Infectious Diseases in Burma: Dilemmas of Policy and Practice. PLoS Medicine, 2006, 3, e393.	8.4	30
131	Impact of Umbilical Cord Cleansing With 4.0% Chlorhexidine on Time to Cord Separation Among Newborns in Southern Nepal: A Cluster-Randomized, Community-Based Trial. Pediatrics, 2006, 118 , 1864 - 1871 .	2.1	50
132	Risk Factors for Umbilical Cord Infection among Newborns of Southern Nepal. American Journal of Epidemiology, 2006, 165, 203-211.	3.4	92
133	Safety of neonatal skin cleansing in rural Nepal. Indian Pediatrics, 2006, 43, 117-24.	0.4	6
134	Effect of Instrument Precision on Estimation of Low Birth Weight Prevalence. Journal of Perinatology, 2005, 25, 11-13.	2.0	16
135	Traditional Massage of Newborns in Nepal: Implications for Trials of Improved Practice. Journal of Tropical Pediatrics, 2005, 51, 82-86.	1.5	90
136	Role of antimicrobial applications to the umbilical cord in neonates to prevent bacterial colonization and infection: a review of the evidence. Pediatric Infectious Disease Journal, 2003, 22, 996-1002.	2.0	84
137	Physiological changes in newborn skin after natural oil massage in rural Nepal. Journal of Global Health Reports, 0, , .	1.0	0
138	Projected resurgence of COVID-19 in the United States in Julyâ€"December 2021 resulting from the increased transmissibility of the Delta variant and faltering vaccination. ELife, 0, 11, .	6.0	22