Ahmet Metin Gülmezoglu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9418983/publications.pdf

Version: 2024-02-01

34 papers 12,163 citations

23 h-index 34 g-index

37 all docs

37 docs citations

37 times ranked

12833 citing authors

#	Article	IF	CITATIONS
1	Global causes of maternal death: a WHO systematic analysis. The Lancet Global Health, 2014, 2, e323-e333.	2.9	3,772
2	WHO analysis of causes of maternal death: a systematic review. Lancet, The, 2006, 367, 1066-1074.	6.3	3,013
3	The Increasing Trend in Caesarean Section Rates: Global, Regional and National Estimates: 1990-2014. PLoS ONE, 2016, 11, e0148343.	1.1	1,331
4	The Mistreatment of Women during Childbirth in Health Facilities Globally: A Mixed-Methods Systematic Review. PLoS Medicine, 2015, 12, e1001847.	3.9	883
5	Moving beyond essential interventions for reduction of maternal mortality (the WHO Multicountry) Tj ETQq1 1 0.	784314 rg	BT/Overloc
6	Facilitators and barriers to facility-based delivery in low- and middle-income countries: a qualitative evidence synthesis. Reproductive Health, 2014, 11, 71.	1.2	537
7	Caesarean section without medical indications is associated with an increased risk of adverse short-term maternal outcomes: the 2004-2008 WHO Global Survey on Maternal and Perinatal Health. BMC Medicine, 2010, 8, 71.	2.3	454
8	Epidemiology of postpartum haemorrhage: a systematic review. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2008, 22, 999-1012.	1.4	368
9	How women are treated during facility-based childbirth in four countries: a cross-sectional study with labour observations and community-based surveys. Lancet, The, 2019, 394, 1750-1763.	6.3	279
10	WHO model of intrapartum care for a positive childbirth experience: transforming care of women and babies for improved health and wellbeing. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 918-922.	1.1	110
11	Heat-Stable Carbetocin versus Oxytocin to Prevent Hemorrhage after Vaginal Birth. New England Journal of Medicine, 2018, 379, 743-752.	13.9	108
12	Duration of spontaneous labour in †low-risk' women with †normal' perinatal outcomes: A systematic review. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 223, 123-132.	0.5	93
13	The world health organization multicountry survey on maternal and newborn health: study protocol. BMC Health Services Research, $2011, 11, 286$.	0.9	88
14	Antenatal Dexamethasone for Early Preterm Birth in Low-Resource Countries. New England Journal of Medicine, 2020, 383, 2514-2525.	13.9	81
15	Quality of oxytocin available in low―and middleâ€income countries: a systematic review of the literature. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 2076-2086.	1.1	78
16	Core outcome sets for prevention and treatment of postpartum haemorrhage: an international Delphi consensus study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 83-93.	1.1	70
17	Progression of the first stage of spontaneous labour: A prospective cohort study in two sub-Saharan African countries. PLoS Medicine, 2018, 15, e1002492.	3.9	57
18	The development of a Simplified, Effective, Labour Monitoring-to-Action (SELMA) tool for Better Outcomes in Labour Difficulty (BOLD): study protocol. Reproductive Health, 2015, 12, 49.	1.2	40

#	Article	IF	CITATIONS
19	Room temperature stable carbetocin for the prevention of postpartum haemorrhage during the third stage of labour in women delivering vaginally: study protocol for a randomized controlled trial. Trials, 2016, 17, 143.	0.7	31
20	Alternative regimens of magnesium sulfate for treatment of preeclampsia and eclampsia: a systematic review of nonâ€randomized studies. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 144-156.	1.3	30
21	Clinical practice patterns on the use of magnesium sulphate for treatment of preâ€eclampsia and eclampsia: a multiâ€country survey. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1883-1890.	1.1	29
22	WHO Multi-Country Survey on Abortion-related Morbidity and Mortality in Health Facilities: study protocol. BMJ Global Health, 2016, 1, e000113.	2.0	27
23	Uterotonic drugs to prevent postpartum haemorrhage: a network meta-analysis. Health Technology Assessment, 2019, 23, 1-356.	1.3	26
24	Maternal characteristics and causes associated with refractory postpartum haemorrhage after vaginal birth: a secondary analysis of the WHO CHAMPION trial data. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 628-634.	1.1	25
25	Understanding abortion-related complications in health facilities: results from WHO multicountry survey on abortion (MCS-A) across 11 sub-Saharan African countries. BMJ Global Health, 2021, 6, e003702.	2.0	22
26	Onsite midwife-led birth units (OMBUs) for care around the time of childbirth: a systematic review. BMJ Global Health, 2016, 1, e000096.	2.0	20
27	A Randomized Trial of Prophylactic Antibiotics for Miscarriage Surgery. New England Journal of Medicine, 2019, 380, 1012-1021.	13.9	16
28	Effectiveness of uterine tamponade devices for refractory postpartum haemorrhage after vaginal birth: a systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 1732-1743.	1.1	9
29	Cost of hospital care of women with postpartum haemorrhage in India, Kenya, Nigeria and Uganda: a financial case for improved prevention. Reproductive Health, 2021, 18, 18.	1.2	6
30	Regulatory standards and processes for over-the-counter availability of hormonal contraception and drugs for medical abortion in five countries in the Eastern Mediterranean Region. Health Research Policy and Systems, 2021, 19, 51.	1,1	3
31	Mifepristone for emergency contraception: Case for recommendation in practice guidelines. Contraception, 2020, 102, 383-384.	0.8	2
32	How Women Are Treated During Facility-Based Childbirth in Four Countries: A Cross-Sectional Study With Labor Observations and Community-based Surveys. Obstetric Anesthesia Digest, 2020, 40, 134-135.	0.0	2
33	Optimal intrapartum care in the twenty-first century. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2020, 67, 1-3.	1.4	1
34	Cost of goods sold analysis and recommendations to reduce costs of co-packaged mifepristone–misoprostol for medical abortion. Reproductive Health, 2020, 17, 171.	1.2	1