

# S Jamal Mustafa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9420669/publications.pdf>

Version: 2024-02-01

60  
papers

823  
citations

623188

14  
h-index

500791

28  
g-index

60  
all docs

60  
docs citations

60  
times ranked

999  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adenosine and adenosine receptor-mediated action in coronary microcirculation. <i>Basic Research in Cardiology</i> , 2021, 116, 22.	2.5	27
2	Limonene-induced activation of A2A adenosine receptors reduces airway inflammation and reactivity in a mouse model of asthma. <i>Purinergic Signalling</i> , 2020, 16, 415-426.	1.1	13
3	Alteration of purinergic signaling in diabetes: Focus on vascular function. <i>Journal of Molecular and Cellular Cardiology</i> , 2020, 140, 1-9.	0.9	31
4	Activation of adenosine A2A but not A2B receptors is involved in uridine adenosine tetraphosphate-induced porcine coronary smooth muscle relaxation. <i>Journal of Pharmacological Sciences</i> , 2019, 141, 64-69.	1.1	9
5	Role of angiotensin II type 1 (AT1) and type 2 (AT2) receptors in airway reactivity and inflammation in an allergic mouse model of asthma. <i>Immunopharmacology and Immunotoxicology</i> , 2019, 41, 428-437.	1.1	8
6	Uridine adenosine tetraphosphate and purinergic signaling in cardiovascular system: An update. <i>Pharmacological Research</i> , 2019, 141, 32-45.	3.1	26
7	Enhanced A1 adenosine receptor-induced vascular contractions in mesenteric artery and aorta of in L-NAME mouse model of hypertension. <i>European Journal of Pharmacology</i> , 2019, 842, 111-117.	1.7	13
8	Differential Effects of Limonene on Inflammation via Activation of A 2A and A 2B Adenosine Receptors in Asthma. <i>FASEB Journal</i> , 2019, 33, 681.5.	0.2	0
9	Functional changes in vascular reactivity to adenosine receptor activation in type I diabetic mice. <i>European Journal of Pharmacology</i> , 2018, 820, 191-197.	1.7	9
10	Limonene-induced Activation of A 2A Adenosine Receptors Reduces Airway Inflammation and Reactivity in a Mouse Model of Asthma. <i>FASEB Journal</i> , 2018, 32, 701.2.	0.2	0
11	Impaired Aortic Contractility to Uridine Adenosine Tetraphosphate in Angiotensin II-Induced Hypertensive Mice: Receptor Desensitization?. <i>American Journal of Hypertension</i> , 2017, 30, 304-312.	1.0	10
12	Divergent coronary flow responses to uridine adenosine tetraphosphate in atherosclerotic ApoE knockout mice. <i>Purinergic Signalling</i> , 2017, 13, 591-600.	1.1	5
13	Transcriptomic effects of adenosine 2A receptor deletion in healthy and endotoxemic murine myocardium. <i>Purinergic Signalling</i> , 2017, 13, 27-49.	1.1	10
14	In vivo assessment of coronary flow and cardiac function after bolus adenosine injection in adenosine receptor knockout mice. <i>Physiological Reports</i> , 2016, 4, e12818.	0.7	20
15	Enhanced A2A adenosine receptor-mediated increase in coronary flow in type I diabetic mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 90, 30-37.	0.9	13
16	Role of Adenosine Receptor(s) in the Control of Vascular Tone in the Mouse Pudendal Artery. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 356, 673-680.	1.3	9
17	Angiotensin II stimulation alters vasomotor response to adenosine in mouse mesenteric artery: role for A <sub>1</sub> and A <sub>2B</sub> adenosine receptors. <i>British Journal of Pharmacology</i> , 2015, 172, 4959-4969.	2.7	21
18	Mechanisms underlying uridine adenosine tetraphosphate-induced vascular contraction in mouse aorta: Role of thromboxane and purinergic receptors. <i>Vascular Pharmacology</i> , 2015, 73, 78-85.	1.0	26

#	ARTICLE	IF	CITATIONS
19	The Contribution of Adenosine Receptor Subtypes to Vascular Tone in Mouse Pudendal Artery. <i>FASEB Journal</i> , 2015, 29, 627.1.	0.2	0
20	Hydrogen Sulfide (H <sub>2</sub> S): A Novel Mediator in Adenosine A <sub>2A</sub> Receptor-Induced Vasorelaxation. <i>FASEB Journal</i> , 2015, 29, 640.7.	0.2	0
21	Cytochrome P <sub>450</sub> epoxygenase 2J2 modulates adenosine receptor-mediated vascular response in mouse mesenteric arteries. <i>FASEB Journal</i> , 2015, 29, 627.11.	0.2	0
22	Metabolic hyperemia requires ATP-sensitive K <sup>+</sup> channels and H <sub>2</sub> O <sub>2</sub> but not adenosine in isolated mouse hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H1046-H1055.	1.5	9
23	Increased basal and adenosine-mediated coronary flow in ex vivo hearts from type I diabetic mice (1051.16). <i>FASEB Journal</i> , 2014, 28, 1051.16.	0.2	0
24	NADPH oxidase mediates altered vascular responses in allergic mice (1065.10). <i>FASEB Journal</i> , 2014, 28, 1065.10.	0.2	0
25	Losartan improves impaired vascular and endothelial responses in mice with allergic asthma. <i>FASEB Journal</i> , 2013, 27, 1107.19.	0.2	0
26	Modulation of vascular response by high salt intake depends on the presence or absence of adenosine A <sub>2A</sub> receptor using A <sub>2A</sub> AR <sup>-/-</sup> mice. <i>FASEB Journal</i> , 2013, 27, 1092.4.	0.2	0
27	Adenosine A <sub>1</sub> receptor signaling inhibits BK channels. <i>FASEB Journal</i> , 2013, 27, 877.1.	0.2	0
28	Adenosine A <sub>2A</sub> receptor modulates vascular response in soluble epoxide hydrolase <sup>-/-</sup> mice through cyp <sub>2j</sub> -epoxygenases and PPAR <sup>3</sup> . <i>FASEB Journal</i> , 2013, 27, 1090.2.	0.2	0
29	A <sub>1</sub> Adenosine Receptor Negatively Modulates Coronary Reactive Hyperemia via Counteracting A <sub>2A</sub> -mediated H <sub>2</sub> O <sub>2</sub> Production and Opening of K <sup>+</sup> ATP Channel in Isolated Mice Hearts. <i>FASEB Journal</i> , 2013, 27, 1185.1.	0.2	0
30	Salt modulates vascular response through cyp <sub>2j</sub> -epoxygenases in the presence of A <sub>2A</sub> AR. <i>FASEB Journal</i> , 2012, 26, 1115.6.	0.2	0
31	Cyp <sub>2j</sub> -epoxygenases mediate adenosine A <sub>2A</sub> receptor induced vascular relaxation via K <sup>+</sup> ATP channels. <i>FASEB Journal</i> , 2012, 26, 670.1.	0.2	0
32	Role of L-type voltage dependent calcium and large conductance potassium channels in adenosine A <sub>1</sub> receptor mediated vasoconstriction through Cyp <sub>4a</sub> . <i>FASEB Journal</i> , 2012, 26, 870.17.	0.2	0
33	Interactions between A <sub>2A</sub> adenosine receptor, hydrogen peroxide, and K <sup>+</sup> ATP channel in coronary reactive hyperemia. <i>FASEB Journal</i> , 2012, 26, 863.6.	0.2	0
34	Disruption of soluble epoxide hydrolase modulates adenosine-induced response: role of adenosine A <sub>2A</sub> receptor and cyp <sub>2j</sub> -epoxygenases. <i>FASEB Journal</i> , 2012, 26, 684.1.	0.2	0
35	Involvement of CYP <sub>4A</sub> -mediated MAPK pathway in vascular contraction in A <sub>2A</sub> adenosine receptor knockout mice. <i>FASEB Journal</i> , 2011, 25, 1021.6.	0.2	0
36	Selective activation of NADPH oxidase subunit 2 (NOX2) by A <sub>3</sub> adenosine receptor in mouse aorta. <i>FASEB Journal</i> , 2011, 25, lb366.	0.2	0

#	ARTICLE	IF	CITATIONS
37	A 2A Adenosine Receptorâ€Mediated Coronary Flow Increase Is Enhanced in Hyperlipidemic Mice. FASEB Journal, 2010, 24, 1034.1.	0.2	0
38	Evidence for the role of A 2B adenosine receptor in the regulation of vascular tone using A 2B KO mice. FASEB Journal, 2010, 24, 958.2.	0.2	0
39	Role of A 1 adenosine receptors in vascular reactivity and inflammation in a murine model of allergic asthma. FASEB Journal, 2010, 24, 958.1.	0.2	0
40	Adenosine Receptors and the Heart: Role in Regulation of Coronary Blood Flow and Cardiac Electrophysiology. Handbook of Experimental Pharmacology, 2009, , 161-188.	0.9	203
41	Enhanced vascular relaxation through epoxygenase depends on ATPâ€sensitive K+ channels via adenosine A2A receptor: Role of high salt diet. FASEB Journal, 2009, 23, .	0.2	0
42	Understanding the role of A2B adenosine receptor using knockout in the regulation of coronary flow. FASEB Journal, 2009, 23, 1032.2.	0.2	0
43	Role of NADPH oxidase in A 3 adenosine receptorâ€mediated contraction using knockout mouse aorta. FASEB Journal, 2009, 23, 937.5.	0.2	0
44	Role of CYP2C generated metabolites in adenosineâ€mediated relaxation using A2A AR <sup>-/-</sup> mice. FASEB Journal, 2008, 22, 964.23.	0.2	0
45	A1 adenosine receptorâ€activated protein kinase C signaling in A1 knockâ€out mice coronary artery smooth muscle cells. FASEB Journal, 2008, 22, 1152.11.	0.2	1
46	Adenosine A 2A receptor knockâ€out mice have impaired vasorelaxation and endothelial function. FASEB Journal, 2008, 22, 1128.12.	0.2	0
47	Involvement of COX-1 in A3 adenosine receptor-mediated contraction through endothelium in mice aorta. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H3448-H3455.	1.5	47
48	Effect of a Specific and Selective A2B Adenosine Receptor Antagonist on Adenosine Agonist AMP and Allergen-Induced Airway Responsiveness and Cellular Influx in a Mouse Model of Asthma. Journal of Pharmacology and Experimental Therapeutics, 2007, 320, 1246-1251.	1.3	94
49	A <sub>2A</sub> Adenosine Receptorâ€Mediated Nitric Oxide Release Was Blunted in Knockout Mouse Heart. FASEB Journal, 2007, 21, A1381.	0.2	0
50	Adenosine A2A receptor mediated aortic relaxation in mice fed high salt: role of CYP epoxygenase. FASEB Journal, 2007, 21, A899.	0.2	0
51	Endotheliumâ€mediated contraction by A3 adenosine receptor agonist and its relationship to COXâ€1/COXâ€2 in A3KO mouse aorta. FASEB Journal, 2007, 21, A1381.	0.2	0
52	Effects of adenosine on vascular reactivity and inflammation in a murine model of allergic asthma. FASEB Journal, 2007, 21, A805.	0.2	0
53	Attenuation of adenosine receptorâ€mediated vasorelaxation by Lâ€NAME in mouse aorta. FASEB Journal, 2006, 20, LB17.	0.2	0
54	Role of A1 adenosine receptors in regulation of vascular tone. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H1411-H1416.	1.5	86

#	ARTICLE	IF	CITATIONS
55	Targeted deletion of adenosine A <sub>3</sub> receptors augments adenosine-induced coronary flow in isolated mouse heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H2183-H2189.	1.5	67
56	Role of endothelium in adenosine receptor-mediated vasorelaxation in hypertensive rats. <i>Fundamental and Clinical Pharmacology</i> , 2001, 15, 325-334.	1.0	15
57	Chronic Salt Loading and the Expression of Adenosine Receptor Subtypes. <i>Hypertension</i> , 1999, 34, e18-9.	1.3	3
58	MODULATION OF A <sub>2</sub> ADENOSINE RECEPTOR(S) BY K <sup>+</sup> ATPCHANNELS IN BOVINE BRAIN STRIATAL MEMBRANES. <i>Cell Biology International</i> , 1999, 23, 519-522.	1.4	2
59	Coronary vasodilation by adenosine: Receptor subtypes and mechanism(s) of action. <i>Drug Development Research</i> , 1996, 39, 308-313.	1.4	17
60	Binding of A <sub>1</sub> Adenosine Receptor Ligand [ <sup>3</sup> H]8-Cyclopentyl-1,3-Dipropylxanthine in Coronary Smooth Muscle. <i>Circulation Research</i> , 1995, 77, 194-198.	2.0	29