

# Richard A Anderson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/942253/publications.pdf>

Version: 2024-02-01

60  
papers

1,430  
citations

516710

16  
h-index

345221

36  
g-index

64  
all docs

64  
docs citations

64  
times ranked

2114  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor plus aspirin for 1 month, followed by ticagrelor monotherapy for 23 months vs aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent: a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2018, 392, 940-949.	13.7	555
2	Incidence, Determinants, and Outcomes of Coronary Perforation During Percutaneous Coronary Intervention in the United Kingdom Between 2006 and 2013. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	3.9	100
3	Initial Experience of a Second-Generation Self-Expanding Transcatheter Aortic Valve. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 276-282.	2.9	71
4	Intravascular Imaging and 12-Month Mortality After Unprotected Left Main Stem PPCI. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 346-357.	2.9	70
5	Targeted therapy with a localised abluminal groove, low-dose sirolimus-eluting, biodegradable polymer coronary stent (TARGET All Comers): a multicentre, open-label, randomised non-inferiority trial. <i>Lancet, The</i> , 2018, 392, 1117-1126.	13.7	46
6	Procedural Success and Outcomes With Increasing Use of Enabling Strategies for Chronic Total Occlusion Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006436.	3.9	41
7	Vascular Access Site and Outcomes Among 26,807 Chronic Total Coronary Occlusion Angioplasty Cases From the British Cardiovascular Interventions Society National Database. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 635-644.	2.9	40
8	Legacy Effect of Coronary Perforation Complicating Percutaneous Coronary Intervention for Chronic Total Occlusive Disease. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	33
9	Defining Percutaneous Coronary Intervention Complexity and Risk. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 39-49.	2.9	33
10	Complex high-risk and indicated percutaneous coronary intervention for stable angina: Does operator volume influence patient outcome?. <i>American Heart Journal</i> , 2020, 222, 15-25.	2.7	28
11	Meta-Analysis of Radial Versus Femoral Artery Approach for Coronary Procedures in Patients With Previous Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2016, 117, 1248-1255.	1.6	23
12	Baseline anemia in patients undergoing percutaneous coronary intervention after an acute coronary syndrome—a paradox of high bleeding risk, high ischemic risk, and complex coronary disease. <i>Journal of Interventional Cardiology</i> , 2017, 30, 491-499.	1.2	23
13	Vascular Access Site and Outcomes in 58,870 Patients Undergoing Percutaneous Coronary Intervention With a Previous History of Coronary Bypass Surgery. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 482-492.	2.9	22
14	Combinations of bleeding and ischemic risk and their association with clinical outcomes in acute coronary syndrome. <i>International Journal of Cardiology</i> , 2019, 290, 7-14.	1.7	20
15	Severe symptomatic aortic stenosis: medical therapy and transcatheter aortic valve implantation (TAVI)—a real-world retrospective cohort analysis of outcomes and cost-effectiveness using national data. <i>Open Heart</i> , 2016, 3, e000414.	2.3	19
16	Are Higher Operator Volumes for Unprotected Left Main Stem Percutaneous Coronary Intervention Associated With Improved Patient Outcomes?. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008782.	3.9	19
17	Mid- and long-term outcomes of thoracic endovascular aortic repair in acute and subacute uncomplicated type B aortic dissection. <i>Journal of Cardiac Surgery</i> , 2022, 37, 1328-1339.	0.7	16
18	Coronary Perforation Complicating Percutaneous Coronary Intervention in Patients With a History of Coronary Artery Bypass Surgery. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	15

#	ARTICLE	IF	CITATIONS
19	Effect of weekend admission on process of care and clinical outcomes for the management of acute coronary syndromes: a retrospective analysis of three UK centres. <i>BMJ Open</i> , 2017, 7, e016866.	1.9	14
20	2-Year Clinical Outcomes of an Abluminal Groove-Filled Biodegradable-Polymer Sirolimus-Eluting Stent Compared With a Durable-Polymer Everolimus-Eluting Stent. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1679-1687.	2.9	14
21	Impact of renal function on clinical outcomes after PCI in ACS and stable CAD patients treated with ticagrelor: a prespecified analysis of the GLOBAL LEADERS randomized clinical trial. <i>Clinical Research in Cardiology</i> , 2020, 109, 930-943.	3.3	14
22	Comparison of the Effects of Incomplete Revascularization on 12-Month Mortality in Patients <80 Compared With ≥80 Years Who Underwent Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016, 118, 1164-1170.	1.6	13
23	Initial experience of a large, self-expanding, and fully recapturable transcatheter aortic valve: The UK & Ireland Implanters' registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 751-757.	1.7	13
24	What is the optimal timing for thoracic endovascular aortic repair in uncomplicated Type B aortic dissection?. <i>Journal of Cardiac Surgery</i> , 2022, 37, 993-1001.	0.7	13
25	Dietary Nitrate Supplementation Reduces Circulating Platelet-Derived Extracellular Vesicles in Coronary Artery Disease Patients on Clopidogrel Therapy: A Randomised, Double-Blind, Placebo-Controlled Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 112-122.	3.4	12
26	Access Site and Outcomes for Unprotected Left Main Stem Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2480-2491.	2.9	12
27	Association of comorbid burden with clinical outcomes after transcatheter aortic valve implantation. <i>Heart</i> , 2018, 104, 2058-2066.	2.9	12
28	Coronary perforation complicating percutaneous coronary intervention in patients presenting with an acute coronary syndrome: An analysis of 1013 perforation cases from the British Cardiovascular Intervention Society database. <i>International Journal of Cardiology</i> , 2020, 299, 37-42.	1.7	12
29	Meta-Analysis of Percutaneous Coronary Intervention With Drug-Eluting Stent Versus Coronary Artery Bypass Grafting for Isolated Proximal Left Anterior Descending Coronary Disease. <i>American Journal of Cardiology</i> , 2016, 118, 1171-1177.	1.6	11
30	Rotational Atherectomy Complicated by Coronary Perforation Is Associated With Poor Outcomes: Analysis of 10,980 Cases From the British Cardiovascular Intervention Society Database. <i>Cardiovascular Revascularization Medicine</i> , 2021, 28, 9-13.	0.8	11
31	Femoral Access PCI in a Default Radial Center Identifies High-Risk Patients With Poor Outcomes. <i>Journal of Interventional Cardiology</i> , 2015, 28, 485-492.	1.2	10
32	Excimer laser coronary atherectomy during complex PCI: An analysis of 1,471 laser cases from the British Cardiovascular Intervention Society database. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, E653-E660.	1.7	10
33	Drug-eluting stents for the treatment of in-stent restenosis – "real world" double centre experience in consecutive patients. <i>International Journal of Cardiovascular Interventions</i> , 2005, 7, 188-192.	0.5	8
34	Initial experience of a self-expanding transcatheter aortic valve with an outer pericardial wrap: The United Kingdom and Ireland Implanters' registry. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 1340-1346.	1.7	8
35	Bioabsorbable polymer drug-eluting stents with 4-month dual antiplatelet therapy versus durable polymer drug-eluting stents with 12-month dual antiplatelet therapy in patients with left main coronary artery disease: the IDEAL-LM randomised trial. <i>EuroIntervention</i> , 2022, 17, 1467-1476.	3.2	8
36	Interaction between access choice and pharmacotherapy for coronary intervention: the results of a UK survey. <i>Open Heart</i> , 2014, 1, e000094.	2.3	6

#	ARTICLE	IF	CITATIONS
37	Impact of established cardiovascular disease on outcomes in the randomized global leaders trial. Catheterization and Cardiovascular Interventions, 2020, 96, 1369-1378.	1.7	6
38	Early Clinical Experience with a Polymer-Free Biolimus A9 Drug-Coated Stent in DES-Type Patients Who Are Poor Candidates for Prolonged Dual Anti-Platelet Therapy. PLoS ONE, 2016, 11, e0157812.	2.5	6
39	Management of immune thrombocytopenic purpura and acute coronary syndrome: A double-edged sword!. Hellenic Journal of Cardiology, 2016, 57, 273-276.	1.0	5
40	Developing a UK registry to investigate the role of cardiovascular magnetic resonance (CMR) in patients who activate the primary percutaneous coronary intervention (PPCI) pathway: a multicentre, feasibility study linking routinely collected electronic patient data. BMJ Open, 2018, 8, e018987.	1.9	5
41	Cardiovascular magnetic resonance in emergency patients with multivessel disease or unobstructed coronary arteries: a cost-effectiveness analysis in the UK. BMJ Open, 2019, 9, e025700.	1.9	5
42	Post-procedural Bivalirudin Infusion Following Primary PCI to Reduce Stent Thrombosis. Journal of Interventional Cardiology, 2016, 29, 129-136.	1.2	4
43	Formal consensus to identify clinically important changes in management resulting from the use of cardiovascular magnetic resonance (CMR) in patients who activate the primary percutaneous coronary intervention (PPCI) pathway. BMJ Open, 2017, 7, e014627.	1.9	4
44	Routine iso-osmolar contrast media use and acute kidney injury following percutaneous coronary intervention for ST elevation myocardial infarction. Minerva Cardioangiologica, 2019, 67, 380-391.	1.2	4
45	Clinical outcomes of complex lesions treated with an abluminal groove-filled biodegradable polymer sirolimus-eluting stent and durable polymer everolimus-eluting stent. Catheterization and Cardiovascular Interventions, 2020, 96, 1023-1028.	1.7	3
46	Changes in platelet function independent of pharmacotherapy following coronary intervention in non-ST-elevation myocardial infarction patients. Atherosclerosis, 2015, 243, 320-327.	0.8	2
47	Feasibility of identifying important changes in care management resulting from cardiovascular magnetic resonance (CMR) using hospital episode data in patients who activate the primary percutaneous coronary intervention (PPCI) pathway. BMC Medical Research Methodology, 2019, 19, 116.	3.1	2
48	The impact of coronary perforation in percutaneous interventions involving the left main stem coronary artery in the United Kingdom 2007-2014: Insights from the British Cardiovascular Intervention Society database. Catheterization and Cardiovascular Interventions, 2021, 97, E179-E185.	1.7	2
49	Coronary Artery Perforation following PCI: An Interesting Finding into the Pericardial Space. International Journal of Angiology, 2013, 22, 239-242.	0.6	1
50	Index and Follow-Up Optical Coherence Tomography Imaging Demonstrating Resolution of Post-Stent Intramural Hematoma Managed Conservatively. JACC: Cardiovascular Interventions, 2014, 7, e183-e184.	2.9	1
51	Optical Coherence Tomography Appearances in Healed Coronary Artery Aneurysms After Stent Implantation. JACC: Cardiovascular Interventions, 2014, 7, 336-337.	2.9	1
52	Twelve-month outcomes of patients unsuitable for prolonged DAPT presenting with an acute coronary syndrome and treated with polymer-free biolimus A9 drug-coated stents. Catheterization and Cardiovascular Interventions, 2018, 92, 1220-1228.	1.7	1
53	New breathlessness in a young patient with rheumatoid arthritis. British Journal of Hospital Medicine (London, England: 2005), 2019, 80, 612-613.	0.5	1
54	Differential impact of abluminal groove-filled biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent on and off dual antiplatelet therapy. Catheterization and Cardiovascular Interventions, 2022, 99, 357-365.	1.7	1

#	ARTICLE	IF	CITATIONS
55	Brachial arterial access for PCI: an analysis of the British Cardiovascular Intervention Society database. <i>EuroIntervention</i> , 2022, 17, 1100-1103.	3.2	1
56	The value of using fractional flow reserve measurements in helping to diagnose acute left ventricular failure in the presence of normal left ventricular systolic function. <i>Cardiovascular Revascularization Medicine</i> , 2011, 12, 181-183.	0.8	0
57	Complex Disease, Partial Revascularization, and Adverse Outcomes in Patients Treated With Long-Term Warfarin Therapy Who Underwent Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2015, 116, 350-354.	1.6	0
58	Chronic anemia and non-ST elevation acute coronary syndrome “double jeopardy. <i>Current Medical Research and Opinion</i> , 2016, 32, 1503-1509.	1.9	0
59	Vascular complications associated with intraaortic balloon pump supported percutaneous coronary intervention (PCI) and clinical outcomes from the British Cardiovascular Intervention Society National PCI Database. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E53-E61.	1.7	0
60	A national registry to assess the value of cardiovascular magnetic resonance imaging after primary percutaneous coronary intervention pathway activation: a feasibility cohort study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-134.	1.4	0