

# Alexander Karamanov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9424463/publications.pdf>

Version: 2024-02-01

51  
papers

1,912  
citations

201385

27  
h-index

253896

43  
g-index

52  
all docs

52  
docs citations

52  
times ranked

1281  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sintering and phase formation of ceramics based on pre-treated municipal incinerator bottom ash. <i>Open Ceramics</i> , 2021, 5, 100044.	1.0	4
2	Sintered Glass-Ceramics, Self-Glazed Materials and Foams from Metallurgical Waste Slag. <i>Materials</i> , 2021, 14, 2263.	1.3	6
3	Sintered glass-ceramics and foams by metallurgical slag with addition of CaF <sub>2</sub> . <i>Ceramics International</i> , 2020, 46, 6507-6516.	2.3	17
4	Sintered Iron-Rich Glass-Ceramics and Foams Obtained in Air and Argon. , 2020, , .		0
5	Sintering, crystallization and foaming of La <sub>2</sub> O <sub>3</sub> •SrO•5B <sub>2</sub> O <sub>3</sub> glass powders: effect of the holding time. <i>Journal of Non-Crystalline Solids</i> , 2020, 544, 120168.	1.5	5
6	Toxicological analysis of ceramic building materials “ Tiles and glasses “ Obtained from post-treated bottom ashes. <i>Waste Management</i> , 2019, 98, 50-57.	3.7	23
7	The SariÅsiÅsek howardite fall in Turkey: Source crater of <scp>HED</scp> meteorites on Vesta and impact risk of Vestoids. <i>Meteoritics and Planetary Science</i> , 2019, 54, 953-1008.	0.7	30
8	Structure of glass-ceramic from Fe-Ni wastes. <i>Materials Letters</i> , 2018, 223, 86-89.	1.3	12
9	Sintering, crystallization and foaming of La <sub>2</sub> O <sub>3</sub> •SrO•5B <sub>2</sub> O <sub>3</sub> glass powders - effect of the holding temperature and the heating rate. <i>Journal of Non-Crystalline Solids</i> , 2018, 481, 375-382.	1.5	10
10	Vitrification of hazardous Fe-Ni wastes into glass-ceramic with fine crystalline structure and elevated exploitation characteristics. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 432-441.	3.3	29
11	New fired bricks based on municipal solid waste incinerator bottom ash. <i>Waste Management and Research</i> , 2017, 35, 1055-1063.	2.2	23
12	New ceramic materials from MSWI bottom ash obtained by an innovative microwave-assisted sintering process. <i>Journal of the European Ceramic Society</i> , 2017, 37, 323-331.	2.8	37
13	Optimal thermal cycle for production of glass“ ceramic based on wastes from ferronickel manufacture. <i>Ceramics International</i> , 2015, 41, 11379-11386.	2.3	32
14	Variations in non-isothermal surface crystallization kinetics due to minor composition changes. <i>Journal of Non-Crystalline Solids</i> , 2015, 428, 49-53.	1.5	1
15	8. Stress-induced Pore Formation and Phase Selection in a Crystallizing Stretched Glass. , 2014, , 441-480.		3
16	Sinter-crystallization in air and inert atmospheres of a glass from pre-treated municipal solid waste bottom ashes. <i>Journal of Non-Crystalline Solids</i> , 2014, 389, 50-59.	1.5	23
17	Class transition temperature and activation energy of sintering by optical dilatometry. <i>Thermochimica Acta</i> , 2013, 553, 1-7.	1.2	25
18	Variation of Avrami parameter during non-isothermal surface crystallization of glass powders with different sizes. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 1486-1490.	1.5	34

#	ARTICLE	IF	CITATIONS
19	Post-treated incinerator bottom ash as alternative raw material for ceramic manufacturing. Journal of the European Ceramic Society, 2012, 32, 2843-2852.	2.8	56
20	Integrated approach to establish the sinter-crystallization ability of glasses from secondary raw material. Journal of Non-Crystalline Solids, 2011, 357, 10-17.	1.5	28
21	Ceramics from blast furnace slag, kaolin and quartz. Journal of the European Ceramic Society, 2011, 31, 989-998.	2.8	71
22	Pore formation in glass-ceramics: Influence of the stress energy distribution. Journal of Non-Crystalline Solids, 2010, 356, 117-119.	1.5	9
23	Glass-ceramic frits from fly ash in terracotta production. Waste Management and Research, 2009, 27, 87-92.	2.2	9
24	Sintered material from alkaline basaltic tuffs. Journal of the European Ceramic Society, 2009, 29, 595-601.	2.8	16
25	Characterization of basaltic tuffs and their applications for the production of ceramic and glass-ceramic materials. Ceramics International, 2009, 35, 2789-2795.	2.3	17
26	Induced crystallization porosity and properties of sintered diopside and wollastonite glass-ceramics. Journal of the European Ceramic Society, 2008, 28, 555-562.	2.8	100
27	Sinter-crystallization of a glass obtained from basaltic tuffs. Journal of Non-Crystalline Solids, 2008, 354, 290-295.	1.5	29
28	Structure, chemical durability and crystallization behavior of incinerator-based glassy systems. Journal of Non-Crystalline Solids, 2008, 354, 521-528.	1.5	29
29	Vitrification of copper flotation waste. Journal of Hazardous Materials, 2007, 140, 333-339.	6.5	52
30	The effect of fired scrap addition on the sintering behaviour of hard porcelain. Ceramics International, 2006, 32, 727-732.	2.3	32
31	Sinter-crystallisation in the diopside-albite system. Journal of the European Ceramic Society, 2006, 26, 2511-2517.	2.8	39
32	Sinter-crystallization in the diopside-albite system. Journal of the European Ceramic Society, 2006, 26, 2519-2526.	2.8	29
33	Sintered glass ceramic composites from vitrified municipal solid waste bottom ashes. Journal of Hazardous Materials, 2006, 137, 138-143.	6.5	36
34	Sintering behaviour of a glass obtained from MSWI ash. Journal of the European Ceramic Society, 2005, 25, 1531-1540.	2.8	42
35	Sintering in Nitrogen Atmosphere of Iron-Rich Glass-Ceramics. Journal of the American Ceramic Society, 2004, 87, 1354-1357.	1.9	21
36	Sintering Behavior and Properties of Iron-Rich Glass-Ceramics. Journal of the American Ceramic Society, 2004, 87, 1571-1574.	1.9	19

#	ARTICLE	IF	CITATIONS
37	Properties of sintered glass-ceramics in the diopside–albite system. <i>Ceramics International</i> , 2004, 30, 2129-2135.	2.3	53
38	Sintered glass-ceramics from Municipal Solid Waste-incinerator fly ashes—part I: the influence of the heating rate on the sinter-crystallisation. <i>Journal of the European Ceramic Society</i> , 2003, 23, 827-832.	2.8	92
39	Sintered glass-ceramics from incinerator fly ashes. Part II. The influence of the particle size and heat-treatment on the properties. <i>Journal of the European Ceramic Society</i> , 2003, 23, 1609-1615.	2.8	52
40	Vitrification of electric arc furnace dusts. <i>Waste Management</i> , 2002, 22, 945-949.	3.7	105
41	Crystallization phenomena in iron-rich glasses. <i>Journal of Non-Crystalline Solids</i> , 2001, 281, 139-151.	1.5	114
42	Influence of the nucleation time-lag on the activation energy in non-isothermal crystallization. <i>Journal of Non-Crystalline Solids</i> , 2001, 290, 173-179.	1.5	19
43	Chemical durability of glasses obtained by vitrification of industrial wastes. <i>Waste Management</i> , 2001, 21, 1-9.	3.7	125
44	Reply to ‘Comment on ‘Influence of $Fe^{3+}/Fe^{2+}$ Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes’’. <i>Journal of the American Ceramic Society</i> , 2001, 84, 2742-2743.	1.9	4
45	The crystallisation kinetics of iron rich glass in different atmospheres. <i>Journal of the European Ceramic Society</i> , 2000, 20, 2233-2237.	2.8	49
46	Influence of $Fe^{3+}/Fe^{2+}$ Ratio on the Crystallization of Iron-Rich Glasses Made with Industrial Wastes. <i>Journal of the American Ceramic Society</i> , 2000, 83, 3153-3157.	1.9	97
47	Evaluation of the degree of crystallisation in glass-ceramics by density measurements. <i>Journal of the European Ceramic Society</i> , 1999, 19, 649-654.	2.8	80
48	Kinetics of phase formation in jarosite glass-ceramic. <i>Journal of the European Ceramic Society</i> , 1999, 19, 527-533.	2.8	38
49	The effect of $Cr_2O_3$ as a nucleating agent in iron-rich glass-ceramics. <i>Journal of the European Ceramic Society</i> , 1999, 19, 2641-2645.	2.8	62
50	Iron-Rich Sintered Glass-Ceramics from Industrial Wastes. <i>Journal of the American Ceramic Society</i> , 1999, 82, 3012-3016.	1.9	66
51	Vitrification and Sinter-Crystallization of Iron-Rich Industrial Wastes. <i>Advances in Science and Technology</i> , 0, , .	0.2	7