

Wiltrud Richter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9428579/publications.pdf>

Version: 2024-02-01

131
papers

9,124
citations

38742

50
h-index

42399

92
g-index

134
all docs

134
docs citations

134
times ranked

9564
citing authors

#	ARTICLE	IF	CITATIONS
1	Sulfation of Glycosaminoglycan Hydrogels Instructs Cell Fate and Chondral versus Endochondral Lineage Decision of Skeletal Stem Cells In Vivo. <i>Advanced Functional Materials</i> , 2022, 32, 2109176.	14.9	4
2	NF κ B inhibition to lift the mechano-competence of mesenchymal stromal cell-derived neocartilage toward articular chondrocyte levels. <i>Stem Cell Research and Therapy</i> , 2022, 13, 168.	5.5	5
3	Heparan Sulfate Deficiency in Cartilage: Enhanced BMP-Sensitivity, Proteoglycan Production and an Anti-Apoptotic Expression Signature after Loading. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3726.	4.1	4
4	Preclinical Testing of New Hydrogel Materials for Cartilage Repair: Overcoming Fixation Issues in a Large Animal Model. <i>International Journal of Biomaterials</i> , 2021, 2021, 1-14.	2.4	4
5	MiR-181a Targets RSPO2 and Regulates Bone Morphogenetic Protein β 1 WNT Signaling Crosstalk During Chondrogenic Differentiation of Mesenchymal Stromal Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 747057.	3.7	5
6	Initial WNT/ β 2-Catenin Activation Enhanced Mesoderm Commitment, Extracellular Matrix Expression, Cell Aggregation and Cartilage Tissue Yield From Induced Pluripotent Stem Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 581331.	3.7	17
7	MiR-218 affects hypertrophic differentiation of human mesenchymal stromal cells during chondrogenesis via targeting RUNX2, MEF2C, and COL10A1. <i>Stem Cell Research and Therapy</i> , 2020, 11, 532.	5.5	11
8	Significance of MEF2C and RUNX3 Regulation for Endochondral Differentiation of Human Mesenchymal Progenitor Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 81.	3.7	15
9	The Role of Extracellular Matrix Expression, ERK1/2 Signaling and Cell Cohesiveness for Cartilage Yield from iPSCs. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4295.	4.1	19
10	Impact of c-MYC expression on proliferation, differentiation, and risk of neoplastic transformation of human mesenchymal stromal cells. <i>Stem Cell Research and Therapy</i> , 2019, 10, 73.	5.5	69
11	Regulation of WNT5A and WNT11 during MSC in vitro chondrogenesis: WNT inhibition lowers BMP and hedgehog activity, and reduces hypertrophy. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 3875-3889.	5.4	67
12	Treatment of Focal Cartilage Defects in Minipigs with Zonal Chondrocyte/Mesenchymal Progenitor Cell Constructs. <i>International Journal of Molecular Sciences</i> , 2019, 20, 653.	4.1	15
13	Report on a large animal study with Göttingen Minipigs where regenerates and controls for articular cartilage were created in a large number. Focus on the conditions of the operated stifle joints and suggestions for standardized procedures. <i>PLoS ONE</i> , 2019, 14, e0224996.	2.5	4
14	Chondral Differentiation of Induced Pluripotent Stem Cells Without Progression Into the Endochondral Pathway. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 270.	3.7	46
15	StarPEG/heparin-hydrogel based <i>in vivo</i> engineering of stable bizonal cartilage with a calcified bottom layer. <i>Biofabrication</i> , 2019, 11, 015001.	7.1	20
16	The Radiation Resistance of Human Multipotent Mesenchymal Stromal Cells Is Independent of Their Tissue of Origin. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 100, 1259-1269.	0.8	26
17	Extracellular matrix content and WNT/ β 2-catenin levels of cartilage determine the chondrocyte response to compressive load. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 851-859.	3.8	37
18	Peptide-functionalized starPEG/heparin hydrogels direct mitogenicity, cell morphology and cartilage matrix distribution in vitro and in vivo. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 229-239.	2.7	31

#	ARTICLE	IF	CITATIONS
19	Global chondrocyte gene expression after a single anabolic loading period: Time evolution and re-inducibility of mechano-responses. <i>Journal of Cellular Physiology</i> , 2018, 233, 699-711.	4.1	18
20	Stimulation of a calcified cartilage connecting zone by GDF-5 augmented fibrin hydrogel in a novel layered ectopic in vivo model. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 2214-2224.	3.4	10
21	Time-dependent contribution of BMP, FGF, IGF, and HH signaling to the proliferation of mesenchymal stroma cells during chondrogenesis. <i>Journal of Cellular Physiology</i> , 2018, 233, 8962-8970.	4.1	18
22	Stimulation of calvarial bone healing with human bone marrow stromal cells versus inhibition with adipose-tissue stromal cells on nanostructured β -TCP-collagen. <i>Acta Biomaterialia</i> , 2018, 76, 135-145.	8.3	18
23	Is Total Disk Replacement a Cost-effective Treatment for Cervical Degenerative Disk Disease?. <i>Clinical Spine Surgery</i> , 2017, 30, E530-E534.	1.3	9
24	Induced Pluripotent Stem Cells and Cartilage Regeneration. , 2017, , 73-93.		1
25	Role of PTHrP (1-34) Pulse Frequency Versus Pulse Duration to Enhance Mesenchymal Stromal Cell Chondrogenesis. <i>Journal of Cellular Physiology</i> , 2016, 231, 2673-2681.	4.1	25
26	Increased bone formation in a rabbit long-bone defect model after single local and single systemic application of erythropoietin. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 425-431.	3.3	29
27	Fibrinogen scaffolds with immunomodulatory properties promote in vivo bone regeneration. <i>Biomaterials</i> , 2016, 111, 163-178.	11.4	54
28	Differential expression of TGF- β 2 superfamily members and role of Smad1/5/9-signalling in chondral versus endochondral chondrocyte differentiation. <i>Scientific Reports</i> , 2016, 6, 36655.	3.3	72
29	Differential Regulation of SOX9 Protein During Chondrogenesis of Induced Pluripotent Stem Cells Versus Mesenchymal Stromal Cells: A Shortcoming for Cartilage Formation. <i>Stem Cells and Development</i> , 2016, 25, 598-609.	2.1	44
30	Osteoarthritis in the Knee Joints of Göttingen Minipigs after Resection of the Anterior Cruciate Ligament? Missing Correlation of MRI, Gene and Protein Expression with Histological Scoring. <i>PLoS ONE</i> , 2016, 11, e0165897.	2.5	10
31	Mesenchymal stromal cell implantation for stimulation of long bone healing aggravates <i>Staphylococcus aureus</i> induced osteomyelitis. <i>Acta Biomaterialia</i> , 2015, 21, 165-177.	8.3	34
32	Stage-Specific miRs in Chondrocyte Maturation: Differentiation-Dependent and Hypertrophy-Related miR Clusters and the miR-181 Family. <i>Tissue Engineering - Part A</i> , 2015, 21, 2840-2851.	3.1	57
33	Application of VEGFA and FGF-9 Enhances Angiogenesis, Osteogenesis and Bone Remodeling in Type 2 Diabetic Long Bone Regeneration. <i>PLoS ONE</i> , 2015, 10, e0118823.	2.5	69
34	Identification of Novel SHOX Target Genes in the Developing Limb Using a Transgenic Mouse Model. <i>PLoS ONE</i> , 2014, 9, e98543.	2.5	14
35	Xenogeneic transplantation of articular chondrocytes into full-thickness articular cartilage defects in minipigs: fate of cells and the role of macrophages. <i>Cell and Tissue Research</i> , 2014, 358, 749-761.	2.9	22
36	Complete subchondral bone defect regeneration with a tricalcium phosphate collagen implant and osteoinductive growth factors: A randomized controlled study in Göttingen minipigs. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2014, 102, 933-942.	3.4	10

#	ARTICLE	IF	CITATIONS
37	Superior Angiogenic Potential of GDF-5 and GDF-5V453/V456 Compared with BMP-2 in a Rabbit Long-Bone Defect Model. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1699-1707.	3.0	19
38	Adipose-derived stromal cells for osteoarticular repair: trophic function versus stem cell activity. <i>Expert Reviews in Molecular Medicine</i> , 2014, 16, e9.	3.9	52
39	Regulating Chondrogenesis of Human Mesenchymal Stromal Cells with a Retinoic Acid Receptor-Beta Inhibitor: Differential Sensitivity of Chondral Versus Osteochondral Development. <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 1607-1619.	1.6	18
40	BMP activation and Wnt-signalling affect biochemistry and functional biomechanical properties of cartilage tissue engineering constructs. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 284-292.	1.3	27
41	Intermittent PTHrP(1-34) Exposure Augments Chondrogenesis and Reduces Hypertrophy of Mesenchymal Stromal Cells. <i>Stem Cells and Development</i> , 2014, 23, 2513-2523.	2.1	51
42	Mesenchymal stroma cells trigger early attraction of M1 macrophages and endothelial cells into fibrin hydrogels, stimulating long bone healing without long-term engraftment. <i>Acta Biomaterialia</i> , 2014, 10, 4730-4741.	8.3	85
43	Short-term follow-up of disc cell therapy in a porcine nucleotomy model with an albumin-hyaluronan hydrogel: in vivo and in vitro results of metabolic disc cell activity and implant distribution. <i>European Spine Journal</i> , 2014, 23, 1837-1847.	2.2	26
44	No effect of subperiosteal growth factor application on periosteal neo-chondrogenesis in osteoperiosteal bone grafts for osteochondral defect repair. <i>International Orthopaedics</i> , 2013, 37, 1171-1178.	1.9	8
45	Enhanced reconstruction of long bone architecture by a growth factor mutant combining positive features of GDF-5 and BMP-2. <i>Biomaterials</i> , 2013, 34, 5926-5936.	11.4	49
46	Inferior ectopic bone formation of mesenchymal stromal cells from adipose tissue compared to bone marrow: Rescue by chondrogenic pre-induction. <i>Stem Cell Research</i> , 2013, 11, 1393-1406.	0.7	46
47	Different culture media affect growth characteristics, surface marker distribution and chondrogenic differentiation of human bone marrow-derived mesenchymal stromal cells. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 223.	1.9	73
48	The collagen component of biological bone graft substitutes promotes ectopic bone formation by human mesenchymal stem cells. <i>Acta Biomaterialia</i> , 2013, 9, 7298-7307.	8.3	19
49	Age-related OA—a concept emerging from infancy?. <i>Nature Reviews Rheumatology</i> , 2012, 8, 70-72.	8.0	22
50	Regulation of H19 and its encoded microRNA-675 in osteoarthritis and under anabolic and catabolic in vitro conditions. <i>Journal of Molecular Medicine</i> , 2012, 90, 1185-1195.	3.9	156
51	Proliferation as a Requirement for In Vitro Chondrogenesis of Human Mesenchymal Stem Cells. <i>Stem Cells and Development</i> , 2012, 21, 2160-2169.	2.1	99
52	Interplay Between Local Versus Soluble Transforming Growth Factor-Beta and Fibrin Scaffolds: Role of Cells and Impact on Human Mesenchymal Stem Cell Chondrogenesis. <i>Tissue Engineering - Part A</i> , 2012, 18, 1140-1150.	3.1	24
53	BMP and TGFbeta pathways in human central chondrosarcoma: enhanced endoglin and Smad 1 signaling in high grade tumors. <i>BMC Cancer</i> , 2012, 12, 488.	2.6	38
54	Engineering hydrophobin DewA to generate surfaces that enhance adhesion of human but not bacterial cells. <i>Acta Biomaterialia</i> , 2012, 8, 1037-1047.	8.3	31

#	ARTICLE	IF	CITATIONS
55	Neue Ansätze für die in situ Regeneration und das Tissue Engineering von Knochen. Deutsche Zeitschrift Für Sportmedizin, 2012, 2012, 30-35.	0.5	1
56	Reduced Reactivation from Dormancy but Maintained Lineage Choice of Human Mesenchymal Stem Cells with Donor Age. PLoS ONE, 2011, 6, e22980.	2.5	92
57	Chondrogenic pre-induction of human mesenchymal stem cells on β -TCP: Enhanced bone quality by endochondral heterotopic bone formation. Acta Biomaterialia, 2010, 6, 3292-3301.	8.3	72
58	The effect of two point mutations in GDF-5 on ectopic bone formation in a β -tricalciumphosphate scaffold. Biomaterials, 2010, 31, 3878-3884.	11.4	23
59	Sensitivity of notochordal disc cells to mechanical loading: an experimental animal study. European Spine Journal, 2010, 19, 113-121.	2.2	47
60	Methods to monitor distribution and metabolic activity of mesenchymal stem cells following in vivo injection into nucleotomized porcine intervertebral discs. European Spine Journal, 2010, 19, 601-612.	2.2	49
61	Human articular chondrocytes secrete parathyroid hormone-related protein and inhibit hypertrophy of mesenchymal stem cells in coculture during chondrogenesis. Arthritis and Rheumatism, 2010, 62, 2696-2706.	6.7	229
62	Comparison of mesenchymal stem cells from bone marrow and adipose tissue for bone regeneration in a critical size defect of the sheep tibia and the influence of platelet-rich plasma. Biomaterials, 2010, 31, 3572-3579.	11.4	278
63	Correlation of hypoxic signalling to histological grade and outcome in cartilage tumours. Histopathology, 2010, 56, 641-651.	2.9	46
64	Discrimination between cells of murine and human origin in xenotransplants by species specific genomic in situ hybridization. Xenotransplantation, 2010, 17, 153-159.	2.8	48
65	Chondrogenesis of mesenchymal stem cells: role of tissue source and inducing factors. Stem Cell Research and Therapy, 2010, 1, 31.	5.5	129
66	Chondrogenesis of Human Mesenchymal Stem Cells by Local Transforming Growth Factor-Beta Delivery in a Biphasic Resorbable Carrier. Tissue Engineering - Part A, 2010, 16, 453-464.	3.1	56
67	Autologous Chondrocyte Implantation Using the Original Periosteum-Cover Technique versus Matrix-Associated Autologous Chondrocyte Implantation. American Journal of Sports Medicine, 2010, 38, 924-933.	4.2	219
68	Enhanced Biochemical and Biomechanical Properties of Scaffolds Generated by Flock Technology for Cartilage Tissue Engineering. Tissue Engineering - Part A, 2010, 16, 3697-3707.	3.1	31
69	Influence of depression symptoms on serum tumour necrosis factor-alpha of patients with chronic low back pain. Arthritis Research and Therapy, 2010, 12, R186.	3.5	32
70	Calcification or dedifferentiation: Requirement to lock mesenchymal stem cells in a desired differentiation stage. Journal of Cellular Physiology, 2009, 219, 219-226.	4.1	176
71	Mesenchymal Stem Cell Differentiation in an Experimental Cartilage Defect: Restriction of Hypertrophy to Bone-Close Neocartilage. Stem Cells and Development, 2009, 18, 969-978.	2.1	101
72	Enhanced ITM2A expression inhibits chondrogenic differentiation of mesenchymal stem cells. Differentiation, 2009, 78, 108-115.	1.9	33

#	ARTICLE	IF	CITATIONS
73	Matrix Metalloprotease Inhibitors Suppress Initiation and Progression of Chondrogenic Differentiation of Mesenchymal Stromal Cells In Vitro. <i>Stem Cells and Development</i> , 2009, 18, 881-892.	2.1	32
74	A New Porcine In Vivo Animal Model of Disc Degeneration. <i>Spine</i> , 2009, 34, 2730-2739.	2.0	49
75	Enhanced Early Tissue Regeneration after Matrix-Assisted Autologous Mesenchymal Stem Cell Transplantation in Full Thickness Chondral Defects in a Minipig Model. <i>Cell Transplantation</i> , 2009, 18, 923-932.	2.5	72
76	Secretion of matrix metalloproteinase 3 by expanded articular chondrocytes as a predictor of ectopic cartilage formation capacity in vivo. <i>Arthritis and Rheumatism</i> , 2008, 58, 467-474.	6.7	42
77	Correlation of COL10A1 induction during chondrogenesis of mesenchymal stem cells with demethylation of two CpG sites in the COL10A1 promoter. <i>Arthritis and Rheumatism</i> , 2008, 58, 2743-2753.	6.7	98
78	Porosity and pore size of β -tricalcium phosphate scaffold can influence protein production and osteogenic differentiation of human mesenchymal stem cells: An in vitro and in vivo study. <i>Acta Biomaterialia</i> , 2008, 4, 1904-1915.	8.3	291
79	The use of mesenchymal stem cells for chondrogenesis. <i>Injury</i> , 2008, 39, 58-65.	1.7	243
80	Chondrogenesis of mesenchymal stem cells in gel-like biomaterials in vitro and in vivo. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 4517.	3.0	69
81	Cell-based cartilage repair: illusion or solution for osteoarthritis. <i>Current Opinion in Rheumatology</i> , 2007, 19, 451-456.	4.3	48
82	Detection of Apoptotic Cartilage Cells in Symptomatic Central Tears of the Triangular Fibrocartilage. <i>Journal of Hand Surgery</i> , 2007, 32, 618-622.	1.6	19
83	Chondrocyte secreted CRTAC1: A glycosylated extracellular matrix molecule of human articular cartilage. <i>Matrix Biology</i> , 2007, 26, 30-41.	3.6	62
84	Reduced chondrogenic potential of adipose tissue derived stromal cells correlates with an altered TGF β 2 receptor and BMP profile and is overcome by BMP-6. <i>Journal of Cellular Physiology</i> , 2007, 211, 682-691.	4.1	320
85	Molekularbiologische Revolution in der OrthopÄdie. , 2007, , 231-247.		0
86	Local application of a collagen type I/hyaluronate matrix and growth and differentiation factor 5 influences the closure of osteochondral defects in a minipig model by enchondral ossification. <i>Growth Factors</i> , 2006, 24, 225-232.	1.7	20
87	Platelet-rich plasma improves expansion of human mesenchymal stem cells and retains differentiation capacity and <i>in vivo</i> bone formation in calcium phosphate ceramics. <i>Platelets</i> , 2006, 17, 462-469.	2.3	171
88	Accelerated intervertebral disc degeneration in scoliosis versus physiological ageing develops against a background of enhanced anabolic gene expression. <i>Biochemical and Biophysical Research Communications</i> , 2006, 342, 963-972.	2.1	35
89	Osteoarthritis: Cellular and molecular changes in degenerating cartilage. <i>Progress in Histochemistry and Cytochemistry</i> , 2006, 40, 135-163.	5.1	141
90	Disc Distraction Shows Evidence of Regenerative Potential in Degenerated Intervertebral Discs as Evaluated by Protein Expression, Magnetic Resonance Imaging, and Messenger Ribonucleic Acid Expression Analysis. <i>Spine</i> , 2006, 31, 1658-1665.	2.0	57

#	ARTICLE	IF	CITATIONS
91	An in vivo study of a growth-factor enhanced, cell free, two-layered collagen-tricalcium phosphate in deep osteochondral defects. <i>Biomaterials</i> , 2006, 27, 3387-3395.	11.4	115
92	The course of high-sensitive C-reactive protein in correlation with pain and clinical function in patients with acute lumbosciatic pain and chronic low back pain-A 6 months prospective longitudinal study. <i>European Journal of Pain</i> , 2006, 10, 711-711.	2.8	51
93	Influence of Platelet-Rich Plasma on Osteogenic Differentiation of Mesenchymal Stem Cells and Ectopic Bone Formation in Calcium Phosphate Ceramics. <i>Cells Tissues Organs</i> , 2006, 183, 68-79.	2.3	83
94	Premature induction of hypertrophy during in vitro chondrogenesis of human mesenchymal stem cells correlates with calcification and vascular invasion after ectopic transplantation in SCID mice. <i>Arthritis and Rheumatism</i> , 2006, 54, 3254-3266.	6.7	734
95	Changes in gene expression and protein distribution at different stages of mechanically induced disc degeneration-an in vivo study on the New Zealand white rabbit. <i>Journal of Orthopaedic Research</i> , 2006, 24, 385-392.	2.3	40
96	Long-term mechanical loading of chondrocyte-chitosan biocomposites in vitro enhanced their proteoglycan and collagen content. <i>Biorheology</i> , 2006, 43, 709-20.	0.4	13
97	Occurrence and Regional Distribution of Apoptosis in Scoliotic Discs. <i>Spine</i> , 2005, 30, 519-524.	2.0	45
98	Stimulation of Gene Expression and Loss of Anular Architecture Caused by Experimental Disc Degeneration-An In Vivo Animal Study. <i>Spine</i> , 2005, 30, 2510-2515.	2.0	49
99	Vascular Endothelial Growth Factor Gene-Activated Matrix (VEGF165-GAM) Enhances Osteogenesis and Angiogenesis in Large Segmental Bone Defects. <i>Journal of Bone and Mineral Research</i> , 2005, 20, 2028-2035.	2.8	264
100	Induction of Intervertebral Disc-Like Cells From Adult Mesenchymal Stem Cells. <i>Stem Cells</i> , 2005, 23, 403-411.	3.2	237
101	Tissue distribution of a human Cav1.2 $\hat{+}$ 1 subunit splice variant with a 75bp insertion $\hat{+}$. <i>Cell Calcium</i> , 2005, 38, 11-21.	2.4	24
102	Ectopic bone formation associated with mesenchymal stem cells in a resorbable calcium deficient hydroxyapatite carrier. <i>Biomaterials</i> , 2005, 26, 5879-5889.	11.4	155
103	Molecular characterization of spontaneous and growth-factor-augmented chondrogenesis in periosteum-bone tissue transferred into a joint. <i>Histochemistry and Cell Biology</i> , 2005, 123, 447-456.	1.7	17
104	Adenovirus-Mediated Gene Transfer of Growth and Differentiation Factor-5 into Tenocytes and the Healing Rat Achilles Tendon. <i>Connective Tissue Research</i> , 2005, 46, 175-183.	2.3	91
105	Matrix-assisted cell transfer for intervertebral disc cell therapy. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 1185-1192.	2.1	79
106	Early and stable upregulation of collagen type II, collagen type I and YKL40 expression levels in cartilage during early experimental osteoarthritis occurs independent of joint location and histological grading. <i>Arthritis Research</i> , 2005, 7, R156.	2.0	83
107	Effects of Local Application of Growth and Differentiation Factor-5 (GDF-5) in a Full-thickness Cartilage Defect Model. <i>Growth Factors</i> , 2004, 22, 35-43.	1.7	16
108	The Short Stature Homeodomain Protein SHOX Induces Cellular Growth Arrest and Apoptosis and Is Expressed in Human Growth Plate Chondrocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 37103-37114.	3.4	94

#	ARTICLE	IF	CITATIONS
109	Stiff-person syndromes. <i>Neurology</i> , 2004, 62, 1357-1362.	1.1	46
110	Telomere length and telomerase activity during expansion and differentiation of human mesenchymal stem cells and chondrocytes. <i>Journal of Molecular Medicine</i> , 2004, 82, 49-55.	3.9	120
111	Release of active and depot GDF-5 after adenovirus-mediated overexpression stimulates rabbit and human intervertebral disc cells. <i>Journal of Molecular Medicine</i> , 2004, 82, 126-134.	3.9	62
112	Cartilage-like gene expression in differentiated human stem cell spheroids: A comparison of bone marrow-derived and adipose tissue-derived stromal cells. <i>Arthritis and Rheumatism</i> , 2003, 48, 418-429.	6.7	421
113	Rapid regulation of collagen but not metalloproteinase 1, 3, 13, 14 and tissue inhibitor of metalloproteinase 1, 2, 3 expression in response to mechanical loading of cartilage explants in vitro. <i>Archives of Biochemistry and Biophysics</i> , 2003, 410, 39-47.	3.0	54
114	New In Vivo Animal Model to Create Intervertebral Disc Degeneration and to Investigate the Effects of Therapeutic Strategies to Stimulate Disc Regeneration. <i>Spine</i> , 2002, 27, 2684-2690.	2.0	168
115	Molecular analysis of expansion, differentiation, and growth factor treatment of human chondrocytes identifies differentiation markers and growth-related genes. <i>Biochemical and Biophysical Research Communications</i> , 2002, 293, 284-292.	2.1	100
116	Enhanced expression of the human chitinase 3-like 2 gene (YKL-39) but not chitinase 3-like 1 gene (YKL-40) in osteoarthritic cartilage. <i>Biochemical and Biophysical Research Communications</i> , 2002, 299, 109-115.	2.1	70
117	Stiff-man syndrome: identification of 17 β -hydroxysteroid dehydrogenase type 4 as a novel 80-kDa antineuronal antigen. <i>Journal of Neuroimmunology</i> , 2002, 130, 184-193.	2.3	21
118	Replicative aging of human articular chondrocytes during ex vivo expansion. <i>Arthritis and Rheumatism</i> , 2002, 46, 2911-2916.	6.7	57
119	Fusion Proteins for Combined Analysis of Autoantibodies to the 65-kDa Isoform of Glutamic Acid Decarboxylase and Islet Antigen-2 in Insulin-dependent Diabetes Mellitus. <i>Clinical Chemistry</i> , 2001, 47, 926-934.	3.2	7
120	Chondrocyte expressed protein-68 (CEP-68), a novel human marker gene for cultured chondrocytes. <i>Biochemical Journal</i> , 2001, 353, 169.	3.7	26
121	Chondrocyte expressed protein-68 (CEP-68), a novel human marker gene for cultured chondrocytes. <i>Biochemical Journal</i> , 2001, 353, 169-174.	3.7	39
122	A Growth and Differentiation Factor-5 (GDF-5)-coated Suture Stimulates Tendon Healing in an Achilles Tendon Model in Rats. <i>Growth Factors</i> , 2001, 19, 115-126.	1.7	98
123	Bone Morphogenetic Protein-2 and Growth and Differentiation Factor-5 Enhance the Healing of Necrotic Bone in a Sheep Model. <i>Growth Factors</i> , 2001, 19, 247-257.	1.7	32
124	High-resolution autoreactive epitope mapping and structural modeling of the 65 kDa form of human glutamic acid decarboxylase. <i>Journal of Molecular Biology</i> , 1999, 287, 983-999.	4.2	100
125	Inhibition of γ -aminobutyric acid synthesis by glutamic acid decarboxylase autoantibodies in stiff-man syndrome. <i>Annals of Neurology</i> , 1998, 44, 194-201.	5.3	224
126	Evidence for Somatic Mutation and Affinity Maturation of Diabetes Associated Human Autoantibodies to Glutamate Decarboxylase. <i>Journal of Autoimmunity</i> , 1996, 9, 371-377.	6.5	11

#	ARTICLE	IF	CITATIONS
127	Mapping of an Autoreactive Epitope within Glutamate Decarboxylase Using a Diabetes-Associated Human Monoclonal Autoantibody and an Epitope cDNA Library. <i>Hybridoma</i> , 1996, 15, 103-108.	0.6	13
128	Immunoglobulin variable gene analysis of human autoantibodies reveals antigen-driven immune response to glutamate decarboxylase in type 1 diabetes mellitus. <i>European Journal of Immunology</i> , 1995, 25, 1703-1712.	2.9	35
129	Immunoglobulin Gene Usage in Diabetes-Associated Human Monoclonal Antibodies Recognizing Glutamate Decarboxylase. <i>Annals of the New York Academy of Sciences</i> , 1995, 764, 457-460.	3.8	0
130	The Glutamate Decarboxylase and 38KD Autoantigens in Type 1 Diabetes: Aspects of Structure and Epitope Recognition. <i>Autoimmunity</i> , 1993, 15, 24-26.	2.6	5
131	The cellular chromatin is an important target for SV40 large T antigen in maintaining the transformed phenotype. <i>Virology</i> , 1990, 174, 543-556.	2.4	12