

Shu-Kui Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/943844/publications.pdf>

Version: 2024-02-01

102
papers

5,319
citations

94433

37
h-index

91884

69
g-index

112
all docs

112
docs citations

112
times ranked

8026
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of blood glucose level and prognosis of inpatients with coexistent diabetes and COVID-19. <i>Endocrine</i> , 2022, 75, 1-9.	2.3	8
2	Novel insights into the interaction between N6-methyladenosine modification and circular RNA. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 824-837.	5.1	19
3	Association Between SNPs in the One-Carbon Metabolism Pathway and the Risk of Female Breast Cancer in a Chinese Population. <i>Pharmacogenomics and Personalized Medicine</i> , 2022, Volume 15, 9-16.	0.7	1
4	Upregulated LINC01088 facilitates malignant phenotypes and immune escape of colorectal cancer by regulating microRNAs/G3BP1/PD-L1 axis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1965-1982.	2.5	10
5	Identification of autophagy related genes in predicting the prognosis and aiding 5- fluorouracil therapy of colorectal cancer. <i>Heliyon</i> , 2022, 8, e09033.	3.2	3
6	Association between epicardial adipose tissue and left ventricular function in type 2 diabetes mellitus: Assessment using two-dimensional speckle tracking echocardiography. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108167.	2.3	6
7	New insights into the diagnostic characteristics and clinical application of serum biomarkers for lung cancer, and human epididymis protein 4 as a new biomarker?. <i>Neoplasma</i> , 2022, 69, 729-740.	1.6	6
8	Susceptibility of Genetic Variations in Methylation Pathway to Gastric Cancer. <i>Pharmacogenomics and Personalized Medicine</i> , 2022, Volume 15, 441-448.	0.7	1
9	LncRNA SPINT1-AS1 promotes breast cancer proliferation and metastasis by sponging let-7 a/b/i-5p. <i>Pathology Research and Practice</i> , 2021, 217, 153268.	2.3	26
10	The diagnostic and prognostic values of microRNA-196a in cancer. <i>Bioscience Reports</i> , 2021, 41, .	2.4	17
11	Long intergenic non-coding RNA LINC00485 exerts tumor-suppressive activity by regulating miR-581/EDEM1 axis in colorectal cancer. <i>Aging</i> , 2021, 13, 3866-3885.	3.1	5
12	Implications of liver injury in risk-stratification and management of patients with COVID-19. <i>Hepatology International</i> , 2021, 15, 202-212.	4.2	15
13	Identification and functional analysis of the SARS-COV-2 nucleocapsid protein. <i>BMC Microbiology</i> , 2021, 21, 58.	3.3	54
14	Analysis of the Primary and Post-Treatment Antibiotic Resistance of <i>Helicobacter pylori</i> in the Nanjing Area. <i>Current Pharmaceutical Biotechnology</i> , 2021, 22, 682-685.	1.6	10
15	Age-stratified and gender-specific reference intervals of six tumor markers panel of lung cancer: A geographic-based multicenter study in China. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23816.	2.1	8
16	An Improved Detection of Circulating Tumor DNA in Extracellular Vesicles-Depleted Plasma. <i>Frontiers in Oncology</i> , 2021, 11, 691798.	2.8	3
17	Sex-based clinical and immunological differences in COVID-19. <i>BMC Infectious Diseases</i> , 2021, 21, 647.	2.9	33
18	Laboratory Testing Implications of Risk-Stratification and Management of COVID-19 Patients. <i>Frontiers in Medicine</i> , 2021, 8, 699706.	2.6	3

#	ARTICLE	IF	CITATIONS
19	Characterization of Esophageal Microbiota in Patients With Esophagitis and Esophageal Squamous Cell Carcinoma. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 774330.	3.9	15
20	Meta-analysis of genome-wide association studies and functional assays decipher susceptibility genes for gastric cancer in Chinese populations. <i>Gut</i> , 2020, 69, 641-651.	12.1	36
21	MiR-142-3p functions as a tumor suppressor by targeting RAC1/PAK1 pathway in breast cancer. <i>Journal of Cellular Physiology</i> , 2020, 235, 4928-4940.	4.1	28
22	Susceptibility of PON1/PON2 Genetic Variations to Ischemic Stroke Risk in a Chinese Han Population. <i>Pharmacogenomics and Personalized Medicine</i> , 2020, Volume 13, 563-570.	0.7	7
23	Dynamic changes in anti-SARS-CoV-2 antibodies during SARS-CoV-2 infection and recovery from COVID-19. <i>Nature Communications</i> , 2020, 11, 6044.	12.8	196
24	Tumor biomarkers predict clinical outcome of COVID-19 patients. <i>Journal of Infection</i> , 2020, 81, 452-482.	3.3	6
25	METTL14-mediated N6-methyladenosine modification of SOX4 mRNA inhibits tumor metastasis in colorectal cancer. <i>Molecular Cancer</i> , 2020, 19, 106.	19.2	188
26	MiR-485-5p as a potential biomarker and tumor suppressor in human colorectal cancer. <i>Biomarkers in Medicine</i> , 2020, 14, 239-248.	1.4	20
27	LRIG3 represses cell motility by inhibiting slug via inactivating ERK signaling in human colorectal cancer. <i>IUBMB Life</i> , 2020, 72, 1393-1403.	3.4	7
28	Circular RNAs: The crucial regulatory molecules in colorectal cancer. <i>Pathology Research and Practice</i> , 2020, 216, 152861.	2.3	20
29	Serum exosomal miR-122 as a potential diagnostic and prognostic biomarker of colorectal cancer with liver metastasis. <i>Journal of Cancer</i> , 2020, 11, 630-637.	2.5	65
30	Plasma expression of HIF-1 α as novel biomarker for the diagnosis of obstructive sleep apnea-hypopnea syndrome. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23545.	2.1	7
31	IGF2 loss of imprinting enhances colorectal cancer stem cells pluripotency by promoting tumor autophagy. <i>Aging</i> , 2020, 12, 21236-21252.	3.1	11
32	Analysis of METTL3 and METTL14 in hepatocellular carcinoma. <i>Aging</i> , 2020, 12, 21638-21659.	3.1	44
33	MicroRNA-371-3 cluster as biomarkers for the diagnosis and prognosis of cancers. <i>Cancer Management and Research</i> , 2019, Volume 11, 5437-5457.	1.9	8
34	Identification of Serum Exosomal hsa-circ-0004771 as a Novel Diagnostic Biomarker of Colorectal Cancer. <i>Frontiers in Genetics</i> , 2019, 10, 1096.	2.3	157
35	lncRNA SNHG6 regulates EZH2 expression by sponging miR-26a/b and miR-214 in colorectal cancer. <i>Journal of Hematology and Oncology</i> , 2019, 12, 3.	17.0	175
36	LncRNA SATB2-AS1 inhibits tumor metastasis and affects the tumor immune cell microenvironment in colorectal cancer by regulating SATB2. <i>Molecular Cancer</i> , 2019, 18, 135.	19.2	205

#	ARTICLE	IF	CITATIONS
37	Circulating miR-1290 and miR-320d as Novel Diagnostic Biomarkers of Human Colorectal Cancer. <i>Journal of Cancer</i> , 2019, 10, 43-50.	2.5	53
38	Polymorphisms of IL-23R predict survival of gastric cancer patients in a Chinese population. <i>Cytokine</i> , 2019, 117, 79-83.	3.2	6
39	P53-induced miR-1249 inhibits tumor growth, metastasis, and angiogenesis by targeting VEGFA and HMGA2. <i>Cell Death and Disease</i> , 2019, 10, 131.	6.3	66
40	Triglyceride-to-high density lipoprotein cholesterol ratio predicts clinical outcomes in patients with gastric cancer. <i>Journal of Cancer</i> , 2019, 10, 6829-6836.	2.5	21
41	miR-375-3p suppresses tumorigenesis and partially reverses chemoresistance by targeting YAP1 and SP1 in colorectal cancer cells. <i>Aging</i> , 2019, 11, 7357-7385.	3.1	66
42	Transcatheter Thrombolysis with Percutaneous Transluminal Angioplasty Using a Trans-Brachial Approach to Treat Thrombosed Arteriovenous Fistulas. <i>Medical Science Monitor</i> , 2019, 25, 2727-2734.	1.1	3
43	Increased expression of tight junction protein β 2occludin is associated with the protective effect of mosapride against aspirin-induced gastric injury. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 1626-1632.	1.8	7
44	CircHIPK3 promotes colorectal cancer growth and metastasis by sponging miR-7. <i>Cell Death and Disease</i> , 2018, 9, 417.	6.3	497
45	Prognostic significance of long noncoding RNA Z38 as a candidate biomarker in breast cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, .	2.1	25
46	Identification of critically carcinogenesis-related genes in basal cell carcinoma. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 6957-6967.	2.0	7
47	Polymorphisms of TGFBR1, TLR4 are associated with prognosis of gastric cancer in a Chinese population. <i>Cancer Cell International</i> , 2018, 18, 191.	4.1	21
48	The pro-metastasis effect of circANKS1B in breast cancer. <i>Molecular Cancer</i> , 2018, 17, 160.	19.2	219
49	The inhibitory role of miR-485-5p in colorectal cancer proliferation and invasion via targeting of CD147. <i>Oncology Reports</i> , 2018, 39, 2201-2208.	2.6	5
50	The long noncoding RNA SNHG1 regulates colorectal cancer cell growth through interactions with EZH2 and miR-154-5p. <i>Molecular Cancer</i> , 2018, 17, 141.	19.2	259
51	SP1-induced lncRNA-ZFAS1 contributes to colorectal cancer progression via the miR-150-5p/VEGFA axis. <i>Cell Death and Disease</i> , 2018, 9, 982.	6.3	165
52	DNA-methylation-mediated silencing of miR-486-5p promotes colorectal cancer proliferation and migration through activation of PLAGL2/IGF2/ β 2-catenin signal pathways. <i>Cell Death and Disease</i> , 2018, 9, 1037.	6.3	70
53	MiR-490-3p Functions As a Tumor Suppressor by Inhibiting Oncogene VDAC1 Expression in Colorectal Cancer. <i>Journal of Cancer</i> , 2018, 9, 1218-1230.	2.5	50
54	Elevated circulating miR-182 acts as a diagnostic biomarker for early colorectal cancer. <i>Cancer Management and Research</i> , 2018, Volume 10, 857-865.	1.9	42

#	ARTICLE	IF	CITATIONS
55	Abnormal Resting-State Functional Connectivity of the Anterior Cingulate Cortex in Unilateral Chronic Tinnitus Patients. <i>Frontiers in Neuroscience</i> , 2018, 12, 9.	2.8	43
56	Circulating Exosomal miR-27a and miR-130a Act as Novel Diagnostic and Prognostic Biomarkers of Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 746-754.	2.5	106
57	Exosomal lncRNA 91H is associated with poor development in colorectal cancer by modifying HNRNPK expression. <i>Cancer Cell International</i> , 2018, 18, 11.	4.1	90
58	Serum and exosome long non coding RNAs as potential biomarkers for hepatocellular carcinoma. <i>Journal of Cancer</i> , 2018, 9, 2631-2639.	2.5	97
59	LACTB, a novel epigenetic silenced tumor suppressor, inhibits colorectal cancer progression by attenuating MDM2-mediated p53 ubiquitination and degradation. <i>Oncogene</i> , 2018, 37, 5534-5551.	5.9	62
60	miR-150-5p suppresses tumor progression by targeting VEGFA in colorectal cancer. <i>Aging</i> , 2018, 10, 3421-3437.	3.1	87
61	Meta-analysis of prognostic value of inflammation parameter in breast cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, S85-S89.	0.9	10
62	Diagnostic and Differential Diagnostic Significance of Laboratory Markers in Crayfish-Associated Rhabdomyolysis. <i>Annals of Clinical and Laboratory Science</i> , 2018, 48, 146-151.	0.2	2
63	Development of a novel individualized warfarin dose algorithm based on a population pharmacokinetic model with improved prediction accuracy for Chinese patients after heart valve replacement. <i>Acta Pharmacologica Sinica</i> , 2017, 38, 434-442.	6.1	14
64	Association of Genetic Polymorphisms in the lncRNAs with Gastric Cancer Risk in a Chinese Population. <i>Journal of Cancer</i> , 2017, 8, 531-536.	2.5	30
65	The Predictive and Prognostic Role of Stromal Tumor-infiltrating Lymphocytes in HER2-positive Breast Cancer with Trastuzumab-based Treatment: a Meta-analysis and Systematic Review. <i>Journal of Cancer</i> , 2017, 8, 3838-3848.	2.5	16
66	Association between SNPs in Long Non-coding RNAs and the Risk of Female Breast Cancer in a Chinese Population. <i>Journal of Cancer</i> , 2017, 8, 1162-1169.	2.5	23
67	A nomogram based on serum bilirubin and albumin levels predicts survival in gastric cancer patients. <i>Oncotarget</i> , 2017, 8, 41305-41318.	1.8	35
68	MiR-216b functions as a tumor suppressor by targeting HMGB1-mediated JAK2/STAT3 signaling way in colorectal cancer. <i>American Journal of Cancer Research</i> , 2017, 7, 2051-2069.	1.4	20
69	MicroRNA expression profiles predict progression and clinical outcome in lung adenocarcinoma. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5679-5692.	2.0	35
70	Expression of CD40 is a positive prognostic factor of diffuse large B-cell lymphoma treated with R-CHOP (rituximab, cyclophosphamide, doxorubicin, vincristine, and prednisone). <i>OncoTargets and Therapy</i> , 2016, 9, 3799.	2.0	5
71	Association of the DISC1 and NRG1 genetic polymorphisms with schizophrenia in a Chinese population. <i>Gene</i> , 2016, 590, 293-297.	2.2	18
72	The association of Phosphatase and tensin homolog (PTEN) deletion and prostate cancer risk: A meta-analysis. <i>Biomedicine and Pharmacotherapy</i> , 2016, 83, 114-121.	5.6	14

#	ARTICLE	IF	CITATIONS
73	A study to identify and characterize the stem/progenitor cell in rabbit meniscus. <i>Cytotechnology</i> , 2016, 68, 2083-2103.	1.6	24
74	Circulating miR-148/152 family as potential biomarkers in hepatocellular carcinoma. <i>Tumor Biology</i> , 2016, 37, 4945-4953.	1.8	27
75	MiR-608, pre-miR-124-1 and pre-miR26a-1 polymorphisms modify susceptibility and recurrence-free survival in surgically resected CRC individuals. <i>Oncotarget</i> , 2016, 7, 75865-75873.	1.8	44
76	Nucleotide excision repair pathway gene polymorphisms are linked to breast cancer risk in a Chinese population. <i>Oncotarget</i> , 2016, 7, 84872-84882.	1.8	25
77	Different effects of the three polymorphisms on 15q25.1 on lung cancer risk: Evidence from published literatures. <i>Journal of Cancer Research and Therapeutics</i> , 2016, 12, 12.	0.9	3
78	The effect of BIM deletion polymorphism on intrinsic resistance and clinical outcome of cancer patient with kinase inhibitor therapy. <i>Scientific Reports</i> , 2015, 5, 11348.	3.3	23
79	Genetic variations in genes of metabolic enzymes predict postoperative prognosis of patients with colorectal cancer. <i>Molecular Cancer</i> , 2015, 14, 171.	19.2	12
80	Association of <i>Clostridium difficile</i> infection in hospital mortality: A systematic review and meta-analysis. <i>American Journal of Infection Control</i> , 2015, 43, 1316-1320.	2.3	26
81	Inhibition of CD147 expression by RNA interference reduces proliferation, invasion and increases chemosensitivity in cancer stem cell-like HT-29 cells. <i>International Journal of Oncology</i> , 2015, 47, 1476-1484.	3.3	9
82	Gene therapy for human colorectal cancer cell lines with recombinant adenovirus 5 based on loss of the insulin-like growth factor 2 imprinting. <i>International Journal of Oncology</i> , 2015, 46, 1759-1767.	3.3	12
83	Gene therapy for colorectal cancer by adenovirus-mediated siRNA targeting CD147 based on loss of the IGF2 imprinting system. <i>International Journal of Oncology</i> , 2015, 47, 1881-1889.	3.3	10
84	Associations of polymorphisms in microRNAs with female breast cancer risk in Chinese population. <i>Tumor Biology</i> , 2015, 36, 4575-4582.	1.8	44
85	Circulating vitamin D binding protein, total, free and bioavailable 25-hydroxyvitamin D and risk of colorectal cancer. <i>Scientific Reports</i> , 2015, 5, 7956.	3.3	38
86	Prognostic value of pre-operative inflammatory response biomarkers in gastric cancer patients and the construction of a predictive model. <i>Journal of Translational Medicine</i> , 2015, 13, 66.	4.4	172
87	Evaluation the susceptibility of five polymorphisms in microRNA-binding sites to female breast cancer risk in Chinese population. <i>Gene</i> , 2015, 573, 160-165.	2.2	11
88	Prognostic value of neutrophil-to-lymphocyte ratio in breast cancer. <i>FEBS Open Bio</i> , 2015, 5, 502-507.	2.3	104
89	Long non-coding RNA 91H contributes to the occurrence and progression of esophageal squamous cell carcinoma by inhibiting IGF2 expression. <i>Molecular Carcinogenesis</i> , 2015, 54, 359-367.	2.7	53
90	Upregulated lncRNA-UCA1 contributes to progression of hepatocellular carcinoma through inhibition of miR-216b and activation of FGFR1/ERK signaling pathway. <i>Oncotarget</i> , 2015, 6, 7899-7917.	1.8	329

#	ARTICLE	IF	CITATIONS
91	FCGR2A, FCGR3A polymorphisms and therapeutic efficacy of anti-EGFR monoclonal antibody in metastatic colorectal cancer. <i>Oncotarget</i> , 2015, 6, 28071-28083.	1.8	10
92	Association of the Polymorphisms in the Fas/FasL Promoter Regions with Cancer Susceptibility: A Systematic Review and Meta-Analysis of 52 Studies. <i>PLoS ONE</i> , 2014, 9, e90090.	2.5	34
93	Prognostic Value of Long Non-Coding RNA HOTAIR in Various Cancers. <i>PLoS ONE</i> , 2014, 9, e110059.	2.5	32
94	Up-Regulation of 91H Promotes Tumor Metastasis and Predicts Poor Prognosis for Patients with Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e103022.	2.5	72
95	The roles of ADIPOQ genetic variations in cancer risk: evidence from published studies. <i>Molecular Biology Reports</i> , 2013, 40, 1135-1144.	2.3	18
96	The Association of Retinoic Acid Receptor Beta2(RAR β 2) Methylation Status and Prostate Cancer Risk: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e62950.	2.5	23
97	Lack of Association Between CYP17 Msp1 Polymorphism and Prostate Cancer Risk: A Meta-Analysis of 14 494 Cases and 15 971 Controls. <i>Medicina (Lithuania)</i> , 2013, 49, 9.	2.0	0
98	The Association of RAS Association Domain Family Protein1A (RASSF1A) Methylation States and Bladder Cancer Risk: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e48300.	2.5	20
99	Polymorphisms in Interleukin-1B (IL-1B) and Interleukin 1 Receptor Antagonist (IL-1RN) Genes Associate with Gastric Cancer Risk in the Chinese Population. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2017-2023.	2.3	41
100	Effects of genetic variations in the Adiponectin pathway genes on the risk of colorectal cancer in the Chinese population. <i>BMC Medical Genetics</i> , 2011, 12, 94.	2.1	41
101	Interleukin 1 beta (IL1B) promoter polymorphism and cancer risk: evidence from 47 published studies. <i>Mutagenesis</i> , 2011, 26, 637-642.	2.6	44
102	CagA+ <i>H. pylori</i> infection is associated with polarization of T helper cell immune responses in gastric carcinogenesis. <i>World Journal of Gastroenterology</i> , 2007, 13, 2923.	3.3	69