
Phillip J Brantley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9441842/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of Strategies for Sustaining Weight Loss <subtitle>The Weight Loss Maintenance Randomized Controlled Trial</subtitle> . JAMA - Journal of the American Medical Association, 2008, 299, 1139.	7.4	661
2	Effects of Comprehensive Lifestyle Modification on Diet, Weight, Physical Fitness, and Blood Pressure Control: 18-Month Results of a Randomized Trial. Annals of Internal Medicine, 2006, 144, 485.	3.9	494
3	A daily stress inventory: Development, reliability, and validity. Journal of Behavioral Medicine, 1987, 10, 61-73.	2.1	333
4	Weight Loss During the Intensive Intervention Phase of the Weight-Loss Maintenance Trial. American Journal of Preventive Medicine, 2008, 35, 118-126.	3.0	274
5	Postconcussion symptoms and daily stress in normal and head-injured college populations. Archives of Clinical Neuropsychology, 1992, 7, 193-211.	0.5	203
6	The Utility of the Ces-D as a Depression Screening Measure among Low-Income Women Attending Primary Care Clinics. International Journal of Psychiatry in Medicine, 2001, 31, 25-40.	1.8	179
7	Validation of the Beck Depression Inventory-II in a Low-Income African American Sample of Medical Outpatients Psychological Assessment, 2005, 17, 110-114.	1.5	141
8	A Descriptive and Comparative Study of the Prevalence of Depressive and Anxiety Disorders in Low-Income Adults With Type 2 Diabetes and Other Chronic Illnesses. Diabetes Care, 2003, 26, 2311-2317.	8.6	127
9	Nonsurgical Weight Loss for Extreme Obesity in Primary Care Settings. Archives of Internal Medicine, 2010, 170, 146.	3.8	127
10	Predicting Medical Regimen Adherence: The Interactions of Health Locus of Control Beliefs. Journal of Health Psychology, 2005, 10, 705-717.	2.3	107
11	Effects of PREMIER Lifestyle Modifications on Participants With and Without the Metabolic Syndrome. Hypertension, 2007, 50, 609-616.	2.7	107
12	Convergence between the Daily Stress Inventory and endocrine measures of stress Journal of Consulting and Clinical Psychology, 1988, 56, 549-551.	2.0	106
13	Stress, depression, and anxiety predict average symptom severity and daily symptom fluctuation in systemic lupus erythematosus. Journal of Behavioral Medicine, 1994, 17, 459-477.	2.1	102
14	The relation between daily stress and Crohn's disease. Journal of Behavioral Medicine, 1991, 14, 87-96.	2.1	100
15	Design and Implementation of an Interactive Website to Support Long-Term Maintenance of Weight Loss. Journal of Medical Internet Research, 2008, 10, e1.	4.3	98
16	The relation between stress and disease activity in rheumatoid arthritis. Journal of Behavioral Medicine, 1992, 15, 215-220.	2.1	93
17	Weight Loss Maintenance Following a Primary Care Intervention for Lowâ€income Minority Women. Obesity, 2008, 16, 2462-2467.	3.0	87
18	Acute alcohol intoxication, negative affect, and autonomic arousal in women and men. Addictive Behaviors, 1982, 7, 17-25.	3.0	85

#	Article	IF	CITATIONS
19	Selfâ€Efficacy as a Predictor of Weight Change in Africanâ€American Women. Obesity, 2004, 12, 646-651.	4.0	82
20	A Primary Care Weight Management Intervention for Lowâ€Income Africanâ€American Women. Obesity, 2006, 14, 1412-1420.	3.0	82
21	Associations of Internet Website Use With Weight Change in a Long-term Weight Loss Maintenance Program. Journal of Medical Internet Research, 2010, 12, e29.	4.3	81
22	The interaction of locus of control, self-efficacy, and outcome expectancy in relation to HbA1c in medically underserved individuals with type 2 diabetes. Journal of Behavioral Medicine, 2009, 32, 106-117.	2.1	75
23	Barriers to Physical Activity Among Predominantly Low-Income African- American Patients With Type 2 Diabetes. Diabetes Care, 2005, 28, 1209-1210.	8.6	74
24	Aerobic fitness and leisure physical activity as moderators of the stress-illness relation. Annals of Behavioral Medicine, 1999, 21, 251-257.	2.9	72
25	Predictors of Longâ€Term Weight Loss in Adults With Modest Initial Weight Loss, by Sex and Race. Obesity, 2012, 20, 1820-1828.	3.0	69
26	Subsyndromal ("Mixedâ€) anxiety-depression in primary care. Journal of General Internal Medicine, 1994, 9, 507-512.	2.6	64
27	Psychophysiological analysis of atopic dermatitis. Journal of Psychosomatic Research, 1985, 29, 415-417.	2.6	63
28	Postconcussion symptoms and daily stress in normal and head-injured college populations. Archives of Clinical Neuropsychology, 1992, 7, 193-211.	0.5	63
29	PREMIER—A Trial of Lifestyle Interventions for Blood Pressure Control: Intervention Design and Rationale. Health Promotion Practice, 2008, 9, 271-280.	1.6	63
30	Weight Loss in Underserved Patients — A Cluster-Randomized Trial. New England Journal of Medicine, 2020, 383, 909-918.	27.0	62
31	Stage of Change Movement across Three Health Behaviors: The Role of Self-Efficacy. American Journal of Health Promotion, 2004, 19, 94-102.	1.7	52
32	Use of the Beck Depression Inventory-II with African American primary care patients. General Hospital Psychiatry, 2004, 26, 437-442.	2.4	51
33	MMPI response patterns and alcohol consumption in DUI offenders Journal of Consulting and Clinical Psychology, 1980, 48, 350-355.	2.0	50
34	The Influence of Income Level and Ethnicity on Coping Strategies. Journal of Psychopathology and Behavioral Assessment, 2002, 24, 39-45.	1.2	50
35	Attitudes Toward Health Care Providers and Appointment Attendance in HIV/AIDS Patients. Journal of the Association of Nurses in AIDS Care, 2007, 18, 65-73.	1.0	48
36	Botanicals and the metabolic syndrome. American Journal of Clinical Nutrition, 2008, 87, 481S-487S.	4.7	48

#	Article	IF	CITATIONS
37	The Ways of Religious Coping Scale: Reliability, Validity, and Scale Development. Assessment, 1995, 2, 233-244.	3.1	46
38	Design considerations and rationale of a multi-center trial to sustain weight loss: the weight loss maintenance trial. Clinical Trials, 2008, 5, 546-556.	1.6	46
39	Utilization of Medical Services and Quality of Life among Low-Income Patients with Generalized Anxiety Disorder Attending Primary Care Clinics. International Journal of Psychiatry in Medicine, 2001, 31, 183-198.	1.8	45
40	Psychosocial predictors of weight regain in the weight loss maintenance trial. Journal of Behavioral Medicine, 2014, 37, 1155-1168.	2.1	45
41	Stress and Social Support as Predictors of Dietary Compliance in Hemodialysis Patients. Behavioral Medicine, 1992, 18, 13-20.	1.9	44
42	Greater weight loss with increasing age in the weight loss maintenance trial. Obesity, 2014, 22, 39-44.	3.0	44
43	The Daily Stress Inventory: Validity and effect of repeated administration. Journal of Psychopathology and Behavioral Assessment, 1988, 10, 75-81.	1.2	42
44	The Relation of Stress and Depression to Interdialytic Weight Gain in Hemodialysis Patients. Behavioral Medicine, 1995, 21, 25-30.	1.9	41
45	Self-efficacy as a Predictor of Weight Change and Behavior Change in the PREMIER Trial. Journal of Nutrition Education and Behavior, 2013, 45, 314-321.	0.7	40
46	Factors associated with depression in a heterogeneous HIV-infected sample. Journal of Psychosomatic Research, 1996, 40, 407-415.	2.6	38
47	Changing multiple health behaviors: smoking and exerciseâ ⁺ . Preventive Medicine, 2003, 36, 471-478.	3.4	38
48	Cluster analysis of Minnesota Multiphasic Personality Inventory (MMPI) profiles in a chronic headache population. Journal of Behavioral Medicine, 1987, 10, 49-60.	2.1	36
49	Congruence of Readiness to Change, Self-Efficacy, and Decisional Balance for Physical Activity and Dietary Fat Reduction. American Journal of Health Promotion, 2003, 17, 329-336.	1.7	36
50	Use of the Weight Efficacy Lifestyle Questionnaire with African American women: Validation and extension of previous findings. Eating Behaviors, 2004, 5, 375-384.	2.0	36
51	Modification of cognitive processes: A case study of schizophrenia Journal of Consulting and Clinical Psychology, 1981, 49, 460-464.	2.0	34
52	Time-Series Analysis of Stress and Headache. Cephalalgia, 1991, 11, 306-307.	3.9	33
53	The Transtheoretical Model: Gender Differences Across 3 Health Behaviors. American Journal of Health Behavior, 2003, 27, 645-656.	1.4	33
54	Attitudes Toward HIV Health Care Providers Scale: Development and Validation. AIDS Patient Care and STDs, 2004, 18, 714-720.	2.5	33

#	Article	IF	CITATIONS
55	Family PArtners in Lifestyle Support (PALS): Familyâ€based weight loss for African American adults with type 2 diabetes. Obesity, 2017, 25, 45-55.	3.0	32
56	Stress, Job Satisfaction, Coping, and Psychological Distress Among Emergency Medical Technicians. Prehospital and Disaster Medicine, 1997, 12, 9-16.	1.3	31
57	A prospective study of the impact of stress on quality of life: An investigation of low-income individuals with hypertension. Annals of Behavioral Medicine, 2001, 23, 112-119.	2.9	31
58	Impact of 5‥ear Weight Change on Blood Pressure: Results From the Weight Loss Maintenance Trial. Journal of Clinical Hypertension, 2013, 15, 458-464.	2.0	31
59	Application of Latent Class Analysis to Identify Behavioral Patterns of Response to Behavioral Lifestyle Interventions in Overweight and Obese Adults. International Journal of Behavioral Medicine, 2015, 22, 471-480.	1.7	27
60	Predicting smoking stage of change among a sample of low socioeconomic status, primary care outpatients: Replication and extension using decisional balance and self-efficacy theories. International Journal of Behavioral Medicine, 1998, 5, 148-165.	1.7	25
61	The impact of continued intervention on weight: Fiveâ€year results from the weight loss maintenance trial. Obesity, 2016, 24, 1046-1053.	3.0	25
62	Exercise as a component of the physical and psychological rehabilitation of hemodialysis patients. International Journal of Rehabilitation and Health, 1995, 1, 13-23.	0.2	24
63	Effect of Group Racial Composition on Weight Loss in African Americans. Obesity, 2008, 16, 306-310.	3.0	24
64	The Attitudes Toward Women with HIV/AIDS Scale (ATWAS): Development and Validation. AIDS Education and Prevention, 2001, 13, 120-130.	1.1	23
65	Daily stress and anxiety and their relation to daily fluctuations of symptoms in asthma and chronic obstructive pulmonary disease (COPD) patients. Journal of Psychopathology and Behavioral Assessment, 1988, 10, 259-267.	1.2	22
66	Effects of the PREMIER Interventions on Health-Related Quality of Life. Annals of Behavioral Medicine, 2010, 40, 302-312.	2.9	22
67	Medical and Psychosocial Outcomes of Laparoscopic Roux-en-Y Gastric Bypass: Cross-sectional Findings at 4-Year Follow-up. Obesity Surgery, 2012, 22, 230-239.	2.1	22
68	Weight loss history as a predictor of weight loss: results from Phase I of the weight loss maintenance trial. Journal of Behavioral Medicine, 2013, 36, 574-582.	2.1	22
69	Efficacy of behavioral management and patient education on vascular access cleansing compliance in hemodialysis patients Health Psychology, 1990, 9, 103-113.	1.6	21
70	Examining behavioral processes through which lifestyle interventions promote weight loss: Results from PREMIER. Obesity, 2014, 22, 1002-1007.	3.0	21
71	Criterion-related validity of self-report measures of female heterosocial functioning. Journal of Psychopathology and Behavioral Assessment, 1988, 10, 1-7.	1.2	20
72	Patient Care and Daily Stress Among Emergency Medical Technicians. Prehospital and Disaster Medicine, 1996, 11, 188-193.	1.3	20

#	Article	IF	CITATIONS
73	Factor Structure of the Center for Epidemiologic Studies Depression Scale in Low- Income Women Attending Primary Care Clinics. European Journal of Psychological Assessment, 2004, 20, 106-115.	3.0	20
74	Development and implementation cost analysis of telephone- and Internet-based interventions for the maintenance of weight loss. International Journal of Technology Assessment in Health Care, 2009, 25, 400-410.	0.5	20
75	Family Functioning and Weight Loss in a Sample of African Americans and Whites. Annals of Behavioral Medicine, 2010, 40, 294-301.	2.9	20
76	Promoting Successful Weight Loss in Primary Care in Louisiana (PROPEL): Rationale, design and baseline characteristics. Contemporary Clinical Trials, 2018, 67, 1-10.	1.8	20
77	Test-retest reliability and concurrent validity of the Morrow Assessment of Nausea and Emesis (MANE) for the assessment of cancer chemotherapy-related nausea and vomiting. Journal of Psychopathology and Behavioral Assessment, 1988, 10, 107-116.	1.2	18
78	Chronic minor stressors and major life events experienced by low-income patients attending primary care clinics: a longitudinal examination. Journal of Behavioral Medicine, 1999, 22, 143-156.	2.1	18
79	Examination of the Temporal Relationship between Smoking and Major Depressive Disorder among Low-Income Women in Public Primary Care Clinics. American Journal of Health Promotion, 2002, 16, 323-330.	1.7	17
80	Minor Stressors and Generalized Anxiety Disorder among Low-Income Patients Attending Primary Care Clinics. Journal of Nervous and Mental Disease, 1999, 187, 435-440.	1.0	17
81	Psychosocial co-factors in HIV illness: An empirically-based model. Psychology and Health, 1996, 11, 385-393.	2.2	16
82	Early Appointment Adherence Among Persons Living with HIV. AIDS and Behavior, 1999, 3, 157-165.	2.7	16
83	Applying Exercise Stage of Change to a Low-income Underserved Population. American Journal of Health Behavior, 2003, 27, 99-107.	1.4	16
84	Why Patients Seek Bariatric Surgery: Does Insurance Coverage Matter?. Obesity Surgery, 2014, 24, 961-964.	2.1	16
85	Emergency Medical Technician Schedule Modification: Impact and Implications during Short- and Long-term Follow-up. Academic Emergency Medicine, 1998, 5, 128-133.	1.8	15
86	Promoting Physical Activity for Low-income Minority Women in Primary Care. American Journal of Health Behavior, 2007, 31, 622-631.	1.4	15
87	Development and Validation of the Weekly Stress Inventory-Short Form. Journal of Psychopathology and Behavioral Assessment, 2007, 29, 54-59.	1.2	15
88	Environmental and lifestyle influences on obesity. The Journal of the Louisiana State Medical Society: Official Organ of the Louisiana State Medical Society, 2005, 157 Spec No 1, S19-27.	0.1	15
89	The Effect of Muscle Contraction Headache Chronicity on Frontal EMG. Headache, 1986, 26, 356-359.	3.9	14
90	Behavioral treatment of chronic psychogenic polydipsia with hyponatremia: a unique case of polydipsia in a primary care patient with intractable hiccups. Journal of Behavior Therapy and Experimental Psychiatry, 2001, 32, 241-250.	1.2	13

#	Article	IF	CITATIONS
91	Actual Medical and Pharmacy Costs for Bariatric Surgery. Southern Medical Journal, 2012, 105, 530-537.	0.7	13
92	Alcoholism Among Indigent Inpatients: Identification and Intervention by Internal Medicine Residents. Southern Medical Journal, 1998, 91, 27-32.	0.7	12
93	A Stage-Targeted Physical Activity Intervention among a Predominantly African-American Low-Income Primary Care Population. American Journal of Health Promotion, 2007, 21, 160-163.	1.7	12
94	Attentional reactions to an mi. Journal of Psychosomatic Research, 1999, 46, 415-423.	2.6	11
95	Minor Life Events as Predictors of Medical Utilization in Low Income African American Family Practice Patients. Journal of Behavioral Medicine, 2005, 28, 395-401.	2.1	11
96	Exploration of the Type A behavior pattern in chronic headache sufferers Journal of Consulting and Clinical Psychology, 1988, 56, 621-623.	2.0	10
97	Contingent social reinforcement for fluid compliance in a hemodialysis patient. Journal of Behavior Therapy and Experimental Psychiatry, 1993, 24, 77-81.	1.2	9
98	Ozone Level Effect on Respiratory Illness. Southern Medical Journal, 1995, 88, 1049-1056.	0.7	8
99	Social Support and the Association of Type 2 Diabetes and Depressive and Anxiety Disorders Among Low-income Adults Seen in Primary Care Clinics. Journal of Clinical Psychology in Medical Settings, 2007, 14, 351-359.	1.4	8
100	The Psychosocial Vulnerability Model of Hostility as a Predictor of Coronary Heart Disease in Low-income African Americans. Journal of Clinical Psychology in Medical Settings, 2008, 15, 163-169.	1.4	8
101	Botanicals and cardiometabolic risk: positioning science to address the hype. Metabolism: Clinical and Experimental, 2008, 57, S1-S2.	3.4	7
102	Psychobiological Approaches to Health and Disease. , 1993, , 647-670.		7
103	Reliability of headache diagnosis. Journal of Behavioral Assessment, 1981, 3, 1-4.	0.5	6
104	Psychobiology of Health and Disease. , 2002, , 777-795.		5
105	Blepharospasm: A case study comparison of trihexyphenidyl (Artane) versus EMG biofeedback. Biofeedback and Self-regulation, 1985, 10, 173-180.	0.2	4
106	Predictors for Selection of Insuranceâ€Funded Weight Loss Approaches in Individuals With Severe Obesity. Obesity, 2015, 23, 1151-1158.	3.0	4
107	Stress and Stress Management. Plenum Series in Rehabilitation and Health, 1995, , 275-289.	0.2	4
108	Development and Implementation of a Tailored Self-assessment Tool in an Internet-based Weight Loss Maintenance Program. Clinical Practice and Epidemiology in Mental Health, 2011, 7, 67-73.	1.2	4

#	Article	IF	CITATIONS
109	Dietary salt reduction in rural patients with albuminurea using family and community support: the Mima study. Asia Pacific Family Medicine, 2010, 9, 6.	0.4	3
110	Five-Year Medical and Pharmacy Costs after a Medically Supervised Intensive Treatment Program for Obesity. American Journal of Health Promotion, 2014, 28, 364-371.	1.7	3
111	Psychopathology in Volunteers for Headache Research: Initial versus Later Respondents. Headache, 1986, 26, 37-38.	3.9	2
112	HEADS UP: Design and Methods of a Louisiana State-Funded Surgical and Non-Surgical Weight Loss Program. International Journal of Environmental Research and Public Health, 2020, 17, 2999.	2.6	2
113	A case study reportedly involving possession. Journal of Behavior Therapy and Experimental Psychiatry, 1982, 13, 357-359.	1.2	1
114	Psychological Aspects of Chronic-Maintenance Hemodialysis Patients. Plenum Series in Rehabilitation and Health, 1995, , 497-511.	0.2	1
115	Comparison of weight loss data collected by research technicians versus electronic medical records: the PROPEL trial. International Journal of Obesity, 2022, 46, 1456-1462.	3.4	1
116	The Multidisciplinary Hemodialysis Patient Satisfaction Scale: Reliability, Validity, and scale development. Assessment, 1997, 4, 95-105.	3.1	0
117	The Relationship between Dietary and Physical Activity Change among Women in a Weight Loss Trial. Medicine and Science in Sports and Exercise, 2006, 38, S178.	0.4	0
118	Predictors of dietary change among those who successfully lost weight in phase <scp>I</scp> of the <scp>W</scp> eight <scp>L</scp> oss <scp>M</scp> aintenance <scp>T</scp> rial. Nutrition and Dietetics, 2014, 71, 144-151.	1.8	0