

Nurcan Aşeyler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/944511/publications.pdf>

Version: 2024-02-01

161
papers

9,167
citations

44069

48
h-index

46799

89
g-index

188
all docs

188
docs citations

188
times ranked

8379
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Somatosensory abnormalities in 1236 patients with different neuropathic pain syndromes. <i>Pain</i> , 2010, 150, 439-450.	4.2	791
2	Small fibre pathology in patients with fibromyalgia syndrome. <i>Brain</i> , 2013, 136, 1857-1867.	7.6	400
3	Inflammation in the pathophysiology of neuropathic pain. <i>Pain</i> , 2018, 159, 595-602.	4.2	318
4	Treatment of Fibromyalgia Syndrome With Antidepressants. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 198.	7.4	284
5	Differential expression of cytokines in painful and painless neuropathies. <i>Neurology</i> , 2007, 69, 42-49.	1.1	272
6	Comparative efficacy and acceptability of amitriptyline, duloxetine and milnacipran in fibromyalgia syndrome: a systematic review with meta-analysis. <i>Rheumatology</i> , 2011, 50, 532-543.	1.9	264
7	Differential expression patterns of cytokines in complex regional pain syndrome. <i>Pain</i> , 2007, 132, 195-205.	4.2	247
8	Reduced levels of antiinflammatory cytokines in patients with chronic widespread pain. <i>Arthritis and Rheumatism</i> , 2006, 54, 2656-2664.	6.7	214
9	Systematic review with meta-analysis: cytokines in fibromyalgia syndrome. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 245.	1.9	204
10	Cutaneous neuropathy in Parkinson's disease: a window into brain pathology. <i>Acta Neuropathologica</i> , 2014, 128, 99-109.	7.7	203
11	Treatment of fibromyalgia syndrome with gabapentin and pregabalin – A meta-analysis of randomized controlled trials. <i>Pain</i> , 2009, 145, 69-81.	4.2	195
12	Emotional, physical, and sexual abuse in fibromyalgia syndrome: A systematic review with meta-analysis. <i>Arthritis Care and Research</i> , 2011, 63, 808-820.	3.4	181
13	Safety and efficacy of repeated injections of botulinum toxin A in peripheral neuropathic pain (BOTNEP): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2016, 15, 555-565.	10.2	176
14	Stiff person syndrome-associated autoantibodies to amphiphysin mediate reduced GABAergic inhibition. <i>Brain</i> , 2010, 133, 3166-3180.	7.6	172
15	Elevated proinflammatory cytokine expression in affected skin in small fiber neuropathy. <i>Neurology</i> , 2010, 74, 1806-1813.	1.1	158
16	The Role of Antidepressants in the Management of Fibromyalgia Syndrome. <i>CNS Drugs</i> , 2012, 26, 297-307.	5.9	140
17	A systematic review and meta-analysis of the prevalence of small fiber pathology in fibromyalgia: Implications for a new paradigm in fibromyalgia etiopathogenesis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 933-940.	3.4	128
18	A Key Role for gp130 Expressed on Peripheral Sensory Nerves in Pathological Pain. <i>Journal of Neuroscience</i> , 2009, 29, 13473-13483.	3.6	125

#	ARTICLE	IF	CITATIONS
19	Mode of action of cytokines on nociceptive neurons. <i>Experimental Brain Research</i> , 2009, 196, 67-78.	1.5	123
20	Transient Receptor Potential Channel Polymorphisms Are Associated with the Somatosensory Function in Neuropathic Pain Patients. <i>PLoS ONE</i> , 2011, 6, e17387.	2.5	123
21	Sensory phenotype and risk factors for painful diabetic neuropathy: a cross-sectional observational study. <i>Pain</i> , 2017, 158, 2340-2353.	4.2	116
22	A systematic review on the effectiveness of treatment with antidepressants in fibromyalgia syndrome. <i>Arthritis and Rheumatism</i> , 2008, 59, 1279-1298.	6.7	105
23	Early cytokine expression in mouse sciatic nerve after chronic constriction nerve injury depends on calpain. <i>Brain, Behavior, and Immunity</i> , 2007, 21, 553-560.	4.1	104
24	Reduction of skin innervation is associated with a severe fibromyalgia phenotype. <i>Annals of Neurology</i> , 2019, 86, 504-516.	5.3	102
25	Serotonin and noradrenaline reuptake inhibitors (SNRIs) for fibromyalgia syndrome. <i>The Cochrane Library</i> , 2013, , CD010292.	2.8	96
26	Local cytokine changes in complex regional pain syndrome type I (CRPS I) resolve after 6 months. <i>Pain</i> , 2013, 154, 2142-2149.	4.2	94
27	Increased miR-132-3p expression is associated with chronic neuropathic pain. <i>Experimental Neurology</i> , 2016, 283, 276-286.	4.1	93
28	Differences in inflammatory pain in nNOS, iNOS and eNOS deficient mice. <i>European Journal of Pain</i> , 2007, 11, 810-818.	2.8	88
29	Sodium Channel Na _v 1.7 Is Essential for Lowering Heat Pain Threshold after Burn Injury. <i>Journal of Neuroscience</i> , 2012, 32, 10819-10832.	3.6	88
30	Characterization of Pain in Fabry Disease. <i>Clinical Journal of Pain</i> , 2014, 30, 915-920.	1.9	83
31	Small fibers in Fabry disease: baseline and follow-up data under enzyme replacement therapy. <i>Journal of the Peripheral Nervous System</i> , 2011, 16, 304-314.	3.1	82
32	TNF-alpha in CRPS and "normal" trauma " Significant differences between tissue and serum. <i>Pain</i> , 2011, 152, 285-290.	4.2	82
33	Cytokine regulation in animal models of neuropathic pain and in human diseases. <i>Neuroscience Letters</i> , 2008, 437, 194-198.	2.1	80
34	CD8+ T-cell immunity in chronic inflammatory demyelinating polyradiculoneuropathy. <i>Neurology</i> , 2012, 78, 402-408.	1.1	79
35	Pain in Fabry Disease: Practical Recommendations for Diagnosis and Treatment. <i>CNS Neuroscience and Therapeutics</i> , 2016, 22, 568-576.	3.9	75
36	Nitric Oxide Synthase Modulates CFA-Induced Thermal Hyperalgesia through Cytokine Regulation in Mice. <i>Molecular Pain</i> , 2010, 6, 1744-8069-6-13.	2.1	71

#	ARTICLE	IF	CITATIONS
37	microRNAs in nociceptive circuits as predictors of future clinical applications. <i>Frontiers in Molecular Neuroscience</i> , 2013, 6, 33.	2.9	70
38	Impaired small fiber conduction in patients with Fabry disease: a neurophysiological case-control study. <i>BMC Neurology</i> , 2013, 13, 47.	1.8	68
39	OCD-like behavior is caused by dysfunction of thalamo-amygdala circuits and upregulated TrkB/ERK-MAPK signaling as a result of SPRED2 deficiency. <i>Molecular Psychiatry</i> , 2018, 23, 444-458.	7.9	66
40	IL-4 Deficiency Is Associated with Mechanical Hypersensitivity in Mice. <i>PLoS ONE</i> , 2011, 6, e28205.	2.5	59
41	Increased cortical activation upon painful stimulation in fibromyalgia syndrome. <i>BMC Neurology</i> , 2015, 15, 210.	1.8	59
42	Increased cutaneous miR-let-7d expression correlates with small nerve fiber pathology in patients with fibromyalgia syndrome. <i>Pain</i> , 2016, 157, 2493-2503.	4.2	58
43	Serotonin and noradrenaline reuptake inhibitors (SNRIs) for fibromyalgia. <i>The Cochrane Library</i> , 2020, 2020, CD010292.	2.8	58
44	Anticonvulsants for fibromyalgia. , 2013, , CD010782.		54
45	Skin biopsy as an additional diagnostic tool in non-systemic vasculitic neuropathy. <i>Acta Neuropathologica</i> , 2010, 120, 109-116.	7.7	53
46	Idiopathic distal sensory polyneuropathy. <i>Neurology</i> , 2020, 95, 1005-1014.	1.1	49
47	Differential gene expression of cytokines and neurotrophic factors in nerve and skin of patients with peripheral neuropathies. <i>Journal of Neurology</i> , 2015, 262, 203-212.	3.6	46
48	Sensory profiles and skin innervation of patients with painful and painless neuropathies. <i>Pain</i> , 2018, 159, 1867-1876.	4.2	46
49	Organ manifestations and long-term outcome of Fabry disease in patients with the GLA haplotype D313Y. <i>BMJ Open</i> , 2016, 6, e010422.	1.9	45
50	Lidocaine Patch (5%) in Treatment of Persistent Inguinal Postherniorrhaphy Pain. <i>Anesthesiology</i> , 2013, 119, 1444-1452.	2.5	45
51	Aberrant microRNA expression in patients with painful peripheral neuropathies. <i>Journal of the Neurological Sciences</i> , 2017, 380, 242-249.	0.6	44
52	The cardiomyopathy in Friedreich's ataxia - New biomarker for staging cardiac involvement. <i>International Journal of Cardiology</i> , 2015, 194, 50-57.	1.7	42
53	Treatment of Fabry's Disease With Migalastat: Outcome From a Prospective Observational Multicenter Study (FAMOUS). <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 326-337.	4.7	41
54	High-Dose Capsaicin for the Treatment of Neuropathic Pain: What We Know and What We Need to Know. <i>Pain and Therapy</i> , 2014, 3, 73-84.	3.2	39

#	ARTICLE	IF	CITATIONS
55	Non-systemic vasculitic neuropathy: single-center follow-up of 60 patients. <i>Journal of Neurology</i> , 2015, 262, 2092-2100.	3.6	38
56	Patients with Fabry Disease after Enzyme Replacement Therapy Dose Reduction and Switchâ€“2-Year Follow-Up. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 952-962.	6.1	38
57	Characterization of small fiber pathology in a mouse model of Fabry disease. <i>ELife</i> , 2018, 7, .	6.0	38
58	Lack of the serotonin transporter in mice reduces locomotor activity and leads to gender-dependent late onset obesity. <i>International Journal of Obesity</i> , 2010, 34, 701-711.	3.4	37
59	Genetic Evidence for an Essential Role of Neuronally Expressed IL-6 Signal Transducer gp130 in the Induction and Maintenance of Experimentally Induced Mechanical Hypersensitivity <i>in vivo</i> and <i>in vitro</i> . <i>Molecular Pain</i> , 2011, 7, 1744-8069-7-73.	2.1	37
60	A Capsaicin (8%) Patch in the Treatment of Severe Persistent Inguinal Postherniorrhaphy Pain: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e109144.	2.5	37
61	Pain during and after COVID-19 in Germany and worldwide: a narrative review of current knowledge. <i>Pain Reports</i> , 2021, 6, e893.	2.7	36
62	There is no functional smallâ€“fibre neuropathy in prurigo nodularis despite neuroanatomical alterations. <i>Experimental Dermatology</i> , 2017, 26, 969-971.	2.9	34
63	Increased pro-inflammatory cytokine gene expression in peripheral blood mononuclear cells of patients with polyneuropathies. <i>Journal of Neurology</i> , 2018, 265, 618-627.	3.6	34
64	Glucosylceramide synthase inhibition with lucerastat lowers globotriaosylceramide and lysosome staining in cultured fibroblasts from Fabry patients with different mutation types. <i>Human Molecular Genetics</i> , 2018, 27, 3392-3403.	2.9	34
65	Sensory profiles and immune-related expression patterns of patients with and without neuropathic pain after peripheral nerve lesion. <i>Pain</i> , 2019, 160, 2316-2327.	4.2	34
66	Treatment of Fabry Disease management with migalastatâ€“outcome from a prospective 24 months observational multicenter study (FAMOUS). <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 272-281.	3.0	33
67	Clinical, histological, and biochemical predictors of postsurgical neuropathic pain. <i>Pain</i> , 2015, 156, 2390-2398.	4.2	32
68	Anticonvulsants for fibromyalgia. <i>The Cochrane Library</i> , 2017, 2017, CD010782.	2.8	32
69	Serotonin transporter deficiency protects mice from mechanical allodynia and heat hyperalgesia in vincristine neuropathy. <i>Neuroscience Letters</i> , 2011, 495, 93-97.	2.1	31
70	Diagnosing small fiber neuropathy in clinical practice: a deep phenotyping study. <i>Therapeutic Advances in Neurological Disorders</i> , 2021, 14, 175628642110043.	3.5	31
71	Early cytokine gene expression in mouse CNS after peripheral nerve lesion. <i>Neuroscience Letters</i> , 2008, 436, 259-264.	2.1	30
72	Increased Arterial Diameters in the Posterior Cerebral Circulation in Men with Fabry Disease. <i>PLoS ONE</i> , 2014, 9, e87054.	2.5	30

#	ARTICLE	IF	CITATIONS
73	Objective evidence that small-fiber polyneuropathy underlies some illnesses currently labeled as fibromyalgia. <i>Pain</i> , 2013, 154, 2569.	4.2	29
74	Multicenter Female Fabry Study (MFFS) - clinical survey on current treatment of females with Fabry disease. <i>Orphanet Journal of Rare Diseases</i> , 2016, 11, 88.	2.7	29
75	Small fiber pathologyâ€™a culprit for many painful disorders?. <i>Pain</i> , 2016, 157, S60-S66.	4.2	29
76	Î±-Galactosidase A Genotype N215S Induces a Specific Cardiac Variant of Fabry Disease. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	27
77	Can self-reported pain characteristics and bedside test be used for the assessment of pain mechanisms? An analysis of results of neuropathic pain questionnaires and quantitative sensory testing. <i>Pain</i> , 2019, 160, 2093-2104.	4.2	27
78	Heterozygous PO deficiency protects mice from vincristine-induced polyneuropathy. <i>Journal of Neuroscience Research</i> , 2006, 84, 37-46.	2.9	26
79	Deficiency of the negative immune regulator B7-H1 enhances inflammation and neuropathic pain after chronic constriction injury of mouse sciatic nerve. <i>Experimental Neurology</i> , 2010, 222, 153-160.	4.1	26
80	High-Resolution Ultrasonography of the Superficial Peroneal Motor and Sural Sensory Nerves May Be a Non-invasive Approach to the Diagnosis of Vasculitic Neuropathy. <i>Frontiers in Neurology</i> , 2016, 7, 48.	2.4	26
81	Antipsychotics for fibromyalgia in adults. <i>The Cochrane Library</i> , 2016, 2016, CD011804.	2.8	25
82	Fabry disease under enzyme replacement therapyâ€™ new insights in efficacy of different dosages. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1362-1372.	0.7	24
83	Reduced association between dendritic cells and corneal subâ€™basal nerve fibers in patients with fibromyalgia syndrome. <i>Journal of the Peripheral Nervous System</i> , 2020, 25, 9-18.	3.1	24
84	Severe Epidermal Nerve Fiber Loss in Diabetic Neuropathy Is Not Reversed by Longâ€™Term Normoglycemia After Simultaneous Pancreas and Kidney Transplantation. <i>American Journal of Transplantation</i> , 2016, 16, 2196-2201.	4.7	22
85	A comprehensive Fabry-related pain questionnaire for adult patients. <i>Pain</i> , 2014, 155, 2301-2305.	4.2	21
86	Amplitudes of Pain-Related Evoked Potentials Are Useful to Detect Small Fiber Involvement in Painful Mixed Fiber Neuropathies in Addition to Quantitative Sensory Testing â€™ An Electrophysiological Study. <i>Frontiers in Neurology</i> , 2015, 6, 244.	2.4	21
87	Vasculitis-like neuropathy in amyotrophic lateral sclerosis unresponsive to treatment. <i>Acta Neuropathologica</i> , 2011, 122, 343-352.	7.7	20
88	Endoneurial edema in sural nerve may indicate recent onset inflammatory neuropathy. <i>Muscle and Nerve</i> , 2016, 53, 705-710.	2.2	20
89	Comprehensive and differential long-term characterization of the alpha-galactosidase A deficient mouse model of Fabry disease focusing on the sensory system and pain development. <i>Molecular Pain</i> , 2016, 12, 174480691664637.	2.1	19
90	Differential Impact of miR-21 on Pain and Associated Affective and Cognitive Behavior after Spared Nerve Injury in B7-H1 ko Mouse. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 219.	2.9	19

#	ARTICLE	IF	CITATIONS
91	Differential impact of keratinocytes and fibroblasts on nociceptor degeneration and sensitization in small fiber neuropathy. <i>Pain</i> , 2021, 162, 1262-1272.	4.2	19
92	Increased gene expression of growth associated protein-43 in skin of patients with early-stage peripheral neuropathies. <i>Journal of the Neurological Sciences</i> , 2015, 355, 131-137.	0.6	18
93	Patient-derived in vitro skin models for investigation of small fiber pathology. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 1797-1806.	3.7	18
94	Cellular infiltrates in skin and sural nerve of patients with polyneuropathies. <i>Muscle and Nerve</i> , 2017, 55, 884-893.	2.2	17
95	Affective and cognitive behavior in the alpha-galactosidase A deficient mouse model of Fabry disease. <i>PLoS ONE</i> , 2017, 12, e0180601.	2.5	17
96	Wallerian degeneration and neuropathic pain. <i>Drug Discovery Today Disease Mechanisms</i> , 2006, 3, 351-356.	0.8	16
97	Cutaneous activation of rage in nonsystemic vasculitic and diabetic neuropathy. <i>Muscle and Nerve</i> , 2014, 50, 377-383.	2.2	16
98	Pain-associated Mediators and Axon Pathfinders in Fibromyalgia Skin Cells. <i>Journal of Rheumatology</i> , 2020, 47, 140-148.	2.0	16
99	Unbiased immune profiling reveals a natural killer cell-peripheral nerve axis in fibromyalgia. <i>Pain</i> , 2022, 163, e821-e836.	4.2	16
100	Local and Systemic Cytokine Expression in Patients with Postherpetic Neuralgia. <i>PLoS ONE</i> , 2014, 9, e105269.	2.5	15
101	ALS and MMN mimics in patients with BSCL2 mutations: the expanding clinical spectrum of SPG17 hereditary spastic paraplegia. <i>Journal of Neurology</i> , 2017, 264, 11-20.	3.6	15
102	Tumor necrosis factor- α links heat and inflammation with Fabry pain. <i>Molecular Genetics and Metabolism</i> , 2019, 127, 200-206.	1.1	15
103	Globotriaosylceramide-induced reduction of KCa1.1 channel activity and activation of the Notch1 signaling pathway in skin fibroblasts of male Fabry patients with pain. <i>Experimental Neurology</i> , 2020, 324, 113134.	4.1	15
104	Cytokine-Induced Pain: Basic Science and Clinical Implications. <i>Reviews in Analgesia</i> , 2007, 9, 87-103.	0.9	14
105	Status of immune mediators in painful neuropathies. <i>Current Pain and Headache Reports</i> , 2008, 12, 159-164.	2.9	14
106	Skin cytokine expression in patients with fibromyalgia syndrome is not different from controls. <i>BMC Neurology</i> , 2014, 14, 185.	1.8	14
107	Self-administered version of the Fabry-associated pain questionnaire for adult patients. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 113.	2.7	14
108	Enhanced spinal neuronal responses as a mechanism for the increased nociceptive sensitivity of interleukin-4 deficient mice. <i>Experimental Neurology</i> , 2015, 271, 198-204.	4.1	14

#	ARTICLE	IF	CITATIONS
109	Detection of blood Gb3 deposits as a new tool for diagnosis and therapy monitoring in patients with classic Fabry disease. <i>Journal of Internal Medicine</i> , 2018, 284, 427-438.	6.0	13
110	Characterization of dermal skin innervation in fibromyalgia syndrome. <i>PLoS ONE</i> , 2020, 15, e0227674.	2.5	13
111	Neuropathic pain in two-generation twins carrying the sodium channel Nav1.7 functional variant R1150W. <i>Pain</i> , 2014, 155, 2199-2203.	4.2	12
112	Pain-related evoked potentials in patients with large, mixed, and small fiber neuropathy. <i>Clinical Neurophysiology</i> , 2020, 131, 635-641.	1.5	11
113	Complex regional pain syndrome: role of contralateral sensitisation. <i>British Journal of Anaesthesia</i> , 2021, 127, e1-e3.	3.4	11
114	Skin Globotriaosylceramide 3 Load Is Increased in Men with Advanced Fabry Disease. <i>PLoS ONE</i> , 2016, 11, e0166484.	2.5	11
115	Methylprednisolone prevents nerve injury-induced hyperalgesia in neprilysin knockout mice. <i>Pain</i> , 2014, 155, 574-580.	4.2	10
116	Capsaicin 8% patch reversibly reduces A-delta fiber evoked potential amplitudes. <i>Pain Reports</i> , 2018, 3, e644.	2.7	10
117	Cytokine-related and histological biomarkers for neuropathic pain assessment. <i>Pain Management</i> , 2012, 2, 391-398.	1.5	9
118	Quantification of sweat gland innervation in patients with Fabry disease: A case-control study. <i>Journal of the Neurological Sciences</i> , 2018, 390, 135-138.	0.6	9
119	Dyshidrosis is associated with reduced amplitudes in electrically evoked pain-related potentials in women with Fabry disease. <i>Clinical Neurophysiology</i> , 2019, 130, 528-536.	1.5	9
120	Fibromyalgia vs small fiber neuropathy. <i>Pain</i> , 2021, Publish Ahead of Print, 2569-2577.	4.2	9
121	Risk factors for depression and anxiety in painful and painless diabetic polyneuropathy: A multicentre observational cross-sectional study. <i>European Journal of Pain</i> , 2022, 26, 370-389.	2.8	9
122	Non-coding RNA regulators of diabetic polyneuropathy. <i>Neuroscience Letters</i> , 2020, 731, 135058.	2.1	9
123	Clustering fibromyalgia patients: A combination of psychosocial and somatic factors leads to resilient coping in a subgroup of fibromyalgia patients. <i>PLoS ONE</i> , 2020, 15, e0243806.	2.5	9
124	CNS imaging characteristics in fibromyalgia patients with and without peripheral nerve involvement. <i>Scientific Reports</i> , 2022, 12, 6707.	3.3	9
125	New treatment options for fibromyalgia: critical appraisal of duloxetine. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 525.	2.2	8
126	Cerebral Blood Flow in Patients With Fabry Disease as Measured by Doppler Sonography Is Not Different From That in Healthy Individuals and Is Unaffected by Treatment. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 463-468.	1.7	8

#	ARTICLE	IF	CITATIONS
127	Reduced gene expression of netrin family members in skin and sural nerve specimens of patients with painful peripheral neuropathies. <i>Journal of Neurology</i> , 2019, 266, 2812-2820.	3.6	8
128	Affective and cognitive behavior is not altered by chronic constriction injury in B7-H1 deficient and wildtype mice. <i>BMC Neuroscience</i> , 2019, 20, 16.	1.9	8
129	Stratification of Fabry mutations in clinical practice: a closer look at Î±-galactosidase Aâ€³D structure. <i>Journal of Internal Medicine</i> , 2020, 288, 593-604.	6.0	8
130	Neuropathic Pain Assessment - An Overview of Existing Guidelines and Discussion Points for the Future. <i>European Neurological Review</i> , 2011, 6, 128.	0.5	8
131	Distinct CholinomiR Blood Cell Signature as a Potential Modulator of the Cholinergic System in Women with Fibromyalgia Syndrome. <i>Cells</i> , 2022, 11, 1276.	4.1	8
132	MDL-28170 Has No Analgesic Effect on CCI Induced Neuropathic Pain in Mice. <i>Molecules</i> , 2010, 15, 3038-3047.	3.8	7
133	MiR103a-3p and miR107 are related to adaptive coping in a cluster of fibromyalgia patients. <i>PLoS ONE</i> , 2020, 15, e0239286.	2.5	7
134	Generation of the human induced pluripotent stem cell line (UKWNLI001-A) from skin fibroblasts of a woman with Fabry disease carrying the X-chromosomal heterozygous c.708â€ˆGâ€ˆ>â€ˆC (W236C) missense mutation in exon 5 of the alpha-galactosidaseâ€ˆA gene. <i>Stem Cell Research</i> , 2018, 31, 222-226.	0.7	6
135	Mechanisms of small nerve fiber pathology. <i>Neuroscience Letters</i> , 2020, 737, 135316.	2.1	6
136	Cortical Binding Potential of Opioid Receptors in Patients With Fibromyalgia Syndrome and Reduced Systemic Interleukin-4 Levels â€ˆ A Pilot Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 512.	2.8	6
137	A translational study: Involvement of miR-21-5p in development and maintenance of neuropathic pain via immune-related targets CCL5 and YWHAE. <i>Experimental Neurology</i> , 2022, 347, 113915.	4.1	6
138	Dysregulation of Immune Response Mediators and Pain-Related Ion Channels Is Associated with Pain-like Behavior in the GLA KO Mouse Model of Fabry Disease. <i>Cells</i> , 2022, 11, 1730.	4.1	6
139	Reply: Small fibre neuropathy, fibromyalgia and dorsal root ganglia sodium channels. <i>Brain</i> , 2013, 136, e247-e247.	7.6	5
140	Preserved Expression of Skin Neurotrophic Factors in Advanced Diabetic Neuropathy Does Not Lead to Neural Regeneration despite Pancreas and Kidney Transplantation. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-11.	2.3	5
141	Subepidermal <scp>Schwann</scp> cell counts correlate with skin innervation â€ˆ an exploratory study. <i>Muscle and Nerve</i> , 2022, 65, 471-479.	2.2	5
142	Gene variants of unknown significance in Fabry disease: Clinical characteristics of <i>c.376A>G (p.Ser126Gly)</i>. <i>Molecular Genetics & Genomic Medicine</i> , 2022, 10, e1912.	1.2	5
143	Generation of the human induced pluripotent stem cell line UKWNLI002-A from dermal fibroblasts of a woman with a heterozygous c.608 C>T (p.Thr203Met) mutation in exon 3 of the nerve growth factor gene potentially associated with hereditary sensory and autonomic neuropathy type 5. <i>Stem Cell Research</i> , 2018, 33, 171-174.	0.7	4
144	Clinical impact of the alpha-galactosidase A gene single nucleotide polymorphism -10C>T. <i>Medicine (United States)</i> , 2018, 97, e10669.	1.0	4

#	ARTICLE	IF	CITATIONS
145	Relevance of Religiosity for Coping Strategies and Disability in Patients with Fibromyalgia Syndrome. <i>Journal of Religion and Health</i> , 2022, 61, 524-539.	1.7	4
146	Understanding and modifying Fabry disease: Rationale and design of a pivotal Phase 3 study and results from a patient-reported outcome validation study. <i>Molecular Genetics and Metabolism Reports</i> , 2022, 31, 100862.	1.1	4
147	Pain: from new perspectives to novel treatments. <i>Lancet Neurology</i> , The, 2015, 14, 22-23.	10.2	3
148	Generation of two induced pluripotent stem cell lines from skin fibroblasts of sisters carrying a c.1094C>A variation in the SCN10A gene potentially associated with small fiber neuropathy. <i>Stem Cell Research</i> , 2019, 35, 101396.	0.7	3
149	Profile of the single-use, multiple-pass protein A adsorber column in immunoadsorption. <i>Vox Sanguinis</i> , 2022, 117, 393-398.	1.5	3
150	Reply. <i>Pain</i> , 2017, 158, 989-990.	4.2	2
151	English version of the self-administered Fabry Pain Questionnaire for adult patients. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 296.	2.7	2
152	ALS or ALS mimic by neuroborreliosis? A case report. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 86-91.	0.5	2
153	Dorsal Root Ganglion Volumetry by MR Gangliography. <i>American Journal of Neuroradiology</i> , 2022, , .	2.4	2
154	Small Fiber Pathology in Pain Syndromes. , 2019, , 121-129.		1
155	Generation of the induced pluripotent stem cell line UKWNLi005-A derived from a patient with the GLA mutation c.376A>G of unknown pathogenicity in Fabry disease. <i>Stem Cell Research</i> , 2022, 61, 102747.	0.7	1
156	231 DIFFERENTIAL EXPRESSION PATTERNS OF CYTOKINES IN CRPS I. <i>European Journal of Pain</i> , 2007, 11, S101-S102.	2.8	0
157	354 POTENTIAL INVOLVEMENT OF THE TETRODOTOXIN-INSENSITIVE SODIUM CHANNEL Nav 1.8 IN MUSCLE PAIN. <i>European Journal of Pain</i> , 2009, 13, S107c.	2.8	0
158	212 DEFICIENCY OF THE NEGATIVE IMMUNE REGULATOR B7H1 ENHANCES INFLAMMATION AND NEUROPATHIC PAIN AFTER CHRONIC CONSTRICTION INJURY OF MOUSE SCIATIC NERVE. <i>European Journal of Pain Supplements</i> , 2010, 4, 62-62.	0.0	0
159	Neurophysiologische Diagnostik bei neuropathischen Schmerzen. <i>Neurophysiologie-Labor</i> , 2019, 41, 172-179.	0.0	0
160	The pathobiology of peripheral nerve disease: New clues from cell and molecular biology. <i>Neuroscience Letters</i> , 2021, 746, 135673.	2.1	0
161	Expectation-Driven Text Extraction from Medical Ultrasound Images. <i>Studies in Health Technology and Informatics</i> , 2016, 228, 712-6.	0.3	0