

Thierry Dubois

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9450380/publications.pdf>

Version: 2024-02-01

68
papers

4,720
citations

117625

34
h-index

98798

67
g-index

72
all docs

72
docs citations

72
times ranked

9010
citing authors

#	ARTICLE	IF	CITATIONS
1	PRMT1 Regulates EGFR and Wnt Signaling Pathways and Is a Promising Target for Combinatorial Treatment of Breast Cancer. <i>Cancers</i> , 2022, 14, 306.	3.7	14
2	Low level of Fibrillarin, a ribosome biogenesis factor, is a new independent marker of poor outcome in breast cancer. <i>BMC Cancer</i> , 2022, 22, 526.	2.6	10
3	CARM1/PRMT4: Making Its Mark beyond Its Function as a Transcriptional Coactivator. <i>Trends in Cell Biology</i> , 2021, 31, 402-417.	7.9	49
4	Biopathological Significance of PIWI piRNA Pathway Deregulation in Invasive Breast Carcinomas. <i>Cancers</i> , 2020, 12, 2833.	3.7	6
5	AXL Controls Directed Migration of Mesenchymal Triple-Negative Breast Cancer Cells. <i>Cells</i> , 2020, 9, 247.	4.1	25
6	Berberine Impairs the Survival of Triple Negative Breast Cancer Cells: Cellular and Molecular Analyses. <i>Molecules</i> , 2020, 25, 506.	3.8	20
7	Ribosomal RNA 2'-O-methylation as a novel layer of inter-tumour heterogeneity in breast cancer. <i>NAR Cancer</i> , 2020, 2, zcaa036.	3.1	40
8	Identification of microRNA clusters cooperatively acting on epithelial to mesenchymal transition in triple negative breast cancer. <i>Nucleic Acids Research</i> , 2019, 47, 2205-2215.	14.5	65
9	Protein arginine methyltransferase 5: A novel therapeutic target for triple-negative breast cancers. <i>Cancer Medicine</i> , 2019, 8, 2414-2428.	2.8	49
10	LRP8 is overexpressed in estrogen-negative breast cancers and a potential target for these tumors. <i>Cancer Medicine</i> , 2019, 8, 325-336.	2.8	18
11	Combinatorial expression of microtubule-associated EB1 and ATIP3 biomarkers improves breast cancer prognosis. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 573-583.	2.5	13
12	LRP5 regulates the expression of STK40, a new potential target in triple-negative breast cancers. <i>Oncotarget</i> , 2018, 9, 22586-22604.	1.8	21
13	Druggable Nucleolin Identifies Breast Tumours Associated with Poor Prognosis That Exhibit Different Biological Processes. <i>Cancers</i> , 2018, 10, 390.	3.7	12
14	Coronin 1C promotes triple-negative breast cancer invasiveness through regulation of MT1-MMP traffic and invadopodia function. <i>Oncogene</i> , 2018, 37, 6425-6441.	5.9	36
15	Clinical value of R-spondins in triple-negative and metaplastic breast cancers. <i>British Journal of Cancer</i> , 2017, 116, 1595-1603.	6.4	31
16	Therapeutic Rationale to Target Highly Expressed CDK7 Conferring Poor Outcomes in Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2017, 77, 3834-3845.	0.9	79
17	Genomic hallmarks of homologous recombination deficiency in invasive breast carcinomas. <i>International Journal of Cancer</i> , 2016, 138, 891-900.	5.1	53
18	Integration of genomic, transcriptomic and proteomic data identifies two biologically distinct subtypes of invasive lobular breast cancer. <i>Scientific Reports</i> , 2016, 6, 18517.	3.3	143

#	ARTICLE	IF	CITATIONS
19	Chronic oxidative stress promotes H2 <sc>AX</sc> protein degradation and enhances chemosensitivity in breast cancer patients. <i>EMBO Molecular Medicine</i> , 2016, 8, 527-549.	6.9	126
20	AMOTL1 Promotes Breast Cancer Progression and Is Antagonized by Merlin. <i>Neoplasia</i> , 2016, 18, 10-24.	5.3	31
21	Arpin downregulation in breast cancer is associated with poor prognosis. <i>British Journal of Cancer</i> , 2016, 114, 545-553.	6.4	25
22	Detection of miRNA regulatory effect on triple negative breast cancer transcriptome. <i>BMC Genomics</i> , 2015, 16, S4.	2.8	12
23	TIPIN depletion leads to apoptosis in breast cancer cells. <i>Molecular Oncology</i> , 2015, 9, 1580-1598.	4.6	19
24	Transcriptome Analysis of Wnt3a-Treated Triple-Negative Breast Cancer Cells. <i>PLoS ONE</i> , 2015, 10, e0122333.	2.5	61
25	Changes in Signaling Pathways Induced by Vandetanib in a Human Medullary Thyroid Carcinoma Model, as Analyzed by Reverse Phase Protein Array. <i>Thyroid</i> , 2014, 24, 43-51.	4.5	8
26	Inhibition of autophagy as a new means of improving chemotherapy efficiency in high-LC3B triple-negative breast cancers. <i>Autophagy</i> , 2014, 10, 2122-2142.	9.1	130
27	Proteomic screening identifies a YAP-driven signaling network linked to tumor cell proliferation in human schwannomas. <i>Neuro-Oncology</i> , 2014, 16, 1196-1209.	1.2	27
28	PI3K/AKT pathway activation in bladder carcinogenesis. <i>International Journal of Cancer</i> , 2014, 134, 1776-1784.	5.1	74
29	Patient-derived xenografts recapitulate molecular features of human uveal melanomas. <i>Molecular Oncology</i> , 2013, 7, 625-636.	4.6	46
30	Hepatocyte-specific Dyrk1a gene transfer rescues plasma apolipoprotein A-I levels and aortic Akt/GSK3 pathways in hyperhomocysteinemic mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 718-728.	3.8	16
31	Polo-like Kinase 1: A Potential Therapeutic Option in Combination with Conventional Chemotherapy for the Management of Patients with Triple-Negative Breast Cancer. <i>Cancer Research</i> , 2013, 73, 813-823.	0.9	182
32	TTK/hMPS1 Is an Attractive Therapeutic Target for Triple-Negative Breast Cancer. <i>PLoS ONE</i> , 2013, 8, e63712.	2.5	120
33	Changes in signaling pathways induced by vandetanib in a human medullary thyroid carcinoma model, as analyzed by Reverse Phase Protein Array.. <i>Thyroid</i> , 2013, , 130703231537001.	4.5	0
34	Heat Shock Protein 90± (Hsp90±) Is Phosphorylated in Response to DNA Damage and Accumulates in Repair Foci. <i>Journal of Biological Chemistry</i> , 2012, 287, 8803-8815.	3.4	79
35	Ploidy and Large-Scale Genomic Instability Consistently Identify Basal-like Breast Carcinomas with <i>BRCA1/2</i> Inactivation. <i>Cancer Research</i> , 2012, 72, 5454-5462.	0.9	515
36	NormaCurve: A SuperCurve-Based Method That Simultaneously Quantifies and Normalizes Reverse Phase Protein Array Data. <i>PLoS ONE</i> , 2012, 7, e38686.	2.5	65

#	ARTICLE	IF	CITATIONS
37	Oxidative stress promotes myofibroblast differentiation and tumour spreading. <i>EMBO Molecular Medicine</i> , 2010, 2, 211-230.	6.9	261
38	Diaphanous-Related Formins Are Required for Invadopodia Formation and Invasion of Breast Tumor Cells. <i>Cancer Research</i> , 2009, 69, 2792-2800.	0.9	175
39	The interaction between casein kinase I δ and 14-3-3 β is phosphorylation dependent. <i>FEBS Journal</i> , 2009, 276, 6971-6984.	4.7	11
40	Genome Alteration Print (GAP): a tool to visualize and mine complex cancer genomic profiles obtained by SNP arrays. <i>Genome Biology</i> , 2009, 10, R128.	9.6	166
41	Frequent PTEN genomic alterations and activated phosphatidylinositol 3-kinase pathway in basal-like breast cancer cells. <i>Breast Cancer Research</i> , 2008, 10, R101.	5.0	186
42	Structural basis for ARF1-mediated recruitment of ARHGAP21 to Golgi membranes. <i>EMBO Journal</i> , 2007, 26, 1953-1962.	7.8	86
43	Host protein interactions with enteropathogenic <i>Escherichia coli</i> (EPEC): 14-3-3 τ binds Tir and has a role in EPEC-induced actin polymerization. <i>Cellular Microbiology</i> , 2006, 8, 55-71.	2.1	27
44	Golgi-localized GAP for Cdc42 functions downstream of ARF1 to control Arp2/3 complex and F-actin dynamics. <i>Nature Cell Biology</i> , 2005, 7, 353-364.	10.3	153
45	Association of CPI-17 with protein kinase C and casein kinase I. <i>Biochemical and Biophysical Research Communications</i> , 2004, 316, 39-47.	2.1	30
46	ARF6 controls post-endocytic recycling through its downstream exocyst complex effector. <i>Journal of Cell Biology</i> , 2003, 163, 1111-1121.	5.2	185
47	Centaurin-1 associates in vitro and in vivo with nucleolin. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 502-508.	2.1	34
48	Novel in vitro and in vivo phosphorylation sites on protein phosphatase 1 inhibitor CPI-17. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 186-192.	2.1	22
49	Centaurin-1 associates with and is phosphorylated by isoforms of protein kinase C. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 459-465.	2.1	25
50	ADP ribosylation factor 6 is activated and controls membrane delivery during phagocytosis in macrophages. <i>Journal of Cell Biology</i> , 2003, 161, 1143-1150.	5.2	173
51	Specificity of 14-3-3 isoform dimer interactions and phosphorylation. <i>Biochemical Society Transactions</i> , 2002, 30, 351-360.	3.4	159
52	Identification of casein kinase I δ interacting protein partners. <i>FEBS Letters</i> , 2002, 517, 167-171.	2.8	28
53	Identification of syntaxin-1A sites of phosphorylation by casein kinase I and casein kinase II. <i>FEBS Journal</i> , 2002, 269, 909-914.	0.2	27
54	Regulation of the CDK-related protein kinase PCTAIRE-1 and its possible role in neurite outgrowth in Neuro-2A cells. <i>Journal of Cell Science</i> , 2002, 115, 3479-3490.	2.0	67

#	ARTICLE	IF	CITATIONS
55	Regulation of the CDK-related protein kinase PCTAIRE-1 and its possible role in neurite outgrowth in Neuro-2A cells. <i>Journal of Cell Science</i> , 2002, 115, 3479-90.	2.0	58
56	Casein Kinase I Associates with Members of the Centaurin-1 Family of Phosphatidylinositol 3,4,5-Trisphosphate-binding Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 18757-18764.	3.4	47
57	In adrenocortical tissue, annexins II and VI are attached to clathrin coated vesicles in a calcium-independent manner In memoriam: This last work as well as my scientific accomplishment are dedicated to the memory of Jeffries Wyman who was my best teacher and the most humane of all scientists I have ever met. Annette Alfsen.1. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1402, 115-130.	4.1	50
58	Annexin V inhibits protein kinase C activity via a mechanism of phospholipid sequestration. <i>Biochemical Journal</i> , 1998, 330, 1277-1282.	3.7	71
59	Inhibition of Cytosolic Phospholipase A2 by Annexin V in Differentiated Permeabilized HL-60 Cells. <i>Journal of Biological Chemistry</i> , 1997, 272, 10474-10482.	3.4	115
60	Structure and sites of phosphorylation of 14-3-3 protein: role in coordinating signal transduction pathways. <i>The Protein Journal</i> , 1997, 16, 513-522.	1.1	51
61	14-3-3 Is Phosphorylated by Casein Kinase I on Residue 233. <i>Journal of Biological Chemistry</i> , 1997, 272, 28882-28888.	3.4	140
62	Annexins and protein kinases C. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1996, 1313, 290-294.	4.1	49
63	A Soluble Protein Negatively Regulates Phospholipase D Activity. Partial Purification and Characterization. <i>FEBS Journal</i> , 1995, 231, 31-39.	0.2	1
64	Inhibitory Effect of Annexin V on Protein Kinase C Activity in Mesangial Cell Lysates. <i>FEBS Journal</i> , 1995, 232, 865-872.	0.2	14
65	Annexin VI Is Secreted in Human Bile. <i>Biochemical and Biophysical Research Communications</i> , 1995, 209, 1039-1045.	2.1	18
66	Potential Interaction between Annexin VI and a 56-kDa Protein Kinase in T Cells. <i>Biochemical and Biophysical Research Communications</i> , 1995, 212, 270-278.	2.1	14
67	Inhibitory Effect of Annexin V on Protein Kinase C Activity in Mesangial Cell Lysates. <i>FEBS Journal</i> , 1995, 232, 865-872.	0.2	25
68	High levels of antibodies to annexins V and VI in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 1995, 22, 1230-4.	2.0	16