

Eun Young Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/945591/publications.pdf>

Version: 2024-02-01

121
papers

3,245
citations

159585
30
h-index

182427
51
g-index

123
all docs

123
docs citations

123
times ranked

5552
citing authors

#	ARTICLE	IF	CITATIONS
1	CJ14939, a Novel JAK Inhibitor, Increases Oxaliplatin-induced Cell Death Through JAK/STAT Pathway in Colorectal Cancer. <i>Anticancer Research</i> , 2022, 42, 1813-1819.	1.1	6
2	Evaluation of Serum Matrix Metalloproteinase-3 as an Objective Indicator for the Disease Activity in Rheumatoid Arthritis Patients Treated With Methotrexate Versus Tocilizumab: 24-week Results From a Prospective Randomized Controlled Study. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 89-97.	1.1	1
3	Role of Synovial Exosomes in Osteoclast Differentiation in Inflammatory Arthritis. <i>Cells</i> , 2021, 10, 120.	4.1	23
4	Association of particulate matter with autoimmune rheumatic diseases among adults in South Korea. <i>Rheumatology</i> , 2021, 60, 5117-5126.	1.9	14
5	Efficacy of novel bispecific antibody targeting TNF- α /CXCL10 in the treatment of experimental arthritis. <i>Translational Research</i> , 2021, 232, 75-87.	5.0	10
6	Clinical characteristics of non-radiographic axial spondyloarthritis: Results of the Korean Nonradiographic Axial SPondyloArthritis (KONASPA) data. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 1137-1147.	1.9	4
7	Unveiling the genetic variation of severe continuous/mixed-type ossification of the posterior longitudinal ligament by whole-exome sequencing and bioinformatic analysis. <i>Spine Journal</i> , 2021, 21, 1847-1856.	1.3	5
8	Association of first, second, and third-line bDMARDs and tsDMARD with drug survival among seropositive rheumatoid arthritis patients: Cohort study in A real world setting. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 685-691.	3.4	8
9	The Extent and Diverse Trajectories of Longitudinal Changes in Rheumatoid Arthritis Interstitial Lung Diseases Using Quantitative HRCT Scores. <i>Journal of Clinical Medicine</i> , 2021, 10, 3812.	2.4	5
10	Association of Serum Biomarkers With Pulmonary Involvement of Rheumatoid Arthritis Interstitial Lung Disease: From KORAIL Cohort Baseline Data. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 234-241.	1.1	6
11	Tocilizumab-induced anaphylaxis in patients with adult-onset Still's disease and systemic juvenile idiopathic arthritis: a case-based review. <i>Rheumatology International</i> , 2020, 40, 791-798.	3.0	19
12	Germline gain-of-function mutation of STAT1 rescued by somatic mosaicism in immune dysregulation-polyendocrinopathy-enteropathy-X-linked-like disorder. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1017-1021.	2.9	9
13	Implication of the Association of Fibrinogen Citrullination and Osteoclastogenesis in Bone Destruction in Rheumatoid Arthritis. <i>Cells</i> , 2020, 9, 2720.	4.1	15
14	Comparison of the Effects of Secukinumab and Adalimumab Biosimilar on Radiographic Progression in Patients with Ankylosing Spondylitis: Design of a Randomized, Phase IIIb Study (SURPASS). <i>Clinical Drug Investigation</i> , 2020, 40, 269-278.	2.2	38
15	Incidence and Risk Factors for Blindness in Uveitis: A Nationwide Cohort Study from 2002 to 2013. <i>Ocular Immunology and Inflammation</i> , 2020, , 1-5.	1.8	8
16	Reduction of circulating innate lymphoid cell progenitors results in impaired cytokine production by innate lymphoid cells in patients with lupus nephritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 63.	3.5	10
17	Inhibition of JAK1/2 can overcome EGFR-TKI resistance in human NSCLC. <i>Biochemical and Biophysical Research Communications</i> , 2020, 527, 305-310.	2.1	6
18	Factors influencing the possibility to perform cardiopulmonary resuscitation among lay cardiopulmonary resuscitation trainees: Using the data of the 2016 Community Health Survey. <i>Korean Journal of Health Education and Promotion</i> , 2020, 37, 85-98.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Tocilizumab Increases Body Weight and Serum Adipokine Levels in Patients with Rheumatoid Arthritis Independently of their Treatment Response: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2020, 35, e155.	2.5	10
20	Simplified disease activity changes in real-world practice: a nationwide observational study of seropositive rheumatoid arthritis patients with moderate-to-high disease activity. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 231-239.	1.7	1
21	Performance of the 2019 European League Against Rheumatism/American College of Rheumatology classification criteria for systemic lupus erythematosus in Asian patients: a single-centre retrospective cohort study in Korea. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 1075-1079.	0.8	2
22	Impact of Tumor Necrosis Factor Inhibitor Versus Nonsteroidal Antiinflammatory Drug Treatment on Radiographic Progression in Early Ankylosing Spondylitis: Its Relationship to Inflammation Control During Treatment. <i>Arthritis and Rheumatology</i> , 2019, 71, 82-90.	5.6	47
23	Effects of tapering tumor necrosis factor inhibitor on the achievement of inactive disease in patients with axial spondyloarthritis: a nationwide cohort study. <i>Arthritis Research and Therapy</i> , 2019, 21, 163.	3.5	16
24	Psychological Distress among Adolescents in Laos, Mongolia, Nepal, and Sri Lanka. <i>Asian Nursing Research</i> , 2019, 13, 147-153.	1.4	22
25	Novel susceptibility alleles in HLA region for myositis and myositis specific autoantibodies in Korean patients. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 283-287.	3.4	28
26	Serum KL-6 levels reflect the severity of interstitial lung disease associated with connective tissue disease. <i>Arthritis Research and Therapy</i> , 2019, 21, 58.	3.5	112
27	AB0116...BROMODOMAIN INHIBITOR, I-BET762 INHIBITS PRODUCTION OF PRO-INFLAMMATORY MEDIATORS BY DOWN-REGULATING BROMODOMAIN AS AN EPIGENETIC READER IN RHEUMATOID ARTHRITIS FIBROBLAST-LIKE SYNOVIOCYTES. , 2019, , .		0
28	AB0126...ANTI-INFLAMMATORY EFFECTS OF SPLEEN TYROSINE KINASE (SYK) INHIBITOR, PICEATANNOL, ON FIBROBLAST-LIKE SYNOVIOCYTE IN RHEUMATOID ARTHRITIS. , 2019, , .		0
29	Raynaud's phenomenon and anti-nuclear antibody are associated with pulmonary function decline in patients with dermatomyositis and polymyositis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 507-515.	1.9	3
30	Mortality, disability, and healthcare expenditure of patients with seropositive rheumatoid arthritis in Korea: A nationwide population-based study. <i>PLoS ONE</i> , 2019, 14, e0210471.	2.5	20
31	High Proportion of Subjective Component to the Disease Activity Score is Associated with Favorable Response to Abatacept in Rheumatoid Arthritis. <i>Patient</i> , 2019, 12, 319-326.	2.7	1
32	Performance of the 2015 American College of Rheumatology/European League against Rheumatism Classification Criteria for Gout in Korean Patients with Acute Arthritis. <i>Journal of Korean Medical Science</i> , 2019, 34, e155.	2.5	5
33	Clinical characteristics associated with occurrence and poor prognosis of interstitial lung disease in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 434-441.	1.7	39
34	Human breast cancer cells display different sensitivities to ABT-263 based on the level of survivin. <i>Toxicology in Vitro</i> , 2018, 46, 229-236.	2.4	13
35	Baseline extent of damage predicts spinal radiographic progression in Korean patients with ankylosing spondylitis treated with golimumab. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 622-628.	1.7	5
36	Effects of Tocilizumab Therapy on Serum Interleukin-33 and Interleukin-6 Levels in Patients With Rheumatoid Arthritis. <i>Archives of Rheumatology</i> , 2018, 33, 389-394.	0.9	17

#	ARTICLE	IF	CITATIONS
37	Compound K Inhibits Interleukin-1 β -induced Expression of Inflammatory Mediators and Matrix Metalloproteinases by Inhibiting Mitogen-activated Protein Kinase Activation in Chondrocytes. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 188.	1.1	2
38	Influence of androgen deprivation therapy on serum urate levels in patients with prostate cancer: A retrospective observational study. <i>PLoS ONE</i> , 2018, 13, e0209049.	2.5	11
39	Infliximab biosimilar CT-P13 therapy in patients with Takayasu arteritis with low dose of glucocorticoids: a prospective single-arm study. <i>Rheumatology International</i> , 2018, 38, 2233-2242.	3.0	16
40	Conditional random fields for clinical named entity recognition: A comparative study using Korean clinical texts. <i>Computers in Biology and Medicine</i> , 2018, 101, 7-14.	7.0	16
41	Preventive effect of tumor necrosis factor inhibitors versus nonsteroidal anti-inflammatory drugs on uveitis in patients with ankylosing spondylitis. <i>Clinical Rheumatology</i> , 2018, 37, 2763-2770.	2.2	4
42	Apolipoprotein B binds to enolase-1 and aggravates inflammation in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1480-1489.	0.9	39
43	Recurrent anterior uveitis and subsequent incidence of ankylosing spondylitis: a nationwide cohort study from 2002 to 2013. <i>Arthritis Research and Therapy</i> , 2018, 20, 22.	3.5	15
44	Baseline peripheral blood neutrophil-to-lymphocyte ratio could predict survival in patients with adult polymyositis and dermatomyositis: A retrospective observational study. <i>PLoS ONE</i> , 2018, 13, e0190411.	2.5	54
45	Comorbidity, disability, and healthcare expenditure of ankylosing spondylitis in Korea: A population-based study. <i>PLoS ONE</i> , 2018, 13, e0192524.	2.5	18
46	Association between fever pattern and clinical manifestations of adult-onset Still's disease: unbiased analysis using hierarchical clustering. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 74-79.	0.8	5
47	GV1001 immunotherapy ameliorates joint inflammation in a murine model of rheumatoid arthritis by modifying collagen-specific T-cell responses and downregulating antigen-presenting cells. <i>International Immunopharmacology</i> , 2017, 46, 186-193.	3.8	2
48	CXCL10/CXCR3 axis is associated with disease activity and the development of mucocutaneous lesions in patients with Behçet's disease. <i>Scientific Reports</i> , 2017, 7, 14720.	3.3	9
49	Risk of New Native-Vessel Occlusion After Coronary Artery Bypass Grafting. <i>American Journal of Cardiology</i> , 2017, 119, 7-13.	1.6	13
50	Behçet's disease risk association fine-mapped on the IL23R-IL12RB2 intergenic region in Koreans. <i>Arthritis Research and Therapy</i> , 2017, 19, 227.	3.5	21
51	Impact of Follow-Up Ischemia on Myocardial Perfusion Single-Photon Emission Computed Tomography in Patients with Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2017, 58, 934.	2.2	3
52	Elderly Patients Exhibit Stronger Inflammatory Responses during Gout Attacks. <i>Journal of Korean Medical Science</i> , 2017, 32, 1967.	2.5	10
53	Serum levels of IgG antibodies against alpha-enolase are increased in patients with Behçet's disease and are associated with the severity of oral ulcer, erythrocyte sedimentation rates, and C-reactive protein. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 108, 67-74.	0.8	1
54	Elevated Erythrocyte Sedimentation Rate Is Predictive of Interstitial Lung Disease and Mortality in Dermatomyositis: a Korean Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 389.	2.5	23

#	ARTICLE	IF	CITATIONS
55	SH003 selectively induces p73-dependent apoptosis in triple-negative breast cancer cells. <i>Molecular Medicine Reports</i> , 2016, 14, 3955-3960.	2.4	14
56	Effect of Hydroxychloroquine Treatment on Dry Eyes in Subjects with Primary Sjögren's Syndrome: a Double-Blind Randomized Control Study. <i>Journal of Korean Medical Science</i> , 2016, 31, 1127.	2.5	52
57	L-Ascorbic acid can abrogate SVCT-2-dependent cetuximab resistance mediated by mutant KRAS in human colon cancer cells. <i>Free Radical Biology and Medicine</i> , 2016, 95, 200-208.	2.9	37
58	Altered lipoproteins in patients with systemic lupus erythematosus are associated with augmented oxidative stress: a potential role in atherosclerosis. <i>Arthritis Research and Therapy</i> , 2016, 18, 306.	3.5	28
59	SAHA, an HDAC inhibitor, overcomes erlotinib resistance in human pancreatic cancer cells by modulating E-cadherin. <i>Tumor Biology</i> , 2016, 37, 4323-4330.	1.8	15
60	Safety of Resuming Tumor Necrosis Factor Inhibitors in Ankylosing Spondylitis Patients Concomitant with the Treatment of Active Tuberculosis: A Retrospective Nationwide Registry of the Korean Society of Spondyloarthritis Research. <i>PLoS ONE</i> , 2016, 11, e0153816.	2.5	15
61	Impact of Dose Tapering of Tumor Necrosis Factor Inhibitor on Radiographic Progression in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2016, 11, e0168958.	2.5	27
62	Periodontitis is associated with rheumatoid arthritis: a study with longstanding rheumatoid arthritis patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 977-986.	1.7	43
63	Low dose etanercept treatment for maintenance of clinical remission in ankylosing spondylitis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 592-9.	0.8	4
64	Compound K, a Metabolite of Ginsenosides, Attenuates Collagen-induced Arthritis in Mice. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 154.	1.1	6
65	A Case of Varicelliform Zoster in a Patient Treated with Etanercept for Ankylosing Spondylitis. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 186.	1.1	0
66	A Case of Ischemic Enteritis with Small Bowel Perforation during Management of Lupus Enteritis. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 378.	1.1	1
67	Low Baseline Interleukin-17A Levels Are Associated with Better Treatment Response at 12 Weeks to Tocilizumab Therapy in Rheumatoid Arthritis Patients. <i>Journal of Immunology Research</i> , 2015, 2015, 1-7.	2.2	11
68	Association between anti- <i>Porphyromonas gingivalis</i> or anti- β -enolase antibody and severity of periodontitis or rheumatoid arthritis (RA) disease activity in RA. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 190.	1.9	36
69	Appearance of Psoriasis after Tumor Necrosis Factor- α Blocker and Use of Ustekinumab or Tocilizumab for Refractory Monoarthritis. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 263.	1.1	0
70	Relationship between Socioeconomic Position and Suicide Attempts among the Korean Adolescents. <i>Journal of Korean Medical Science</i> , 2014, 29, 1287.	2.5	9
71	Phenotype Difference between Familial and Sporadic Ankylosing Spondylitis in Korean Patients. <i>Journal of Korean Medical Science</i> , 2014, 29, 782.	2.5	8
72	CD70-expressing CD4 T cells produce IFN- γ and IL-17 in rheumatoid arthritis. <i>Rheumatology</i> , 2014, 53, 1896-1900.	1.9	24

#	ARTICLE	IF	CITATIONS
73	The interaction between CXCL10 and cytokines in chronic inflammatory arthritis. <i>Autoimmunity Reviews</i> , 2013, 12, 554-557.	5.8	85
74	Joint-protective effects of compound K, a major ginsenoside metabolite, in rheumatoid arthritis: in vitro evidence. <i>Rheumatology International</i> , 2013, 33, 1981-1990.	3.0	29
75	Genome-wide association study identifies GIMAP as a novel susceptibility locus for Behçet's disease. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1510-1516.	0.9	112
76	Negative regulation of osteoclast precursor differentiation by CD11b and $\alpha 2$ integrin-B-cell lymphoma 6 signaling. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 135-149.	2.8	52
77	The clinicopathologic characteristics of granulomatosis with polyangiitis (Wegener's): a retrospective study of 45 patients in Korea. <i>Modern Rheumatology</i> , 2013, 23, 864-871.	1.8	12
78	Adult-onset Cyclic Neutropenia Diagnosed in a Patient with Acute Arthritis. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 48.	1.1	0
79	Rituximab Treatment in a Case of Dermatomyositis Accompanied by Thrombotic Thrombocytopenic Purpura. <i>Korean Journal of Medicine</i> , 2013, 85, 648.	0.3	1
80	The correlation between durometer score and modified Rodnan skin score in systemic sclerosis. <i>Rheumatology International</i> , 2012, 32, 2465-2470.	3.0	27
81	Atorvastatin inhibits osteoclastogenesis by decreasing the expression of RANKL in the synoviocytes of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R187.	3.5	25
82	Serum Elastin-Derived Peptides and Anti-Elastin Antibody in Patients with Systemic Sclerosis. <i>Journal of Korean Medical Science</i> , 2012, 27, 484.	2.5	12
83	A Case of Macrophagic Myofasciitis Initially Thought to Be a Metastatic Infection. <i>Journal of Rheumatic Diseases</i> , 2012, 19, 285.	1.1	0
84	Mannose-binding lectin 2 gene haplotype analysis in Korean patients with ankylosing spondylitis. <i>Rheumatology International</i> , 2012, 32, 2251-2255.	3.0	7
85	Hepatitis B virus reactivation in rheumatoid arthritis and ankylosing spondylitis patients treated with anti-TNF α agents: A retrospective analysis of 49 cases. <i>Clinical Rheumatology</i> , 2012, 31, 931-936.	2.2	61
86	Potential role and mechanism of IFN-gamma inducible protein-10 on receptor activator of nuclear factor kappa-B ligand (RANKL) expression in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2011, 13, R104.	3.5	34
87	Associations between the HLA-Apolymorphism and the clinical manifestations of Behcet's disease. <i>Arthritis Research and Therapy</i> , 2011, 13, R49.	3.5	44
88	T-cell immunoglobulin and mucin domain 3 genetic polymorphisms are associated with rheumatoid arthritis independent of a shared epitope status. <i>Human Immunology</i> , 2011, 72, 652-655.	2.4	21
89	Gene Expression Profile during Chondrogenesis in Human Bone Marrow derived Mesenchymal Stem Cells using a cDNA Microarray. <i>Journal of Korean Medical Science</i> , 2011, 26, 851.	2.5	17
90	The diagnostic utilities of anti-agalactosyl IgG antibodies, anti-cyclic citrullinated peptide antibodies, and rheumatoid factors in rheumatoid arthritis. <i>Rheumatology International</i> , 2011, 31, 315-319.	3.0	14

#	ARTICLE	IF	CITATIONS
91	Evaluation of osteoarthritis induced by treadmill-running exercise using the modified Mankin and the new OARSJ assessment system. <i>Rheumatology International</i> , 2011, 31, 1571-1576.	3.0	25
92	Risk factors for acute kidney injury by non-steroidal anti-inflammatory drugs in patients with hyperuricaemia. <i>Rheumatology</i> , 2011, 50, 2278-2282.	1.9	22
93	Association of Genetic Variants in Complement Factor H and Factor H-Related Genes with Systemic Lupus Erythematosus Susceptibility. <i>PLoS Genetics</i> , 2011, 7, e1002079.	3.5	181
94	Leukopenia in Patients with Iron Deficiency Anemia. <i>Blood</i> , 2011, 118, 5279-5279.	1.4	2
95	The prognostic factors of systemic sclerosis for survival among Koreans. <i>Clinical Rheumatology</i> , 2010, 29, 297-302.	2.2	29
96	A Case of Poncet's Disease in a Patient with Pulmonary Tuberculosis. <i>The Journal of the Korean Rheumatism Association</i> , 2010, 17, 183.	0.1	5
97	Effect of Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand on the Reduction of Joint Inflammation in Experimental Rheumatoid Arthritis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 858-865.	2.5	29
98	Salivary chemokine levels in patients with primary Sjogren's syndrome. <i>Rheumatology</i> , 2010, 49, 1747-1752.	1.9	52
99	Association between matrix metalloproteinase 9 promoter polymorphisms and Behçet's disease. <i>Human Immunology</i> , 2010, 71, 717-722.	2.4	16
100	Adiponectin is a potential catabolic mediator in osteoarthritis cartilage. <i>Arthritis Research and Therapy</i> , 2010, 12, R231.	3.5	111
101	Comparative clinical trial of S-adenosylmethionine versus nabumetone for the treatment of knee osteoarthritis: An 8-week, multicenter, randomized, double-blind, double-dummy, Phase IV study in Korean patients. <i>Clinical Therapeutics</i> , 2009, 31, 2860-2872.	2.5	31
102	CXCL10 and autoimmune diseases. <i>Autoimmunity Reviews</i> , 2009, 8, 379-383.	5.8	265
103	HLA-DPB1 and DPB2 are genetic loci for systemic sclerosis: A genome-wide association study in Koreans with replication in North Americans. <i>Arthritis and Rheumatism</i> , 2009, 60, 3807-3814.	6.7	109
104	Anti-cyclic citrullinated peptide antibody is associated with radiographic erosion in rheumatoid arthritis independently of shared epitope status. <i>Rheumatology International</i> , 2009, 29, 251-256.	3.0	11
105	Downregulation of heat shock protein 70 protects rheumatoid arthritis fibroblast-like synoviocytes from nitric oxide-induced apoptosis. <i>Arthritis Research and Therapy</i> , 2009, 11, R130.	3.5	23
106	The clinical significance of serum N-terminal pro-brain natriuretic peptide in systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2008, 27, 437-442.	2.2	21
107	Matrix metalloproteinase-9 promoter polymorphisms in Korean patients with systemic lupus erythematosus. <i>Human Immunology</i> , 2008, 69, 374-379.	2.4	9
108	Alpha-lipoic acid inhibits TNF- α induced NF- κ B activation through blocking of MEK1-MKK4-IKK signaling cascades. <i>International Immunopharmacology</i> , 2008, 8, 362-370.	3.8	42

#	ARTICLE	IF	CITATIONS
109	Flow cytometric assessment of anti-neuronal antibodies in central nervous system involvement of systemic lupus erythematosus and other autoimmune diseases. <i>Lupus</i> , 2008, 17, 21-25.	1.6	19
110	Assessment of comparative pain relief and tolerability of SKI306X compared with celecoxib in patients with rheumatoid arthritis: A 6-week, multicenter, randomized, double-blind, double-dummy, phase III, noninferiority clinical trial. <i>Clinical Therapeutics</i> , 2007, 29, 862-873.	2.5	33
111	Associations between interferon regulatory factor-1 polymorphisms and Behçet's disease. <i>Human Immunology</i> , 2007, 68, 770-778.	2.4	24
112	Tramadol 37.5-mg/acetaminophen 325-mg combination tablets added to regular therapy for rheumatoid arthritis pain: A 1-Week, randomized, double-blind, placebo-controlled trial. <i>Clinical Therapeutics</i> , 2006, 28, 2052-2060.	2.5	36
113	Interleukin-18 Promoter Polymorphisms in Patients With Behçet's Disease. <i>Human Immunology</i> , 2006, 67, 812-818.	2.4	30
114	A Case of Renal Crisis in a Korean Scleroderma Patient with Anti-RNA polymerase I and III Antibodies. <i>Journal of Korean Medical Science</i> , 2006, 21, 1121.	2.5	1
115	Clinical aspects of pulmonary hypertension in patients with systemic lupus erythematosus and in patients with idiopathic pulmonary arterial hypertension. <i>Clinical Rheumatology</i> , 2006, 25, 866-872.	2.2	77
116	Alpha-lipoic acid suppresses the development of collagen-induced arthritis and protects against bone destruction in mice. <i>Rheumatology International</i> , 2006, 27, 225-233.	3.0	48
117	Serum oxidized low-density lipoproteins in rheumatoid arthritis. <i>Rheumatology International</i> , 2004, 24, 230-233.	3.0	48
118	Effects of disease-modifying antirheumatic drugs and antiinflammatory cytokines on human osteoclastogenesis through interaction with receptor activator of nuclear factor κ B, osteoprotegerin, and receptor activator of nuclear factor κ B ligand. <i>Arthritis and Rheumatism</i> , 2004, 50, 3831-3843.	6.7	119
119	α -Lipoic acid inhibits airway inflammation and hyperresponsiveness in a mouse model of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 429-435.	2.9	81
120	Enhanced cough response to hyperpnea with cold air challenge in chronic cough patients showing increased cough sensitivity to inhaled capsaicin. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 486-491.	5.7	25
121	Does the anti- β 2-glycoprotein I antibody provide additional information in patients with thrombosis?. <i>Thrombosis Research</i> , 2003, 111, 29-32.	1.7	47