

# Steven C Pennings

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9459049/publications.pdf>

Version: 2024-02-01

150  
papers

9,498  
citations

43973

48  
h-index

40881

93  
g-index

151  
all docs

151  
docs citations

151  
times ranked

9026  
citing authors

#	ARTICLE	IF	CITATIONS
1	Disturbance is complicated: Headward-eroding saltmarsh creeks produce multiple responses and recovery trajectories. <i>Limnology and Oceanography</i> , 2022, 67, .	1.6	6
2	Competition and abiotic stress affect the size of mangroves near their geographic range limit. <i>Journal of Plant Ecology</i> , 2022, 15, 129-140.	1.2	2
3	A hurricane alters the relationship between mangrove cover and marine subsidies. <i>Ecology</i> , 2022, 103, e3662.	1.5	3
4	Coastal carbon processing rates increase with mangrove cover following a hurricane in Texas, <sc>USA</sc>. <i>Ecosphere</i> , 2022, 13, .	1.0	1
5	Responses of a tidal freshwater marsh plant community to chronic and pulsed saline intrusion. <i>Journal of Ecology</i> , 2022, 110, 1508-1524.	1.9	3
6	Effects of mangrove encroachment on tidal wetland plant, nekton, and bird communities in the Western Gulf of Mexico. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 248, 106767.	0.9	11
7	Functional and taxonomic diversity of grasshoppers differentially shape above- and below-ground communities and their function. <i>Functional Ecology</i> , 2021, 35, 167-180.	1.7	3
8	Crazy ants craving calcium: macronutrients and micronutrients can limit and stress an invaded grassland brown food web. <i>Ecology</i> , 2021, 102, e03263.	1.5	4
9	Variation in synchrony of production among species, sites, and intertidal zones in coastal marshes. <i>Ecology</i> , 2021, 102, e03278.	1.5	0
10	Effects of mangrove cover on coastal erosion during a hurricane in Texas, USA. <i>Ecology</i> , 2021, 102, e03309.	1.5	17
11	Plasticity and selection drive hump-shaped latitudinal patterns of flowering phenology in an invasive intertidal plant. <i>Ecology</i> , 2021, 102, e03311.	1.5	10
12	Community Ecology of Salt Marshes. , 2021, , 82-112.		6
13	Consistent pattern of higher lability of leaves from high latitudes for both native <i>Phragmites australis</i> and exotic <i>Spartina alterniflora</i> . <i>Functional Ecology</i> , 2021, 35, 2084-2093.	1.7	9
14	State changes: insights from the U.S. Long Term Ecological Research Network. <i>Ecosphere</i> , 2021, 12, e03433.	1.0	6
15	Drivers of litter mass loss and faunal composition of detritus patches change over time. <i>Ecology and Evolution</i> , 2021, 11, 9642-9651.	0.8	3
16	Directional movement of consumer fronts associated with creek heads in salt marshes. <i>Ecology</i> , 2021, 102, e03447.	1.5	3
17	Buried hurricane legacies: increased nutrient limitation and decreased root biomass in coastal wetlands. <i>Ecosphere</i> , 2021, 12, e03674.	1.0	6
18	Resistance to Hurricane Effects Varies Among Wetland Vegetation Types in the Marsh-Mangrove Ecotone. <i>Estuaries and Coasts</i> , 2020, 43, 960-970.	1.0	27

#	ARTICLE	IF	CITATIONS
19	Variation in microplastics composition at small spatial and temporal scales in a tidal flat of the Yangtze Estuary, China. <i>Science of the Total Environment</i> , 2020, 699, 134252.	3.9	64
20	Quantifying how changing mangrove cover affects ecosystem carbon storage in coastal wetlands. <i>Ecology</i> , 2020, 101, e02916.	1.5	35
21	Microspatial Differences in Soil Temperature Cause Phenology Change on Par with Long-Term Climate Warming in Salt Marshes. <i>Ecosystems</i> , 2020, 23, 498-510.	1.6	15
22	Contrasting plant adaptation strategies to latitude in the native and invasive range of <i>Spartina alterniflora</i> . <i>New Phytologist</i> , 2020, 226, 623-634.	3.5	43
23	Impact of tidal inundation on the net ecosystem exchange in daytime conditions in a salt marsh. <i>Agricultural and Forest Meteorology</i> , 2020, 294, 108133.	1.9	12
24	Weak latitudinal gradients in insect herbivory for dominant rangeland grasses of North America. <i>Ecology and Evolution</i> , 2020, 10, 6385-6394.	0.8	7
25	A Research Framework to Integrate Cross-Ecosystem Responses to Tropical Cyclones. <i>BioScience</i> , 2020, 70, 477-489.	2.2	33
26	Climate and geographic adaptation drive latitudinal clines in biomass of a widespread saltmarsh plant in its native and introduced ranges. <i>Limnology and Oceanography</i> , 2020, 65, 1399-1409.	1.6	26
27	Contrasting latitudinal clines of nematode diversity in <i>Spartina alterniflora</i> salt marshes between native and introduced ranges. <i>Diversity and Distributions</i> , 2020, 26, 623-631.	1.9	3
28	Supporting <i>Spartina</i> : Interdisciplinary perspective shows <i>Spartina</i> as a distinct solid genus. <i>Ecology</i> , 2019, 100, e02863.	1.5	39
29	Chronic but not acute saltwater intrusion leads to large release of inorganic N in a tidal freshwater marsh. <i>Science of the Total Environment</i> , 2019, 695, 133779.	3.9	13
30	Global change effects on plant communities are magnified by time and the number of global change factors imposed. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 17867-17873.	3.3	141
31	A comparison of coastal habitat restoration projects in China and the United States. <i>Scientific Reports</i> , 2019, 9, 14388.	1.6	18
32	Self-thinning and size-dependent flowering of the grass <i>Spartina alterniflora</i> across space and time. <i>Functional Ecology</i> , 2019, 33, 1830-1841.	1.7	12
33	Biotic homogenization of wetland nematode communities by exotic <i>Spartina alterniflora</i> in China. <i>Ecology</i> , 2019, 100, e02596.	1.5	37
34	Mapping salt marsh soil properties using imaging spectroscopy. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2019, 148, 221-234.	4.9	37
35	Response and Recovery of Low-Salinity Marsh Plant Communities to Presses and Pulses of Elevated Salinity. <i>Estuaries and Coasts</i> , 2019, 42, 708-718.	1.0	10
36	Predators mediate above- vs. belowground herbivory in a salt marsh crab. <i>Ecosphere</i> , 2018, 9, e02107.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Responses of Tidal Freshwater and Brackish Marsh Macrophytes to Pulses of Saline Water Simulating Sea Level Rise and Reduced Discharge. <i>Wetlands</i> , 2018, 38, 885-891.	0.7	10
38	Effects of Small-Scale Armoring and Residential Development on the Salt Marsh-Upland Ecotone. <i>Estuaries and Coasts</i> , 2018, 41, 54-67.	1.0	9
39	Using a marsh organ to predict future plant communities in a Chinese estuary invaded by an exotic grass and mangrove. <i>Limnology and Oceanography</i> , 2018, 63, 2595-2605.	1.6	20
40	Seeking salt: herbivorous prairie insects can be co-limited by macronutrients and sodium. <i>Ecology Letters</i> , 2018, 21, 1467-1476.	3.0	41
41	Dynamic Management of Water Storage for Flood Control in a Wetland System: A Case Study in Texas. <i>Water (Switzerland)</i> , 2018, 10, 325.	1.2	11
42	Climate drivers of <i>Zizaniopsis miliacea</i> biomass in a Georgia, U.S.A. tidal fresh marsh. <i>Limnology and Oceanography</i> , 2018, 63, 2266-2276.	1.6	10
43	Effects of grasshoppers on prairies: Herbivore composition matters more than richness in three grassland ecosystems. <i>Journal of Animal Ecology</i> , 2018, 87, 1727-1737.	1.3	6
44	Predator-prey interactions in a ladybeetle-aphid system depend on spatial scale. <i>Ecology and Evolution</i> , 2018, 8, 6537-6546.	0.8	8
45	Provenance-by-environment interaction of reproductive traits in the invasion of <i>Spartina alterniflora</i> in China. <i>Ecology</i> , 2017, 98, 1591-1599.	1.5	44
46	Coastal regime shifts: rapid responses of coastal wetlands to changes in mangrove cover. <i>Ecology</i> , 2017, 98, 762-772.	1.5	74
47	Woody structure facilitates invasion of woody plants by providing perches for birds. <i>Ecology and Evolution</i> , 2017, 7, 8032-8039.	0.8	12
48	Timing of disturbance affects biomass and flowering of a saltmarsh plant and attack by stem-boring herbivores. <i>Ecosphere</i> , 2017, 8, e01675.	1.0	20
49	Ecosystem engineers drive creek formation in salt marshes. <i>Ecology</i> , 2017, 98, 162-174.	1.5	51
50	Geographical variation in vegetative growth and sexual reproduction of the invasive <i>Spartina alterniflora</i> in China. <i>Journal of Ecology</i> , 2016, 104, 173-181.	1.9	83
51	Deepwater Horizon Oil Spill Impacts on Salt Marsh Fiddler Crabs ( <i>Uca</i> spp.). <i>Estuaries and Coasts</i> , 2016, 39, 1154-1163.	1.0	44
52	Marine ecoregion and Deepwater Horizon oil spill affect recruitment and population structure of a salt marsh snail. <i>Ecosphere</i> , 2016, 7, e01588.	1.0	12
53	Disturbance in Georgia salt marshes: variation across space and time. <i>Ecosphere</i> , 2016, 7, e01487.	1.0	22
54	Impacts of the Deepwater Horizon Oil Spill on Salt Marsh Periwinkles ( <i>Littoraria</i> )	4.6	54

#	ARTICLE	IF	CITATIONS
55	Program Profile: The Georgia Coastal Ecosystems Long Term Ecological Research Project (GCE&LTER). <i>Limnology and Oceanography Bulletin</i> , 2015, 24, 117-120.	0.2	0
56	Geographic Variation in Plant Community Structure of Salt Marshes: Species, Functional and Phylogenetic Perspectives. <i>PLoS ONE</i> , 2015, 10, e0127781.	1.1	6
57	Sex- and habitat-specific movement of an omnivorous semi-terrestrial crab controls habitat connectivity and subsidies: a multi-parameter approach. <i>Oecologia</i> , 2015, 178, 999-1015.	0.9	23
58	Latitudinal variation in resistance and tolerance to herbivory of a salt marsh shrub. <i>Ecography</i> , 2014, 37, 763-769.	2.1	41
59	Relative influence of deterministic processes on structuring marsh plant communities varies across an abiotic gradient. <i>Oikos</i> , 2014, 123, 173-178.	1.2	27
60	Climate Drivers of <i>Spartina alterniflora</i> Saltmarsh Production in Georgia, USA. <i>Ecosystems</i> , 2014, 17, 473-484.	1.6	49
61	Effects of Oil Spills on Terrestrial Arthropods in Coastal Wetlands. <i>BioScience</i> , 2014, 64, 789-795.	2.2	41
62	Economic development and coastal ecosystem change in China. <i>Scientific Reports</i> , 2014, 4, 5995.	1.6	210
63	Decomposition of Leaf Litter in a U.S. Saltmarsh is Driven by Dominant Species, Not Species Complementarity. <i>Wetlands</i> , 2013, 33, 83-89.	0.7	17
64	Importance of local vs. geographic variation in salt marsh plant quality for arthropod herbivore communities. <i>Journal of Ecology</i> , 2013, 101, 1169-1182.	1.9	7
65	Biotic interactions mediate the expansion of black mangrove ( <i>Avicennia germinans</i> ) into salt marshes under climate change. <i>Global Change Biology</i> , 2013, 19, 2765-2774.	4.2	78
66	Landscape Estimates of Habitat Types, Plant Biomass, and Invertebrate Densities in a Georgia Salt Marsh. <i>Oceanography</i> , 2013, 26, 88-97.	0.5	37
67	Preference and Performance in Plant-Herbivore Interactions across Latitude—A Study in U.S. Atlantic Salt Marshes. <i>PLoS ONE</i> , 2013, 8, e59829.	1.1	17
68	Mechanisms mediating plant distributions across estuarine landscapes in a low-latitude tidal estuary. <i>Ecology</i> , 2012, 93, 90-100.	1.5	62
69	Geographic variation in salt marsh structure and function. <i>Oecologia</i> , 2012, 170, 777-787.	0.9	22
70	Post-mortem ecosystem engineering by oysters creates habitat for a rare marsh plant. <i>Oecologia</i> , 2012, 170, 789-798.	0.9	11
71	Predator/Prey-Interactions Promote Decomposition of Low-Quality Detritus. <i>Wetlands</i> , 2012, 32, 931-938.	0.7	8
72	The big picture of marsh loss. <i>Nature</i> , 2012, 490, 352-353.	13.7	20

#	ARTICLE	IF	CITATIONS
73	Disturbance and Recovery of Salt Marsh Arthropod Communities following BP Deepwater Horizon Oil Spill. <i>PLoS ONE</i> , 2012, 7, e32735.	1.1	84
74	Incorporating clonal growth form clarifies the role of plant height in response to nitrogen addition. <i>Oecologia</i> , 2012, 169, 1053-1062.	0.9	90
75	Effects of an Omnivorous Katydid, Salinity, and Nutrients on a Planthopper-Spartina Food Web. <i>Estuaries and Coasts</i> , 2012, 35, 475-485.	1.0	16
76	Patterns of trait convergence and divergence among native and exotic species in herbaceous plant communities are not modified by nitrogen enrichment. <i>Journal of Ecology</i> , 2011, 99, 1327-1338.	1.9	27
77	Diet mixing in a parasitic plant: adaptation or constraint?. <i>Plant Ecology</i> , 2011, 212, 69-77.	0.7	7
78	Latitudinal variation in top-down and bottom-up control of a salt marsh food web. <i>Ecology</i> , 2011, 92, 276-281.	1.5	33
79	Is Diet Quality an Overlooked Mechanism for Bergmann's Rule?. <i>American Naturalist</i> , 2010, 175, 269-276.	1.0	78
80	Constraints on host use by a parasitic plant. <i>Oecologia</i> , 2010, 164, 177-184.	0.9	14
81	Multiscale Diversity in the Marshes of the Georgia Coastal Ecosystems LTER. <i>Estuaries and Coasts</i> , 2010, 33, 865-877.	1.0	14
82	Ecosystem Functions of Tidal Fresh, Brackish, and Salt Marshes on the Georgia Coast. <i>Estuaries and Coasts</i> , 2010, 33, 161-169.	1.0	91
83	Forecasting the effects of accelerated sea-level rise on tidal marsh ecosystem services. <i>Frontiers in Ecology and the Environment</i> , 2009, 7, 73-78.	1.9	614
84	Latitudinal variation in herbivore pressure in Atlantic Coast salt marshes. <i>Ecology</i> , 2009, 90, 183-195.	1.5	162
85	Like herbivores, parasitic plants are limited by host nitrogen content. <i>Plant Ecology</i> , 2008, 196, 245-250.	0.7	23
86	Grasshopper (Orthoptera: Tettigoniidae) Species Composition and Size Across Latitude in Atlantic Coast Salt Marshes. <i>Estuaries and Coasts</i> , 2008, 31, 335-343.	1.0	20
87	Impact of Fertilization on a Salt Marsh Food Web in Georgia. <i>Estuaries and Coasts</i> , 2008, 31, 313-325.	1.0	45
88	Patterns of Plant Diversity in Georgia and Texas Salt Marshes. <i>Estuaries and Coasts</i> , 2008, 31, 673-681.	1.0	28
89	SPECIES RESPONSES TO NITROGEN FERTILIZATION IN HERBACEOUS PLANT COMMUNITIES, AND ASSOCIATED SPECIES TRAITSEcological ArchivesE089-070. <i>Ecology</i> , 2008, 89, 1175-1175.	1.5	20
90	CONSEQUENCES OF OMNIVORY FOR TROPHIC INTERACTIONS ON A SALT MARSH SHRUB. <i>Ecology</i> , 2008, 89, 1714-1722.	1.5	30

#	ARTICLE	IF	CITATIONS
91	RANK CLOCKS AND PLANT COMMUNITY DYNAMICS. <i>Ecology</i> , 2008, 89, 3534-3541.	1.5	89
92	Latitudinal variation in plant-herbivore interactions in European salt marshes. <i>Oikos</i> , 2007, 116, 543-549.	1.2	4
93	Latitudinal variation in plant-herbivore interactions in European salt marshes. <i>Oikos</i> , 2007, 116, 543-549.	1.2	52
94	Environmental and plant community determinants of species loss following nitrogen enrichment. <i>Ecology Letters</i> , 2007, 10, 596-607.	3.0	293
95	Swimming in the sea hare <i>Aplysia brasiliana</i> : Cost of transport, parapodial morphometry, and swimming behavior. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 328, 76-86.	0.7	12
96	LATITUDINAL VARIATION IN PALATABILITY OF SALT-MARSH PLANTS: ARE DIFFERENCES CONSTITUTIVE?. <i>Ecology</i> , 2005, 86, 1571-1579.	1.5	73
97	Plant zonation in low-latitude salt marshes: disentangling the roles of flooding, salinity and competition. <i>Journal of Ecology</i> , 2005, 93, 159-167.	1.9	429
98	Do individual plant species show predictable responses to nitrogen addition across multiple experiments?. <i>Oikos</i> , 2005, 110, 547-555.	1.2	110
99	Habitat range and phenotypic variation in salt marsh plants. <i>Plant Ecology</i> , 2005, 176, 263-273.	0.7	93
100	Functional- and abundance-based mechanisms explain diversity loss due to N fertilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 4387-4392.	3.3	879
101	LINKING BIOGEOGRAPHY AND COMMUNITY ECOLOGY: LATITUDINAL VARIATION IN PLANT-HERBIVORE INTERACTION STRENGTH. <i>Ecology</i> , 2005, 86, 2310-2319.	1.5	215
102	Environmental gradients and herbivore feeding preferences in coastal salt marshes. <i>Oecologia</i> , 2004, 140, 591-600.	0.9	38
103	Salt marsh litter and detritivores: A closer look at redundancy. <i>Estuaries and Coasts</i> , 2004, 27, 753-769.	1.7	58
104	Influence of proximal stimuli on swimming in the sea hare <i>Aplysia brasiliana</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2003, 288, 223-237.	0.7	6
105	Diet choice in an omnivorous salt-marsh crab: different food types, body size, and habitat complexity. <i>Journal of Experimental Marine Biology and Ecology</i> , 2003, 292, 103-116.	0.7	85
106	PHENOTYPIC PLASTICITY AND INTERACTIONS AMONG PLANTS. <i>Ecology</i> , 2003, 84, 1115-1128.	1.5	512
107	GEOGRAPHIC VARIATION IN POSITIVE AND NEGATIVE INTERACTIONS AMONG SALT MARSH PLANTS. <i>Ecology</i> , 2003, 84, 1527-1538.	1.5	151
108	LATITUDINAL VARIATION IN PALATABILITY OF SALT-MARSH PLANTS: WHICH TRAITS ARE RESPONSIBLE?. <i>Ecology</i> , 2002, 83, 3369-3381.	1.5	79

#	ARTICLE	IF	CITATIONS
109	Spatial Variation in Process and Pattern in Salt Marsh Plant Communities in Eastern North America. , 2002, , 39-57.		18
110	Nutrient effects on the composition of salt marsh plant communities along the Southern Atlantic and gulf coasts of the United States. <i>Estuaries and Coasts</i> , 2002, 25, 1164-1173.	1.7	55
111	Cellulose digestion and phenol oxidation in coastal isopods (Crustacea: Isopoda). <i>Marine Biology</i> , 2002, 140, 1207-1213.	0.7	49
112	Parasitic plants: parallels and contrasts with herbivores. <i>Oecologia</i> , 2002, 131, 479-489.	0.9	158
113	Epiphyte host preferences and host traits: mechanisms for species-specific interactions. <i>Oecologia</i> , 2002, 132, 221-230.	0.9	204
114	Species-specific patterns of litter processing by terrestrial isopods (Isopoda: Oniscidea) in high intertidal salt marshes and coastal forests. <i>Functional Ecology</i> , 2002, 16, 596-607.	1.7	57
115	Assessing salt marsh health: A test of the utility of five potential indicators. <i>Wetlands</i> , 2002, 22, 406-414.	0.7	9
116	The Effect of Mercury and PCBs on Organisms from Lower Trophic Levels of a Georgia Salt Marsh. <i>Archives of Environmental Contamination and Toxicology</i> , 2001, 40, 10-17.	2.1	21
117	Vulnerability of sea hares to fish predators: importance of diet and fish species. <i>Coral Reefs</i> , 2001, 20, 320-324.	0.9	21
118	Zonation of shrubs in western Atlantic salt marshes. <i>Oecologia</i> , 2001, 126, 587-594.	0.9	38
119	Effects of epiphytic lichens on host preference of the vascular epiphyte <i>Tillandsia usneoides</i> . <i>Oikos</i> , 2001, 94, 433-441.	1.2	29
120	LATITUDINAL DIFFERENCES IN PLANT PALATABILITY IN ATLANTIC COAST SALT MARSHES. <i>Ecology</i> , 2001, 82, 1344-1359.	1.5	122
121	LATITUDINAL DIFFERENCES IN PLANT PALATABILITY IN ATLANTIC COAST SALT MARSHES. , 2001, 82, 1344.		89
122	Facilitation May Buffer Competitive Effects: Indirect and Diffuse Interactions among Salt Marsh Plants. <i>American Naturalist</i> , 2000, 156, 416-424.	1.0	92
123	Hemolymph ion composition and volume changes in the supralittoral isopod <i>Ligia pallasii</i> Brandt, during molt. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2000, 170, 329-336.	0.7	24
124	THE ADVANTAGES OF CLONAL INTEGRATION UNDER DIFFERENT ECOLOGICAL CONDITIONS: A COMMUNITY-WIDE TEST. <i>Ecology</i> , 2000, 81, 709-716.	1.5	167
125	Distribution of mycosporine-like amino acids in the sea hare <i>Aplysia dactylomela</i> : effect of diet on amounts and types sequestered over time in tissues and spawn. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 2000, 126, 91-104.	0.5	18
126	Feeding preferences of supralittoral isopods and amphipods. <i>Canadian Journal of Zoology</i> , 2000, 78, 1918-1929.	0.4	97



#	ARTICLE	IF	CITATIONS
127	Hemolymph homeostasis in relation to diel feeding activity and microclimate in the prototypal land isopod <i>Ligia pallasii</i> . Canadian Journal of Zoology, 2000, 78, 588-595.	0.4	2
128	Title is missing!. Journal of Chemical Ecology, 1999, 25, 735-755.	0.9	45
129	A test of novel function(s) for the ink of sea hares. Journal of Experimental Marine Biology and Ecology, 1999, 234, 185-197.	0.7	21
130	Fiddler crab-vegetation interactions in hypersaline habitats. Journal of Experimental Marine Biology and Ecology, 1998, 225, 53-68.	0.7	67
131	Impact of a parasitic plant on the zonation of two salt marsh perennials. Oecologia, 1998, 114, 100-105.	0.9	65
132	Effects of wrack burial in salt-stressed habitats: <i>Batis maritima</i> in a southwest Atlantic salt marsh. Ecography, 1998, 21, 630-638.	2.1	92
133	FEEDING PREFERENCES OF A GENERALIST SALT-MARSH CRAB: RELATIVE IMPORTANCE OF MULTIPLE PLANT TRAITS. Ecology, 1998, 79, 1968-1979.	1.5	127
134	Chemical defenses of the tropical, benthic marine cyanobacterium <i>Hormothamnion enteromorphoides</i> : Diverse consumers and synergisms. Limnology and Oceanography, 1997, 42, 911-917.	1.6	33
135	Testing for Synergisms between Chemical and Mineral Defenses--A Comment. Ecology, 1996, 77, 1948-1950.	1.5	17
136	Impact of a Parasitic Plant on the Structure and Dynamics of Salt Marsh Vegetation. Ecology, 1996, 77, 1410-1419.	1.5	144
137	Effects of secondary metabolites and CaCO <sub>3</sub> on feeding by surgeonfishes and parrotfishes: within-plant comparisons. Marine Ecology - Progress Series, 1996, 134, 49-58.	0.9	23
138	Post-ingestive consequences of consuming secondary metabolites in sea hares (Gastropoda: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307</i> ). Toxicology, 1995, 111, 249-256.	0.5	5
139	Interspecific variation in chemical defenses in the sea hares (Opisthobranchia: Anaspidea). Journal of Experimental Marine Biology and Ecology, 1994, 180, 203-219.	0.7	33
140	Effects of sponge secondary metabolites in different diets on feeding by three groups of consumers. Journal of Experimental Marine Biology and Ecology, 1994, 180, 137-149.	0.7	66
141	Secondary chemistry does not limit dietary range of the specialist sea hare <i>Stylocheilus longicauda</i> (Quoy et Gaimard 1824). Journal of Experimental Marine Biology and Ecology, 1993, 174, 97-113.	0.7	56
142	Selectivity and Growth of the Generalist Herbivore <i>Dolabella Auricularia</i> Feeding Upon Complementary Resources. Ecology, 1993, 74, 879-890.	1.5	138
143	Salt Marsh Plant Zonation: The Relative Importance of Competition and Physical Factors. Ecology, 1992, 73, 681-690.	1.5	490
144	Effect of Plant Toughness, Calcification, and Chemistry on Herbivory by <i>Dolabella Auricularia</i> . Ecology, 1992, 73, 1606-1619.	1.5	110

#	ARTICLE	IF	CITATIONS
145	Spatial and temporal variation in recruitment of <i>Aplysia californica</i> Cooper: patterns, mechanisms and consequences. <i>Journal of Experimental Marine Biology and Ecology</i> , 1991, 146, 253-274.	0.7	21
146	Reproductive behavior of <i>Aplysia californica</i> Cooper: diel patterns, sexual roles and mating aggregations. <i>Journal of Experimental Marine Biology and Ecology</i> , 1991, 149, 249-266.	0.7	37
147	Diet-derived chemical defenses in the sea hare <i>Stylocheilus longicauda</i> (Quoy et Gaimard 1824). <i>Journal of Experimental Marine Biology and Ecology</i> , 1991, 151, 227-243.	0.7	90
148	Multiple factors promoting narrow host range in the sea hare, <i>Aplysia californica</i> . <i>Oecologia</i> , 1990, 82, 192-200.	0.9	51
149	Size-related shifts in herbivory: specialization in the sea hare <i>Aplysia californica</i> Cooper. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 142, 43-61.	0.7	41
150	Variation in Densities of the Salt Marsh Katydid <i>Orchelimum fidicinum</i> over Space and Time. <i>Estuaries and Coasts</i> , 0, , 1.	1.0	0