

Farooq Naeem

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9460331/publications.pdf>

Version: 2024-02-01

124
papers

3,104
citations

201674

27
h-index

206112

48
g-index

125
all docs

125
docs citations

125
times ranked

4163
citing authors

#	ARTICLE	IF	CITATIONS
1	Youth Culturally adapted Manual Assisted Problem Solving Training (YCMAP) in Pakistani adolescent with a history of self-harm: protocol for multicentre clinical and cost-effectiveness randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e056301.	1.9	1
2	Culturally adapted family intervention for schizophrenia in Pakistan: a feasibility study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 258-267.	2.4	9
3	Cultural Adaptations in Clinical InteractiONs (CoActiON): a multi-site comparative study to assess what cultural adaptations are made by clinicians in different settings. <i>International Review of Psychiatry</i> , 2021, 33, 3-15.	2.8	2
4	Efficacy of learning through play plus intervention to reduce maternal depression in women with malnourished children: A randomized controlled trial from Pakistan. <i>Journal of Affective Disorders</i> , 2021, 278, 78-84.	4.1	17
5	Transcultural adaptation of cognitive behavioral therapy (CBT) in Asia. <i>Asia-Pacific Psychiatry</i> , 2021, 13, e12442.	2.2	14
6	Culturally adapted trauma-focused CBT-based guided self-help (CatCBT GSH) for female victims of domestic violence in Pakistan: feasibility randomized controlled trial. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 50-61.	1.2	14
7	A Group Parenting Intervention for Depressed Fathers (LTP + Dads): A Feasibility Study from Pakistan. <i>Children</i> , 2021, 8, 26.	1.5	11
8	Biallelic mutations in the death domain of PIDD1 impair caspase-2 activation and are associated with intellectual disability. <i>Translational Psychiatry</i> , 2021, 11, 1.	4.8	334
9	Mental Illness in the Post-pandemic World: Digital Psychiatry and the Future. <i>Frontiers in Psychology</i> , 2021, 12, 567426.	2.1	12
10	An integrated parenting intervention for maternal depression and child development in a low-resource setting: Cluster randomized controlled trial. <i>Depression and Anxiety</i> , 2021, 38, 925-939.	4.1	13
11	The Cognitive Model of Negative Symptoms in Schizophrenia: A Hierarchical Component Model With PLS-SEM. <i>Frontiers in Psychiatry</i> , 2021, 12, 707291.	2.6	6
12	Protocol for a multi-phase, mixed methods study to develop and evaluate culturally adapted CBT to improve community mental health services for Canadians of south Asian origin. <i>Trials</i> , 2021, 22, 600.	1.6	4
13	Treatment of maternal depression in low-income women: A feasibility study from Kilifi, Kenya. <i>International Journal of Clinical Practice</i> , 2021, 75, e14862.	1.7	5
14	Care co-ordinator in my pocket™: a feasibility study of mobile assessment and therapy for psychosis (TechCare). <i>BMJ Open</i> , 2021, 11, e046755.	1.9	8
15	Preliminary evaluation of a culturally adapted CBT-based online programme for depression and anxiety from a lower middle-income country. <i>The Cognitive Behaviour Therapist</i> , 2021, 14, .	1.0	2
16	Stigma toward mental and physical illness: attitudes of healthcare professionals, healthcare students and the general public in Pakistan. <i>BJPsych Open</i> , 2020, 6, e81.	0.7	11
17	Effectiveness of a culturally adapted cognitive behavioural therapy-based guided self-help (CACBT-GSH) intervention to reduce social anxiety and enhance self-esteem in adolescents: a randomized controlled trial from Pakistan. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 503-514.	1.2	17
18	Psychosocial Interventions in Rehabilitation: An Intercultural Perspective. , 2020, , 361-376.		0

#	ARTICLE	IF	CITATIONS
19	Video intervention for the psychiatric waiting room: proof-of-concept randomised controlled trial of RESOLVE (Relaxation Exercise, SOLVing problem and cognitive Errors). <i>BJPsych Open</i> , 2019, 5, e77.	0.7	6
20	Cultural adaptations of CBT: a summary and discussion of the Special Issue on Cultural Adaptation of CBT. <i>The Cognitive Behaviour Therapist</i> , 2019, 12, .	1.0	16
21	Cultural adaptation of cognitive behavioural therapy (CBT) for patients with depression and anxiety in Saudi Arabia and Bahrain: a qualitative study exploring views of patients, carers, and mental health professionals. <i>The Cognitive Behaviour Therapist</i> , 2019, 12, .	1.0	15
22	Cultural adaptation of cognitive-behavioural therapy. <i>BJ Psych Advances</i> , 2019, 25, 387-395.	0.7	39
23	Psychotherapy for schizophrenia and bipolar disorder. , 2019, , 223-239.		0
24	An evidence-based framework to culturally adapt cognitive behaviour therapy. <i>The Cognitive Behaviour Therapist</i> , 2019, 12, .	1.0	38
25	Three Mutations in the Bilateral Frontoparietal Polymicrogyria Gene GPR56 in Pakistani Intellectual Disability Families. <i>Journal of Pediatric Genetics</i> , 2018, 07, 060-066.	0.7	12
26	A qualitative study to explore views of patients, carers and mental health professionalsâ€™ views on depression in Moroccan women. <i>International Journal of Culture and Mental Health</i> , 2018, 11, 178-193.	0.6	9
27	Development of a cognitive behavioural therapy-based guided self-help intervention for adults with intellectual disability. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2018, 31, 885-896.	2.0	8
28	Cognitive function in early psychosis patients from a lower middle-income country. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 13-18.	2.4	4
29	Low-Intensity Cognitive Behavioural Therapy-Based Music Group (CBT-Music) for the Treatment of Symptoms of Anxiety and Depression: A Feasibility Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 168-181.	1.2	11
30	A training model for relatives and friends in cognitive behaviour therapy (CBT) informed care for psychosis. <i>Cogent Psychology</i> , 2018, 5, 1497749.	1.3	9
31	The current status of culturally adapted mental health interventions: a practice-focused review of meta-analyses. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 165-178.	2.2	142
32	Multinational comparative cross-sectional survey of views of medical students about acceptable terminology and subgroups in schizophrenia. <i>BMJ Open</i> , 2018, 8, e021461.	1.9	7
33	Implementing cognitive behavioral therapy for psychosis: An international survey of cliniciansâ€™ attitudes and obstacles.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 141-148.	1.1	7
34	Psychological Healing in Pakistan: From Sufism to Culturally Adapted Cognitive Behaviour Therapy. <i>Journal of Contemporary Psychotherapy</i> , 2017, 47, 119-124.	1.2	7
35	Pilot study of a culturally adapted psychoeducation (CaPE) intervention for bipolar disorder in Pakistan. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 3.	2.2	17
36	Can cognitive remediation improve subsequent response to low-intensity cognitive behaviour therapy for psychosis in people with schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 117-118.	2.3	2

#	ARTICLE	IF	CITATIONS
37	Treatment of maternal depression in urban slums of Karachi, Pakistan: A randomized controlled trial (RCT) of an integrated maternal psychological and early child development intervention. <i>Asian Journal of Psychiatry</i> , 2017, 29, 63-70.	2.0	32
38	Explanatory model of illness of the patients with schizophrenia and the role of educational intervention. <i>Schizophrenia Research</i> , 2017, 190, 68-73.	2.0	6
39	Different communication strategies for disclosing a diagnosis of schizophrenia and related disorders. <i>The Cochrane Library</i> , 2017, 2017, CD011707.	2.8	7
40	Is it possible to provide low-intensity cognitive behavioral treatment (CBT Lite) in Canada without additional costs to the health system? First-year evaluation of a pilot CBT Lite program. <i>International Journal of Mental Health</i> , 2017, 46, 253-268.	1.3	14
41	Parental Consanguineous Marriages are Associated with Early Age of Onset of Schizophrenia in a Pakistani Cohort. <i>International Journal of Human Genetics</i> , 2017, 17, 135-139.	0.1	4
42	A qualitative study to explore views of patientsâ€™, carersâ€™ and mental health professionalsâ€™ to inform cultural adaptation of CBT for psychosis (CBTp) in China. <i>BMC Psychiatry</i> , 2017, 17, 131.	2.6	31
43	Mental Health Service Provision in Low- and Middle-Income Countries. <i>Health Services Insights</i> , 2017, 10, 117863291769435.	1.3	363
44	Pilot randomised controlled trial of culturally adapted cognitive behavior therapy for psychosis (CaCBTp) in Pakistan. <i>BMC Health Services Research</i> , 2017, 17, 808.	2.2	14
45	A survey of eMedia-delivered interventions for schizophrenia used in randomized controlled trials. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 233-243.	2.2	2
46	Preliminary evaluation of a "formulation-driven cognitive behavioral guided self-help (fCBT-GSH)" for crisis and transitional case management clients. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 769-774.	2.2	6
47	The relationship between childhood trauma and adult psychosis in a UK Early Intervention Service: results of a retrospective case note study. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 269-273.	2.2	8
48	mHealth based interventions for the assessment and treatment of psychotic disorders: a systematic review. <i>MHealth</i> , 2017, 3, 33-33.	1.6	33
49	Reporting and understanding the safety and adverse effect profile of mobile apps for psychosocial interventions: An update. <i>World Journal of Psychiatry</i> , 2016, 6, 187.	2.7	19
50	Online CBT Is Effective in Overcoming Cultural and Language Barriers in Patients With Depression. <i>Journal of Psychiatric Practice</i> , 2016, 22, 2-8.	0.7	31
51	Mutations in the genes for thyroglobulin and thyroid peroxidase cause thyroid dysmorphogenesis and autosomal-recessive intellectual disability. <i>Journal of Human Genetics</i> , 2016, 61, 867-872.	2.3	15
52	Prevalence of nonaffective psychosis in intellectually disabled clients. <i>Psychiatric Genetics</i> , 2016, 26, 145-155.	1.1	16
53	Telling the patients about diagnosis and outcome of schizophrenia: what, when and how?. <i>Microbial Biotechnology</i> , 2016, 10, 101-102.	1.7	7
54	A Qualitative Study to Explore Patientsâ€™, Carersâ€™ and Health Professionalsâ€™ Views to Culturally Adapt CBT for Psychosis (CBTp) in Pakistan. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 43-55.	1.2	39

#	ARTICLE	IF	CITATIONS
55	A global mental health fund for serious mental illness in low-income and middle-income countries. <i>Lancet Psychiatry</i> , 2016, 3, 495-497.	7.4	10
56	Protocol for a multicentre study to assess feasibility, acceptability, effectiveness and direct costs of TRlumPH (Treatment and Recovery In Psychosis): integrated care pathway for psychosis. <i>BMJ Open</i> , 2016, 6, e012751.	1.9	10
57	Challenges in developing feasible and cost-effective therapies for use in LMICs. <i>British Journal of Psychiatry</i> , 2016, 209, 263-264.	2.8	1
58	TechCare: mobile assessment and therapy for psychosis – an intervention for clients in the Early Intervention Service: A feasibility study protocol. <i>SAGE Open Medicine</i> , 2016, 4, 205031211666961.	1.8	16
59	Increasing access to Cognitive Behaviour Therapy in Low and Middle Income Countries: A strategic framework. <i>Asian Journal of Psychiatry</i> , 2016, 22, 190-195.	2.0	28
60	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. <i>Schizophrenia Research</i> , 2016, 173, 69-74.	2.0	16
61	Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. <i>International Journal of Cognitive Therapy</i> , 2016, 9, 73-86.	2.2	26
62	Brief Cognitive Behavior Therapy for Psychosis. , 2016, , 27-39.		2
63	Self-help and guided self-help interventions for schizophrenia and related disorders. <i>The Cochrane Library</i> , 2015, , .	2.8	4
64	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. <i>The Cochrane Library</i> , 2015, 2015, CD010646.	2.8	14
65	Clozapine for psychotic disorders in adults with intellectual disabilities. <i>The Cochrane Library</i> , 2015, 2015, CD010625.	2.8	15
66	Pharmacological interventions for acute and transient psychotic disorder (ATPD). <i>The Cochrane Library</i> , 2015, , .	2.8	2
67	Brief Culturally adapted CBT (CaCBT) for depression: A randomized controlled trial from Pakistan. <i>Journal of Affective Disorders</i> , 2015, 177, 101-107.	4.1	62
68	Rate and predictors of psychotic symptoms after Kashmir earthquake. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 471-481.	3.2	11
69	Preliminary Evaluation of Culturally Adapted CBT for Psychosis (CA-CBTp): Findings from Developing Culturally-Sensitive CBT Project (DCCP). <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 200-208.	1.2	40
70	Brief culturally adapted CBT for psychosis (CaCBTp): A randomized controlled trial from a low income country. <i>Schizophrenia Research</i> , 2015, 164, 143-148.	2.0	75
71	Explanatory models of psychosis amongst British South Asians. <i>Asian Journal of Psychiatry</i> , 2015, 16, 48-54.	2.0	19
72	Using cognitive behaviour therapy with South Asian Muslims: Findings from the culturally sensitive CBT project. <i>International Review of Psychiatry</i> , 2015, 27, 233-46.	2.8	35

#	ARTICLE	IF	CITATIONS
73	Tackling nonadherence in psychiatric disorders: current opinion. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1069.	2.2	48
74	Antenatal Depression is Not Associated with Low-Birth Weight: A Study from Urban Pakistan. <i>Frontiers in Psychiatry</i> , 2014, 5, 175.	2.6	14
75	Tardive dyskinesia in a South Asian population with first episode psychosis treated with antipsychotics. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1953.	2.2	1
76	Reliability of the ICD-10 international personality disorder examination (Urdu version): A preliminary study. <i>Pakistan Journal of Medical Sciences</i> , 2014, 30, 1372-6.	0.6	0
77	Antidepressant and Group Psychosocial Treatment for Depression: A Rater Blind Exploratory RCT from a Low Income Country. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 693-705.	1.2	23
78	Cognitive Behavioral Therapy (Brief vs Standard Duration) for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 958-959.	4.3	6
79	Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. , 2014, , CD010646.		11
80	Disruption of the methyltransferase-like 23 gene METTL23 causes mild autosomal recessive intellectual disability. <i>Human Molecular Genetics</i> , 2014, 23, 4015-4023.	2.9	32
81	Truncation of the E3 ubiquitin ligase component FBXO31 causes non-syndromic autosomal recessive intellectual disability in a Pakistani family. <i>Human Genetics</i> , 2014, 133, 975-984.	3.8	24
82	Brief psychological intervention after self-harm: randomised controlled trial from Pakistan. <i>British Journal of Psychiatry</i> , 2014, 204, 462-470.	2.8	67
83	Domestic violence, mental illness and suicidal ideation â€œ A study from Lahore, Pakistan. <i>Journal of Mental Health</i> , 2013, 22, 474-481.	1.9	6
84	Homozygosity mapping of depressive disorder in a large family from Pakistan: Significant linkage on chromosome 6 and 9. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 157-162.	1.7	2
85	Views of Depressed Patients in Pakistan Concerning Their Illness, Its Causes, and Treatments. <i>Qualitative Health Research</i> , 2012, 22, 1083-1093.	2.1	35
86	Care clusters and mental health Payment by Results. <i>British Journal of Psychiatry</i> , 2012, 200, 162-162.	2.8	4
87	Psychological Morbidity in Children 18Âmonths after Kashmir Earthquake of 2005. <i>Child Psychiatry and Human Development</i> , 2012, 43, 323-336.	1.9	33
88	Can watching traumatic events on TV cause PTSD symptoms? Evidence from Pakistan. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 79-80.	4.5	6
89	Schizophrenia medication adherence in a resource-poor setting: randomised controlled trial of supervised treatment in out-patients for schizophrenia (STOPS). <i>British Journal of Psychiatry</i> , 2011, 199, 467-472.	2.8	67
90	Prevalence and psychosocial risk factors of PTSD: 18months after Kashmir earthquake in Pakistan. <i>Journal of Affective Disorders</i> , 2011, 130, 268-274.	4.1	62

#	ARTICLE	IF	CITATIONS
91	Mutations in the Alpha 1,2-Mannosidase Gene, MAN1B1, Cause Autosomal-Recessive Intellectual Disability. <i>American Journal of Human Genetics</i> , 2011, 89, 176-182.	6.2	73
92	Prevention of self harm in British South Asian women: study protocol of an exploratory RCT of culturally adapted manual assisted Problem Solving Training (C- MAP). <i>Trials</i> , 2011, 12, 159.	1.6	7
93	Urdu translation of the ICD-10 chapter V (F), Research Diagnostic Criteria (RDC): Process and principles of translation. <i>Transcultural Psychiatry</i> , 2011, 48, 484-495.	1.6	5
94	Preliminary Evaluation of Culturally Sensitive CBT for Depression in Pakistan: Findings from Developing Culturally-Sensitive CBT Project (DCCP). <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 165-173.	1.2	72
95	Wars, Insurgencies, and Terrorist Attacks: A Psycho-Social Perspective from the Muslim World By Unaiza Niaz. Oxford University Press Pakistan. 2010. £15.99 (hb). 350pp. ISBN: 9780199060139. <i>British Journal of Psychiatry</i> , 2011, 199, 521-522.	2.8	0
96	Effect of fasting during Ramadan on serum lithium level and mental state in bipolar affective disorder. <i>International Clinical Psychopharmacology</i> , 2010, 25, 323-327.	1.7	30
97	Psychologists experience of cognitive behaviour therapy in a developing country: a qualitative study from Pakistan. <i>International Journal of Mental Health Systems</i> , 2010, 4, 2.	2.7	44
98	Using CBT with diverse patients: working with South Asian Muslims. , 2010, , 41-56.		7
99	Time to change concepts and terminology. <i>British Journal of Psychiatry</i> , 2009, 194, 569-570.	2.8	1
100	University students' views about compatibility of cognitive behaviour therapy (CBT) with their personal, social and religious values (a study from Pakistan). <i>Mental Health, Religion and Culture</i> , 2009, 12, 847-855.	0.9	36
101	A randomized controlled trial to assess an anger management group programme. <i>The Cognitive Behaviour Therapist</i> , 2009, 2, 20-31.	1.0	9
102	Psychiatric morbidity and domestic violence: a survey of married women in Lahore. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 953-960.	3.1	31
103	Identification of Mutations in TRAPPC9, which Encodes the NIK- and IKK- β -Binding Protein, in Nonsyndromic Autosomal-Recessive Mental Retardation. <i>American Journal of Human Genetics</i> , 2009, 85, 909-915.	6.2	120
104	Predictors of Response to Cognitive Behaviour Therapy in the Treatment of Schizophrenia: A Comparison of Brief and Standard Interventions. <i>Cognitive Therapy and Research</i> , 2008, 32, 651-656.	1.9	41
105	CC2D2A, Encoding A Coiled-Coil and C2 Domain Protein, Causes Autosomal-Recessive Mental Retardation with Retinitis Pigmentosa. <i>American Journal of Human Genetics</i> , 2008, 82, 1011-1018.	6.2	88
106	Homozygosity mapping in a family presenting with schizophrenia, epilepsy and hearing impairment. <i>European Journal of Human Genetics</i> , 2008, 16, 750-758.	2.8	31
107	Psychosocial responses to disaster: An Asian perspective. <i>Asian Journal of Psychiatry</i> , 2008, 1, 7-14.	2.0	17
108	Angry Wives, Abusive Husbands: Relationship Between Domestic Violence and Psychosocial Variables. <i>Women's Health Issues</i> , 2008, 18, 453-462.	2.0	47

#	ARTICLE	IF	CITATIONS
109	Linkage Analysis in a Large Family from Pakistan with Depression and a High Incidence of Consanguineous Marriages. <i>Human Heredity</i> , 2008, 66, 190-198.	0.8	3
110	Expansion of psychological therapies. <i>British Journal of Psychiatry</i> , 2008, 193, 256-257.	2.8	11
111	Schizophrenia can and should be renamed. <i>BMJ: British Medical Journal</i> , 2007, 334, 221.3-222.	2.3	20
112	A controlled trial of the effectiveness of drug treatment & testing orders (DTTO) with standard care. <i>Journal of Substance Use</i> , 2007, 12, 253-265.	0.7	2
113	Post-traumatic stress disorder among Afghan refugees following war. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 7-9.	0.1	10
114	Post-traumatic stress disorder among Afghan refugees following war. <i>International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists</i> , 2007, 4, 7-9.	0.1	2
115	Cognitive behaviour therapy for schizophrenia: Relationship between anxiety symptoms and therapy. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2006, 79, 153-164.	2.5	22
116	Stigma and psychiatric illness. A survey of attitude of medical students and doctors in Lahore, Pakistan. <i>Journal of Ayub Medical College, Abbottabad: JAMC</i> , 2006, 18, 46-9.	0.1	18
117	APPNA SEHAT: A description of the development of a health education programme in rural Pakistan. <i>International Journal of Health Promotion and Education</i> , 2005, 43, 137-144.	0.9	0
118	Cognitive Behaviour Therapy for Schizophrenia in Patients with Mild to Moderate Substance Misuse Problems. <i>Cognitive Behaviour Therapy</i> , 2005, 34, 207-215.	3.5	32
119	Psychiatric morbidity among Afghan refugees in Peshawar, Pakistan. <i>Journal of Ayub Medical College, Abbottabad: JAMC</i> , 2005, 17, 23-5.	0.1	10
120	Psychiatric problems in an Afghan village. <i>Journal of Ayub Medical College, Abbottabad: JAMC</i> , 2005, 17, 19-20.	0.1	2
121	Family Work for Schizophrenia: A Practical Guide, second edition E. Kuipers J. Leff D. Gaskell Lam, 2002, £15 pb, 152 pp., ISBN: 1-901242-77-3. <i>Psychiatric Bulletin</i> , 2004, 28, 185-186.	0.3	0
122	Brief culturally adapted cognitive behaviour therapy for obsessive compulsive disorder: A pilot study. <i>Pakistan Journal of Medical Sciences</i> , 1969, 31, 874-9.	0.6	6
123	Acceptance and Commitment Therapy for schizophrenia and related disorders. <i>The Cochrane Library</i> , 0, , .	2.8	3
124	Building Resilience Against Violence (BRAVE): protocol of a parenting intervention for mothers and fathers with post-traumatic stress disorder in Pakistan. <i>Global Mental Health (Cambridge, England)</i> , 0, , 1-8.	2.5	0