Geert-Jan Geersing

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/946132/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Performance of C-Reactive Protein, Procalcitonin, TAT Complex, and Factor VIII in Addition to D-Dimer in the Exclusion of Venous Thromboembolism in Primary Care Patients. journal of applied laboratory medicine, The, 2022, 7, 444-455.	1.3	4
2	Unequal prescription of anticoagulants among females and males with atrial fibrillation and similar stroke risk: Should we omit sex category from the CHA2DS2-VASc score?. Heart Rhythm, 2022, 19, 860-861.	0.7	1
3	Ruling out pulmonary embolism across different healthcare settings: A systematic review and individual patient data meta-analysis. PLoS Medicine, 2022, 19, e1003905.	8.4	19
4	Sex- and age specific association of new-onset atrial fibrillation with in-hospital mortality in hospitalised COVID-19 patients. IJC Heart and Vasculature, 2022, 39, 100970.	1.1	8
5	Safety and Efficiency of Diagnostic Strategies for Ruling Out Pulmonary Embolism in Clinically Relevant Patient Subgroups. Annals of Internal Medicine, 2022, 175, 244-255.	3.9	27
6	Cardiovascular vulnerability predicts hospitalisation in primary care clinically suspected and confirmed COVID-19 patients: A model development and validation study. PLoS ONE, 2022, 17, e0266750.	2.5	3
7	Optimising telephone triage of patients calling for acute shortness of breath during out-of-hours primary care: protocol of a multiple methods study (Opticall). BMJ Open, 2022, 12, e059549.	1.9	Ο
8	Management of bleeding risk in patients who receive anticoagulant therapy for venous thromboembolism: Communication from the ISTH SSC Subcommittee on Predictive and Diagnostic Variables in Thrombotic Disease. Journal of Thrombosis and Haemostasis, 2022, 20, 1910-1919.	3.8	12
9	A systematic review and meta-analysis of diagnostic delay in pulmonary embolism. European Journal of General Practice, 2022, 28, 165-172.	2.0	8
10	Glucocorticoid use and risk of first and recurrent venous thromboembolism: selfâ€controlled caseâ€series and cohort study. British Journal of Haematology, 2021, 193, 1194-1202.	2.5	19
11	A simplified decision rule to rule out deep vein thrombosis using clinical assessment and Dâ€dimer. Journal of Thrombosis and Haemostasis, 2021, 19, 1752-1758.	3.8	3
12	Longâ€ŧerm risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and metaâ€analysis. Journal of Thrombosis and Haemostasis, 2021, 19, 2801-2813.	3.8	19
13	Antithrombotic Therapy for VTE Disease. Chest, 2021, 160, e545-e608.	0.8	357
14	Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism. Annals of Internal Medicine, 2021, 174, 1420-1429.	3.9	60
15	Long-term risk of major bleeding after discontinuing anticoagulation for unprovoked venous thromboembolism: a systematic review and meta-analysis. Thrombosis and Haemostasis, 2021, 0, .	3.4	3
16	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). European Heart Journal, 2020, 41, 543-603.	2.2	2,426
17	Clinical preâ€test probability adjusted versus ageâ€adjusted Dâ€dimer interpretation strategy for DVT diagnosis: A diagnostic individual patient data metaâ€analysis. Journal of Thrombosis and Haemostasis, 2020, 18, 669-675.	3.8	15
18	Design and rationale of DUTCH-AF: a prospective nationwide registry programme and observational study on long-term oral antithrombotic treatment in patients with atrial fibrillation. BMJ Open, 2020, 10, e036220.	1.9	7

GEERT-JAN GEERSING

#	Article	IF	CITATIONS
19	Diagnosing deep vein thrombosis in cancer patients with suspected symptoms: An individual participant data metaâ€analysis. Journal of Thrombosis and Haemostasis, 2020, 18, 2245-2252.	3.8	6
20	Analytical performance and user-friendliness of five novel point-of-care D-dimer assays. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 433-440.	1.2	7
21	Effect of tailoring anticoagulant treatment duration by applying a recurrence risk prediction model in patients with venous thromboembolism compared to usual care: A randomized controlled trial. PLoS Medicine, 2020, 17, e1003142.	8.4	11
22	Integrated management of atrial fibrillation in primary care: results of the ALL-IN cluster randomized trial. European Heart Journal, 2020, 41, 2836-2844.	2.2	43
23	The Number of Concomitant Drugs and the Safety of Direct Oral Anticoagulants in Routine Care Patients with Atrial Fibrillation. TH Open, 2020, 04, e417-e426.	1.4	10
24	Comprehensive Outpatient Management of Low-Risk Pulmonary Embolism: Can Primary Care Do This? A Narrative Review. , 2020, 24, .		12
25	Real-life impact of clinical prediction rules for venous thromboembolism in primary care: a cross-sectional cohort study. BMJ Open, 2020, 10, e039913.	1.9	3
26	Title is missing!. , 2020, 17, e1003142.		0
27	Title is missing!. , 2020, 17, e1003142.		Ο
28	Title is missing!. , 2020, 17, e1003142.		0
29	Title is missing!. , 2020, 17, e1003142.		Ο
30	Stroke Rate Variation and Anticoagulation Benefit in Atrial Fibrillation. Annals of Internal Medicine, 2019, 170, 816.	3.9	0
31	Validation and impact of a simplified clinical decision rule for diagnosing pulmonary embolism in primary care: design of the PECAN prospective diagnostic cohort management study. BMJ Open, 2019, 9, e031639.	1.9	8
32	Safety of switching from vitamin K antagonist to non-vitamin K antagonist oral anticoagulant in frail elderly with atrial fibrillation: rationale and design of the FRAIL-AF randomised controlled trial. BMJ Open, 2019, 9, e032488.	1.9	12
33	Incidence of superficial venous thrombosis in primary care and risk of subsequent venous thromboembolic sequelae: a retrospective cohort study performed with routine healthcare data from the Netherlands. BMJ Open, 2018, 8, e019967.	1.9	23
34	Opportunistic screening for heart failure with natriuretic peptides in patients with atrial fibrillation: a meta-analysis of individual participant data of four screening studies. Heart, 2018, 104, 1236.1-1237.	2.9	11
35	Risk of cardiac and non-cardiac adverse events in community-dwelling older patients with atrial fibrillation: a prospective cohort study in the Netherlands. BMJ Open, 2018, 8, e021681.	1.9	9
36	Ruling out pulmonary embolism across different subgroups of patients and healthcare settings: protocol for a systematic review and individual patient data meta-analysis (IPDMA). Diagnostic and Prognostic Research, 2018, 2, 10.	1.8	7

GEERT-JAN GEERSING

#	Article	IF	CITATIONS
37	Association of Risk of Incident and Recurrent Venous Thromboembolism with Oral Glucocorticoid Treatment. Blood, 2018, 132, 420-420.	1.4	0
38	Clinical characteristics associated with diagnostic delay of pulmonary embolism in primary care: a retrospective observational study. BMJ Open, 2017, 7, e012789.	1.9	26
39	Integrated management of atrial fibrillation including tailoring of anticoagulation in primary care: study design of the ALL-IN cluster randomised trial. BMJ Open, 2017, 7, e015510.	1.9	8
40	Multi-faceted implementation strategy to increase use of a clinical guideline for the diagnosis of deep venous thrombosis in primary care. Family Practice, 2016, 34, cmw066.	1.9	8
41	Ruling Out Pulmonary Embolism in Primary Care: Comparison of the Diagnostic Performance of "Gestalt" and the Wells Rule. Annals of Family Medicine, 2016, 14, 227-234.	1.9	30
42	Categorization of patients as having provoked or unprovoked venous thromboembolism: guidance from the SSC of ISTH. Journal of Thrombosis and Haemostasis, 2016, 14, 1480-1483.	3.8	410
43	The Unfortunate Research Inertia on Studying VTE in Nursing Homes. Chest, 2015, 147, e22.	0.8	2
44	Validation of the Oudega diagnostic decision rule for diagnosing deep vein thrombosis in frail older out-of-hospital patients. Family Practice, 2015, 32, 120-125.	1.9	5
45	The Impending Epidemic of Chronic Cardiopulmonary Disease and Multimorbidity. Chest, 2015, 148, 865-869.	0.8	11
46	Reasons for non-adherence to practice guidelines on stroke prevention in patients with atrial fibrillation: A cross-sectional study in primary care. International Journal of Cardiology, 2015, 187, 525-526.	1.7	7
47	The cost–effectiveness of point-of-care D-dimer tests compared with a laboratory test to rule out deep venous thrombosis in primary care. Expert Review of Molecular Diagnostics, 2015, 15, 125-136.	3.1	21
48	Response to Richard Schreiber: Diagnosing Pulmonary Embolism in Frail Older Adults Out of the Hospital. Journal of the American Geriatrics Society, 2015, 63, 1049-1050.	2.6	0
49	Diagnostic prediction models for suspected pulmonary embolism: systematic review and independent external validation in primary care. BMJ, The, 2015, 351, h4438.	6.0	63
50	Decisions to Withhold Diagnostic Investigations in Nursing Home Patients with a Clinical Suspicion of Venous Thromboembolism. PLoS ONE, 2014, 9, e90395.	2.5	6
51	Alternative diagnoses in patients in whom the GP considered the diagnosis of pulmonary embolism. Family Practice, 2014, 31, 670-677.	1.9	9
52	Accuracy of the Wells Clinical Prediction Rule for Pulmonary Embolism in Older Ambulatory Adults. Journal of the American Geriatrics Society, 2014, 62, 2136-2141.	2.6	27
53	2014 ESC Guidelines on the diagnosis and management of acute pulmonary embolism. European Heart Journal, 2014, 35, 3033-3080.	2.2	2,591
54	Age-Adjusted D-dimer Cutoff for Reducing CT Pulmonary Angiography Tests in Elderly Patients With Suspected Pulmonary Embolism. Chest, 2014, 146, 1423-1424.	0.8	2

GEERT-JAN GEERSING

#	Article	IF	CITATIONS
55	The additional value of the CRP test in patients in whom the primary care physician excluded pulmonary embolism. European Journal of General Practice, 2013, 19, 143-149.	2.0	3
56	Need for tailored strategies to diagnose venous thrombo-embolism in older primary care patients. Extension of a keynote presentation at the 2012 Wonca Europe conference. European Journal of General Practice, 2013, 19, 123-127.	2.0	2
57	Safe exclusion of pulmonary embolism using the Wells rule and qualitative D-dimer testing in primary care: prospective cohort study. BMJ, The, 2012, 345, e6564-e6564.	6.0	121
58	Managing pulmonary embolism using prognostic models: future concepts for primary care. Cmaj, 2012, 184, 305-310.	2.0	2
59	Validation of two age dependent D-dimer cut-off values for exclusion of deep vein thrombosis in suspected elderly patients in primary care: retrospective, cross sectional, diagnostic analysis. BMJ, The, 2012, 344, e2985-e2985.	6.0	69
60	Non-Diagnosis Decisions and Non-Treatment Decisions in Elderly Patients With Cardiovascular Diseases, Do They Differ? – A Systematic Review. Journal of the American Medical Directors Association, 2012, 13, 682-687.	2.5	3
61	Search Filters for Finding Prognostic and Diagnostic Prediction Studies in Medline to Enhance Systematic Reviews. PLoS ONE, 2012, 7, e32844.	2.5	235
62	Does a decision aid help physicians to detect chronic obstructive pulmonary disease?. British Journal of General Practice, 2011, 61, e674-e679.	1.4	6
63	Clinical Decision Rules for Excluding Pulmonary Embolism: A Meta-analysis. Annals of Internal Medicine, 2011, 155, 448.	3.9	245
64	Deep venous thrombosis. British Journal of General Practice, 2011, 61, 141.1-141.	1.4	0
65	Diagnostic classification in patients with suspected deep venous thrombosis: physicians' judgement or a decision rule?. British Journal of General Practice, 2010, 60, 742-748.	1.4	27
66	Diagnostic Accuracy and User-Friendliness of 5 Point-of-Care D-Dimer Tests for the Exclusion of Deep Vein Thrombosis. Clinical Chemistry, 2010, 56, 1758-1766.	3.2	39