

Juan JesÃ³s Carrero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9461610/publications.pdf>

Version: 2024-02-01

367
papers

45,610
citations

13099

68
h-index

2448

197
g-index

368
all docs

368
docs citations

368
times ranked

57378
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Removing race from the CKD-EPI equation and its impact on prognosis in a predominantly White European population. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 119-128. | 0.7 | 21 |
| 2 | Separate and combined effects of individual and neighbourhood socio-economic disadvantage on health-related lifestyle risk factors: a multilevel analysis. <i>International Journal of Epidemiology</i> , 2022, 50, 1959-1969. | 1.9 | 16 |
| 3 | A Comparative Analysis of Nutritional Assessment Using Global Leadership Initiative on Malnutrition Versus Subjective Global Assessment and Malnutrition Inflammation Score in Maintenance Hemodialysis Patients. , 2022, 32, 476-482. | | 17 |
| 4 | Healthy Lifestyle and Mortality Among Adults Receiving Hemodialysis: The DIET-HD Study. <i>American Journal of Kidney Diseases</i> , 2022, 79, 688-698.e1. | 1.9 | 7 |
| 5 | Fiber intake and health in people with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 213-225. | 2.9 | 31 |
| 6 | Patterns of chronic and transient hyperkalaemia and clinically important outcomes in patients with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 153-161. | 2.9 | 6 |
| 7 | Country-specific sex disparities in living kidney donation. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 595-598. | 0.7 | 8 |
| 8 | Use of nephrotoxic medications in adults with chronic kidney disease in Swedish and US routine care. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 442-451. | 2.9 | 29 |
| 9 | Stopping renin-angiotensin system inhibitors after hyperkalemia and risk of adverse outcomes. <i>American Heart Journal</i> , 2022, 243, 177-186. | 2.7 | 19 |
| 10 | Can Novel Potassium Binders Liberate People with Chronic Kidney Disease from the Low-Potassium Diet?. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 467-472. | 4.5 | 12 |
| 11 | GLP-1 receptor agonist versus DPP-4 inhibitor and kidney and cardiovascular outcomes in clinical practice in type-2 diabetes. <i>Kidney International</i> , 2022, 101, 360-368. | 5.2 | 15 |
| 12 | Nephrologistsâ€™ Perspectives on Gender Disparities in CKD and Dialysis. <i>Kidney International Reports</i> , 2022, 7, 424-435. | 0.8 | 25 |
| 13 | Sex-Specific Differences in Mortality and Incident Dialysis in the Chronic Kidney Disease Outcomes and Practice Patterns Study. <i>Kidney International Reports</i> , 2022, 7, 410-423. | 0.8 | 15 |
| 14 | Reply to the letter regarding the article â€œStopping mineralocorticoid receptor antagonists after hyperkalaemia: trial emulation in data from routine careâ€™. <i>European Journal of Heart Failure</i> , 2022, 24, 399-400. | 7.1 | 0 |
| 15 | Stopping versus continuing reninâ€“angiotensinâ€“system inhibitors after acute kidney injury and adverse clinical outcomes: an observational study from routine care data. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1109-1119. | 2.9 | 8 |
| 16 | The Stockholm CREAtinine Measurements (SCREAM) project: Fostering improvements in chronic kidney disease care. <i>Journal of Internal Medicine</i> , 2022, 291, 254-268. | 6.0 | 34 |
| 17 | Comparative effectiveness of SGLT2i versus GLP1-RA on cardiovascular outcomes in routine clinical practice. <i>International Journal of Cardiology</i> , 2022, 352, 172-179. | 1.7 | 13 |
| 18 | Cost of End-of-Life Inpatient Encounters in Patients with Chronic Kidney Disease in the United States: A Report from the DISCOVER CKD Retrospective Cohort. <i>Advances in Therapy</i> , 2022, 39, 1432-1445. | 2.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Surgical versus endovascular intervention for vascular access thrombosis: a nationwide observational cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1742-1750. | 0.7 | 5 |
| 20 | Ultra-processed foods and risk of all-cause mortality in renal transplant recipients. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1646-1657. | 4.7 | 14 |
| 21 | Ultraprocessed food consumption and kidney function decline in a population-based cohort in the Netherlands. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 263-273. | 4.7 | 22 |
| 22 | Kidney Function, Kidney Replacement Therapy, and Mortality in Men and Women. <i>Kidney International Reports</i> , 2022, 7, 444-454. | 0.8 | 11 |
| 23 | Using Structural Equation Modeling to Untangle Pathways of Risk Factors Associated with Incident Type 2 Diabetes: the Lifelines Cohort Study. <i>Prevention Science</i> , 2022, 23, 1090-1100. | 2.6 | 5 |
| 24 | Triglycerides-glucose index and the risk of cardiovascular events in persons with non-diabetic chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1705-1712. | 2.9 | 7 |
| 25 | Cancer risk in patients with immunoglobulin A nephropathy: a Swedish population-based cohort study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 749-759. | 0.7 | 2 |
| 26 | Can Peer Review Be Kinder? Supportive Peer Review: A Re-Commitment to Kindness and a Call to Action. <i>Canadian Journal of Kidney Health and Disease</i> , 2022, 9, 205435812210803. | 1.1 | 5 |
| 27 | FC 102: Daily Phosphorus Intake, its Source and Mortality in Adults on Hemodialysis: The Diet-Hd Study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 28 | FC078: Impact of Removing Race from the CKD-EPI Equation: Analysis of 1.6 Million Swedish Adults. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 5 |
| 29 | FC 129: Stopping versus Continuing Renin-Angiotensin System Inhibitors After Acute Kidney Injury and Adverse Clinical Outcomes: An Observational Study From Routine Care Data. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 30 | MO508: Estimated Glomerular Filtration Rate and the Risk of Inflammatory Bowel Disease in Adults: A Swedish Population-Based Study. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 31 | FC 128: Novel Glucose-Lowering Drugs and the Risk of Acute Kidney Injury in Routine Care: The Stockholm Creatinine Measurements (SCREAM) Project. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 32 | FC006: Sex Differences in the Recognition, Monitoring and Management of Chronic Kidney Disease in Health Care. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 33 | FC078: Impact of Removing Race from the CKD-EPI Equation: Analysis of 1.6 Million Swedish Adults. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 34 | MO514: Cardiorenal Outcomes Associated With Oral Anticoagulant Use in Patients With Atrial Fibrillation. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 35 | FC081: Cholinesterase Inhibitors and Kidney Function Decline in Patients with Alzheimer's Dementia. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |
| 36 | MO544: Outcomes Associated With use of Phosphate Binders in Persons With Chronic Kidney Disease Stages 4 and 5 in Spain. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, . | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Lipid-lowering treatment intensity, persistence, adherence and goal attainment in patients with coronary heart disease. <i>American Heart Journal</i> , 2022, 251, 78-90. | 2.7 | 7 |
| 38 | The Other Way Around: Living With Chronic Kidney Disease From the Perspective of Men. <i>Seminars in Nephrology</i> , 2022, 42, 122-128. | 1.6 | 4 |
| 39 | Low Adherence to Kidney Disease: Improving Global Outcomes 2012 CKD Clinical Practice Guidelines Despite Clear Evidence of Utility. <i>Kidney International Reports</i> , 2022, 7, 2059-2070. | 0.8 | 6 |
| 40 | Intensity of and Adherence to Lipid-Lowering Therapy as Predictors of Major Adverse Cardiovascular Outcomes in Patients With Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2022, 11, . | 3.7 | 13 |
| 41 | Does dietary potassium intake associate with hyperkalemia in patients with chronic kidney disease?. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 2049-2057. | 0.7 | 64 |
| 42 | Clinical Management of Hyperkalemia. <i>Mayo Clinic Proceedings</i> , 2021, 96, 744-762. | 3.0 | 87 |
| 43 | Nutritional status, hyperkalaemia and attainment of energy/protein intake targets in haemodialysis patients following plant-based diets: a longitudinal cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 681-688. | 0.7 | 23 |
| 44 | Effects of a resistance training program in kidney transplant recipients: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 473-479. | 2.9 | 11 |
| 45 | Kidney disease and mortality in patients with respiratory tract infections: a systematic review and meta-analysis. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 602-611. | 2.9 | 13 |
| 46 | Modifiable Lifestyle Factors for Primary Prevention of CKD: A Systematic Review and Meta-Analysis. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 239-253. | 6.1 | 115 |
| 47 | Arteriovenous access placement and renal function decline. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 275-280. | 0.7 | 4 |
| 48 | Secondary hyperparathyroidism and adverse health outcomes in adults with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2213-2220. | 2.9 | 31 |
| 49 | Dietary Factors and Prevention: Risk of End-Stage Kidney Disease by Fruit and Vegetable Consumption. <i>American Journal of Nephrology</i> , 2021, 52, 356-367. | 3.1 | 16 |
| 50 | Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 983-990. | 2.9 | 8 |
| 51 | Disorders in bone-mineral parameters and the risk of death in persons with chronic kidney disease stages 4 and 5: the PECERA study. <i>Journal of Nephrology</i> , 2021, 34, 1189-1199. | 2.0 | 11 |
| 52 | Nutritional status improvement in elderly CKD patients: a systematic review. <i>International Urology and Nephrology</i> , 2021, 53, 1603-1621. | 1.4 | 1 |
| 53 | Adaptation of the Charlson Comorbidity Index for Register-Based Research in Sweden. <i>Clinical Epidemiology</i> , 2021, Volume 13, 21-41. | 3.0 | 111 |
| 54 | Dietary intake in adults on hemodialysis compared with guideline recommendations. <i>Journal of Nephrology</i> , 2021, 34, 1999-2007. | 2.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Factors affecting pre-end-stage kidney disease haemoglobin control and outcomes following dialysis initiation: a nationwide study. CKJ: Clinical Kidney Journal, 2021, 14, 1780-1788. | 2.9 | 4 |
| 56 | Validation of risk scores for ischaemic stroke in atrial fibrillation across the spectrum of kidney function. European Heart Journal, 2021, 42, 1476-1485. | 2.2 | 26 |
| 57 | Use of sodium-glucose cotransporter 2 inhibitors in patients with heart failure and type 2 diabetes mellitus: data from the Swedish Heart Failure Registry. European Journal of Heart Failure, 2021, 23, 1012-1022. | 7.1 | 33 |
| 58 | Sex- and Gender-Based Pharmacological Response to Drugs. Pharmacological Reviews, 2021, 73, 730-762. | 16.0 | 80 |
| 59 | Stress Related Disorders and the Risk of Kidney Disease. Kidney International Reports, 2021, 6, 706-715. | 0.8 | 12 |
| 60 | Cloth Masks May Prevent Transmission of COVID-19. Annals of Internal Medicine, 2021, 174, 580. | 3.9 | 1 |
| 61 | Methods and rationale of the DISCOVER CKD global observational study. CKJ: Clinical Kidney Journal, 2021, 14, 1570-1578. | 2.9 | 11 |
| 62 | Multimorbidity and the risk of major adverse kidney events: findings from the UK Biobank cohort. CKJ: Clinical Kidney Journal, 2021, 14, 2409-2419. | 2.9 | 5 |
| 63 | ESPEN guideline on clinical nutrition in hospitalized patients with acute or chronic kidney disease. Clinical Nutrition, 2021, 40, 1644-1668. | 5.0 | 103 |
| 64 | Comparative Effectiveness of Renin-Angiotensin System Inhibitors and Calcium Channel Blockers in Individuals With Advanced CKD: A Nationwide Observational Cohort Study. American Journal of Kidney Diseases, 2021, 77, 719-729.e1. | 1.9 | 29 |
| 65 | FC 070 USE OF POTENTIALLY NEPHROTOXIC MEDICATIONS IN PERSONS WITH CHRONIC KIDNEY DISEASE: PARALLEL COHORT STUDIES IN SWEDISH AND U.S ROUTINE CARE. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 66 | MO493 PATTERNS OF HYPERKALEMIA AND ASSOCIATED ADVERSE HEALTH OUTCOMES IN PERSONS WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 67 | MO811 HEALTHY LIFESTYLE SCORE AND MORTALITY IN PATIENTS ON HEMODIALYSIS: AN ANALYSIS OF THE DIET-HD STUDY. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 68 | MO129 COMPARATIVE EFFECTIVENESS OF SGLT2I VERSUS DPP4I ON CARDIOVASCULAR AND RENAL OUTCOMES IN ROUTINE-CARE SETTINGS. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 69 | FC 067 WHEN TO INITIATE DIALYSIS TO REDUCE MORTALITY AND CARDIOVASCULAR EVENTS IN ADVANCED CKD: A NATIONWIDE COHORT STUDY. Nephrology Dialysis Transplantation, 2021, 36, . | 0.7 | 0 |
| 70 | Burden and causes of hospital admissions and readmissions in patients undergoing hemodialysis and peritoneal dialysis: a nationwide study. Journal of Nephrology, 2021, 34, 1949-1959. | 2.0 | 3 |
| 71 | Optimizing Diet to Slow CKD Progression. Frontiers in Medicine, 2021, 8, 654250. | 2.6 | 22 |
| 72 | Secular trends in hip fracture incidence and subsequent mortality in dialysis patients and the general population in Sweden. Bone, 2021, 147, 115909. | 2.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of nutritional support on nutritional status and inflammation in malnourished patients undergoing maintenance hemodialysis. <i>Hemodialysis International</i> , 2021, 25, 532-540. | 0.9 | 4 |
| 74 | Alpha-1 adrenergic receptor antagonists to prevent hyperinflammation and death from lower respiratory tract infection. <i>ELife</i> , 2021, 10, . | 6.0 | 21 |
| 75 | Net Endogenous Acid Excretion and Kidney Allograft Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1398-1406. | 4.5 | 12 |
| 76 | Stopping mineralocorticoid receptor antagonists after hyperkalaemia: trial emulation in data from routine care. <i>European Journal of Heart Failure</i> , 2021, 23, 1698-1707. | 7.1 | 37 |
| 77 | Treatment practices and outcomes in incident peritoneal dialysis patients: the Swedish Renal Registry 2006â€“2015. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2539-2547. | 2.9 | 3 |
| 78 | Blood lipids-related dietary patterns derived from reduced rank regression are associated with incident type 2 diabetes. <i>Clinical Nutrition</i> , 2021, 40, 4712-4719. | 5.0 | 7 |
| 79 | Lifestyle interventions for preventing and ameliorating CKD in primary and secondary care. <i>Current Opinion in Nephrology and Hypertension</i> , 2021, 30, 538-546. | 2.0 | 9 |
| 80 | Albuminuria Testing in Hypertension and Diabetes: An Individual-Participant Data Meta-Analysis in a Global Consortium. <i>Hypertension</i> , 2021, 78, 1042-1052. | 2.7 | 52 |
| 81 | Pharmacoepidemiology for nephrologists (part 2): potential biases and how to overcome them. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1317-1326. | 2.9 | 31 |
| 82 | Glucagon-like peptide-1 receptor agonists and the risk of cardiovascular events in diabetes patients surviving an acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 104-111. | 3.0 | 23 |
| 83 | Evolution of body composition and wasting indicators by time of day of haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 346-354. | 0.7 | 1 |
| 84 | Association between implementation of novel therapies and improved survival in patients starting haemodialysis: the Swedish Renal Registry 2006â€“15. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1298-1306. | 0.7 | 3 |
| 85 | Stopping Renin-Angiotensin System Inhibitors in Patients with Advanced CKD and Risk of Adverse Outcomes: A Nationwide Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 424-435. | 6.1 | 85 |
| 86 | Effect of Phosphate-Specific Diet Therapy on Phosphate Levels in Adults Undergoing Maintenance Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 107-120. | 4.5 | 19 |
| 87 | Pharmacoepidemiology for nephrologists (part 1): concept, applications and considerations for study design. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1307-1316. | 2.9 | 4 |
| 88 | Hospitalisation events in people with chronic kidney disease as a component of multimorbidity: parallel cohort studies in research and routine care settings. <i>BMC Medicine</i> , 2021, 19, 278. | 5.5 | 13 |
| 89 | Timing of dialysis initiation to reduce mortality and cardiovascular events in advanced chronic kidney disease: nationwide cohort study. <i>BMJ, The</i> , 2021, 375, e066306. | 6.0 | 25 |
| 90 | Sex Differences in Kidney Transplantation: Austria and the United States, 1978â€“2018. <i>Frontiers in Medicine</i> , 2021, 8, 800933. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Clinical characteristics and treatments in patients with chronic kidney disease and dementia. <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.8 | 0 |
| 92 | Short- and long-term outcomes after incident pneumonia in adults with chronic kidney disease: a time-dependent analysis from the Stockholm CREATinine Measurement project. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1894-1900. | 0.7 | 10 |
| 93 | Dietary Patterns and Mortality in a Multinational Cohort of Adults Receiving Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2020, 75, 361-372. | 1.9 | 12 |
| 94 | Potassium homeostasis and management of dyskalemia in kidney diseases: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2020, 97, 42-61. | 5.2 | 260 |
| 95 | Initiation of sodium polystyrene sulphonate and the risk of gastrointestinal adverse events in advanced chronic kidney disease: a nationwide study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1518-1526. | 0.7 | 62 |
| 96 | Fractures and their sequelae in non-dialysis-dependent chronic kidney disease: the Stockholm CREATinine Measurement project. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1908-1915. | 0.7 | 14 |
| 97 | Growth differentiation factor 15 (GDF-15) is a potential biomarker of both diabetic kidney disease and future cardiovascular events in cohorts of individuals with type 2 diabetes: a proteomics approach. <i>Upsala Journal of Medical Sciences</i> , 2020, 125, 37-43. | 0.9 | 40 |
| 98 | Long-term Renal Effects of Proton Pump Inhibitor Use. <i>Gastroenterology</i> , 2020, 158, 1173-1174. | 1.3 | 2 |
| 99 | SWEDHEART-1-year data show no benefit of newer generation drug-eluting stents over bare-metal stents in patients with severe kidney dysfunction following percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2020, 31, 49-58. | 0.7 | 2 |
| 100 | Glycemic Control and the Risk of Acute Kidney Injury in Patients With Type 2 Diabetes and Chronic Kidney Disease: Parallel Population-Based Cohort Studies in U.S. and Swedish Routine Care. <i>Diabetes Care</i> , 2020, 43, 2975-2982. | 8.6 | 22 |
| 101 | Association Between β -Blocker Use and Mortality/Morbidity in Patients With Heart Failure With Reduced, Midrange, and Preserved Ejection Fraction and Advanced Chronic Kidney Disease. <i>Circulation: Heart Failure</i> , 2020, 13, e007180. | 3.9 | 12 |
| 102 | KDOQI Clinical Practice Guideline for Nutrition in CKD: 2020 Update. <i>American Journal of Kidney Diseases</i> , 2020, 76, S1-S107. | 1.9 | 829 |
| 103 | Creatinine and C-reactive protein in amyotrophic lateral sclerosis, multiple sclerosis and Parkinson's disease. <i>Brain Communications</i> , 2020, 2, fcaa152. | 3.3 | 21 |
| 104 | Acceleration of kidney function decline after incident hospitalization with cardiovascular disease: the Stockholm <i>CREATinine</i> Measurements (<i>SCREAM</i>) project. <i>European Journal of Heart Failure</i> , 2020, 22, 1790-1799. | 7.1 | 21 |
| 105 | Medical Nutritional Therapy for Patients with Chronic Kidney Disease not on Dialysis: The Low Protein Diet as a Medication. <i>Journal of Clinical Medicine</i> , 2020, 9, 3644. | 2.4 | 17 |
| 106 | Kidney function and the risk of heart failure in patients with new-onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2020, 320, 101-105. | 1.7 | 4 |
| 107 | Incidence of Fractures Before and After Dialysis Initiation. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 2372-2380. | 2.8 | 8 |
| 108 | β -blocker dialyzability and the risk of mortality and cardiovascular events in patients undergoing hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1959-1965. | 0.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Stopping renin-angiotensin system blockers after acute kidney injury and risk of adverse outcomes: parallel population-based cohort studies in English and Swedish routine care. BMC Medicine, 2020, 18, 195. | 5.5 | 21 |
| 110 | SO057BETA-BLOCKERS ARE ASSOCIATED WITH REDUCED MORTALITY IN PATIENTS WITH HEART FAILURE WITH REDUCED EJECTION FRACTION AND ADVANCED CHRONIC KIDNEY DISEASE: COHORT STUDY. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 111 | Fractures after kidney transplantation: Incidence, predictors, and association with mortality. Bone, 2020, 140, 115554. | 2.9 | 18 |
| 112 | Forgotten Technology in the COVID-19 Pandemic: Filtration Properties of Cloth and Cloth Masksâ€™A Narrative Review. Mayo Clinic Proceedings, 2020, 95, 2204-2224. | 3.0 | 46 |
| 113 | P0698STRESS RELATED DISORDERS AND THE RISK OF KIDNEY DISEASE: A MATCHED COHORT STUDY BASED ON THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 114 | P1409HIP FRACTURE TRENDS IN SWEDISH GENERAL POPULATION AND DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 115 | P1389MAJOR OSTEOPOROTIC FRACTURES AFTER INITIATION OF DIALYSIS: INCIDENCE, PREDICTORS AND ASSOCIATION WITH MORTALITY. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 1 |
| 116 | MO003ADHERENCE TO DIETARY GUIDELINES IN ADULTS UNDERGOING MAINTAINANCE HAEMODIALYSIS: THE DIET-HD STUDY. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 117 | P0774KIDNEY FUNCTION, KIDNEY FUNCTION DECLINE AND THE RISK OF ALL CAUSE, VASCULAR AND ALZHEIMER'S DEMENTIA: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 118 | P0887MAJOR OSTEOPOROTIC FRACTURES AFTER KIDNEY TRANSPLANTATION: INCIDENCE, PREDICTORS AND ASSOCIATION WITH MORTALITY. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 119 | Cardiovascular disease risk assessment in patients with familial Mediterranean fever related renal amyloidosis. Scientific Reports, 2020, 10, 18374. | 3.3 | 5 |
| 120 | SO072INCIDENCE OF FRACTURES BEFORE AND AFTER DIALYSIS INITIATION AMONG INCIDENT DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 121 | Sex and gender: modifiers of health, disease, and medicine. Lancet, The, 2020, 396, 565-582. | 13.7 | 955 |
| 122 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€™2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021. | 2.8 | 4,468 |
| 123 | MO050GLYCEMIC CONTROL AND THE RISK OF AKI IN PATIENTS WITH DIABETES AND CKD: PARALLEL POPULATION-BASED COHORT STUDIES IN U.S. AND SWEDEN ROUTINE CARE. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 124 | MO071EXTERNAL VALIDATION OF ISCHEMIC STROKE RISK PREDICTION MODELS IN ATRIAL FIBRILLATION PATIENTS WITH CHRONIC KIDNEY DISEASE: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 125 | P1372PRE-DIALYSIS HAEMOGLOBIN TARGET ATTAINMENT AND POST-DIALYSIS OUTCOMES IN PERSONS WITH RENAL ANAEMIA: A NATIONWIDE STUDY. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |
| 126 | P1437RELATIONS BETWEEN IMPLEMENTATIONS OF EVIDENCE-BASED TREATMENTS AND IMPROVED OUTCOMES IN PATIENTS STARTING HEMODIALYSIS DURING THE LAST 10 YEARS: EXPERIENCES FROM THE SWEDISH RENAL REGISTRY 2006-2015. Nephrology Dialysis Transplantation, 2020, 35, . | 0.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | P1444CHANGES IN TREATMENTS AND OUTCOMES OF PATIENTS INITIATING PERITONEAL DIALYSIS DURING THE LAST 10 YEARS: DATA FROM SWEDISH RENAL REGISTRY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.7 | 0 |
| 128 | Bisphosphonate utilization across the spectrum of eGFR. <i>Archives of Osteoporosis</i> , 2020, 15, 69. | 2.4 | 4 |
| 129 | Contemporary management of anaemia, erythropoietin resistance and cardiovascular risk in patients with advanced chronic kidney disease: a nationwide analysis. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 821-827. | 2.9 | 29 |
| 130 | Plant-based diets to manage the risks and complications of chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2020, 16, 525-542. | 9.6 | 156 |
| 131 | P0178COMPARATIVE EFFECTIVENESS OF RENIN-ANGIOTENSIN SYSTEM INHIBITORS AND CALCIUM CHANNEL BLOCKERS IN INDIVIDUALS WITH ADVANCED CHRONIC KIDNEY DISEASE: A NATIONWIDE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.7 | 0 |
| 132 | P0816CLINICAL CHARACTERISTICS AND EGFR AND UACR DISTRIBUTION ACCORDING TO THE 2012 KDIGO CKD CLASSIFICATION: A REPORT FROM THE US DISCOVER CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.7 | 0 |
| 133 | Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 1091-1101. | 2.0 | 18 |
| 134 | P0771STOPPING MINERALOCORTICOID RECEPTOR ANTAGONISTS AFTER HYPERKALEMIA AND RISK OF ADVERSE OUTCOMES IN PATIENTS WITH HEART FAILURE. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.7 | 0 |
| 135 | Global, Regional, and National Burden of Calcific Aortic Valve and Degenerative Mitral Valve Diseases, 1990â€“2017. <i>Circulation</i> , 2020, 141, 1670-1680. | 1.6 | 206 |
| 136 | MO073ACCELERATION OF KIDNEY FUNCTION DECLINE AFTER INCIDENT HOSPITALIZATION WITH CARDIOVASCULAR DISEASE: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.7 | 0 |
| 137 | Association between potassium level and outcomes in heart failure with reduced ejection fraction: a cohort study from the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2020, 22, 1390-1398. | 7.1 | 33 |
| 138 | Global, regional, and national burden of chronic kidney disease, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 709-733. | 13.7 | 2,858 |
| 139 | Incident Hospitalization with Major Cardiovascular Diseases and Subsequent Risk of ESKD: Implications for Cardiorenal Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 405-414. | 6.1 | 39 |
| 140 | Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. <i>Bone</i> , 2020, 133, 115242. | 2.9 | 16 |
| 141 | Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. <i>Injury Prevention</i> , 2020, 26, i67-i74. | 2.4 | 65 |
| 142 | Association between reduced kidney function and incident hypoglycaemia in people with diabetes: The Stockholm <sc>Creatinine</sc> Measurements (<sc>SCREAM</sc>) project. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1425-1435. | 4.4 | 8 |
| 143 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26. | 2.4 | 44 |
| 144 | Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. <i>PLoS ONE</i> , 2020, 15, e0243431. | 2.5 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Cloth Masks May Prevent Transmission of COVID-19: An Evidence-Based, Risk-Based Approach. <i>Annals of Internal Medicine</i> , 2020, 173, 489-491. | 3.9 | 68 |
| 146 | Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431. | | 0 |
| 147 | Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431. | | 0 |
| 148 | Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431. | | 0 |
| 149 | Sex differences in chronic kidney disease awareness among US adults, 1999 to 2018. , 2020, 15, e0243431. | | 0 |
| 150 | Plasma potassium ranges associated with mortality across stages of chronic kidney disease: the Stockholm CREATinine Measurements (SCREAM) project. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1534-1541. | 0.7 | 40 |
| 151 | Serum phosphate optimal timing and range associated with patients survival in haemodialysis: the COSMOS study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 673-681. | 0.7 | 23 |
| 152 | Association of Acute Increases in Plasma Creatinine after Renin-Angiotensin Blockade with Subsequent Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1336-1345. | 4.5 | 22 |
| 153 | High-sensitivity C-reactive protein and the risk of chronic kidney disease progression or acute kidney injury in post-“myocardial infarction patients. <i>American Heart Journal</i> , 2019, 216, 20-29. | 2.7 | 26 |
| 154 | Evaluating Glomerular Filtration Rate Slope as a Surrogate End Point for ESKD in Clinical Trials: An Individual Participant Meta-Analysis of Observational Data. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1746-1755. | 6.1 | 109 |
| 155 | FC062Comparative effectiveness of bisoprolol and carvedilol among patients undergoing maintenance hemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, . | 0.7 | 0 |
| 156 | Treatments and Mortality Trends in Cases With and Without Dialysis Who Have an Acute Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019, 12, e005879. | 2.2 | 17 |
| 157 | Incidence of, Associations With and Prognostic Impact of Worsening Renal Function in Heart Failure With Different Ejection Fraction Categories. <i>American Journal of Cardiology</i> , 2019, 124, 1575-1583. | 1.6 | 20 |
| 158 | Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. <i>JAMA Oncology</i> , 2019, 5, 1749. | 7.1 | 1,691 |
| 159 | Kidney Dysfunction and the Risk of Developing Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2019, 73, 305-314. | 2.8 | 59 |
| 160 | Fruit and Vegetable Intake and Mortality in Adults undergoing Maintenance Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 250-260. | 4.5 | 85 |
| 161 | Alterations of Fatty Acid Profile May Contribute to Dyslipidemia in Chronic Kidney Disease by Influencing Hepatocyte Metabolism. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2470. | 4.1 | 16 |
| 162 | Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. <i>PLoS ONE</i> , 2019, 14, e0218335. | 2.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Risk of Hospitalization for Serious Adverse Gastrointestinal Events Associated With Sodium Polystyrene Sulfonate Use in Patients of Advanced Age. <i>JAMA Internal Medicine</i> , 2019, 179, 1025. | 5.1 | 98 |
| 164 | hsCRP Level and the Risk of Death or Recurrent Cardiovascular Events in Patients With Myocardial Infarction: a Healthcare-Based Study. <i>Journal of the American Heart Association</i> , 2019, 8, e012638. | 3.7 | 79 |
| 165 | Higher body mass index is associated with incident diabetes and chronic kidney disease independent of genetic confounding. <i>Kidney International</i> , 2019, 95, 1225-1233. | 5.2 | 26 |
| 166 | Estimated Glomerular Filtration Rate and the Risk of Cancer. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 530-539. | 4.5 | 46 |
| 167 | Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2019, 393, 1958-1972. | 13.7 | 3,062 |
| 168 | Albuminuria as a Predictor of Cardiovascular Outcomes in Patients With Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2019, 8, e010546. | 3.7 | 25 |
| 169 | Sex Differences in Kidney Replacement Therapy Initiation and Maintenance. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1616-1625. | 4.5 | 37 |
| 170 | The Risk of Stroke and Stroke Type in Patients With Atrial Fibrillation and Chronic Kidney Disease. <i>Canadian Journal of Kidney Health and Disease</i> , 2019, 6, 205435811989237. | 1.1 | 8 |
| 171 | Estimated GFR and Hospital-Acquired Infections Following Major Surgery. <i>American Journal of Kidney Diseases</i> , 2019, 73, 11-20. | 1.9 | 14 |
| 172 | Incidence, Predictors, and Outcome Associations of Dyskalemia in Heart Failure With Preserved, Mid-Range, and Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2019, 7, 65-76. | 4.1 | 62 |
| 173 | Sex-specific analysis of haemodialysis prevalence, practices and mortality over time: the Austrian Dialysis Registry from 1965 to 2014. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1026-1035. | 0.7 | 18 |
| 174 | Exercise training in kidney transplant recipients: a systematic review. <i>Journal of Nephrology</i> , 2019, 32, 567-579. | 2.0 | 52 |
| 175 | Nutrient Metabolism and Protein-Energy Wasting in Chronic Kidney Disease. , 2019, , 194-207.e5. | | 0 |
| 176 | Causes of death across categories of estimated glomerular filtration rate: The Stockholm CREATinine Measurements (SCREAM) project. <i>PLoS ONE</i> , 2019, 14, e0209440. | 2.5 | 8 |
| 177 | Change in albuminuria and subsequent risk of end-stage kidney disease: an individual participant-level consortium meta-analysis of observational studies. <i>Lancet Diabetes and Endocrinology,the</i> , 2019, 7, 115-127. | 11.4 | 199 |
| 178 | Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019, 73, 206-217. | 1.9 | 49 |
| 179 | Fibroblast growth factor 23 is associated with fractional excretion of sodium in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 2051-2057. | 0.7 | 15 |
| 180 | Liberalizing the diet of patients undergoing dialysis: are we ready?. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 180-183. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Prevalence of renally inappropriate medicines in older people with renal impairment – A cross-sectional register-based study in a large primary care population. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 256-265. | 2.5 | 14 |
| 182 | Clinical and research implications of serum versus plasma potassium measurements. <i>European Journal of Heart Failure</i> , 2019, 21, 536-537. | 7.1 | 18 |
| 183 | Circulating proteins as predictors of cardiovascular mortality in end-stage renal disease. <i>Journal of Nephrology</i> , 2019, 32, 111-119. | 2.0 | 42 |
| 184 | Potassium levels and risk of in-hospital arrhythmias and mortality in patients admitted with suspected acute coronary syndrome. <i>International Journal of Cardiology</i> , 2019, 274, 52-58. | 1.7 | 19 |
| 185 | Dietary n-3 polyunsaturated fatty acid intake and all-cause and cardiovascular mortality in adults on hemodialysis: The DIET-HD multinational cohort study. <i>Clinical Nutrition</i> , 2019, 38, 429-437. | 5.0 | 16 |
| 186 | Chronic kidney disease and arrhythmias: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>European Heart Journal</i> , 2018, 39, 2314-2325. | 2.2 | 186 |
| 187 | Factors associated with underuse of mineralocorticoid receptor antagonists in heart failure with reduced ejection fraction: an analysis of 11 215 patients from the Swedish Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2018, 20, 1326-1334. | 7.1 | 156 |
| 188 | Incidence, predictors and clinical management of hyperkalaemia in new users of mineralocorticoid receptor antagonists. <i>European Journal of Heart Failure</i> , 2018, 20, 1217-1226. | 7.1 | 116 |
| 189 | Cinacalcet use and the risk of cardiovascular events, fractures and mortality in chronic kidney disease patients with secondary hyperparathyroidism. <i>Scientific Reports</i> , 2018, 8, 2103. | 3.3 | 19 |
| 190 | Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2018, 14, 151-164. | 9.6 | 473 |
| 191 | Predicting timing of clinical outcomes in patients with chronic kidney disease and severely decreased glomerular filtration rate. <i>Kidney International</i> , 2018, 93, 1442-1451. | 5.2 | 124 |
| 192 | Lower serum calcium is independently associated with CKD progression. <i>Scientific Reports</i> , 2018, 8, 5148. | 3.3 | 24 |
| 193 | Outcomes in patients treated with ticagrelor versus clopidogrel after acute myocardial infarction stratified by renal function. <i>Heart</i> , 2018, 104, 1575-1582. | 2.9 | 29 |
| 194 | Inhibiting core fucosylation attenuates glucose-induced peritoneal fibrosis in rats. <i>Kidney International</i> , 2018, 93, 1384-1396. | 5.2 | 23 |
| 195 | Serum potassium and adverse outcomes across the range of kidney function: a CKD Prognosis Consortium meta-analysis. <i>European Heart Journal</i> , 2018, 39, 1535-1542. | 2.2 | 218 |
| 196 | Mediterranean diet as the diet of choice for patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 725-735. | 0.7 | 114 |
| 197 | Incident Atrial Fibrillation and the Risk of Congestive Heart Failure, Myocardial Infarction, End-Stage Kidney Disease, and Mortality Among Patients With a Decreased Estimated GFR. <i>American Journal of Kidney Diseases</i> , 2018, 71, 191-199. | 1.9 | 31 |
| 198 | Pregnancy-associated plasma protein-A predicts survival in end-stage renal disease – confounding and modifying effects of cardiovascular disease, body composition and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 971-977. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | FP341 PLASMA POTASSIUM AND THE RISK OF MORTALITY: A TIME-DEPENDENT ANALYSIS FROM THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i146-i146. | 0.7 | 0 |
| 200 | Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. <i>Nefrologia</i> , 2018, 38, 520-527. | 0.4 | 3 |
| 201 | SP330 AEGFR AND THE RISK OF CANCER: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i455-i455. | 0.7 | 0 |
| 202 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1923-1994. | 13.7 | 3,269 |
| 203 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1789-1858. | 13.7 | 8,569 |
| 204 | A scheme based on ICD-10 diagnoses and drug prescriptions to stage chronic kidney disease severity in healthcare administrative records. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 254-258. | 2.9 | 13 |
| 205 | FP630 ASSOCIATION OF FRUIT AND VEGETABLE INTAKE WITH ALL-CAUSE MORTALITY IN HEMODIALYSIS PATIENTS (DIET-HD): A PROSPECTIVE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i255-i256. | 0.7 | 1 |
| 206 | Global Prevalence of Protein-Energy Wasting in Kidney Disease: A Meta-analysis of Contemporary Observational Studies From the International Society of Renal Nutrition and Metabolism. , 2018, 28, 380-392. | | 225 |
| 207 | FO002 FIBROBLAST GROWTH FACTOR 23 IS ASSOCIATED WITH FRACTIONAL SODIUM EXCRETION IN PATIENTS WITH CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i1-i1. | 0.7 | 0 |
| 208 | Association of Kidney Function with Infections by Multidrug-Resistant Organisms: An Electronic Medical Record Analysis. <i>Scientific Reports</i> , 2018, 8, 13372. | 3.3 | 18 |
| 209 | Multiplex proteomics for prediction of major cardiovascular events in type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 1748-1757. | 6.3 | 43 |
| 210 | FO063 RELATIVE CONTRIBUTION OF GENETIC AND ENVIRONMENTAL FACTORS TO THE ASSOCIATION BETWEEN BODY MASS INDEX AND CHRONIC KIDNEY DISEASE: A POPULATION-BASED SWEDISH TWIN STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i45-i45. | 0.7 | 0 |
| 211 | Risk of hospitalization associated with body mass index and weight changes among prevalent haemodialysis patients. <i>Nefrologia</i> , 2018, 38, 520-527. | 0.4 | 3 |
| 212 | FP662 THE ASSOCIATION OF MEDITERRANEAN AND DASH DIETS WITH MORTALITY IN ADULTS ON HEMODIALYSIS: THE DIET-HD MULTINATIONAL COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i268-i268. | 0.7 | 0 |
| 213 | Primary Versus Secondary Prevention of Chronic Kidney Disease: The Case of Dietary Protein. , 2018, 28, 225-228. | | 3 |
| 214 | SaO024 INCIDENCE, PREDICTORS AND CLINICAL MANAGEMENT OF HYPERKALEMIA IN NEW USERS OF MINERALOCORTICOID RECEPTOR ANTAGONISTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i325-i325. | 0.7 | 0 |
| 215 | Dyskalemias and adverse events associated with discharge potassium in acute myocardial infarction. <i>American Heart Journal</i> , 2018, 205, 53-62. | 2.7 | 10 |
| 216 | Association between reduced renal function and cardiovascular mortality in patients hospitalized with infection: A multi-center cohort study. <i>European Journal of Internal Medicine</i> , 2018, 57, 32-38. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | SaO ₂ OPTIMAL PLASMA POTASSIUM RANGES FOR MORTALITY PREDICTION ACROSS CHRONIC KIDNEY DISEASE STAGES; THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i324-i325. | 0.7 | 0 |
| 218 | Advanced glycation end products (AGEs) estimated by skin autofluorescence are related with cardiovascular risk in renal transplant. <i>PLoS ONE</i> , 2018, 13, e0201118. | 2.5 | 17 |
| 219 | Diagnostic Usefulness of the Protein Energy Wasting Score in Prevalent Hemodialysis Patients. , 2018, 28, 428-434. | | 15 |
| 220 | Association Between Mineralocorticoid Receptor Antagonist Use and Outcome in Myocardial Infarction Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 4 |
| 221 | International Validation of the Thrombolysis in Myocardial Infarction (TIMI) Risk Score for Secondary Prevention in Post-EMI Patients: A Collaborative Analysis of the Chronic Kidney Disease Prognosis Consortium and the Risk Validation Scientific Committee. <i>Journal of the American Heart Association</i> , 2018, 7, . | 3.7 | 17 |
| 222 | Incident Atrial Fibrillation and the Risk of Stroke in Adults with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1314-1320. | 4.5 | 45 |
| 223 | A real-world cohort study on the quality of potassium and creatinine monitoring during initiation of mineralocorticoid receptor antagonists in patients with heart failure. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 267-273. | 4.0 | 26 |
| 224 | Initiation of erythropoiesis-stimulating agents and outcomes: a nationwide observational cohort study in anaemic chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw328. | 0.7 | 9 |
| 225 | Systematic underutilisation of secondary preventive drugs in patients with acute coronary syndrome and reduced renal function. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 724-734. | 1.8 | 17 |
| 226 | Time in Therapeutic Range and Outcomes After Warfarin Initiation in Newly Diagnosed Atrial Fibrillation Patients With Renal Dysfunction. <i>Journal of the American Heart Association</i> , 2017, 6, . | 3.7 | 57 |
| 227 | n-3 Polyunsaturated Fatty Acids for the Management of Patients With Chronic Kidney Disease. , 2017, 27, 147-150. | | 2 |
| 228 | Cardiac Troponins and Their Prognostic Importance in Patients with Suspected Acute Coronary Syndrome and Renal Dysfunction. <i>Clinical Chemistry</i> , 2017, 63, 1409-1417. | 3.2 | 11 |
| 229 | Hormonal changes in hemodialysis patients: Novel risk factors for mortality?. <i>Seminars in Dialysis</i> , 2017, 30, 446-452. | 1.3 | 6 |
| 230 | Low renal replacement therapy incidence among slowly progressing elderly chronic kidney disease patients referred to nephrology care: an observational study. <i>BMC Nephrology</i> , 2017, 18, 59. | 1.8 | 14 |
| 231 | Chronic Kidney Disease, Gender, and Access to Care: A Global Perspective. <i>Seminars in Nephrology</i> , 2017, 37, 296-308. | 1.6 | 65 |
| 232 | Dietary Sources of Protein and Chronic Kidney Disease Progression: The Proof May Be in the Pattern. , 2017, 27, 221-224. | | 13 |
| 233 | Association Between Proton Pump Inhibitor Use and Risk of Progression of Chronic Kidney Disease. <i>Gastroenterology</i> , 2017, 153, 702-710. | 1.3 | 121 |
| 234 | Comparison of the Chronic Kidney Disease Epidemiology Collaboration, the Modification of Diet in Renal Disease study and the Cockcroft-Gault equation in patients with heart failure. <i>Open Heart</i> , 2017, 4, e000568. | 2.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Visceral Adipose Tissue and Leptin Hyperproduction Are Associated With Hypogonadism in Men With Chronic Kidney Disease. , 2017, 27, 243-248. | | 12 |
| 236 | Routinely measured iohexol glomerular filtration rate versus creatinine-based estimated glomerular filtration rate as predictors of mortality in patients with advanced chronic kidney disease: a Swedish Chronic Kidney Disease Registry cohort study. Nephrology Dialysis Transplantation, 2017, 32, ii170-ii179. | 0.7 | 8 |
| 237 | Sarcopenia and its individual criteria are associated, in part, with mortality among patients on hemodialysis. Kidney International, 2017, 92, 238-247. | 5.2 | 158 |
| 238 | Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. Kidney International, 2017, 91, 244-251. | 5.2 | 104 |
| 239 | Hypogonadism associated with muscle atrophy, physical inactivity and ESA hyporesponsiveness in men undergoing haemodialysis. Nefrologia, 2017, 37, 54-60. | 0.4 | 17 |
| 240 | Healthy Dietary Patterns and Risk of Mortality and ESRD in CKD: A Meta-Analysis of Cohort Studies. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 272-279. | 4.5 | 194 |
| 241 | Chronic kidney disease is associated with poorer in-hospital outcomes in patients hospitalized with infections: Electronic record analysis from China. Scientific Reports, 2017, 7, 11530. | 3.3 | 20 |
| 242 | Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. International Journal of Cardiology, 2017, 245, 20-26. | 1.7 | 4 |
| 243 | Use of Proteomics To Investigate Kidney Function Decline over 5 Years. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1226-1235. | 4.5 | 52 |
| 244 | Hyperkalemia After Initiating Renin-Angiotensin System Blockade: The Stockholm Creatinine Measurements (SCREAM) Project. Journal of the American Heart Association, 2017, 6, . | 3.7 | 123 |
| 245 | Vitamin D, a modulator of musculoskeletal health in chronic kidney disease. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 686-701. | 7.3 | 84 |
| 246 | Incidence and determinants of hyperkalemia and hypokalemia in a large healthcare system. International Journal of Cardiology, 2017, 245, 277-284. | 1.7 | 128 |
| 247 | eGFR and the Risk of Community-Acquired Infections. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1399-1408. | 4.5 | 52 |
| 248 | Insulin resistance in chronic kidney disease. Nephrology, 2017, 22, 31-34. | 1.6 | 28 |
| 249 | Use of a proximity extension assay proteomics chip to discover new biomarkers associated with albuminuria. European Journal of Preventive Cardiology, 2017, 24, 340-348. | 1.8 | 14 |
| 250 | Long-term versus short-term dual antiplatelet therapy was similarly associated with a lower risk of death, stroke, or infarction in patients with acute coronary syndrome regardless of underlying kidney disease. Kidney International, 2017, 91, 216-226. | 5.2 | 16 |
| 251 | Sarcopenia among patients receiving hemodialysis: weighing the evidence. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 57-68. | 7.3 | 80 |
| 252 | CKD and Risk for Hospitalization With Infection: The Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Kidney Diseases, 2017, 69, 752-761. | 1.9 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 253 | SP296 THYROID FUNCTIONAL DISORDERS ASSOCIATED WITH MORTALITY IN CHRONIC KIDNEY DISEASE: ASYSTEMATIC REVIEW AND META-ANALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i187-i188. | 0.7 | 0 |
| 254 | SP306 PREVALENCE, DIAGNOSIS AND NEPHROLOGY CARE OF CKD IN THE REGION OF STOCKHOLM. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i191-i192. | 0.7 | 0 |
| 255 | Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers in Myocardial Infarction Patients With Renal Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1687-1697. | 2.8 | 45 |
| 256 | Dialysis modality and nutritional status are associated with variability of inflammatory markers. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1320-1327. | 0.7 | 42 |
| 257 | As we grow old: nutritional considerations for older patients on dialysis. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw201. | 0.7 | 16 |
| 258 | The Stockholm CREAtinine Measurements (SCREAM) project: protocol overview and regional representativeness. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 119-127. | 2.9 | 74 |
| 259 | Genotypic and phenotypic predictors of inflammation in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2033-2040. | 0.7 | 8 |
| 260 | Germ-free and Antibiotic-treated Mice are Highly Susceptible to Epithelial Injury in DSS Colitis. <i>Journal of Crohn's and Colitis</i> , 2016, 10, 1324-1335. | 1.3 | 179 |
| 261 | Screening for muscle wasting and dysfunction in patients with chronic kidney disease. <i>Kidney International</i> , 2016, 90, 53-66. | 5.2 | 199 |
| 262 | A Long Road to Travel: Adherence to Dietary Recommendations and Adequate Dietary Phosphorus Control. , 2016, 26, 133-135. | | 7 |
| 263 | Lipophilic index, kidney function, and kidney function decline. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1096-1103. | 2.6 | 3 |
| 264 | Thyroid Function Test Derangements and Mortality in Dialysis Patients: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016, 68, 923-932. | 1.9 | 20 |
| 265 | Warfarin for Atrial Fibrillation in Patients With End-Stage Renal Disease. <i>Chest</i> , 2016, 150, 981. | 0.8 | 0 |
| 266 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1459-1544. | 13.7 | 4,934 |
| 267 | Modest U-Shaped Association between Dietary Acid Load and Risk of All-Cause and Cardiovascular Mortality in Adults. <i>Journal of Nutrition</i> , 2016, 146, 1580-1585. | 2.9 | 41 |
| 268 | Diet for the Management of Patients With Chronic Kidney Disease; It Is Not the Quantity, but the Quality That Matters. , 2016, 26, 279-281. | | 25 |
| 269 | Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. <i>Clinical Science</i> , 2016, 130, 1147-1163. | 4.3 | 167 |
| 270 | Prevalence and recognition of chronic kidney disease in Stockholm healthcare. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2086-2094. | 0.7 | 101 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Vitamin Deficiencies in Chronic Kidney Disease, <i>Forgotten Realms.</i> , 2016, 26, 349-351. | | 2 |
| 272 | A practical approach to low protein diets in Sweden“ 45Åyears of clinical use. <i>BMC Nephrology</i> , 2016, 17, 89. | 1.8 | 3 |
| 273 | Vasopressin-related copeptin is a novel predictor of early endothelial dysfunction in patients with adult polycystic kidney disease. <i>BMC Nephrology</i> , 2016, 17, 196. | 1.8 | 7 |
| 274 | Renal function is associated with long-term outcomes independent of degree of atherosclerosis: 6-year data from the Swedish Coronary Angiography and Angioplasty Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2016, 2, 91-98. | 4.0 | 6 |
| 275 | Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. , 2016, 26, 177-182. | | 5 |
| 276 | A cohort study of insulin-like growth factor 1 and mortality in haemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 148-152. | 2.9 | 14 |
| 277 | Trends in haemoglobin, erythropoietin-stimulating agents and iron use in Swedish chronic kidney disease patients between 2008 and 2013. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 628-635. | 0.7 | 24 |
| 278 | Dietary Quality and Adherence to Dietary Recommendations in Patients Undergoing Hemodialysis. , 2016, 26, 190-195. | | 76 |
| 279 | Clinical Monitoring of Protein-Energy Wasting in Chronic Kidney Disease: Moving From Body Size to Body Composition. , 2016, 26, 63-64. | | 18 |
| 280 | Sensitivity and Specificity of Body Mass Index as a Marker of Obesity in Elderly Patients on Hemodialysis. , 2016, 26, 65-71. | | 10 |
| 281 | Therapeutics targeting persistent inflammation in chronic kidney disease. <i>Translational Research</i> , 2016, 167, 204-213. | 5.0 | 92 |
| 282 | Muscle wasting in end-stage renal disease promulgates premature death: established, emerging and potential novel treatment strategies. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1070-1077. | 0.7 | 135 |
| 283 | An Increase of Plasma Advanced Oxidation Protein Products Levels Is Associated with Cardiovascular Risk in Incident Peritoneal Dialysis Patients: A Pilot Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-6. | 4.0 | 13 |
| 284 | FP331INITIATION OF ERYTHROPOEISIS STIMULATING AGENTS AND MORTALITY IN A LARGE REFERRED CKD COHORT. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii179-iii179. | 0.7 | 0 |
| 285 | FP344LEFT ATRIAL VOLUME AND MORTALITY AMONG PATIENTS WITH CHRONIC KIDNEY DISEASE STAGES 3-5. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii183-iii183. | 0.7 | 0 |
| 286 | Sarcopenia in chronic kidney disease on conservative therapy: prevalence and association with mortality. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1718-1725. | 0.7 | 246 |
| 287 | Parental History of Premature Cardiovascular Disease, Estimated GFR, and Rate of Estimated GFR Decline: Results From the Aerobics Center Longitudinal Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 692-700. | 1.9 | 4 |
| 288 | Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 560-566. | 2.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Mortality from infections and malignancies in patients treated with renal replacement therapy: data from the ERA-EDTA registry. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1028-1037. | 0.7 | 81 |
| 290 | A Proinflammatory Diet Is Associated with Systemic Inflammation and Reduced Kidney Function in Elderly Adults. <i>Journal of Nutrition</i> , 2015, 145, 729-735. | 2.9 | 53 |
| 291 | Association Between the Use of Fondaparinux vs Low-Molecular-Weight Heparin and Clinical Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 707. | 7.4 | 31 |
| 292 | Warfarin therapy for atrial fibrillation in haemodialysis patients: mind the (evidence) gap. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 337-339. | 0.7 | 3 |
| 293 | Nonesterified Fatty Acids and Cardiovascular Mortality in Elderly Men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 584-591. | 4.5 | 11 |
| 294 | Estimated Dietary Acid Load Is Not Associated with Blood Pressure or Hypertension Incidence in Men Who Are Approximately 70 Years Old. <i>Journal of Nutrition</i> , 2015, 145, 315-321. | 2.9 | 32 |
| 295 | Uric acid is not associated with decline in renal function or time to renal replacement therapy initiation in a referred cohort of patients with Stage III, IV and V chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 2039-2045. | 0.7 | 34 |
| 296 | Diagnostic validation and prognostic significance of the Malnutrition-Inflammation Score in nondialyzed chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 821-828. | 0.7 | 54 |
| 297 | Reducing insulin resistance in patients undergoing peritoneal dialysis through the use of icodextrin-based solutions. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1783-1785. | 0.7 | 2 |
| 298 | Increased Levels of Modified Advanced Oxidation Protein Products are Associated with Central and Peripheral Blood Pressure in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 460-470. | 2.3 | 19 |
| 299 | Pros and Cons of Body Mass Index as a Nutritional and Risk Assessment Tool in Dialysis Patients. <i>Seminars in Dialysis</i> , 2015, 28, 48-58. | 1.3 | 36 |
| 300 | The relationship between thyroid function and estimated glomerular filtration rate in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 282-287. | 0.7 | 84 |
| 301 | EFFECT OF SELENIUM SUPPLEMENTATION VIA BRAZIL NUT (BERTHOLLETIA EXCELSA, HBK) ON THYROID HORMONES LEVELS IN HEMODIALYSIS PATIENTS: A PILOT STUDY. <i>Nutricion Hospitalaria</i> , 2015, 32, 1808-12. | 0.3 | 8 |
| 302 | Selection of Genetic and Phenotypic Features Associated with Inflammatory Status of Patients on Dialysis Using Relaxed Linear Separability Method. <i>PLoS ONE</i> , 2014, 9, e86630. | 2.5 | 4 |
| 303 | The Relationship between IL-10 Levels and Cardiovascular Events in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1207-1216. | 4.5 | 54 |
| 304 | Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1538-1545. | 0.7 | 11 |
| 305 | Better prevention than cure: optimal patient preparation for renal replacement therapy. <i>Kidney International</i> , 2014, 85, 507-510. | 5.2 | 8 |
| 306 | Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , 2014, 86, 383-391. | 5.2 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Misclassification of Obesity in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 2025-2027. | 4.5 | 15 |
| 308 | Influence of Chronic Kidney Disease on Warfarin Therapy for Atrial Fibrillation—Reply. JAMA - Journal of the American Medical Association, 2014, 311, 2542. | 7.4 | 0 |
| 309 | Renal function associates with energy intake in elderly community-dwelling men. British Journal of Nutrition, 2014, 111, 2184-2189. | 2.3 | 10 |
| 310 | Warfarin, Kidney Dysfunction, and Outcomes Following Acute Myocardial Infarction in Patients With Atrial Fibrillation. JAMA - Journal of the American Medical Association, 2014, 311, 919. | 7.4 | 135 |
| 311 | Critical Appraisal of Biomarkers of Dietary Intake and Nutritional Status in Patients Undergoing Dialysis. Seminars in Dialysis, 2014, 27, 586-589. | 1.3 | 12 |
| 312 | Nutritional Therapy, Phosphate Control and Renal Protection. Nephron Clinical Practice, 2014, 126, 1-7. | 2.3 | 18 |
| 313 | Comparative Associations of Muscle Mass and Muscle Strength with Mortality in Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1720-1728. | 4.5 | 386 |
| 314 | Serum and adipose tissue fatty acid composition as biomarkers of habitual dietary fat intake in elderly men with chronic kidney disease. Nephrology Dialysis Transplantation, 2014, 29, 128-136. | 0.7 | 23 |
| 315 | CXCL16 in kidney and cardiovascular injury. Cytokine and Growth Factor Reviews, 2014, 25, 317-325. | 7.2 | 56 |
| 316 | Dietary Fiber, Kidney Function, Inflammation, and Mortality Risk. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 2104-2110. | 4.5 | 101 |
| 317 | Clinical Correlates of Insulin Sensitivity and Its Association with Mortality among Men with CKD Stages 3 and 4. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 690-697. | 4.5 | 50 |
| 318 | Thyroid Function, Cardiovascular Events, and Mortality in Diabetic Hemodialysis Patients. American Journal of Kidney Diseases, 2014, 63, 988-996. | 1.9 | 57 |
| 319 | The Peptidic Middle Molecules: Is Molecular Weight Doing the Trick?. Seminars in Nephrology, 2014, 34, 118-134. | 1.6 | 32 |
| 320 | Clinical determinants and prognostic significance of the electrocardiographic strain pattern in chronic kidney disease patients. Journal of the American Society of Hypertension, 2014, 8, 312-320. | 2.3 | 6 |
| 321 | Reliability of electrocardiographic surrogates of left ventricular mass in patients with chronic kidney disease. Journal of Hypertension, 2014, 32, 439-445. | 0.5 | 16 |
| 322 | Etiology of the Protein-Energy Wasting Syndrome in Chronic Kidney Disease: A Consensus Statement From the International Society of Renal Nutrition and Metabolism (ISRNM)., 2013, 23, 77-90. | | 606 |
| 323 | Subclinical versus overt obesity in dialysis patients: more than meets the eye. Nephrology Dialysis Transplantation, 2013, 28, iv175-iv181. | 0.7 | 32 |
| 324 | Influence of Body Mass Index on the Association of Weight Changes with Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1725-1733. | 4.5 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Mediterranean Diet, Kidney Function, and Mortality in Men with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 1548-1555. | 4.5 | 119 |
| 326 | Visceral fat and coronary artery calcification in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, iv152-iv159. | 0.7 | 31 |
| 327 | Dietary fat modification in patients with chronic kidney disease: n-3 fatty acids and beyond. <i>Journal of Nephrology</i> , 2013, 26, 960-974. | 2.0 | 35 |
| 328 | Prevalence of protein-energy wasting syndrome and its association with mortality in haemodialysis patients in a centre in Spain. <i>Nefrologia</i> , 2013, 33, 495-505. | 0.4 | 62 |
| 329 | The vulnerable man: impact of testosterone deficiency on the uraemic phenotype. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4030-4041. | 0.7 | 75 |
| 330 | Prolactin Levels, Endothelial Dysfunction, and the Risk of Cardiovascular Events and Mortality in Patients with CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 207-215. | 4.5 | 96 |
| 331 | Testosterone deficiency is a cause of anaemia and reduced responsiveness to erythropoiesis-stimulating agents in men with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 709-715. | 0.7 | 74 |
| 332 | Plasma Fatty Acids in Chronic Kidney Disease: Nervonic Acid Predicts Mortality. , 2012, 22, 277-283. | | 26 |
| 333 | Essential polyunsaturated fatty acids, inflammation and mortality in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3615-3620. | 0.7 | 47 |
| 334 | Novel targets for slowing CKD progression. <i>Nature Reviews Nephrology</i> , 2011, 7, 65-66. | 9.6 | 8 |
| 335 | Mechanisms of Altered Regulation of Food Intake in Chronic Kidney Disease. , 2011, 21, 7-11. | | 44 |
| 336 | Prevalence and clinical implications of testosterone deficiency in men with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 184-190. | 0.7 | 144 |
| 337 | Sex differences in the impact of diabetes on mortality in chronic dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 270-276. | 0.7 | 58 |
| 338 | Cardiovascular and Noncardiovascular Mortality among Men and Women Starting Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1722-1730. | 4.5 | 117 |
| 339 | Like total ghrelin, acylated ghrelin is also lower in HD patients with cardiovascular disease. <i>Kidney International</i> , 2011, 80, 783-784. | 5.2 | 0 |
| 340 | Protein-energy wasting modifies the association of ghrelin with inflammation, leptin, and mortality in hemodialysis patients. <i>Kidney International</i> , 2011, 79, 749-756. | 5.2 | 60 |
| 341 | Association with <i>Helicobacter pylori</i> infection and ghrelin level in hemodialysis patients. <i>Kidney International</i> , 2011, 80, 894. | 5.2 | 2 |
| 342 | The emerging pleiotrophic role of adipokines in the uremic phenotype. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 37-42. | 2.0 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Inflammation in End-Stage Renal Disease-What Have We Learned in 10 Years?. <i>Seminars in Dialysis</i> , 2010, 23, 498-509. | 1.3 | 267 |
| 344 | Research update for articles published in EJCI in 2008. <i>European Journal of Clinical Investigation</i> , 2010, 40, 770-789. | 3.4 | 1 |
| 345 | Abdominal fat deposition is associated with increased inflammation, protein-energy wasting and worse outcome in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 562-568. | 0.7 | 116 |
| 346 | Gender Differences in Chronic Kidney Disease: Underpinnings and Therapeutic Implications. <i>Kidney and Blood Pressure Research</i> , 2010, 33, 383-392. | 2.0 | 108 |
| 347 | Visfatin is increased in chronic kidney disease patients with poor appetite and correlates negatively with fasting serum amino acids and triglyceride levels. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 901-906. | 0.7 | 50 |
| 348 | Vitamin D Deficiency in Dialysis Patients: Effect of Dialysis Modality and Implications on Outcome. , 2010, 20, 359-367. | | 36 |
| 349 | Can ghrelin improve appetite in uremic wasting?. <i>Nature Reviews Nephrology</i> , 2009, 5, 672-673. | 9.6 | 12 |
| 350 | Low Serum Testosterone Increases Mortality Risk among Male Dialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 613-620. | 6.1 | 167 |
| 351 | Additive Effects of Soluble TWEAK and Inflammation on Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 110-118. | 4.5 | 106 |
| 352 | Low levels of IgM antibodies against phosphorylcholine-A increase mortality risk in patients undergoing haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3454-3460. | 0.7 | 24 |
| 353 | PROGRESS IN UREMIC TOXIN RESEARCH: Cytokines, Atherogenesis, and Hypercatabolism in Chronic Kidney Disease: A Dreadful Triad. <i>Seminars in Dialysis</i> , 2009, 22, 381-386. | 1.3 | 74 |
| 354 | Identification of Patients With Eating Disorders: Clinical and Biochemical Signs of Appetite Loss in Dialysis Patients. , 2009, 19, 10-15. | | 60 |
| 355 | Metabolic abnormalities in chronic kidney disease that contribute to cardiovascular disease, and nutritional initiatives that may diminish the risk. <i>Current Opinion in Lipidology</i> , 2009, 20, 3-9. | 2.7 | 26 |
| 356 | Muscle atrophy, inflammation and clinical outcome in incident and prevalent dialysis patients. <i>Clinical Nutrition</i> , 2008, 27, 557-564. | 5.0 | 230 |
| 357 | Elevated serum levels of S-adenosylhomocysteine, but not homocysteine, are associated with cardiovascular disease in stage 5 chronic kidney disease patients. <i>Clinica Chimica Acta</i> , 2008, 395, 106-110. | 1.1 | 58 |
| 358 | Appetite Disorders in Uremia. , 2008, 18, 107-113. | | 95 |
| 359 | Novel Links between the Long Pentraxin 3, Endothelial Dysfunction, and Albuminuria in Early and Advanced Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 976-985. | 4.5 | 103 |
| 360 | ADMA Levels Correlate with Proteinuria, Secondary Amyloidosis, and Endothelial Dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 388-395. | 6.1 | 84 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Emerging Biomarkers for Evaluating Cardiovascular Risk in the Chronic Kidney Disease Patient. Clinical Journal of the American Society of Nephrology: CJASN, 2008, 3, 505-521. | 4.5 | 472 |
| 362 | Cytokine Dysregulation in Chronic Kidney Disease: How Can We Treat It?. Blood Purification, 2008, 26, 291-299. | 1.8 | 94 |
| 363 | Comparison of nutritional and inflammatory markers in dialysis patients with reduced appetite. American Journal of Clinical Nutrition, 2007, 85, 695-701. | 4.7 | 202 |
| 364 | Reply to A Molfino et al. American Journal of Clinical Nutrition, 2007, 86, 1551-1553. | 4.7 | 6 |
| 365 | Simvastatin and supplementation with ω -3 polyunsaturated fatty acids and vitamins improves claudication distance in a randomized PILOT study in patients with peripheral vascular disease. Nutrition Research, 2006, 26, 637-643. | 2.9 | 11 |
| 366 | Being an Inflamed Peritoneal Dialysis Patient – A Dante’s Journey. , 2006, 150, 144-151. | | 19 |
| 367 | Cardiovascular effects of milk enriched with ω -3 polyunsaturated fatty acids, oleic acid, folic acid, and vitamins E and B6 in volunteers with mild hyperlipidemia. Nutrition, 2004, 20, 521-527. | 2.4 | 61 |