

# Paolo Tremolada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9463241/publications.pdf>

Version: 2024-02-01

55  
papers

1,779  
citations

257450

24  
h-index

276875

41  
g-index

55  
all docs

55  
docs citations

55  
times ranked

2140  
citing authors

#	ARTICLE	IF	CITATIONS
1	Does mechanical stress cause microplastic release from plastic water bottles?. <i>Water Research</i> , 2019, 166, 115082.	11.3	167
2	Spatial Distribution of PAHs in the U.K. Atmosphere Using Pine Needles. <i>Environmental Science &amp; Technology</i> , 1996, 30, 3570-3577.	10.0	146
3	Chlorinated hydrocarbons in pine needles in Europe: fingerprint for the past and recent use. <i>Environmental Science &amp; Technology</i> , 1994, 28, 429-434.	10.0	97
4	Floating microbial fuel cells as energy harvesters for signal transmission from natural water bodies. <i>Journal of Power Sources</i> , 2017, 340, 80-88.	7.8	83
5	POPs in Mountain Soils from the Alps and Andes: Suggestions for a "Precipitation Effect" on Altitudinal Gradients. <i>Water, Air, and Soil Pollution</i> , 2008, 188, 93-109.	2.4	80
6	Toxic effects and ultrastructural damages to <i>Daphnia magna</i> of two differently sized ZnO nanoparticles: Does size matter?. <i>Water Research</i> , 2014, 53, 339-350.	11.3	79
7	Benzoylcegonine exposure induced oxidative stress and altered swimming behavior and reproduction in <i>Daphnia magna</i> . <i>Environmental Pollution</i> , 2018, 232, 236-244.	7.5	70
8	Simultaneous analysis of 50 pesticides in water samples by solid phase extraction and GC-MS. <i>Chemosphere</i> , 1990, 21, 1411-1421.	8.2	66
9	Coumaphos Distribution in the Hive Ecosystem: Case Study for Modeling Applications. <i>Ecotoxicology</i> , 2004, 13, 589-601.	2.4	63
10	Quantitative inter-specific chemical activity relationships of pesticides in the aquatic environment. <i>Aquatic Toxicology</i> , 2004, 67, 87-103.	4.0	55
11	Chronic toxicity effects of ZnSO <sub>4</sub> and ZnO nanoparticles in <i>Daphnia magna</i> . <i>Environmental Research</i> , 2017, 152, 128-140.	7.5	54
12	Role of soluble zinc in ZnO nanoparticle cytotoxicity in <i>Daphnia magna</i> : A morphological approach. <i>Environmental Research</i> , 2016, 148, 376-385.	7.5	51
13	Polystyrene microplastics did not affect body growth and swimming activity in <i>Xenopus laevis</i> tadpoles. <i>Environmental Science and Pollution Research</i> , 2018, 25, 34644-34651.	5.3	45
14	A study of the spatial distribution of PCBs in the UK atmosphere using pine needles. <i>Chemosphere</i> , 1996, 32, 2189-2203.	8.2	40
15	Comparative toxicity of three differently shaped carbon nanomaterials on <i>Daphnia magna</i> : does a shape effect exist?. <i>Nanotoxicology</i> , 2018, 12, 201-223.	3.0	34
16	Field Trial for Evaluating the Effects on Honeybees of Corn Sown Using Cruiser <sup>®</sup> and Celest xl <sup>®</sup> Treated Seeds. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2010, 85, 229-234.	2.7	32
17	Occurrence of microplastics in pellets from the common kingfisher ( <i>Alcedo atthis</i> ) along the Ticino River, North Italy. <i>Environmental Science and Pollution Research</i> , 2020, 27, 41731-41739.	5.3	32
18	Age-Dependent Bioaccumulation of Organochlorine Compounds in Fish and their Selective Biotransformation in Top Predators from Lake Maggiore (Italy). <i>Water, Air, and Soil Pollution</i> , 2009, 197, 193-209.	2.4	31

#	ARTICLE	IF	CITATIONS
19	Predicting pesticide fate in the hive (part 1): experimentally determined $\Sigma_{17}$ -fluvalinate residues in bees, honey and wax. <i>Apidologie</i> , 2011, 42, 378-390.	2.0	31
20	Background levels of polybrominated diphenyl ethers (PBDEs) in soils from Mount Meru area, Arusha district (Tanzania). <i>Science of the Total Environment</i> , 2013, 452-453, 253-261.	8.0	29
21	Seasonal changes and temperature-dependent accumulation of polycyclic aromatic hydrocarbons in high-altitude soils. <i>Science of the Total Environment</i> , 2009, 407, 4269-4277.	8.0	28
22	PCB distribution in soil and vegetation from different areas in Northern Italy. <i>Chemosphere</i> , 1998, 37, 2839-2845.	8.2	27
23	Seasonal and spatial variability of polychlorinated biphenyls (PCBs) in vegetation and cow milk from a high altitude pasture in the Italian Alps. <i>Environmental Pollution</i> , 2011, 159, 2656-2664.	7.5	26
24	Anthropogenically altered trophic webs: alien catfish and microplastics in the diet of Eurasian otters. <i>Mammal Research</i> , 2019, 64, 165-174.	1.3	26
25	Human airway organoids and microplastic fibers: A new exposure model for emerging contaminants. <i>Environment International</i> , 2022, 163, 107200.	10.0	25
26	Preferential retention of POPs on the northern aspect of mountains. <i>Environmental Pollution</i> , 2009, 157, 3298-3307.	7.5	23
27	Polybrominated Diphenyl Ether Contamination in Soil, Vegetation, and Cow Milk From a High-Mountain Pasture in the Italian Alps. <i>Archives of Environmental Contamination and Toxicology</i> , 2012, 63, 29-44.	4.1	23
28	Chemical fate and biological effects of several endocrine disrupters compounds in two echinoderm species. <i>Ecotoxicology</i> , 2010, 19, 538-554.	2.4	22
29	Predicting PCB concentrations in cow milk: validation of a fugacity model in high-mountain pasture conditions. <i>Science of the Total Environment</i> , 2014, 487, 471-480.	8.0	21
30	The Effect of the Organic Matter Composition on POP Accumulation in Soil. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 4539-4556.	2.4	20
31	Does carbon nanopowder threaten amphibian development?. <i>Carbon</i> , 2012, 50, 4607-4618.	10.3	20
32	Following the fate of microplastic in four abiotic and biotic matrices along the Ticino River (North) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	8.0	17
33	Effects of exposure to ED contaminants (TPT-Cl and Fenarimol) on crinoid echinoderms: comparative analysis of regenerative development and correlated steroid levels. <i>Marine Biology</i> , 2006, 149, 65-77.	1.5	16
34	Meteorological and pedological influence on the PCBs distribution in mountain soils. <i>Chemosphere</i> , 2011, 83, 186-192.	8.2	16
35	Fingerprints of some chlorinated hydrocarbons in plant foliage from Africa. <i>Chemosphere</i> , 1993, 27, 2235-2252.	8.2	15
36	Polychlorinated biphenyls (PCBs) in air and soil from a high-altitude pasture in the Italian Alps: evidence of CB-209 contamination. <i>Environmental Science and Pollution Research</i> , 2015, 22, 19571-19583.	5.3	14

#	ARTICLE	IF	CITATIONS
37	Effects of Pesticides and Electromagnetic Fields on Honeybees: A Field Study Using Biomarkers. <i>International Journal of Environmental Research</i> , 2020, 14, 107-122.	2.3	14
38	Detection and formation mechanisms of secondary nanoplastic released from drinking water bottles. <i>Water Research</i> , 2022, 222, 118848.	11.3	14
39	One-Year Cycle of DDT Concentrations in High-Altitude Soils. <i>Water, Air, and Soil Pollution</i> , 2011, 217, 407-419.	2.4	13
40	Amphibians in Eurasian otter <i>Lutra lutra</i> diet: osteological identification unveils hidden prey richness and male-biased predation on anurans. <i>Mammal Review</i> , 2019, 49, 240-255.	4.8	13
41	Echinoderm regenerative response as a sensitive ecotoxicological test for the exposure to endocrine disruptors: effects of p,p'-DDE and CPA on crinoid arm regeneration. <i>Cell Biology and Toxicology</i> , 2008, 24, 573-586.	5.3	12
42	Combined Effects of Pesticides and Electromagnetic-Fields on Honeybees: Multi-Stress Exposure. <i>Insects</i> , 2021, 12, 716.	2.2	12
43	Relationships between Chlorinated Hydrocarbons in Vegetation and Socioeconomic Indices on a Global Scale. <i>Environmental Science &amp; Technology</i> , 1995, 29, 2267-2272.	10.0	11
44	Predicting pesticide fate in the hive (part 2): development of a dynamic hive model. <i>Apidologie</i> , 2011, 42, 439-456.	2.0	9
45	The Toxicity of Polyester Fibers in <i>Xenopus laevis</i> . <i>Water (Switzerland)</i> , 2021, 13, 3446.	2.7	9
46	Differential effects of microplastic exposure on anuran tadpoles: A still underrated threat to amphibian conservation?. <i>Environmental Pollution</i> , 2022, 303, 119137.	7.5	9
47	Exploring endocrine regulation of sea urchin reproductive biology: effects of 17 $\beta$ -oestradiol. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1419-1426.	0.8	7
48	Predation on Amphibians May Enhance Eurasian Otter Recovery in Southern Italy. <i>Zoological Science</i> , 2019, 36, 273.	0.7	7
49	Mass-spectrometry-derived data as possible predictive method for environmental persistence of organic molecules. <i>Chemosphere</i> , 1992, 24, 1473-1491.	8.2	6
50	A simple model to predict compound loss processes in aquatic ecotoxicological tests: calculated and measured triphenyltin levels in water and biota. <i>International Journal of Environmental Analytical Chemistry</i> , 2006, 86, 171-184.	3.3	6
51	Kingfisher ( <i>Alcedo atthis</i> ) diet and prey selection as assessed by the analysis of pellets collected under resting sites (River Ticino, north Italy). <i>Aquatic Ecology</i> , 2021, 55, 135-147.	1.5	4
52	A dynamic model for predicting chemical concentrations in water and biota during the planning phase of aquatic ecotoxicological tests. <i>Chemosphere</i> , 2009, 75, 915-923.	8.2	3
53	Highly spatially- and seasonally-resolved predictive contamination maps for persistent organic pollutants: Development and validation. <i>Science of the Total Environment</i> , 2013, 458-460, 546-554.	8.0	3
54	Environmental variables affecting the distribution of POPs on Mt. Meru, Tanzania. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 1573.	3.5	2

#	ARTICLE	IF	CITATIONS
55	Back-Calculation of Fish Size in Diet Analysis of Piscivorous Predators: A New Index for the Alien <i>Silurus glanis</i> . Sustainability, 2021, 13, 4322.	3.2	1