

# Hans-Hennig Flechtner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/946664/publications.pdf>

Version: 2024-02-01

82  
papers

16,012  
citations

101384

36  
h-index

39575

94  
g-index

105  
all docs

105  
docs citations

105  
times ranked

16800  
citing authors

#	ARTICLE	IF	CITATIONS
1	The European Organization for Research and Treatment of Cancer QLQ-C30: A Quality-of-Life Instrument for Use in International Clinical Trials in Oncology. <i>Journal of the National Cancer Institute</i> , 1993, 85, 365-376.	3.0	12,309
2	Fatigue and Quality of Life: Lessons from the Real World. <i>Oncologist</i> , 2003, 8, 5-9.	1.9	234
3	Beyond the Development of Health-Related Quality-of-Life (HRQOL) Measures: A Checklist for Evaluating HRQOL Outcomes in Cancer Clinical Trials—Does HRQOL Evaluation in Prostate Cancer Research Inform Clinical Decision Making?. <i>Journal of Clinical Oncology</i> , 2003, 21, 3502-3511.	0.8	230
4	Patient Self-Reports of Symptoms and Clinician Ratings as Predictors of Overall Cancer Survival. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1851-1858.	3.0	196
5	International standards for the analysis of quality-of-life and patient-reported outcome endpoints in cancer randomised controlled trials: recommendations of the SISAQOL Consortium. <i>Lancet Oncology</i> , 2020, 21, e83-e96.	5.1	180
6	A global analysis of multitrial data investigating quality of life and symptoms as prognostic factors for survival in different tumor sites. <i>Cancer</i> , 2014, 120, 302-311.	2.0	168
7	Analysing data from patient-reported outcome and quality of life endpoints for cancer clinical trials: a start in setting international standards. <i>Lancet Oncology</i> , 2016, 17, e510-e514.	5.1	158
8	Minimal important differences for interpreting health-related quality of life scores from the EORTC QLQ-C30 in lung cancer patients participating in randomized controlled trials. <i>Supportive Care in Cancer</i> , 2011, 19, 1753-1760.	1.0	133
9	International Psychometric Validation of an EORTC Quality of Life Module Measuring Cancer Related Fatigue (EORTC QLQ-FA12). <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	115
10	RPLND or Primary Chemotherapy in Clinical Stage IIA&sol;B Nonseminomatous Germ Cell Tumors?. <i>European Urology</i> , 2000, 37, 582-594.	0.9	114
11	The effects of age on health-related quality of life in cancer populations: A pooled analysis of randomized controlled trials using the European Organisation for Research and Treatment of Cancer (EORTC) QLQ-C30 involving 6024 cancer patients. <i>European Journal of Cancer</i> , 2015, 51, 2808-2819.	1.3	105
12	Hodgkin lymphoma. <i>Nature Reviews Disease Primers</i> , 2020, 6, 61.	18.1	103
13	Quality of life after successful treatment of early-stage Hodgkin's lymphoma: 10-year follow-up of the EORTCâ€“GELA H8 randomised controlled trial. <i>Lancet Oncology</i> , 2009, 10, 1160-1170.	5.1	96
14	Cancer-related fatigue in patients with and survivors of Hodgkin's lymphoma: a longitudinal study of the German Hodgkin Study Group. <i>Lancet Oncology</i> , 2016, 17, 1453-1462.	5.1	91
15	Current state of quality of life and patient-reported outcomes research. <i>European Journal of Cancer</i> , 2019, 121, 55-63.	1.3	83
16	Does change in health-related quality of life score predict survival? Analysis of EORTC 08975 lung cancer trial. <i>British Journal of Cancer</i> , 2014, 110, 2427-2433.	2.9	74
17	Cancer-Related Fatigue in Patients With and Survivors of Hodgkin Lymphoma: The Impact on Treatment Outcome and Social Reintegration. <i>Journal of Clinical Oncology</i> , 2016, 34, 4329-4337.	0.8	70
18	Improving Interference Control in ADHD Patients with Transcranial Direct Current Stimulation (tDCS). <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 72.	1.8	66

#	ARTICLE	IF	CITATIONS
19	Statistical analysis of patient-reported outcome data in randomised controlled trials of locally advanced and metastatic breast cancer: a systematic review. <i>Lancet Oncology, The</i> , 2018, 19, e459-e469.	5.1	66
20	Development of an EORTC quality of life phase III module measuring cancer-related fatigue (EORTC Tj ETQq0 0 0,rgBT /Overlock 10 Tf	1.6	61
21	Quality of life as a prognostic indicator of survival: A pooled analysis of individual patient data from canadian cancer trials group clinical trials. <i>Cancer</i> , 2018, 124, 3409-3416.	2.0	60
22	Coping skills and mental health status in adolescents when a parent has cancer: A multicenter and multi-perspective study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 252-259.	1.2	57
23	Epoetin Alfa in Patients With Advanced-Stage Hodgkin's Lymphoma: Results of the Randomized Placebo-Controlled GHSG HD15EPO Trial. <i>Journal of Clinical Oncology</i> , 2010, 28, 2239-2245.	0.8	54
24	Cyclic-alternating versus response-oriented chemotherapy in small-cell lung cancer: a German multicenter randomized trial of 321 patients.. <i>Journal of Clinical Oncology</i> , 1991, 9, 614-624.	0.8	51
25	Human recombinant erythropoietin and quality of life: a wonder drug or something to wonder about?. <i>Lancet Oncology, The</i> , 2002, 3, 145-153.	5.1	51
26	Minimally Important Differences for Interpreting EORTC QLQ-C30 Scores in Patients With Advanced Breast Cancer. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz037.	1.4	46
27	Quality of life in long-term survivors following treatment for Hodgkin's disease during childhood and adolescence in the German multicentre studies between 1978 and 2002. <i>Supportive Care in Cancer</i> , 2014, 22, 1519-1529.	1.0	45
28	Establishing anchor-based minimally important differences (MID) with the EORTC quality-of-life measures: a meta-analysis protocol. <i>BMJ Open</i> , 2018, 8, e019117.	0.8	45
29	Children of cancer patients: Prevalence and predictors of emotional and behavioral problems. <i>Cancer</i> , 2014, 120, 2361-2370.	2.0	44
30	Moving forward toward standardizing analysis of quality of life data in randomized cancer clinical trials. <i>Clinical Trials</i> , 2018, 15, 624-630.	0.7	42
31	Comparison between conventional and HD-tDCS of the right inferior frontal gyrus in children and adolescents with ADHD. <i>Clinical Neurophysiology</i> , 2020, 131, 1146-1154.	0.7	42
32	Validation of the Hypomania Checklist (HCL-32) in a nonclinical sample of German adolescents. <i>Journal of Adolescence</i> , 2009, 32, 1075-1088.	1.2	41
33	Regional Gray Matter Volume Differences Between Adolescents With ADHD and Typically Developing Controls: Further Evidence for Anterior Cingulate Involvement. <i>Journal of Attention Disorders</i> , 2018, 22, 627-638.	1.5	41
34	Altered evoked gamma-band responses reveal impaired early visual processing in ADHD children. <i>Neuropsychologia</i> , 2010, 48, 1985-1993.	0.7	40
35	Psychological distress in cancer patients with underage children: gender-specific differences. <i>Psycho-Oncology</i> , 2013, 22, 823-828.	1.0	39
36	Health-related quality of life in small-cell lung cancer: a systematic review on reporting of methods and clinical issues in randomised controlled trials. <i>Lancet Oncology, The</i> , 2014, 15, e78-e89.	5.1	39

#	ARTICLE	IF	CITATIONS
37	Interpreting European Organisation for Research and Treatment for Cancer Quality of life Questionnaire core 30 scores as minimally importantly different for patients with malignant melanoma. <i>European Journal of Cancer</i> , 2018, 104, 169-181.	1.3	38
38	When a parent has cancer: challenges to patients, their families and health providers. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2012, 12, 795-808.	0.7	35
39	Sexual quality of life in Hodgkin Lymphoma: a longitudinal analysis by the German Hodgkin Study Group. <i>British Journal of Cancer</i> , 2013, 108, 49-57.	2.9	34
40	Altered salience processing in attention deficit hyperactivity disorder. <i>Human Brain Mapping</i> , 2015, 36, 2049-2060.	1.9	28
41	The Added Value of Analyzing Pooled Health-Related Quality of Life Data: A Review of the EORTC PROBE Initiative. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv391.	3.0	28
42	Health-Related Quality of Life in Patients With Hodgkin Lymphoma: A Longitudinal Analysis of the German Hodgkin Study Group. <i>Journal of Clinical Oncology</i> , 2020, 38, 2839-2848.	0.8	28
43	Increased Echogenicity of the Substantia Nigra in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2010, 68, 352-358.	0.7	27
44	Parental palliative cancer: psychosocial adjustment and health-related quality of life in adolescents participating in a German family counselling service. <i>BMC Palliative Care</i> , 2012, 11, 21.	0.8	24
45	Orbitofrontal Signaling of Future Reward is Associated with Hyperactivity in Attention-Deficit/Hyperactivity Disorder. <i>Journal of Neuroscience</i> , 2018, 38, 6779-6786.	1.7	22
46	Minimally important differences for interpreting the EORTC QLQ-C30 in patients with advanced colorectal cancer treated with chemotherapy. <i>Colorectal Disease</i> , 2020, 22, 2278-2287.	0.7	22
47	Sensitivity to change of the EORTC quality of life module measuring cancer-related fatigue (EORTC Tj ETQq1 1 0,784314 rrgBT /Overlo 1.0 19	1.0	19
48	Recombinant human erythropoietin, epoetin beta, in patients with relapsed lymphoma treated with aggressive sequential salvage chemotherapy—results of a randomized trial. <i>Annals of Hematology</i> , 2003, 82, 469-475.	0.8	16
49	Fatigue assessment in cancer clinical trials. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002, 2, 67-76.	0.7	15
50	Exploration of a novel virtual environment improves memory consolidation in ADHD. <i>Scientific Reports</i> , 2020, 10, 21453.	1.6	15
51	Establishing anchor-based minimally important differences for the EORTC QLQ-C30 in glioma patients. <i>Neuro-Oncology</i> , 2021, 23, 1327-1336.	0.6	15
52	Measuring family functioning in families with parental cancer: Reliability and validity of the German adaptation of the Family Assessment Device (FAD). <i>Journal of Psychosomatic Research</i> , 2017, 93, 110-117.	1.2	14
53	Model-Based Methodology for Analyzing Incomplete Quality-of-Life Data and Integrating Them into the Q-Twist Framework. <i>Medical Decision Making</i> , 2003, 23, 54-66.	1.2	12
54	Examining the relationships among health-related quality-of-life indicators in cancer patients participating in clinical trials: a pooled study of baseline EORTC QLQ-C30 data. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2011, 11, 587-599.	0.7	12

#	ARTICLE	IF	CITATIONS
55	Effect of completion-time windows in the analysis of health-related quality of life outcomes in cancer patients. <i>Annals of Oncology</i> , 2013, 24, 231-237.	0.6	12
56	Quality-of-Life Analysis of the German Prospective Multicentre Trial of Single-cycle Adjuvant BEP Versus Retroperitoneal Lymph Node Dissection in Clinical Stage I Nonseminomatous Germ Cell Tumours. <i>European Urology</i> , 2016, 69, 518-525.	0.9	12
57	Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer (EORTC) Quality of life Questionnaire core 30 scores in patients with ovarian cancer. <i>Gynecologic Oncology</i> , 2020, 159, 515-521.	0.6	12
58	Minimally important differences for the EORTC QLQ-C30 in prostate cancer clinical trials. <i>BMC Cancer</i> , 2021, 21, 1083.	1.1	12
59	PRO-ONKOâ€™ selection of patient-reported outcome assessments for the clinical use in cancer patientsâ€™ a mixed-method multicenter cross-sectional exploratory study. <i>Supportive Care in Cancer</i> , 2016, 24, 2503-2512.	1.0	11
60	Effects of a five-day HD-tDCS application to the right IFG depend on current intensity: A study in children and adolescents with ADHD. <i>Progress in Brain Research</i> , 2021, 264, 117-150.	0.9	10
61	Making better use of existing cancer data: Patient Reported Outcomes and Behavioural Evidence: a new international initiative. <i>European Journal of Cancer Care</i> , 2009, 18, 105-107.	0.7	8
62	Task-Irrelevant Novel Sounds Improve Attentional Performance in Children With and Without ADHD. <i>Frontiers in Psychology</i> , 2015, 6, 1970.	1.1	8
63	Economical Assessment of Working Memory and Response Inhibition in ADHD Using a Combined n-back/Nogo Paradigm: An ERP Study. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 322.	1.0	7
64	Chemotherapy of Advanced Gastric Carcinoma. <i>Oncology Research and Treatment</i> , 1986, 9, 319-331.	0.8	6
65	5-Fluorouracil, 4-Epidoxorubicin, and Mitomycin C (FEM) Combination Chemotherapy for Advanced Gastric Carcinoma. A Phase-II Trial by the â€™Chemotherapieguppe Gastrointestinaler Tumoren (CGT)â€™. <i>Oncology Research and Treatment</i> , 1987, 10, 67-71.	0.8	6
66	Effects of long-term psychodynamic psychotherapy on life quality in mentally disturbed children. <i>Psychotherapy Research</i> , 2020, 30, 1039-1047.	1.1	6
67	Minimally important differences of EORTC QLQ-C30 scales in patients with lung cancer or malignant pleural mesothelioma â€™ Interpretation guidance derived from two randomized EORTC trials. <i>Lung Cancer</i> , 2022, 167, 65-72.	0.9	6
68	Clustering of EORTC QLQ-C30 health-related quality of life scales across several cancer types: Validation study. <i>European Journal of Cancer</i> , 2022, 170, 1-9.	1.3	6
69	Guidelines for the Use of Epoetin: Have Quality-of-Life Benefits Been Proven?. <i>Journal of Clinical Oncology</i> , 2003, 21, 2223-2223.	0.8	5
70	Randomized Trial of a Supportive Psychotherapy for Parents of Adolescents and Young Adults With Hematologic Malignancies. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, , 1-15.	2.3	4
71	Erythropoietin improves quality of lifeâ€™ a response. <i>Lancet Oncology</i> , The, 2002, 3, 527.	5.1	3
72	Sequential High Dose Methotrexate, 5-Fluorouracil and Folinic Acid Does Not Improve Response Rates in Advanced Colorectal Cancer. <i>Oncology Research and Treatment</i> , 1989, 12, 161-163.	0.8	2

#	ARTICLE	IF	CITATIONS
73	Variability and Sample Size Requirements for Health-Related Quality-of-Life Measures: Understanding the Challenges Facing Investigators. <i>Journal of Clinical Oncology</i> , 2005, 23, 8541-8542.	0.8	2
74	Quality of Life in Hodgkin Lymphoma. <i>Hematologic Malignancies</i> , 2015, , 365-374.	0.2	2
75	Quality of life in oncology clinical trials: present and future challenges. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2002, 2, 84-86.	0.7	1
76	Reference values for the EORTC QLQ-C30 in patients with advanced stage Hodgkin lymphoma and in Hodgkin lymphoma survivors. <i>European Journal of Haematology</i> , 2021, 106, 697-707.	1.1	1
77	Neural Mechanisms Underlying the Effects of Novel Sounds on Task Performance in Children With and Without ADHD. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	1.0	1
78	PCN127 MINIMAL CLINICALLY MEANINGFUL DIFFERENCES FOR THE EORTC QLQ-C30 AND EORTC QLQ-BN20 SCALES IN BRAIN CANCER PATIENTS. <i>Value in Health</i> , 2010, 13, A275-A276.	0.1	0
79	925: Risk-Adapted Treatment is Not Superior to Surgery – A Quality of Life Analysis of the German Prospective Multicenter Trial in Clinical Stage I NSGCT. <i>Journal of Urology</i> , 2004, 171, 245-246.	0.2	0
80	Has health-related quality-of-life assessment in EORTC clinical trials helped to obtain regulatory approvals and change clinical practice? A review of the EORTC experience in cancer clinical trials.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9570-9570.	0.8	0
81	Chemotherapy compared to surgery: Quality-of-life analysis of the German prospective multicenter trial in clinical stage I NSGCT (AUO AH 01/94).. <i>Journal of Clinical Oncology</i> , 2014, 32, 4563-4563.	0.8	0
82	Quality of Life in Hodgkin Lymphoma. <i>Hematologic Malignancies</i> , 2020, , 419-427.	0.2	0