

Anja Olsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9473786/publications.pdf>

Version: 2024-02-01

343
papers

22,874
citations

7096

78
h-index

14208

128
g-index

348
all docs

348
docs citations

348
times ranked

25117
citing authors

#	ARTICLE	IF	CITATIONS
1	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
2	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.3	614
3	Study design, exposure variables, and socioeconomic determinants of participation in Diet, Cancer and Health: A population-based prospective cohort study of 57,053 men and women in Denmark. Scandinavian Journal of Public Health, 2007, 35, 432-441.	2.3	532
4	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2004, 111, 762-771.	5.1	484
5	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2005, 97, 755-765.	6.3	391
6	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
7	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. BMJ: British Medical Journal, 2010, 340, b5500-b5500.	2.3	342
8	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354.	6.3	301
9	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPICâ€“EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	5.1	292
10	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
11	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251
12	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2007, 121, 2065-2072.	5.1	229
13	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	3.1	228
14	Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183.	7.4	227
15	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 127, 442-451.	5.1	223
16	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. BMJ: British Medical Journal, 2011, 342, d1584-d1584.	2.3	218
17	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	2.5	218
18	Associations between GPX1 Pro198Leu polymorphism, erythrocyte GPX activity, alcohol consumption and breast cancer risk in a prospective cohort study. Carcinogenesis, 2006, 27, 820-825.	2.8	210

#	ARTICLE	IF	CITATIONS
19	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	1.9	207
20	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	4.7	198
21	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	3.6	191
22	Serum levels of IGFâ€1, IGFBPâ€3 and colorectal cancer risk: results from the EPIC cohort, plus a metaâ€analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	5.1	190
23	Healthy Aspects of the Nordic Diet Are Related to Lower Total Mortality,. <i>Journal of Nutrition</i> , 2011, 141, 639-644.	2.9	182
24	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 438-446.	3.4	170
25	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	3.9	168
26	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	5.1	166
27	Endogenous versus exogenous exposure to N -nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	2.8	162
28	Acrylamide exposure and incidence of breast cancer among postmenopausal women in the Danish Diet, Cancer and Health Study. <i>International Journal of Cancer</i> , 2008, 122, 2094-2100.	5.1	151
29	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-1120.	4.7	150
30	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020, 18, 5.	5.5	148
31	Obesity, inflammatory markers, and endometrial cancer risk: a prospective caseâ€control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	3.1	143
32	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2339-2346.	3.6	143
33	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013, 108, 575-582.	0.4	141
34	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	4.7	139
35	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	2.3	136
36	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	5.7	136

#	ARTICLE	IF	CITATIONS
37	Fruit and Vegetable Consumption and Mortality. American Journal of Epidemiology, 2013, 178, 590-602.	3.4	135
38	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. Digestion, 2008, 77, 57-64.	2.3	127
39	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 582-593.	2.5	126
40	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 144-156.	5.1	125
41	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. Cancer Prevention Research, 2011, 4, 1873-1883.	1.5	125
42	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123
43	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. Cancer Causes and Control, 2006, 17, 957-969.	1.8	118
44	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
45	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1394-1403.	3.4	117
46	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2012, 96, 164-174.	4.7	116
47	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2007, 121, 1103-1114.	5.1	115
48	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	1.6	115
49	CagA+Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
50	Diet and risk of inflammatory bowel disease. Digestive and Liver Disease, 2012, 44, 185-194.	0.9	114
51	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2562-2569.	2.5	113
52	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1871-1888.	5.1	112
53	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385.	5.3	111
54	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor-Positive and -Negative Breast Cancer: a Nested Case-Control Study. Cancer Prevention Research, 2011, 4, 1626-1635.	1.5	108

#	ARTICLE	IF	CITATIONS
55	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	2.3	108
56	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	3.4	107
57	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667.	5.1	104
58	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	3.1	104
59	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	1.8	104
60	Serological markers predict inflammatory bowel disease years before the diagnosis. <i>Gut</i> , 2013, 62, 683-688.	12.1	104
61	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
62	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	4.7	98
63	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	5.1	96
64	Two regions in chromosome 19q13.2-3 are associated with risk of lung cancer. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 546, 65-74.	1.0	94
65	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	5.0	94
66	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	2.8	94
67	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	5.5	93
68	Long-term residential road traffic noise and NO2 exposure in relation to risk of incident myocardial infarction – A Danish cohort study. <i>Environmental Research</i> , 2017, 156, 80-86.	7.5	92
69	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	5.7	91
70	Intake of whole grain in Scandinavia: Intake, sources and compliance with new national recommendations. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 76-84.	2.3	91
71	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	7.3	91
72	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	1.8	90

#	ARTICLE	IF	CITATIONS
73	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	2.3	90
74	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009, 169, 1223-1232.	3.4	87
75	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	2.5	85
76	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. <i>International Journal of Cancer</i> , 2012, 131, 469-478.	5.1	84
77	An Association Between Dietary Arachidonic Acid, Measured in Adipose Tissue, and Ulcerative Colitis. <i>Gastroenterology</i> , 2010, 139, 1912-1917.	1.3	83
78	The combined impact of adherence to five lifestyle factors on all-cause, cancer and cardiovascular mortality: a prospective cohort study among Danish men and women. <i>British Journal of Nutrition</i> , 2015, 113, 849-858.	2.3	83
79	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	4.7	83
80	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	1.9	81
81	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	1.9	81
82	A specific haplotype of single nucleotide polymorphisms on chromosome 19q13.2-3 encompassing the gene RAI is indicative of post-menopausal breast cancer before age 55. <i>Carcinogenesis</i> , 2003, 24, 899-904.	2.8	79
83	Intake of Whole Grains and Vegetables Determines the Plasma Enterolactone Concentration of Danish Women. <i>Journal of Nutrition</i> , 2004, 134, 2691-2697.	2.9	79
84	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	1.3	79
85	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	5.5	79
86	Variations in Plasma Phytoestrogen Concentrations in European Adults. <i>Journal of Nutrition</i> , 2007, 137, 1294-1300.	2.9	78
87	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	1.9	78
88	Hormone replacement therapy in relation to breast carcinoma incidence rate ratios. <i>Cancer</i> , 2004, 100, 2328-2337.	4.1	77
89	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	3.4	77
90	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. <i>Cancer Causes and Control</i> , 2013, 24, 1363-1374.	1.8	77

#	ARTICLE	IF	CITATIONS
91	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. British Journal of Nutrition, 2006, 96, S12-S23.	2.3	76
92	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353.	4.7	76
93	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908.	5.1	75
94	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. PLoS ONE, 2016, 11, e0159025.	2.5	75
95	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. BMC Cancer, 2013, 13, 584.	2.6	74
96	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1403-1411.	1.9	74
97	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	4.4	74
98	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2006, 118, 3133-3139.	5.1	73
99	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491.	2.5	73
100	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54.	5.1	73
101	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340.	2.5	72
102	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1947-1957.	5.1	71
103	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. British Journal of Nutrition, 2015, 114, 608-623.	2.3	71
104	Fruits and Vegetables Intake Differentially Affects Estrogen Receptor Negative and Positive Breast Cancer Incidence Rates. Journal of Nutrition, 2003, 133, 2342-2347.	2.9	70
105	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	5.1	70
106	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414.	4.7	70
107	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 124, 1926-1934.	5.1	69
108	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68

#	ARTICLE	IF	CITATIONS
109	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	2.5	67
110	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
111	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	6.3	67
112	Vitamin D Status and Seasonal Variation among Danish Children and Adults: A Descriptive Study. <i>Nutrients</i> , 2018, 10, 1801.	4.1	67
113	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017, 15, 115.	5.5	66
114	Rye and health - Where do we stand and where do we go?. <i>Trends in Food Science and Technology</i> , 2018, 79, 78-87.	15.1	66
115	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 Diabetesâ€”The Danish Diet, Cancer and Health Cohort Study. <i>Nutrients</i> , 2015, 7, 8633-8644.	4.1	65
116	Alcohol intake and breast cancer in the <sc>E</sc>uropean prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	5.1	65
117	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	8.6	65
118	Adherence to a Healthy Nordic Diet and Risk of Stroke. <i>Stroke</i> , 2017, 48, 259-264.	2.0	65
119	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	2.5	64
120	Nutritional quality of food as represented by the FSAM-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	8.4	63
121	Height, age at menarche and risk of hormone receptorâ€”positive and â€”negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	5.1	62
122	Meat consumption, N-acetyl transferase 1 and 2 polymorphism and risk of breast cancer in Danish postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2008, 17, 39-47.	1.3	61
123	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	4.4	61
124	Tumor necrosis factor (TNF)â€”1, soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	5.1	61
125	Association between 8-oxo-7,8-dihydro-2â€”deoxyguanosine Excretion and Risk of Postmenopausal Breast Cancer: Nested Caseâ€”Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1289-1296.	2.5	61
126	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	8.4	61

#	ARTICLE	IF	CITATIONS
127	Dietary Carbohydrate Intake Is Not Associated with the Breast Cancer Incidence Rate Ratio in Postmenopausal Danish Women. <i>Journal of Nutrition</i> , 2005, 135, 124-128.	2.9	60
128	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: The Diet, Cancer and Health cohort study. <i>British Journal of Nutrition</i> , 2013, 109, 920-927.	2.3	60
129	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 999-1007.	4.7	60
130	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	2.2	60
131	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	2.5	59
132	Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. <i>Journal of Medical Genetics</i> , 2012, 49, 601-608.	3.2	58
133	Mortality among participants and non-participants in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2012, 27, 837-845.	5.7	58
134	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	1.8	58
135	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2531-2535.	2.5	57
136	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	2.5	57
137	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	3.1	56
138	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	5.7	56
139	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. <i>Journal of Nutrition</i> , 2018, 148, 1434-1444.	2.9	56
140	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	2.5	54
141	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	1.5	54
142	Forecasting individual breast cancer risk using plasma metabolomics and biocontours. <i>Metabolomics</i> , 2015, 11, 1376-1380.	3.0	54
143	Adherence to the healthy Nordic food index and total and cause-specific mortality among Swedish women. <i>European Journal of Epidemiology</i> , 2015, 30, 509-517.	5.7	54
144	Effects of whole-grain wheat, rye, and lignan supplementation on cardiometabolic risk factors in men with metabolic syndrome: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 864-876.	4.7	54

#	ARTICLE	IF	CITATIONS
145	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	3.4	53
146	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. BMC Medicine, 2015, 13, 252.	5.5	53
147	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. Public Health Nutrition, 2011, 14, 1787-1795.	2.2	52
148	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	2.5	52
149	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 2680-2693.	5.1	52
150	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2011, 129, 449-459.	5.1	51
151	Opposite effects of microchimerism on breast and colon cancer. European Journal of Cancer, 2012, 48, 2227-2235.	2.8	51
152	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. American Journal of Clinical Nutrition, 2016, 104, 88-96.	4.7	51
153	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC- <i>EUR</i> GAST study. International Journal of Cancer, 2007, 121, 1618-1623.	5.1	49
154	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. International Journal of Cancer, 2013, 133, 1689-1700.	5.1	49
155	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. BMC Medicine, 2017, 15, 72.	5.5	49
156	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). Cancer Causes and Control, 2009, 20, 785-794.	1.8	48
157	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2010, 127, 2402-2411.	5.1	48
158	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. European Journal of Nutrition, 2013, 52, 1369-1380.	3.9	48
159	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. American Journal of Clinical Nutrition, 2016, 103, 168-177.	4.7	48
160	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. International Journal of Cancer, 2017, 141, 905-915.	5.1	48
161	Lifetime Alcohol Consumption and Postmenopausal Breast Cancer Rate in Denmark: a Prospective Cohort Study. Journal of Nutrition, 2004, 134, 173-178.	2.9	47
162	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. International Journal of Cancer, 2007, 121, 2741-2747.	5.1	46

#	ARTICLE	IF	CITATIONS
163	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	5.1	46
164	Fruit and vegetable intake and risk of acute coronary syndrome. <i>British Journal of Nutrition</i> , 2010, 104, 248-255.	2.3	46
165	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816.	2.8	45
166	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	5.1	45
167	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	5.0	45
168	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	8.4	45
169	Effect of polymorphisms in XPD, RAI, ASE-1 and ERCC1 on the risk of basal cell carcinoma among Caucasians after age 50. <i>Cancer Detection and Prevention</i> , 2005, 29, 209-214.	2.1	44
170	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	4.7	44
171	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006, 119, 1741-1745.	5.1	43
172	Socioeconomic position and lifestyle in relation to breast cancer incidence among postmenopausal women: A prospective cohort study, Denmark, 1993-2006. <i>Cancer Epidemiology</i> , 2011, 35, 438-441.	1.9	43
173	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	3.4	43
174	Associations between Red Meat and Risks for Colon and Rectal Cancer Depend on the Type of Red Meat Consumed. <i>Journal of Nutrition</i> , 2013, 143, 464-472.	2.9	43
175	Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 311-323.	5.7	42
176	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	5.1	42
177	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	5.7	42
178	Urinary Hydroxysteroids and Breast Cancer Risk among Postmenopausal Women: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2137-2142.	2.5	41
179	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2475-2481.	5.1	41
180	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	1.5	41

#	ARTICLE	IF	CITATIONS
181	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	5.1	40
182	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	2.5	40
183	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	2.8	39
184	Self-Reported Whole-Grain Intake and Plasma Alkylresorcinol Concentrations in Combination in Relation to the Incidence of Colorectal Cancer. <i>American Journal of Epidemiology</i> , 2014, 179, 1188-1196.	3.4	39
185	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
186	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	3.4	38
187	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	5.1	38
188	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	1.9	38
189	Physical activity and risk of colon cancer in a cohort of Danish middle-aged men and women. <i>European Journal of Epidemiology</i> , 2007, 21, 877-884.	5.7	37
190	Intake of whole grain products and risk of breast cancer by hormone receptor status and histology among postmenopausal women. <i>International Journal of Cancer</i> , 2009, 124, 745-750.	5.1	37
191	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S122-S149.	2.9	37
192	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	5.1	37
193	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	2.5	37
194	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw153.	6.3	37
195	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	3.4	36
196	Pre-diagnostic alcohol consumption and breast cancer recurrence and mortality: Results from a prospective cohort with a wide range of variation in alcohol intake. <i>International Journal of Cancer</i> , 2013, 132, 686-694.	5.1	36
197	Prostate cancer in Denmark 1978-2009 trends in incidence and mortality. <i>Acta Oncologica</i> , 2013, 52, 831-836.	1.8	36
198	Micronutrient Intake and Risk of Urothelial Carcinoma in a Prospective Danish Cohort. <i>European Urology</i> , 2009, 56, 764-770.	1.9	35

#	ARTICLE	IF	CITATIONS
199	Micronutrient intake and risk of colon and rectal cancer in a Danish cohort. <i>Cancer Epidemiology</i> , 2010, 34, 40-46.	1.9	35
200	Coffee and tea consumption, genotype-based <i>CYP1A2</i> and <i>NAT2</i> activity and colorectal cancer risk-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 401-412.	5.1	35
201	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	8.6	35
202	Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1048-1058.	4.4	35
203	Intake of vitamins A, C, and E from diet and supplements and breast cancer in postmenopausal women. <i>Cancer Causes and Control</i> , 2003, 14, 695-704.	1.8	34
204	Plasma enterolactone and risk of colon and rectal cancer in a case-cohort study of Danish men and women. <i>Cancer Causes and Control</i> , 2010, 21, 153-162.	1.8	34
205	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival-Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	2.5	34
206	Residential Exposure to Traffic Noise and Health-Related Quality of Life-A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0120199.	2.5	34
207	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	5.1	34
208	Adherence to the EAT-Lancet Diet and Risk of Stroke and Stroke Subtypes: A Cohort Study. <i>Stroke</i> , 2022, 53, 154-163.	2.0	33
209	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	5.1	32
210	Prospective study of NAT1 and NAT2 polymorphisms, tobacco smoking and meat consumption and risk of colorectal cancer. <i>Cancer Letters</i> , 2008, 266, 186-193.	7.2	31
211	Social inequality and incidence of and survival from Hodgkin lymphoma, non-Hodgkin lymphoma and leukaemia in a population-based study in Denmark, 1994-2003. <i>European Journal of Cancer</i> , 2008, 44, 2058-2073.	2.8	31
212	Prediagnostic plasma enterolactone levels and mortality among women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 128, 883-889.	2.5	31
213	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	2.5	31
214	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	4.7	31
215	Micronutrient intake and breast cancer characteristics among postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2010, 19, 360-365.	1.3	30
216	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	2.5	30

#	ARTICLE	IF	CITATIONS
217	Micronutrient intake and risk of prostate cancer in a cohort of middle-aged, Danish men. <i>Cancer Causes and Control</i> , 2013, 24, 1129-1135.	1.8	30
218	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	2.0	30
219	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	5.0	30
220	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1855-1863.	2.5	30
221	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	2.3	30
222	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020, 22, 5.	5.0	30
223	Linkage disequilibrium mapping of a breast cancer susceptibility locus near RAI/PPP1R13L/iASPP. <i>BMC Medical Genetics</i> , 2008, 9, 56.	2.1	29
224	Intake of whole-grain products and risk of prostate cancer among men in the Danish Diet, Cancer and Health cohort study. <i>Cancer Causes and Control</i> , 2011, 22, 1133-1139.	1.8	29
225	PPARgamma-PGC-1alpha activity is determinant of alcohol related breast cancer. <i>Cancer Letters</i> , 2012, 315, 59-68.	7.2	29
226	Post-traumatic growth among elderly women with breast cancer compared to breast cancer-free women. <i>Acta Oncologica</i> , 2013, 52, 345-354.	1.8	29
227	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	2.3	29
228	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	5.1	29
229	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	3.4	28
230	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	5.1	28
231	Body iron status and gastric cancer risk in the <sc>EURGAST</sc> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	5.1	28
232	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	2.5	28
233	Plasma enterolactone and breast cancer incidence by estrogen receptor status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 2084-9.	2.5	28
234	CDH1 gene polymorphisms, smoking, <i>Helicobacter pylori</i> infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	2.8	27

#	ARTICLE	IF	CITATIONS
235	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	3.4	27
236	No association between the DNA repair gene XRCC3 T241M polymorphism and risk of skin cancer and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 584-5.	2.5	27
237	Adipose organochlorine concentrations and risk of breast cancer among postmenopausal Danish women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 67-74.	2.5	27
238	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 767-778.	2.5	26
239	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	3.9	26
240	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016, 19, 242-254.	2.2	26
241	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	7.0	26
242	No association between OGG1 Ser326Cys polymorphism and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 170-1.	2.5	26
243	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	2.5	25
244	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 852-855.	2.5	25
245	Intake of wholegrain products is associated with dietary, lifestyle, anthropometric and socio-economic factors in Denmark. <i>Public Health Nutrition</i> , 2009, 12, 1519-1530.	2.2	25
246	Source-specific effects of micronutrients in lung cancer prevention. <i>Lung Cancer</i> , 2010, 67, 275-281.	2.0	25
247	Pre-diagnostic acrylamide exposure and survival after breast cancer among postmenopausal Danish women. <i>Toxicology</i> , 2012, 296, 67-72.	4.2	25
248	Sun Exposure Guidelines and Serum Vitamin D Status in Denmark: The StatusD Study. <i>Nutrients</i> , 2016, 8, 266.	4.1	25
249	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. <i>International Journal of Cancer</i> , 2019, 145, 338-346.	5.1	25
250	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	2.0	24
251	Feasibility of smartphone diaries and personal dosimeters to quantitatively study exposure to ultraviolet radiation in a small national sample. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 252-260.	1.5	23
252	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735.	5.1	23

#	ARTICLE	IF	CITATIONS
253	Selenium status and risk of prostate cancer in a Danish population. British Journal of Nutrition, 2016, 115, 1669-1677.	2.3	22
254	Micronutrient intake in relation to all-cause mortality in a prospective Danish cohort. Food and Nutrition Research, 2012, 56, 5466.	2.6	21
255	Consumption of predefined "Nordic" dietary items in ten European countries – an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659.	2.2	21
256	Adherence to the healthy Nordic food index, dietary composition, and lifestyle among Swedish women. Food and Nutrition Research, 2015, 59, 26336.	2.6	21
257	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
258	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117.	2.5	21
259	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. Cancer Causes and Control, 2013, 24, 1901-1909.	1.8	20
260	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Cancer Causes and Control, 2014, 25, 639-646.	1.8	20
261	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	5.1	20
262	Targeted LC-MS/MS Method for the Quantitation of Plant Lignans and Enterolignans in Biofluids from Humans and Pigs. Journal of Agricultural and Food Chemistry, 2015, 63, 6283-6292.	5.2	20
263	Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the Tj ETQq1 1 0.784314 rgBJ /Overlock	4.1	20
264	Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. Acta Oncologica, 2021, 60, 316-322.	1.8	20
265	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 803-809.	1.8	19
266	Whole Grain, Dietary Fiber, and Incidence of Endometrial Cancer in a Danish Cohort Study. Nutrition and Cancer, 2012, 64, 1160-1168.	2.0	19
267	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	5.1	19
268	High-Throughput LC-MS/MS Method for Direct Quantification of Glucuronidated, Sulfated, and Free Enterolactone in Human Plasma. Journal of Proteome Research, 2016, 15, 1051-1058.	3.7	19
269	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. Nutrients, 2019, 11, 1954.	4.1	19
270	Plasma enterolactone and incidence of endometrial cancer in a case-cohort study of Danish women. British Journal of Nutrition, 2013, 109, 2269-2275.	2.3	18

#	ARTICLE	IF	CITATIONS
271	Whole Grain Intake and Survival Among Scandinavian Colorectal Cancer Patients. <i>Nutrition and Cancer</i> , 2014, 66, 6-13.	2.0	18
272	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. <i>European Journal of Epidemiology</i> , 2016, 31, 405-414.	5.7	18
273	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	1.6	18
274	Body mass index and participation in organized mammographic screening: a prospective cohort study. <i>BMC Cancer</i> , 2015, 15, 294.	2.6	17
275	Effects of smartphone diaries and personal dosimeters on behavior in a randomized study of methods to document sunlight exposure. <i>Preventive Medicine Reports</i> , 2016, 3, 367-372.	1.8	17
276	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 419-430.	5.7	17
277	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	2.3	17
278	Polymorphisms of glutathione S-transferase A1 and O1 and breast cancer among postmenopausal Danish women. <i>European Journal of Cancer Prevention</i> , 2008, 17, 225-229.	1.3	16
279	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	2.5	16
280	Use of antibiotics is associated with lower enterolactone plasma concentration. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 2712-2721.	3.3	16
281	Intake of whole grain and associations with lifestyle and demographics: a cross-sectional study based on the Danish Diet, Cancer and Health "Next Generations cohort. <i>European Journal of Nutrition</i> , 2021, 60, 883-895.	3.9	16
282	A lifestyle intervention among elderly men on active surveillance for non-aggressive prostate cancer: a randomised feasibility study with whole-grain rye and exercise. <i>Trials</i> , 2017, 18, 20.	1.6	15
283	The association between genetic variants in hMLH1 and hMSH2 and the development of sporadic colorectal cancer in the Danish population. <i>BMC Medical Genetics</i> , 2008, 9, 52.	2.1	14
284	Plasma levels of alkylresorcinols and incidence of endometrial cancer. <i>European Journal of Cancer Prevention</i> , 2010, 19, 73-77.	1.3	14
285	Genetic polymorphism in selenoprotein P modifies the response to selenium-rich foods on blood levels of selenium and selenoprotein P in a randomized dietary intervention study in Danes. <i>Genes and Nutrition</i> , 2018, 13, 20.	2.5	14
286	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 3267-3280.	5.1	14
287	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020, 35, 1057-1067.	5.7	14
288	Cohort profile and representativeness of participants in the Diet, Cancer and Health "Next Generations cohort study. <i>European Journal of Epidemiology</i> , 2022, 37, 117-127.	5.7	14

#	ARTICLE	IF	CITATIONS
289	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	2.5	13
290	The Effect on Selenium Concentrations of a Randomized Intervention with Fish and Mussels in a Population with Relatively Low Habitual Dietary Selenium Intake. <i>Nutrients</i> , 2015, 7, 608-624.	4.1	13
291	Residential road traffic noise exposure and survival after breast cancer – A cohort study. <i>Environmental Research</i> , 2016, 151, 814-820.	7.5	13
292	Potato Consumption and Risk of Colorectal Cancer in the Norwegian Women and Cancer Cohort. <i>Nutrition and Cancer</i> , 2017, 69, 564-572.	2.0	13
293	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019, 44, 33-42.	1.1	13
294	Pre- and post-diagnostic intake of whole grain and dairy products and breast cancer prognosis: the Danish Diet, Cancer and Health cohort. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 743-753.	2.5	13
295	Modifiable Lifestyle Recommendations and Mortality in Denmark: A Cohort Study. <i>American Journal of Preventive Medicine</i> , 2021, 60, 792-801.	3.0	13
296	Knowledge deficit, attitude and behavior scales association to objective measures of sun exposure and sunburn in a Danish population based sample. <i>PLoS ONE</i> , 2017, 12, e0178190.	2.5	13
297	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase β Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	2.5	12
298	Dietary patterns and whole grain cereals in the Scandinavian countries – differences and similarities. The HELGA project. <i>Public Health Nutrition</i> , 2015, 18, 905-915.	2.2	12
299	Forecasting Chronic Diseases Using Data Fusion. <i>Journal of Proteome Research</i> , 2017, 16, 2435-2444.	3.7	12
300	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017, 140, 316-321.	5.1	12
301	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	1.3	12
302	Lifestyle influences on the association between pre-diagnostic hormone replacement therapy and breast cancer prognosis – Results from The Danish “Diet, Cancer and Health” prospective cohort. <i>Maturitas</i> , 2014, 79, 442-448.	2.4	11
303	Whole-Grain Intake and Pancreatic Cancer Risk – The Danish, Diet, Cancer and Health Cohort. <i>Journal of Nutrition</i> , 2021, 151, 666-674.	2.9	11
304	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2022, 50, 1914-1926.	1.9	11
305	Urinary Estrogen Metabolites and Breast Cancer: A Combined Analysis of Individual Level Data. <i>International Journal of Biological Markers</i> , 2013, 28, 3-16.	1.8	10
306	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	2.5	10

#	ARTICLE	IF	CITATIONS
307	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Development—a Population-Based Prospective Study. <i>Hormones and Cancer</i> , 2018, 9, 254-264.	4.9	10
308	Diet quality is not associated with late-onset multiple sclerosis risk—A Danish Cohort Study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 40, 101968.	2.0	10
309	Dietary determinants for Hb-acrylamide and Hb-glycidamide adducts in Danish non-smoking women. <i>British Journal of Nutrition</i> , 2011, 105, 1381-1387.	2.3	9
310	Serum estrogen and SHBG levels and breast cancer incidence among users and never users of hormone replacement therapy. <i>Cancer Causes and Control</i> , 2012, 23, 1711-1720.	1.8	9
311	Pre-diagnostic plasma enterolactone concentrations and breast cancer prognosis among postmenopausal women — The Danish Diet, Cancer and Health cohort. <i>Clinical Nutrition</i> , 2018, 37, 2217-2225.	5.0	9
312	Receptor activator of nuclear factor κ B ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	2.6	9
313	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. <i>British Journal of Nutrition</i> , 2019, 122, 552-563.	2.3	9
314	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	5.1	9
315	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	5.1	9
316	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested case-control study. <i>International Journal of Cancer</i> , 2021, 148, 876-883.	5.1	9
317	What characterises women who eat potatoes? A cross-sectional study among 74,208 women in the Norwegian Women and Cancer cohort. <i>Food and Nutrition Research</i> , 2015, 59, 25703.	2.6	8
318	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	5.1	8
319	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1746-1754.	2.5	8
320	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. <i>Diabetologia</i> , 2019, 62, 959-969.	6.3	8
321	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021, 9, 1521.	3.2	8
322	Flavonoid intakes inversely associate with COPD in smokers. <i>European Respiratory Journal</i> , 2022, 60, 2102604.	6.7	8
323	Re: Fruit and Vegetable Intake and Risk of Major Chronic Disease. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1307-1308.	6.3	7
324	Patterns of time since last meal revealed by sparse PCA in an observational LC-MS based metabolomics study. <i>Metabolomics</i> , 2013, 9, 1073-1081.	3.0	7

#	ARTICLE	IF	CITATIONS
325	Effect of increased intake of fish and mussels on exposure to toxic trace elements in a healthy, middle-aged population. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 1858-1866.	2.3	7
326	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. Carcinogenesis, 2021, 42, 705-713.	2.8	7
327	Adherence to the Healthy Nordic Food Index in the Norwegian Women and Cancer (NOWAC) cohort. Food and Nutrition Research, 2018, 62, .	2.6	7
328	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. Nutrients, 2019, 11, 465.	4.1	6
329	Equity in the use of publicly subsidized psychotherapy among elderly Danish cancer patients â€“ a register-based cohort study. Acta Oncol ³ gica, 2013, 52, 355-363.	1.8	5
330	Potato consumption and risk of pancreatic cancer in the HELGA cohort. British Journal of Nutrition, 2018, 119, 1408-1415.	2.3	5
331	Organic food consumption is associated with a healthy lifestyle, socio-demographics and dietary habits: a cross-sectional study based on the Danish Diet, Cancer and Health cohort. Public Health Nutrition, 2022, 25, 1543-1551.	2.2	5
332	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Antioxidants, 2021, 10, 1249.	5.1	4
333	Metabolically-Defined Body Size Phenotypes and Risk of Endometrial Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2022, , .	2.5	4
334	Re: Calcium Plus Vitamin D Supplementation and the Risk of Breast Cancer. Journal of the National Cancer Institute, 2009, 101, 690-690.	6.3	3
335	Characterization of Norwegian women eating wholegrain bread. Public Health Nutrition, 2015, 18, 2836-2845.	2.2	3
336	Pre-diagnostic C-reactive protein concentrations, CRP genetic variation and mortality among individuals with colorectal cancer in Western European populations. BMC Cancer, 2022, 22, .	2.6	3
337	Fish consumption and prostate cancer risk and mortality in a Danish cohort study. European Journal of Cancer Prevention, 2018, 27, 355-360.	1.3	2
338	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study â€“ ERRATUM. British Journal of Nutrition, 2014, 111, 758-759.	2.3	1
339	Adherence to the Danish food-based dietary guidelines and risk of colorectal cancer: a cohort study. British Journal of Cancer, 2021, 125, 1726-1733.	6.4	1
340	Fibre and prevention of chronic diseases. BMJ: British Medical Journal, 2011, 343, d6938-d6938.	2.3	0
341	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0
342	Reply to A Abbasi. American Journal of Clinical Nutrition, 2016, 104, 1725-1726.	4.7	0

#	ARTICLE	IF	CITATIONS
343	Reply to J-B Qin et al.. American Journal of Clinical Nutrition, 2016, 104, 1723-1724.	4.7	0