

Anja Olsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9473786/publications.pdf>

Version: 2024-02-01

343
papers

22,874
citations

7087

78
h-index

14197

128
g-index

348
all docs

348
docs citations

348
times ranked

25117
citing authors

#	ARTICLE	IF	CITATIONS
1	Organic food consumption is associated with a healthy lifestyle, socio-demographics and dietary habits: a cross-sectional study based on the Danish Diet, Cancer and Health cohort. <i>Public Health Nutrition</i> , 2022, 25, 1543-1551.	1.1	5
2	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2022, 50, 1914-1926.	0.9	11
3	Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, 1048-1058.	2.4	35
4	Adherence to the EAT-Lancet Diet and Risk of Stroke and Stroke Subtypes: A Cohort Study. <i>Stroke</i> , 2022, 53, 154-163.	1.0	33
5	Flavonoid intakes inversely associate with COPD in smokers. <i>European Respiratory Journal</i> , 2022, 60, 2102604.	3.1	8
6	Cohort profile and representativeness of participants in the Diet, Cancer and Health Next Generations cohort study. <i>European Journal of Epidemiology</i> , 2022, 37, 117-127.	2.5	14
7	Metabolically-Defined Body Size Phenotypes and Risk of Endometrial Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, , .	1.1	4
8	Pre-diagnostic C-reactive protein concentrations, CRP genetic variation and mortality among individuals with colorectal cancer in Western European populations. <i>BMC Cancer</i> , 2022, 22, .	1.1	3
9	Intake of whole grain and associations with lifestyle and demographics: a cross-sectional study based on the Danish Diet, Cancer and Health Next Generations cohort. <i>European Journal of Nutrition</i> , 2021, 60, 883-895.	1.8	16
10	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021, 44, 98-106.	4.3	68
11	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	2.3	9
12	Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. <i>Acta Oncologica</i> , 2021, 60, 316-322.	0.8	20
13	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested case-control study. <i>International Journal of Cancer</i> , 2021, 148, 876-883.	2.3	9
14	Whole-Grain Intake and Pancreatic Cancer Risk The Danish, Diet, Cancer and Health Cohort. <i>Journal of Nutrition</i> , 2021, 151, 666-674.	1.3	11
15	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021, 42, 705-713.	1.3	7
16	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	2.3	29
17	Modifiable Lifestyle Recommendations and Mortality in Denmark: A Cohort Study. <i>American Journal of Preventive Medicine</i> , 2021, 60, 792-801.	1.6	13
18	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	2.2	4

#	ARTICLE	IF	CITATIONS
19	Adherence to the Danish food-based dietary guidelines and risk of colorectal cancer: a cohort study. <i>British Journal of Cancer</i> , 2021, 125, 1726-1733.	2.9	1
20	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021, 9, 1521.	1.4	8
21	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	2.3	9
22	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208.	1.2	17
23	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	2.5	42
24	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	2.4	74
25	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	2.3	52
26	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 3267-3280.	2.3	14
27	Pre- and post-diagnostic intake of whole grain and dairy products and breast cancer prognosis: the Danish Diet, Cancer and Health cohort. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 743-753.	1.1	13
28	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394.	3.9	45
29	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020, 35, 1057-1067.	2.5	14
30	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	4.3	35
31	Diet quality is not associated with late-onset multiple sclerosis risk – A Danish Cohort Study. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 40, 101968.	0.9	10
32	Effects of whole-grain wheat, rye, and lignan supplementation on cardiometabolic risk factors in men with metabolic syndrome: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 864-876.	2.2	54
33	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640.	1.0	60
34	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020, 22, 5.	2.2	30
35	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020, 18, 5.	2.3	148
36	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1746-1754.	1.1	8

#	ARTICLE	IF	CITATIONS
37	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019, 11, 1954.	1.7	19
38	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	2.3	79
39	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845.	1.6	103
40	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. <i>Diabetologia</i> , 2019, 62, 959-969.	2.9	8
41	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. <i>Nutrients</i> , 2019, 11, 465.	1.7	6
42	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. <i>British Journal of Nutrition</i> , 2019, 122, 552-563.	1.2	9
43	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. <i>International Journal of Cancer</i> , 2019, 145, 338-346.	2.3	25
44	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019, 44, 33-42.	0.5	13
45	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	0.6	79
46	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 633-640.	0.9	38
47	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383.	0.6	12
48	Fish consumption and prostate cancer risk and mortality in a Danish cohort study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 355-360.	0.6	2
49	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	2.3	42
50	Pre-diagnostic plasma enterolactone concentrations and breast cancer prognosis among postmenopausal women – The Danish Diet, Cancer and Health cohort. <i>Clinical Nutrition</i> , 2018, 37, 2217-2225.	2.3	9
51	Vitamin D Status and Seasonal Variation among Danish Children and Adults: A Descriptive Study. <i>Nutrients</i> , 2018, 10, 1801.	1.7	67
52	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018, 18, 1010.	1.1	9
53	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002651.	3.9	63
54	Potato consumption and risk of pancreatic cancer in the HELGA cohort. <i>British Journal of Nutrition</i> , 2018, 119, 1408-1415.	1.2	5

#	ARTICLE	IF	CITATIONS
55	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Developmentâ€”a Population-Based Prospective Study. <i>Hormones and Cancer</i> , 2018, 9, 254-264.	4.9	10
56	Rye and health - Where do we stand and where do we go?. <i>Trends in Food Science and Technology</i> , 2018, 79, 78-87.	7.8	66
57	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. <i>Journal of Nutrition</i> , 2018, 148, 1434-1444.	1.3	56
58	Genetic polymorphism in selenoprotein P modifies the response to selenium-rich foods on blood levels of selenium and selenoprotein P in a randomized dietary intervention study in Danes. <i>Genes and Nutrition</i> , 2018, 13, 20.	1.2	14
59	Adherence to the Healthy Nordic Food Index in the Norwegian Women and Cancer (NOWAC) cohort. <i>Food and Nutrition Research</i> , 2018, 62, .	1.2	7
60	A lifestyle intervention among elderly men on active surveillance for non-aggressive prostate cancer: a randomised feasibility study with whole-grain rye and exercise. <i>Trials</i> , 2017, 18, 20.	0.7	15
61	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	3.2	26
62	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	2.3	21
63	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297.	2.3	34
64	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	1.3	94
65	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017, 141, 905-915.	2.3	48
66	Hepcidin levels and gastric cancer risk in the EPICâ€”EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	2.3	8
67	Forecasting Chronic Diseases Using Data Fusion. <i>Journal of Proteome Research</i> , 2017, 16, 2435-2444.	1.8	12
68	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 419-430.	2.5	17
69	Potato Consumption and Risk of Colorectal Cancer in the Norwegian Women and Cancer Cohort. <i>Nutrition and Cancer</i> , 2017, 69, 564-572.	0.9	13
70	Long-term residential road traffic noise and NO2 exposure in relation to risk of incident myocardial infarction â€” A Danish cohort study. <i>Environmental Research</i> , 2017, 156, 80-86.	3.7	92
71	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested caseâ€”control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735.	2.3	23
72	Adherence to a Healthy Nordic Diet and Risk of Stroke. <i>Stroke</i> , 2017, 48, 259-264.	1.0	65

#	ARTICLE	IF	CITATIONS
73	Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247.	2.0	168
74	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	2.3	49
75	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017, 140, 316-321.	2.3	12
76	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	1.1	21
77	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002409.	3.9	61
78	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017, 15, 115.	2.3	66
79	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	0.8	18
80	Knowledge deficit, attitude and behavior scales association to objective measures of sun exposure and sunburn in a Danish population based sample. <i>PLoS ONE</i> , 2017, 12, e0178190.	1.1	13
81	Sun Exposure Guidelines and Serum Vitamin D Status in Denmark: The StatusD Study. <i>Nutrients</i> , 2016, 8, 266.	1.7	25
82	Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.7	20
83	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	0.9	207
84	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw153.	3.0	37
85	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1755-1765.	0.8	58
86	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	2.2	70
87	Reply to A Abbasi. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1725-1726.	2.2	0
88	Reply to J-B Qin et al.. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1723-1724.	2.2	0
89	Effects of smartphone diaries and personal dosimeters on behavior in a randomized study of methods to document sunlight exposure. <i>Preventive Medicine Reports</i> , 2016, 3, 367-372.	0.8	17
90	Residential road traffic noise exposure and survival after breast cancer - A cohort study. <i>Environmental Research</i> , 2016, 151, 814-820.	3.7	13

#	ARTICLE	IF	CITATIONS
91	Use of antibiotics is associated with lower enterolactone plasma concentration. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 2712-2721.	1.5	16
92	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016, 104, 760-768.	2.2	31
93	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492.	2.3	19
94	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 88-96.	2.2	51
95	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1403-1411.	0.9	74
96	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	0.7	41
97	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325.	1.2	30
98	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016, 19, 242-254.	1.1	26
99	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	2.2	83
100	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 999-1007.	2.2	60
101	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581.	4.3	65
102	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	1.1	28
103	High-Throughput LC-MS/MS Method for Direct Quantification of Glucuronidated, Sulfated, and Free Enterolactone in Human Plasma. <i>Journal of Proteome Research</i> , 2016, 15, 1051-1058.	1.8	19
104	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	2.2	48
105	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. <i>European Journal of Epidemiology</i> , 2016, 31, 405-414.	2.5	18
106	Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. <i>European Journal of Epidemiology</i> , 2016, 31, 311-323.	2.5	42
107	Selenium status and risk of prostate cancer in a Danish population. <i>British Journal of Nutrition</i> , 2016, 115, 1669-1677.	1.2	22
108	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025.	1.1	75

#	ARTICLE	IF	CITATIONS
109	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. <i>British Journal of Nutrition</i> , 2015, 114, 608-623.	1.2	71
110	What characterises women who eat potatoes? A cross-sectional study among 74,208 women in the Norwegian Women and Cancer cohort. <i>Food and Nutrition Research</i> , 2015, 59, 25703.	1.2	8
111	Adherence to the healthy Nordic food index, dietary composition, and lifestyle among Swedish women. <i>Food and Nutrition Research</i> , 2015, 59, 26336.	1.2	21
112	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	2.3	93
113	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015, 13, 252.	2.3	53
114	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015, 17, 49.	2.2	30
115	Body iron status and gastric cancer risk in the <sc>EURGAST</sc> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	2.3	28
116	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <sc>E</sc>uropean <sc>P</sc>rospective <sc>I</sc>nvestigation into <sc>C</sc>ancer and <sc>N</sc>utrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	2.3	45
117	Alcohol consumption and the risk of renal cancers in the <sc>E</sc>uropean prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 1953-1966.	2.3	32
118	Feasibility of smartphone diaries and personal dosimeters to quantitatively study exposure to ultraviolet radiation in a small national sample. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2015, 31, 252-260.	0.7	23
119	The Effect on Selenium Concentrations of a Randomized Intervention with Fish and Mussels in a Population with Relatively Low Habitual Dietary Selenium Intake. <i>Nutrients</i> , 2015, 7, 608-624.	1.7	13
120	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 Diabetesâ€”The Danish Diet, Cancer and Health Cohort Study. <i>Nutrients</i> , 2015, 7, 8633-8644.	1.7	65
121	Residential Exposure to Traffic Noise and Health-Related Quality of Lifeâ€”A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0120199.	1.1	34
122	Body mass index and participation in organized mammographic screening: a prospective cohort study. <i>BMC Cancer</i> , 2015, 15, 294.	1.1	17
123	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2339-2346.	1.8	143
124	The combined impact of adherence to five lifestyle factors on all-cause, cancer and cardiovascular mortality: a prospective cohort study among Danish men and women. <i>British Journal of Nutrition</i> , 2015, 113, 849-858.	1.2	83
125	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	1.1	31
126	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	2.3	20

#	ARTICLE	IF	CITATIONS
127	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70
128	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	2.3	65
129	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015, 136, 1899-1908.	2.3	75
130	Targeted LC-MS/MS Method for the Quantitation of Plant Lignans and Enterolignans in Biofluids from Humans and Pigs. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 6283-6292.	2.4	20
131	Characterization of Norwegian women eating wholegrain bread. <i>Public Health Nutrition</i> , 2015, 18, 2836-2845.	1.1	3
132	Forecasting individual breast cancer risk using plasma metabolomics and biocontours. <i>Metabolomics</i> , 2015, 11, 1376-1380.	1.4	54
133	Adherence to the healthy Nordic food index and total and cause-specific mortality among Swedish women. <i>European Journal of Epidemiology</i> , 2015, 30, 509-517.	2.5	54
134	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	2.2	45
135	Dietary patterns and whole grain cereals in the Scandinavian countries – differences and similarities. The HELGA project. <i>Public Health Nutrition</i> , 2015, 18, 905-915.	1.1	12
136	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	1.1	16
137	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1855-1863.	1.1	30
138	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , 2015, 26, 1845-1855.	0.8	0
139	Effect of increased intake of fish and mussels on exposure to toxic trace elements in a healthy, middle-aged population. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015, 32, 1858-1866.	1.1	7
140	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	2.5	39
141	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	1.6	27
142	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	1.2	29
143	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	3.0	67
144	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival – Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	1.1	34

#	ARTICLE	IF	CITATIONS
145	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 401-412.	2.3	35
146	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	3.6	91
147	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	2.3	38
148	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 2013-2021.	0.9	78
149	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014, 66, 14-28.	0.9	24
150	Consumption of predefined "Nordic" dietary items in ten European countries " an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014, 17, 2650-2659.	1.1	21
151	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2532-2542.	1.1	10
152	Whole Grain Intake and Survival Among Scandinavian Colorectal Cancer Patients. <i>Nutrition and Cancer</i> , 2014, 66, 6-13.	0.9	18
153	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014, 25, 639-646.	0.8	20
154	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	2.3	112
155	Pre-menopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	2.3	71
156	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	2.5	56
157	Lifestyle influences on the association between pre-diagnostic hormone replacement therapy and breast cancer prognosis"Results from The Danish "Diet, Cancer and Health" prospective cohort. <i>Maturitas</i> , 2014, 79, 442-448.	1.0	11
158	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	1.1	37
159	Self-Reported Whole-Grain Intake and Plasma Alkylresorcinol Concentrations in Combination in Relation to the Incidence of Colorectal Cancer. <i>American Journal of Epidemiology</i> , 2014, 179, 1188-1196.	1.6	39
160	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2475-2481.	2.3	41
161	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2014, 32, 1347-1355.	0.8	115
162	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014, 4, e005245-e005245.	0.8	81

#	ARTICLE	IF	CITATIONS
163	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study – ERRATUM. <i>British Journal of Nutrition</i> , 2014, 111, 758-759.	1.2	1
164	Pre-diagnostic alcohol consumption and breast cancer recurrence and mortality: Results from a prospective cohort with a wide range of variation in alcohol intake. <i>International Journal of Cancer</i> , 2013, 132, 686-694.	2.3	36
165	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	1.2	40
166	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909.	0.8	20
167	Patterns of time since last meal revealed by sparse PCA in an observational LC-MS based metabolomics study. <i>Metabolomics</i> , 2013, 9, 1073-1081.	1.4	7
168	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	1.8	26
169	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	1.8	48
170	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	2.5	136
171	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	1.1	52
172	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. <i>Cancer Causes and Control</i> , 2013, 24, 1363-1374.	0.8	77
173	Micronutrient intake and risk of prostate cancer in a cohort of middle-aged, Danish men. <i>Cancer Causes and Control</i> , 2013, 24, 1129-1135.	0.8	30
174	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013, 13, 584.	1.1	74
175	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013, 108, 575-582.	0.2	141
176	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	1.6	135
177	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: The Diet, Cancer and Health cohort study. <i>British Journal of Nutrition</i> , 2013, 109, 920-927.	1.2	60
178	Post-traumatic growth among elderly women with breast cancer compared to breast cancer-free women. <i>Acta Oncologica</i> , 2013, 52, 345-354.	0.8	29
179	Prostate cancer in Denmark 1978–2009 – trends in incidence and mortality. <i>Acta Oncologica</i> , 2013, 52, 831-836.	0.8	36
180	Equity in the use of publicly subsidized psychotherapy among elderly Danish cancer patients – a register-based cohort study. <i>Acta Oncologica</i> , 2013, 52, 355-363.	0.8	5

#	ARTICLE	IF	CITATIONS
181	Associations between Red Meat and Risks for Colon and Rectal Cancer Depend on the Type of Red Meat Consumed. <i>Journal of Nutrition</i> , 2013, 143, 464-472.	1.3	43
182	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-1120.	2.2	150
183	Association between 8-oxo-7,8-dihydro-2- β -deoxyguanosine Excretion and Risk of Postmenopausal Breast Cancer: Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1289-1296.	1.1	61
184	Serological markers predict inflammatory bowel disease years before the diagnosis. <i>Gut</i> , 2013, 62, 683-688.	6.1	104
185	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	2.3	49
186	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629.	2.3	62
187	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 344-353.	2.2	76
188	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	0.9	30
189	Urinary Estrogen Metabolites and Breast Cancer: A Combined Analysis of Individual Level Data. <i>International Journal of Biological Markers</i> , 2013, 28, 3-16.	0.7	10
190	Plasma enterolactone and incidence of endometrial cancer in a case-cohort study of Danish women. <i>British Journal of Nutrition</i> , 2013, 109, 2269-2275.	1.2	18
191	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013, 8, e72715.	1.1	85
192	Micronutrient intake in relation to all-cause mortality in a prospective Danish cohort. <i>Food and Nutrition Research</i> , 2012, 56, 5466.	1.2	21
193	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	2.2	67
194	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 164-174.	2.2	116
195	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	1.1	126
196	Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. <i>Journal of Medical Genetics</i> , 2012, 49, 601-608.	1.5	58
197	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	1.2	90
198	Intake of whole grain in Scandinavia: Intake, sources and compliance with new national recommendations. <i>Scandinavian Journal of Public Health</i> , 2012, 40, 76-84.	1.2	91

#	ARTICLE	IF	CITATIONS
199	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 150-163.	2.2	285
200	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	2.2	94
201	Serum estrogen and SHBG levels and breast cancer incidence among users and never users of hormone replacement therapy. <i>Cancer Causes and Control</i> , 2012, 23, 1711-1720.	0.8	9
202	Mortality among participants and non-participants in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2012, 27, 837-845.	2.5	58
203	Whole Grain, Dietary Fiber, and Incidence of Endometrial Cancer in a Danish Cohort Study. <i>Nutrition and Cancer</i> , 2012, 64, 1160-1168.	0.9	19
204	PPARgamma-PGC-1alpha activity is determinant of alcohol related breast cancer. <i>Cancer Letters</i> , 2012, 315, 59-68.	3.2	29
205	Opposite effects of microchimerism on breast and colon cancer. <i>European Journal of Cancer</i> , 2012, 48, 2227-2235.	1.3	51
206	Diet and risk of inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2012, 44, 185-194.	0.4	114
207	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361.	1.1	218
208	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	2.3	37
209	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. <i>International Journal of Cancer</i> , 2012, 131, 469-478.	2.3	84
210	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	2.3	73
211	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	1.6	77
212	Pre-diagnostic acrylamide exposure and survival after breast cancer among postmenopausal Danish women. <i>Toxicology</i> , 2012, 296, 67-72.	2.0	25
213	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	2.3	40
214	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	2.4	61
215	Socioeconomic position and lifestyle in relation to breast cancer incidence among postmenopausal women: A prospective cohort study, Denmark, 1993-2006. <i>Cancer Epidemiology</i> , 2011, 35, 438-441.	0.8	43
216	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011, 47, 1808-1816.	1.3	45

#	ARTICLE	IF	CITATIONS
217	Fibre and prevention of chronic diseases. <i>BMJ: British Medical Journal</i> , 2011, 343, d6938-d6938.	2.4	0
218	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	1.1	13
219	Prediagnostic plasma enterolactone levels and mortality among women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011, 128, 883-889.	1.1	31
220	Intake of whole-grain products and risk of prostate cancer among men in the Danish Diet, Cancer and Health cohort study. <i>Cancer Causes and Control</i> , 2011, 22, 1133-1139.	0.8	29
221	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 144-156.	2.3	125
222	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	2.3	28
223	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
224	Tumor necrosis factor (TNF)- α , soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	2.3	61
225	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1584-d1584.	2.4	218
226	Dietary determinants for Hb-acrylamide and Hb-glycidamide adducts in Danish non-smoking women. <i>British Journal of Nutrition</i> , 2011, 105, 1381-1387.	1.2	9
227	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	1.1	64
228	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor-Positive and -Negative Breast Cancer: a Nested Case-Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	0.7	108
229	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 767-778.	1.1	26
230	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	1.1	30
231	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	1.6	43
232	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. <i>Public Health Nutrition</i> , 2011, 14, 1787-1795.	1.1	52
233	Healthy Aspects of the Nordic Diet Are Related to Lower Total Mortality,. <i>Journal of Nutrition</i> , 2011, 141, 639-644.	1.3	182
234	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883.	0.7	125

#	ARTICLE	IF	CITATIONS
235	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099.	1.2	108
236	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392.	0.7	54
237	Fruit and vegetable intake and risk of acute coronary syndrome. <i>British Journal of Nutrition</i> , 2010, 104, 248-255.	1.2	46
238	Plasma levels of alkylresorcinols and incidence of endometrial cancer. <i>European Journal of Cancer Prevention</i> , 2010, 19, 73-77.	0.6	14
239	Micronutrient intake and breast cancer characteristics among postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2010, 19, 360-365.	0.6	30
240	Micronutrient intake and risk of colon and rectal cancer in a Danish cohort. <i>Cancer Epidemiology</i> , 2010, 34, 40-46.	0.8	35
241	Plasma enterolactone and risk of colon and rectal cancer in a case-cohort study of Danish men and women. <i>Cancer Causes and Control</i> , 2010, 21, 153-162.	0.8	34
242	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
243	Serum levels of IGF-1, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	2.3	190
244	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 127, 442-451.	2.3	223
245	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2010, 127, 2402-2411.	2.3	48
246	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1328-1340.	1.1	72
247	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2549-2561.	1.1	59
248	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
249	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	1.1	113
250	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	2.2	44
251	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	2.2	198
252	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1394-1403.	1.6	117

#	ARTICLE	IF	CITATIONS
253	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	1.6	107
254	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. <i>BMJ: British Medical Journal</i> , 2010, 340, b5500-b5500.	2.4	342
255	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	1.6	143
256	Source-specific effects of micronutrients in lung cancer prevention. <i>Lung Cancer</i> , 2010, 67, 275-281.	0.9	25
257	An Association Between Dietary Arachidonic Acid, Measured in Adipose Tissue, and Ulcerative Colitis. <i>Gastroenterology</i> , 2010, 139, 1912-1917.	0.6	83
258	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010, 102, 529-537.	3.0	357
259	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	2.2	251
260	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2485-2491.	1.1	73
261	Intake of wholegrain products is associated with dietary, lifestyle, anthropometric and socio-economic factors in Denmark. <i>Public Health Nutrition</i> , 2009, 12, 1519-1530.	1.1	25
262	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009, 169, 1223-1232.	1.6	87
263	Re: Calcium Plus Vitamin D Supplementation and the Risk of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2009, 101, 690-690.	3.0	3
264	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	2.2	98
265	Micronutrient Intake and Risk of Urothelial Carcinoma in a Prospective Danish Cohort. <i>European Urology</i> , 2009, 56, 764-770.	0.9	35
266	Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009, 65, 378-385.	2.8	111
267	Intake of whole grain products and risk of breast cancer by hormone receptor status and histology among postmenopausal women. <i>International Journal of Cancer</i> , 2009, 124, 745-750.	2.3	37
268	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
269	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
270	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48

#	ARTICLE	IF	CITATIONS
271	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 803-809.	0.8	19
272	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S122-S149.	1.3	37
273	The association between genetic variants in hMLH1 and hMSH2 and the development of sporadic colorectal cancer in the Danish population. <i>BMC Medical Genetics</i> , 2008, 9, 52.	2.1	14
274	Linkage disequilibrium mapping of a breast cancer susceptibility locus near RAI/PPP1R13L/iASPP. <i>BMC Medical Genetics</i> , 2008, 9, 56.	2.1	29
275	Acrylamide exposure and incidence of breast cancer among postmenopausal women in the Danish Diet, Cancer and Health Study. <i>International Journal of Cancer</i> , 2008, 122, 2094-2100.	2.3	151
276	Prospective study of NAT1 and NAT2 polymorphisms, tobacco smoking and meat consumption and risk of colorectal cancer. <i>Cancer Letters</i> , 2008, 266, 186-193.	3.2	31
277	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	1.3	27
278	Social inequality and incidence of and survival from Hodgkin lymphoma, non-Hodgkin lymphoma and leukaemia in a population-based study in Denmark, 1994-2003. <i>European Journal of Cancer</i> , 2008, 44, 2058-2073.	1.3	31
279	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	1.1	67
280	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64.	1.2	127
281	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	1.3	39
282	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	1.6	228
283	Meat consumption, N-acetyl transferase 1 and 2 polymorphism and risk of breast cancer in Danish postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2008, 17, 39-47.	0.6	61
284	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	1.6	36
285	Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 438-446.	1.6	170
286	Polymorphisms of glutathione S-transferase A1 and O1 and breast cancer among postmenopausal Danish women. <i>European Journal of Cancer Prevention</i> , 2008, 17, 225-229.	0.6	16
287	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	2.2	139
288	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	1.6	104

#	ARTICLE	IF	CITATIONS
289	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90.	1.6	56
290	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 852-855.	1.1	25
291	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	1.1	54
292	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	0.9	81
293	Study design, exposure variables, and socioeconomic determinants of participation in Diet, Cancer and Health: A population-based prospective cohort study of 57,053 men and women in Denmark. <i>Scandinavian Journal of Public Health</i> , 2007, 35, 432-441.	1.2	532
294	Haplotype-Based Analysis of Common Variation in the Acetyl-CoA Carboxylase β Gene and Breast Cancer Risk: A Case-Control Study Nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 409-415.	1.1	12
295	Variations in Plasma Phytoestrogen Concentrations in European Adults. <i>Journal of Nutrition</i> , 2007, 137, 1294-1300.	1.3	78
296	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
297	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	1.6	53
298	CagA+ <i>Helicobacter pylori</i> infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867.	2.3	114
299	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	2.3	96
300	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	2.3	166
301	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	2.3	115
302	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	2.3	49
303	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	2.3	229
304	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747.	2.3	46
305	Physical activity and risk of colon cancer in a cohort of Danish middle-aged men and women. <i>European Journal of Epidemiology</i> , 2007, 21, 877-884.	2.5	37
306	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141.	2.5	91

#	ARTICLE	IF	CITATIONS
307	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373.	0.8	104
308	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	1.1	57
309	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	1.2	76
310	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969.	0.8	118
311	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566.	2.3	292
312	Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139.	2.3	73
313	Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667.	2.3	104
314	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006, 119, 1741-1745.	2.3	43
315	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	1.6	28
316	Associations between GPX1 Pro198Leu polymorphism, erythrocyte GPX activity, alcohol consumption and breast cancer risk in a prospective cohort study. <i>Carcinogenesis</i> , 2006, 27, 820-825.	1.3	210
317	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006, 98, 345-354.	3.0	301
318	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	1.3	123
319	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1043-1045.	1.1	25
320	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006, 27, 1497-1501.	1.3	162
321	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	1.2	136
322	Effect of polymorphisms in XPD, RAI, ASE-1 and ERCC1 on the risk of basal cell carcinoma among Caucasians after age 50. <i>Cancer Detection and Prevention</i> , 2005, 29, 209-214.	2.1	44
323	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005, 16, 561-572.	0.8	90
324	Dietary Carbohydrate Intake Is Not Associated with the Breast Cancer Incidence Rate Ratio in Postmenopausal Danish Women. <i>Journal of Nutrition</i> , 2005, 135, 124-128.	1.3	60

#	ARTICLE	IF	CITATIONS
325	Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005, 97, 755-765.	3.0	391
326	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Journal of the National Cancer Institute</i> , 2005, 97, 906-916.	3.0	716
327	Urinary Hydroxyestrogens and Breast Cancer Risk among Postmenopausal Women: A Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2137-2142.	1.1	41
328	Consumption of Vegetables and Fruits and Risk of Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 183.	3.8	227
329	Re: Fruit and Vegetable Intake and Risk of Major Chronic Disease. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1307-1308.	3.0	7
330	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ: British Medical Journal</i> , 2005, 330, 991.	2.4	614
331	Fruit and Vegetable Consumption and Risk of Epithelial Ovarian Cancer: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2531-2535.	1.1	57
332	Adipose organochlorine concentrations and risk of breast cancer among postmenopausal Danish women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 67-74.	1.1	27
333	Lifetime Alcohol Consumption and Postmenopausal Breast Cancer Rate in Denmark: a Prospective Cohort Study. <i>Journal of Nutrition</i> , 2004, 134, 173-178.	1.3	47
334	Two regions in chromosome 19q13.2-3 are associated with risk of lung cancer. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 546, 65-74.	0.4	94
335	Hormone replacement therapy in relation to breast carcinoma incidence rate ratios. <i>Cancer</i> , 2004, 100, 2328-2337.	2.0	77
336	Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2004, 111, 762-771.	2.3	484
337	Intake of Whole Grains and Vegetables Determines the Plasma Enterolactone Concentration of Danish Women. <i>Journal of Nutrition</i> , 2004, 134, 2691-2697.	1.3	79
338	Plasma enterolactone and breast cancer incidence by estrogen receptor status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 2084-9.	1.1	28
339	Intake of vitamins A, C, and E from diet and supplements and breast cancer in postmenopausal women. <i>Cancer Causes and Control</i> , 2003, 14, 695-704.	0.8	34
340	A specific haplotype of single nucleotide polymorphisms on chromosome 19q13.2-3 encompassing the gene RAI is indicative of post-menopausal breast cancer before age 55. <i>Carcinogenesis</i> , 2003, 24, 899-904.	1.3	79
341	Fruits and Vegetables Intake Differentially Affects Estrogen Receptor Negative and Positive Breast Cancer Incidence Rates. <i>Journal of Nutrition</i> , 2003, 133, 2342-2347.	1.3	70
342	No association between OGG1 Ser326Cys polymorphism and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 170-1.	1.1	26

#	ARTICLE	IF	CITATIONS
343	No association between the DNA repair gene XRCC3 T241M polymorphism and risk of skin cancer and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 584-5.	1.1	27