

Ling Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/947384/publications.pdf>

Version: 2024-02-01

91
papers

2,228
citations

218677

26
h-index

254184

43
g-index

111
all docs

111
docs citations

111
times ranked

2943
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterotopic Ossification: Clinical Features, Basic Researches, and Mechanical Stimulations. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 770931.	3.7	18
2	Role of Chemerin/ChemR23 axis as an emerging therapeutic perspective on obesity-related vascular dysfunction. <i>Journal of Translational Medicine</i> , 2022, 20, 141.	4.4	17
3	New Insights Into the Interplay Among Autophagy, the NLRP3 Inflammasome and Inflammation in Adipose Tissue. <i>Frontiers in Endocrinology</i> , 2022, 13, 739882.	3.5	7
4	Non-fasting Changes in Blood Lipids After Three Daily Meals Within a Day in Chinese Inpatients With Cardiovascular Diseases. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 799300.	2.4	0
5	New insight into dyslipidemia-induced cellular senescence in atherosclerosis. <i>Biological Reviews</i> , 2022, 97, 1844-1867.	10.4	27
6	miR-188-3p targets skeletal endothelium coupling of angiogenesis and osteogenesis during ageing. <i>Cell Death and Disease</i> , 2022, 13, .	6.3	6
7	Using MgO nanoparticles as a potential platform to precisely load and steadily release Ag ions for enhanced osteogenesis and bacterial killing. <i>Materials Science and Engineering C</i> , 2021, 119, 111399.	7.3	13
8	Misdiagnosed takotsubo syndrome: a case report. <i>Annals of Palliative Medicine</i> , 2021, .	1.2	0
9	A rare case of thymic carcinoid presenting with gastrointestinal symptoms and pericardium effusion. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 54.	1.7	0
10	Attractylenolide III predisposes miR-195a-5p/FGFR1 signaling axis to exert tumor-suppressive functions in liver cancer. <i>Journal of Food Biochemistry</i> , 2021, 45, e13582.	2.9	5
11	Non-HDL-C Is More Stable Than LDL-C in Assessing the Percent Attainment of Non-fasting Lipid for Coronary Heart Disease Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 649181.	2.4	5
12	The Value of Chinese Version GAD-7 and PHQ-9 to Screen Anxiety and Depression in Chinese Outpatients with Atypical Chest Pain. <i>Therapeutics and Clinical Risk Management</i> , 2021, Volume 17, 423-431.	2.0	19
13	The Role of Fasting LDL-C Levels in Their Non-fasting Reduction in Patients With Coronary Heart Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 686234.	2.4	3
14	Change in Postprandial Level of Remnant Cholesterol After a Daily Breakfast in Chinese Patients With Hypertension. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 685385.	2.4	8
15	Coronary artery fistula and bronchiectasis: case report and literature review. <i>Annals of Palliative Medicine</i> , 2021, 10, 8403-8412.	1.2	2
16	Non-fasting lipid profile for cardiovascular risk assessments using China ASCVD risk estimator and Europe SCORE risk charts in Chinese participants. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 991-1001.	1.7	1
17	Comparison of the Reductions in LDL-C and Non-HDL-C Induced by the Red Yeast Rice Extract Xuezhikang Between Fasting and Non-fasting States in Patients With Coronary Heart Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 674446.	2.4	3
18	Determination of the Optimal Cutoff Value of Triglyceride That Corresponds to Fasting Levels in Chinese Subjects With Marked Hypertriglyceridemia. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 736059.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Senescent immune cells release grancalcin to promote skeletal aging. <i>Cell Metabolism</i> , 2021, 33, 1957-1973.e6.	16.2	70
20	The design, development, and in vivo performance of intestinal anastomosis ring fabricated by magnesium-zinc-strontium alloy. <i>Materials Science and Engineering C</i> , 2020, 106, 110158.	7.3	12
21	Identification of key microRNAs and genes associated with abdominal aortic aneurysm based on the gene expression profile. <i>Experimental Physiology</i> , 2020, 105, 160-173.	2.0	7
22	Comparison of remnant cholesterol levels estimated by calculated and measured LDL-C levels in Chinese patients with coronary heart disease. <i>Clinica Chimica Acta</i> , 2020, 500, 75-80.	1.1	20
23	Diagnostic value of monocyte to high-density lipoprotein ratio in acute aortic dissection in a Chinese han population. <i>Expert Review of Molecular Diagnostics</i> , 2020, 20, 1243-1252.	3.1	6
24	miR-let-7a-5p Inhibits Invasion and Migration of Hepatoma Cells by Regulating BZW2 Expression. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 12269-12279.	2.0	6
25	Communications Between Bone Marrow Macrophages and Bone Cells in Bone Remodeling. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 598263.	3.7	64
26	The Role of a Selective P2Y ₆ Receptor Antagonist, MRS2578, on the Formation of Angiotensin II-Induced Abdominal Aortic Aneurysms. <i>BioMed Research International</i> , 2020, 2020, 1-15.	1.9	4
27	Protective and therapeutic effects of nanoliposomal quercetin on acute liver injury in rats. <i>BMC Pharmacology & Toxicology</i> , 2020, 21, 11.	2.4	16
28	Genome shuffling based on different types of ribosome engineering mutants for enhanced production of 10-membered enediyne tiancimycin-A. <i>Applied Microbiology and Biotechnology</i> , 2020, 104, 4359-4369.	3.6	16
29	HNF1A-AS1 Regulates Cell Migration, Invasion and Glycolysis via Modulating miR-124/MYO6 in Colorectal Cancer Cells. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 1507-1518.	2.0	29
30	E2F7 Transcriptionally Inhibits MicroRNA-199b Expression to Promote USP47, Thereby Enhancing Colon Cancer Tumor Stem Cell Activity and Promoting the Occurrence of Colon Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 565449.	2.8	13
31	Postprandial triglyceride-rich lipoproteins-induced premature senescence of adipose-derived mesenchymal stem cells via the SIRT1/p53/Ac-p53/p21 axis through oxidative mechanism. <i>Aging</i> , 2020, 12, 26080-26094.	3.1	16
32	Blood exosomal micro ribonucleic acid profiling reveals the complexity of hepatocellular carcinoma and identifies potential biomarkers for differential diagnosis. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 1195-1208.	2.0	7
33	The association of B-type natriuretic peptide with Left ventricular hypertrophy. <i>International Journal of Cardiology</i> , 2019, 297, 143.	1.7	0
34	Circ_0015756 promotes proliferation, invasion and migration by microRNA-7-dependent inhibition of FAK in hepatocellular carcinoma. <i>Cell Cycle</i> , 2019, 18, 2939-2953.	2.6	31
35	Changes in non-fasting concentrations of blood lipids after a daily Chinese breakfast in overweight subjects without fasting hypertriglyceridemia. <i>Clinica Chimica Acta</i> , 2019, 490, 147-153.	1.1	17
36	circZFR promotes cell proliferation and migration by regulating miR-511/AKT1 axis in hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2019, 51, 1446-1455.	0.9	47

#	ARTICLE	IF	CITATIONS
37	Comparison of non-fasting LDL-C levels calculated by Friedewald formula with those directly measured in Chinese patients with coronary heart disease after a daily breakfast. <i>Clinica Chimica Acta</i> , 2019, 495, 399-405.	1.1	17
38	Doubts About the Targeting Nanotherapy for Abdominal Aortic Aneurysms. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1367-1368.	2.8	0
39	SRC-like adaptor protein negatively regulates Wnt signaling in intrahepatic cholangiocarcinoma. <i>Oncology Letters</i> , 2019, 17, 2745-2753.	1.8	6
40	Nicotine induces cell survival and chemoresistance by stimulating Mcl-1 phosphorylation and its interaction with Bak in lung cancer. <i>Journal of Cellular Physiology</i> , 2019, 234, 15934-15940.	4.1	5
41	Determination of optimal cut-off points after a high-fat meal corresponding to fasting elevations of triglyceride and remnant cholesterol in Chinese subjects. <i>Lipids in Health and Disease</i> , 2019, 18, 206.	3.0	12
42	Long non-coding RNA TP73-AS1 promotes colorectal cancer proliferation by acting as a ceRNA for miR-103 to regulate PTEN expression. <i>Gene</i> , 2019, 685, 222-229.	2.2	26
43	Hepatocellular carcinoma successfully treated with ALPPS and apatinib: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 2384-2392.	0.8	0
44	Ribosome engineering and fermentation optimization leads to overproduction of tiancimycin A, a new enediyne natural product from <i>Streptomyces</i> sp. CBO3234. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2018, 45, 141-151.	3.0	29
45	Is the decrease of triglyceride level after acute myocardial infarction within a month by the effect of combination therapy of Ezetimibe and Simvastatin. <i>International Journal of Cardiology</i> , 2018, 256, 21.	1.7	1
46	Inhibition of REDD1 Sensitizes Bladder Urothelial Carcinoma to Paclitaxel by Inhibiting Autophagy. <i>Clinical Cancer Research</i> , 2018, 24, 445-459.	7.0	62
47	Potential Medication Treatment According to Pathological Mechanisms in Abdominal Aortic Aneurysm. <i>Journal of Cardiovascular Pharmacology</i> , 2018, 71, 46-57.	1.9	10
48	Screening for susceptibility genes in hereditary non-polyposis colorectal cancer. <i>Oncology Letters</i> , 2018, 15, 9413-9419.	1.8	13
49	Reduced inflammatory response by incorporating magnesium into porous TiO ₂ coating on titanium substrate. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 171, 276-284.	5.0	46
50	Statin therapy contributes to plaque-stability by increasing the presence of calcification of plaque. <i>International Journal of Cardiology</i> , 2018, 271, 24.	1.7	2
51	Familial amyloid cardiomyopathy masquerading as chronic Guillain-Barre syndrome: things are not always what they seem. <i>Frontiers of Medicine</i> , 2017, 11, 293-296.	3.4	2
52	Colorectal cancer in cases of multiple primary cancers: Clinical features of 59 cases and point mutation analyses. <i>Oncology Letters</i> , 2017, 13, 4720-4726.	1.8	16
53	MicroRNA-30a-5p suppresses proliferation, invasion and tumor growth of hepatocellular cancer cells via targeting FOXA1. <i>Oncology Letters</i> , 2017, 14, 5018-5026.	1.8	26
54	Indispensable role of lipoprotein bound-ApoE in adipogenesis and endocytosis induced by postprandial TRL. <i>Biochemical and Biophysical Research Communications</i> , 2017, 493, 298-305.	2.1	9

#	ARTICLE	IF	CITATIONS
55	Apolipoprotein O expression in mouse liver enhances hepatic lipid accumulation by impairing mitochondrial function. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 8-14.	2.1	18
56	MiR-381 functions as a tumor suppressor in colorectal cancer by targeting Twist1. <i>OncoTargets and Therapy</i> , 2016, 9, 1231.	2.0	36
57	Triglyceride-rich lipoproteins induce adipogenic differentiation through an apolipoprotein E/LRP1/caveolae-dependent pathway: A hypothesis for diet-induced obesity. <i>International Journal of Cardiology</i> , 2016, 212, 82-83.	1.7	1
58	Titer improvement and pilot-scale production of platensimycin from <i>Streptomyces platensis</i> SB12026. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2016, 43, 1027-1035.	3.0	25
59	microRNA-148a inhibits hepatocellular carcinoma cell invasion by targeting sphingosine-1-phosphate receptor 1. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 579-584.	1.8	23
60	The in vitro biological properties of Mg-Zn-Sr alloy and superiority for preparation of biodegradable intestinal anastomosis rings. <i>Medical Science Monitor</i> , 2014, 20, 1056-1066.	1.1	20
61	Syphilis. <i>Coronary Artery Disease</i> , 2014, 25, 540-541.	0.7	3
62	Apolipoprotein E synthesized by adipocyte and apolipoprotein E carried on lipoproteins modulate adipocyte triglyceride content. <i>Lipids in Health and Disease</i> , 2014, 13, 136.	3.0	16
63	Zc3h12c inhibits vascular inflammation by repressing NF- κ B activation and pro-inflammatory gene expression in endothelial cells. <i>Biochemical Journal</i> , 2013, 451, 55-60.	3.7	32
64	Glycolysis in Panc-1 human pancreatic cancer cells is inhibited by everolimus. <i>Experimental and Therapeutic Medicine</i> , 2013, 5, 338-342.	1.8	26
65	Apolipoprotein A5 internalized by human adipocytes modulates cellular triglyceride content. <i>Biological Chemistry</i> , 2012, 393, 161-167.	2.5	26
66	MicroRNAs as a novel cellular senescence regulator. <i>Ageing Research Reviews</i> , 2012, 11, 41-50.	10.9	48
67	Remnant-Like Lipoproteins May Accelerate Endothelial Progenitor Cells Senescence Through Inhibiting Telomerase Activity via the Reactive Oxygen Species-Dependent Pathway. <i>Canadian Journal of Cardiology</i> , 2011, 27, 628-634.	1.7	10
68	Estrogen Treatment Inhibits Vascular Endothelial Senescence and Asymmetrical Dimethylarginine in Ovariectomized Rabbits. <i>Journal of Cardiovascular Pharmacology</i> , 2011, 57, 174-182.	1.9	10
69	SIRT1 Promotes Proliferation and Prevents Senescence Through Targeting LKB1 in Primary Porcine Aortic Endothelial Cells. <i>Circulation Research</i> , 2010, 106, 1384-1393.	4.5	265
70	Effects of Glimperide on metabolic parameters and cardiovascular risk factors in patients with newly diagnosed type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 71-75.	2.8	18
71	Evaluation of the lipid lowering ability, anti-inflammatory effects and clinical safety of intensive therapy with Zhibitai, a Chinese traditional medicine. <i>Atherosclerosis</i> , 2010, 211, 237-241.	0.8	21
72	Interaction between remnant-like lipoprotein particles and adipocytes. <i>International Journal of Cardiology</i> , 2009, 133, 3-7.	1.7	4

#	ARTICLE	IF	CITATIONS
73	Protective roles of HDL, apoA-I and mimetic peptide on endothelial function: Through endothelial cells and endothelial progenitor cells. <i>International Journal of Cardiology</i> , 2009, 133, 286-292.	1.7	18
74	Remnant-like particles accelerate endothelial progenitor cells senescence and induce cellular dysfunction via an oxidative mechanism. <i>Atherosclerosis</i> , 2009, 202, 405-414.	0.8	44
75	HDL slowing down endothelial progenitor cells senescence: A novel anti-atherogenic property of HDL. <i>Medical Hypotheses</i> , 2008, 70, 338-342.	1.5	39
76	Cyclin-dependent kinase inhibitor p16INK4a and telomerase may co-modulate endothelial progenitor cells senescence. <i>Ageing Research Reviews</i> , 2008, 7, 137-146.	10.9	49
77	Postprandial hypertriglyceridemia associated with inflammatory response and procoagulant state after a high-fat meal in hypertensive patients. <i>Coronary Artery Disease</i> , 2008, 19, 145-151.	0.7	14
78	Effect of Fluvastatin and Valsartan, Alone and in Combination, on Postprandial Vascular Inflammation and Fibrinolytic Activity in Patients With Essential Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2007, 50, 50-55.	1.9	35
79	Remnant-like lipoprotein particles impair endothelial function: direct and indirect effects on nitric oxide synthase. <i>Journal of Lipid Research</i> , 2007, 48, 1673-1680.	4.2	69
80	Fluvastatin blunts the effect of a high-fat meal on plasma triglyceride and high-sensitivity C-reactive protein concentrations in patients at high risk for cardiovascular events. <i>Coronary Artery Disease</i> , 2007, 18, 489-493.	0.7	8
81	Xuezhikang, An Extract of Cholestin, Reduces Cardiovascular Events in Type 2 Diabetes Patients With Coronary Heart Disease: Subgroup Analysis of Patients With Type 2 Diabetes From China Coronary Secondary Prevention Study (CCSPS). <i>Journal of Cardiovascular Pharmacology</i> , 2007, 49, 81-84.	1.9	39
82	Remnant like particles may induce atherosclerosis via accelerating endothelial progenitor cells senescence. <i>Medical Hypotheses</i> , 2007, 69, 293-296.	1.5	5
83	Xuezhikang, an Extract of Cholestin, Protects Endothelial Function Through Antiinflammatory and Lipid-Lowering Mechanisms in Patients With Coronary Heart Disease. <i>Circulation</i> , 2004, 110, 915-920.	1.6	121
84	Simvastatin reduces interleukin-1 β secretion by peripheral blood mononuclear cells in patients with essential hypertension. <i>Clinica Chimica Acta</i> , 2004, 344, 195-200.	1.1	34
85	Fenofibrate enhances CD36 mediated endocytic uptake and degradation of oxidized low density lipoprotein in adipocytes from hypercholesterolemia rabbit. <i>Atherosclerosis</i> , 2004, 177, 255-262.	0.8	21
86	Effect of xuezhikang, a cholestin extract, on reflecting postprandial triglyceridemia after a high-fat meal in patients with coronary heart disease. <i>Atherosclerosis</i> , 2003, 168, 375-380.	0.8	42
87	Xuezhikang Decreases Serum Lipoprotein(a) and C-reactive Protein Concentrations in Patients with Coronary Heart Disease. <i>Clinical Chemistry</i> , 2003, 49, 1347-1352.	3.2	51
88	Vitamin C preserves endothelial function in patients with coronary heart disease after a high-fat meal. <i>Clinical Cardiology</i> , 2002, 25, 219-224.	1.8	41
89	Impairment of endothelial function after a high-fat meal in patients with coronary artery disease. <i>Coronary Artery Disease</i> , 2001, 12, 561-565.	0.7	36
90	Protective effect of high density lipoprotein on endothelium-dependent vasodilatation. <i>International Journal of Cardiology</i> , 2000, 73, 231-236.	1.7	121

#	ARTICLE	IF	CITATIONS
91	The changes of circulating tumor necrosis factor levels in patients with congestive heart failure influenced by therapy. International Journal of Cardiology, 1999, 69, 77-82.	1.7	37