
Rui As Lapa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/947546/publications.pdf Version: 2024-02-01



<u> Ριμ Δς Ι αρα</u>

#	Article	IF	CITATIONS
1	A retrospective study comparing creatinine clearance estimation using different equations on a population-based cohort. Mathematical Biosciences and Engineering, 2021, 18, 5680-5691.	1.9	1
2	In Silico Pharmacokinetic Study of Vancomycin Using PBPK Modeling and Therapeutic Drug Monitoring. Current Drug Metabolism, 2021, 22, 150-162.	1.2	6
3	New In Vitro-In Silico Approach for the Prediction of In Vivo Performance of Drug Combinations. Molecules, 2021, 26, 4257.	3.8	9
4	Added value of ionic liquids in a biocatalytic process: An automatic approach. Process Biochemistry, 2021, 108, 121-128.	3.7	3
5	PBPK Modeling and Simulation of Antibiotics Amikacin, Gentamicin, Tobramycin, and Vancomycin Used in Hospital Practice. Life, 2021, 11, 1130.	2.4	5
6	PBPK Modeling and Simulation and Therapeutic Drug Monitoring: Possible Ways for Antibiotic Dose Adjustment. Processes, 2021, 9, 2087.	2.8	6
7	Permeability evaluation of gemcitabine-CPP6 conjugates in Caco-2 cells. ADMET and DMPK, 2021, 9, 41-48.	2.1	3
8	Permeability of Gemcitabine and PBPK Modeling to Assess Oral Administration. Current Issues in Molecular Biology, 2021, 43, 2189-2198.	2.4	3
9	Combination of Gemcitabine with Cell-Penetrating Peptides: A Pharmacokinetic Approach Using In Silico Tools. Biomolecules, 2019, 9, 693.	4.0	12
10	Toxicity assessment of ionic liquids with Vibrio fischeri: An alternative fully automated methodology. Journal of Hazardous Materials, 2015, 284, 136-142.	12.4	52
11	CMOS arrays as chemiluminescence detectors on microfluidic devices. Analytical and Bioanalytical Chemistry, 2010, 397, 381-388.	3.7	12
12	Development of micro-flow devices by direct-milling on poly(methyl methacrylate) substrates with integrated optical detection. Mikrochimica Acta, 2009, 166, 189-195.	5.0	8
13	Development of Flow Systems by Direct-milling on Poly(methyl methacrylate) Substrates Using UV-Photopolymerization as Sealing Process. Analytical Sciences, 2009, 25, 443-448.	1.6	9
14	A Multicommutated Flow System Based on an Opened‣oop with Micropump Propulsion. Analytical Letters, 2007, 40, 1632-1645.	1.8	3
15	Development of a tubular fluoride potentiometric detector for flow analysis. Analytica Chimica Acta, 2007, 583, 429-436.	5.4	17
16	Flow-injection determination of total organic fluorine with off-line defluorination reaction on a solid sorbent bed. Analytica Chimica Acta, 2007, 600, 147-154.	5.4	15
17	Chemiluminometric determination of carvedilol in a multi-pumping flow system. Talanta, 2005, 68, 239-244.	5.5	30
18	Reagent generation for chemical analysis assisted by ultrasonic irradiation. Ultrasonics, 2004, 42, 585-590.	3.9	7

Rui As Lapa

#	Article	IF	CITATIONS
19	Development of a sequential injection analysis system for the simultaneous biosensing of glucose and ethanol in bioreactor fermentation. Food Chemistry, 2003, 81, 141-146.	8.2	39
20	Automatic Flow System with Voltammetric Detection for Diacetyl Monitoring during Brewing Process. Journal of Agricultural and Food Chemistry, 2002, 50, 3647-3653.	5.2	22
21	Potentiometric Flow Injection Determination of Glycerol in Distilled Spirits. Journal of Agricultural and Food Chemistry, 2002, 50, 74-77.	5.2	10
22	Automatic potentiometric flow titration procedure for ascorbic acid determination in pharmaceutical formulations. Journal of Pharmaceutical and Biomedical Analysis, 2002, 28, 1221-1225.	2.8	26
23	Multi-pumping in flow analysis: concepts, instrumentation, potentialities. Analytica Chimica Acta, 2002, 466, 125-132.	5.4	200
24	Multicommutation in flow analysis: concepts, applications and trends. Analytica Chimica Acta, 2002, 468, 119-131.	5.4	212
25	Automatic flow titrator based on a multicommutated unsegmented flow system for alkalinity monitoring in wastewaters. Analytica Chimica Acta, 2001, 438, 291-298.	5.4	13
26	Sequential Injection Analysis-Based System for On-Line Monitoring of Nitrite and Nitrate in Wastewaters Analytical Sciences, 2000, 16, 1157-1160.	1.6	19
27	Fluorimetric determination of isoniazid by oxidation with cerium(IV) in a multicommutated flow system. Analytica Chimica Acta, 2000, 419, 17-23.	5.4	83
28	An automatic titrator based on a multicommutated unsegmented flow system. Analytica Chimica Acta, 2000, 407, 213-223.	5.4	16
29	Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system. Analytica Chimica Acta, 2000, 407, 225-231.	5.4	27
30	Oxidability Determination in Waste Waters Using an Automatic Titrator Based on a Multicommutated Unsegmented Flow System. International Journal of Environmental Analytical Chemistry, 2000, 78, 315-332.	3.3	5
31	Determination of Phenolic Compounds in Waste Waters by Sequential Injection Analysis and Spectrophometry. International Journal of Environmental Analytical Chemistry, 2000, 76, 69-76.	3.3	7
32	Precipitation titrations using an automatic titrator based on a multicommutated unsegmented flow system. Analyst, The, 2000, 125, 333-340.	3.5	11
33	A flow-batch titrator exploiting a one-dimensional optimisation algorithm for end point search. Analytica Chimica Acta, 1999, 396, 91-97.	5.4	72
34	Determination of glucose in soft drink and sugar-cane juice employing a multicommutation approach in flow system and enzymatic reaction. Fresenius' Journal of Analytical Chemistry, 1999, 364, 358-361.	1.5	8
35	Automated flow-rate meter for flow-analysis systems. Laboratory Robotics and Automation, 1999, 11, 97-104.	0.2	2
36	Construction and evaluation of ion selective electrodes for perchlorate with a summing operational amplifier: application to pyrotechnics mixtures analysis. Analyst, The, 1999, 124, 97-100.	3.5	26

Rui As Lapa

#	Article	IF	CITATIONS
37	A Monosegmented Flow Titration for the Spectrophotometric Determination of Total Acidity in Vinegar Analytical Sciences, 1999, 15, 665-668.	1.6	21
38	A multicommutated flow system with on-line compensation of the Schlieren effect applied to the spectrophotometric determination of pindolol. Analytica Chimica Acta, 1998, 366, 209-215.	5.4	31
39	Continuous sample recirculation in an opened-loop multicommutated flow system. Analytica Chimica Acta, 1998, 377, 103-110.	5.4	18
40	Construction and evaluation of ion-selective electrodes for potassium and calcium with a summing operational amplifier. Application to wine analysis. Fresenius' Journal of Analytical Chemistry, 1998, 360, 659-663.	1.5	5
41	Sequential Determination of Calcium and Magnesium Cations in Haemodialysis Solutions by FIA. Analytical Sciences, 1997, 13, 409-414.	1.6	4
42	Determination of Low Levels of Nitrates in Natural Waters by Direct Potentiometry Using an Ion Selective Electrode of Improved Sensitivity. International Journal of Environmental Analytical Chemistry, 1997, 66, 71-78.	3.3	9
43	Photochemical-fluorimetric determination of folic acid in a multicommutated flow system. Analytica Chimica Acta, 1997, 351, 223-228.	5.4	56
44	Um fotÃímetro de fluxo para análises clÃnicas a base de um diodo emissor de luz bicolor. Quimica Nova, 1997, 20, 137-145.	0.3	7
45	Determination of calcium, magnesium, sodium and potassium in wines by FIA using an automatic zone sampling system. Food Chemistry, 1996, 55, 397-402.	8.2	17
46	Simultaneous automatic potentiometric determination of acidity, chloride and fluoride in vinegar. Food Control, 1995, 6, 155-159.	5.5	20
47	Multicommutation in flow analysis. Part 1. Binary sampling: concepts, instrumentation and spectrophotometric determination of iron in plant digests. Analytica Chimica Acta, 1994, 293, 129-138.	5.4	308
48	Determination of fluoride in Spanish vinegars. Food Chemistry, 1992, 45, 365-367.	8.2	4