

Zhengbao Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9477160/publications.pdf>

Version: 2024-02-01

65
papers

728
citations

687363

13
h-index

752698

20
g-index

65
all docs

65
docs citations

65
times ranked

710
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between annual household income and adverse outcomes in patients who had ischaemic stroke. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 293-300.	3.7	4
2	Effect of immediate blood pressure reduction on post-stroke depression in ischemic stroke patients: A substudy of CATIS trial. <i>Journal of Affective Disorders</i> , 2022, 300, 195-202.	4.1	5
3	Serum Growth Differentiation Factor 15 Levels Are Associated With Depression After Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2022, 11, e022607.	3.7	3
4	Associations of genetically proxied inhibition of HMG-CoA reductase, NPC1L1, and PCSK9 with breast cancer and prostate cancer. <i>Breast Cancer Research</i> , 2022, 24, 12.	5.0	12
5	Association of DNA Methylation in Blood Pressure-Related Genes With Ischemic Stroke Risk and Prognosis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 796245.	2.4	6
6	Association of serum growth differentiation factor-15 levels with the risks of death and vascular events in patients with ischemic stroke: The role of diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 616-623.	2.6	0
7	Serum Dickkopf-1 levels and poststroke depression in ischemic stroke patients. <i>Journal of Affective Disorders</i> , 2022, 310, 337-342.	4.1	2
8	Metabolomics on vascular events and death after acute ischemic stroke: A prospective matched nested case-control study. <i>Atherosclerosis</i> , 2022, 351, 1-8.	0.8	2
9	Analysis of Time to the Hospital and Ambulance Use Following a Stroke Community Education Intervention in China. <i>JAMA Network Open</i> , 2022, 5, e2212674.	5.9	15
10	DNA Methylation of the Natriuretic Peptide System Genes and Ischemic Stroke. <i>Neurology: Genetics</i> , 2022, 8, .	1.9	3
11	Plasma Thrombomodulin Levels and Ischemic Stroke. <i>Neurology</i> , 2022, 99, .	1.1	6
12	Self-reported daytime napping, daytime sleepiness, and other sleep phenotypes in the development of cardiometabolic diseases: a Mendelian randomization study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1982-1991.	1.8	26
13	Multiple biomarkers covering several pathways for the prediction of depression after ischemic stroke. <i>Journal of Affective Disorders</i> , 2021, 280, 442-449.	4.1	7
14	Association between serum matrix metalloproteinase-9 and poor prognosis in acute ischemic stroke patients: The role of dyslipidemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 209-215.	2.6	4
15	Association between serum netrin-1 and prognosis of ischemic stroke: The role of lipid component levels. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 852-859.	2.6	4
16	Prognostic value of plasma fibroblast growth factor 21 among patients with acute ischemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 844-851.	3.3	6
17	Angiopoietin-like protein 4 and clinical outcomes in ischemic stroke patients. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 687-695.	3.7	5
18	Increased Serum Complement C3 Levels Are Associated With Adverse Clinical Outcomes After Ischemic Stroke. <i>Stroke</i> , 2021, 52, 868-877.	2.0	16

#	ARTICLE	IF	CITATIONS
19	Systolic Blood Pressure Trajectories After Discharge and Long-Term Clinical Outcomes of Ischemic Stroke. <i>Hypertension</i> , 2021, 77, 1694-1702.	2.7	8
20	Causal associations of serum matrix metalloproteinase-8 level with ischaemic stroke and ischaemic stroke subtypes: a Mendelian randomization study. <i>European Journal of Neurology</i> , 2021, 28, 2543-2551.	3.3	7
21	Validation and comparison of prognostic scales in Chinese patients with ischemic stroke: a prospective study from CATIS. <i>Neurological Research</i> , 2021, , 1-8.	1.3	2
22	Plasma osteopontin levels and adverse clinical outcomes after ischemic stroke. <i>Atherosclerosis</i> , 2021, 332, 33-40.	0.8	8
23	Trends in Cardiovascular Risk Factors in US Adults by Race and Ethnicity and Socioeconomic Status, 1999-2018. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1286.	7.4	95
24	Secular Trends in Cardiovascular Health in US Adults (from NHANES 2007 to 2018). <i>American Journal of Cardiology</i> , 2021, 159, 121-128.	1.6	8
25	Causal effect of Lipoprotein-associated phospholipase A2 activity on coronary artery disease and myocardial Infarction: A Two-Sample Mendelian Randomization study. <i>Clinica Chimica Acta</i> , 2021, 523, 491-496.	1.1	3
26	Serum dickkopf-3 is associated with death and vascular events after ischemic stroke: an observational study from CATIS. <i>Journal of Neuroinflammation</i> , 2020, 17, 12.	7.2	0
27	Association between serum hepatocyte growth factor and prognosis of ischemic stroke: The role of blood lipid status. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 492-499.	2.6	4
28	Influence of lipoprotein-associated phospholipase A2 mass on prognosis value of baseline platelet count for clinical outcomes after acute ischemic stroke. <i>Atherosclerosis</i> , 2020, 306, 50-56.	0.8	2
29	Effect of renal function on association between uric acid and prognosis in acute ischemic stroke patients with elevated systolic blood pressure. <i>Neurological Research</i> , 2020, 42, 923-929.	1.3	3
30	Education Level and Long-term Mortality, Recurrent Stroke, and Cardiovascular Events in Patients With Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2020, 9, e016671.	3.7	24
31	Decreased serum netrin-1 is associated with ischemic stroke: A case-control study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2328-2334.	2.6	1
32	Prognostic Metrics Associated with Inflammation and Atherosclerosis Signaling Evaluate the Burden of Adverse Clinical Outcomes in Ischemic Stroke Patients. <i>Clinical Chemistry</i> , 2020, 66, 1434-1443.	3.2	12
33	Associations of B-type Natriuretic Peptide and Its Coding Gene Promoter Methylation With Functional Outcome of Acute Ischemic Stroke: A Mediation Analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e017499.	3.7	8
34	Combined effect of serum N-terminal pro-brain natriuretic peptide and galectin-3 on prognosis 1 year after ischemic stroke. <i>Clinica Chimica Acta</i> , 2020, 511, 33-39.	1.1	4
35	Plasma S100A8/A9 Concentrations and Clinical Outcomes of Ischemic Stroke in 2 Independent Multicenter Cohorts. <i>Clinical Chemistry</i> , 2020, 66, 706-717.	3.2	20
36	Immediate Antihypertensive Treatment for Patients With Acute Ischemic Stroke With or Without History of Hypertension. <i>JAMA Network Open</i> , 2019, 2, e198103.	5.9	12

#	ARTICLE	IF	CITATIONS
37	Serum Matrix Metalloproteinase-9 Is Associated With Depression After Acute Ischemic Stroke. <i>Circulation Journal</i> , 2019, 83, 2303-2311.	1.6	13
38	Tissue inhibitor metalloproteinase-1 and clinical outcomes after acute ischemic stroke. <i>Neurology</i> , 2019, 93, e1675-e1685.	1.1	16
39	Increased Growth Differentiation Factor 15 Is Associated with Unfavorable Clinical Outcomes of Acute Ischemic Stroke. <i>Clinical Chemistry</i> , 2019, 65, 569-578.	3.2	14
40	Serum Rheumatoid Factor Levels at Acute Phase of Ischemic Stroke are Associated with Poststroke Cognitive Impairment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1133-1140.	1.6	9
41	Multiple biomarkers covering several pathways improve predictive ability for cognitive impairment among ischemic stroke patients with elevated blood pressure. <i>Atherosclerosis</i> , 2019, 287, 30-37.	0.8	15
42	Platelet counts affect the prognostic value of homocysteine in acute ischemic stroke patients. <i>Atherosclerosis</i> , 2019, 285, 163-169.	0.8	5
43	Co-Effect of Serum Galectin-3 and High-Density Lipoprotein Cholesterol on the Prognosis of Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1879-1885.	1.6	12
44	Increased Serum Netrin-1 Is Associated With Improved Prognosis of Ischemic Stroke. <i>Stroke</i> , 2019, 50, 845-852.	2.0	26
45	Family history of stroke and death or vascular events within one year after ischemic stroke. <i>Neurological Research</i> , 2019, 41, 466-472.	1.3	5
46	Serum semaphorin 7A is associated with the risk of acute atherothrombotic stroke. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2901-2906.	3.6	11
47	Associations between potentially functional CORIN SNPs and serum corin levels in the Chinese Han population. <i>BMC Genetics</i> , 2019, 20, 99.	2.7	6
48	Multiple biomarkers covering distinct pathways for predicting outcomes after ischemic stroke. <i>Neurology</i> , 2019, 92, e295-e304.	1.1	28
49	Serum Dkk-1 (Dickkopf-1) Is a Potential Biomarker in the Prediction of Clinical Outcomes Among Patients With Acute Ischemic Stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 285-293.	2.4	32
50	Hemoglobin level and three-month clinical outcomes among ischemic stroke patients with elevated systolic blood pressure. <i>Journal of the Neurological Sciences</i> , 2019, 396, 256-261.	0.6	10
51	The U-shaped Relationship Between Serum Methylene Tetrahydrofolate Reductase and Large-artery Atherosclerotic Stroke. <i>Current Neurovascular Research</i> , 2019, 16, 82-88.	1.1	0
52	Elevated circulating homocysteine and high-sensitivity C-reactive protein jointly predicts post-stroke depression among Chinese patients with acute ischemic stroke. <i>Clinica Chimica Acta</i> , 2018, 479, 132-137.	1.1	26
53	Predictive value of serum soluble corin in the risk of hyperglycemia: A population-based prospective cohort study in China. <i>Clinica Chimica Acta</i> , 2018, 479, 138-143.	1.1	6
54	Serum Hepatocyte Growth Factor Is Probably Associated With 3-Month Prognosis of Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 377-383.	2.0	22

#	ARTICLE	IF	CITATIONS
55	Serum Galectin-3 and Poor Outcomes Among Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 211-214.	2.0	36
56	Prognostic significance of serum cystatin C in acute ischemic stroke patients according to lipid component levels. <i>Atherosclerosis</i> , 2018, 274, 146-151.	0.8	17
57	Prognostic Value of White Blood Cell in Acute Ischemic Stroke Patients. <i>Current Neurovascular Research</i> , 2018, 15, 151-157.	1.1	15
58	Elevated C-reactive Protein and Depressed High-density Lipoprotein Cholesterol are Associated with Poor Function Outcome After Ischemic Stroke. <i>Current Neurovascular Research</i> , 2018, 15, 226-233.	1.1	7
59	Effect of renal function status on the prognostic value of heart rate in acute ischemic stroke patients. <i>Atherosclerosis</i> , 2017, 263, 1-6.	0.8	2
60	Plasma proANP 1-98 levels are positively associated with central obesity: A cross-sectional study in a general population of China. <i>Clinica Chimica Acta</i> , 2017, 469, 26-30.	1.1	2
61	Smoking, Hypertension, and Their Combined Effect on Ischemic Stroke Incidence: A Prospective Study among Inner Mongolians in China. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2749-2754.	1.6	9
62	YKL-40 is a novel biomarker for predicting hypertension incidence among prehypertensive subjects: A population-based nested case-control study in China. <i>Clinica Chimica Acta</i> , 2017, 472, 146-150.	1.1	9
63	Abnormal glucose regulation, hypoglycemic treatment during hospitalization and prognosis of acute ischemic stroke. <i>Journal of the Neurological Sciences</i> , 2017, 379, 177-182.	0.6	8
64	YKL-40 Level and Hypertension Incidence: A Population-Based Nested Case-Control Study in China. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	19
65	Utility of <i>China</i> -PAR stroke equations for predicting 10-year stroke risk in the rural Inner Mongolian population in China. <i>Neurological Research</i> , 0, , 1-6.	1.3	1