

Andreas Bechdorf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9477518/publications.pdf>

Version: 2024-02-01

60
papers

3,915
citations

172457

29
h-index

128289

60
g-index

70
all docs

70
docs citations

70
times ranked

3841
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	11.0	1,222
2	Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12month and longer-term follow-ups. <i>Schizophrenia Research</i> , 2013, 149, 56-62.	2.0	333
3	Prevention of Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 755.	11.0	287
4	Basic Symptoms and the Prediction of First-Episode Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 351-357.	1.9	152
5	What is good mental health? A scoping review. <i>European Neuropsychopharmacology</i> , 2020, 31, 33-46.	0.7	131
6	A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. <i>Journal of Affective Disorders</i> , 2010, 127, 316-320.	4.1	104
7	The predictive validity of bipolar at-risk (prodromal) criteria in help-seeking adolescents and young adults: a prospective study. <i>Bipolar Disorders</i> , 2014, 16, 493-504.	1.9	103
8	Subjective quality of life in subjects at risk for a first episode of psychosis: A comparison with first episode schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2005, 79, 137-143.	2.0	90
9	Determinants of subjective quality of life in post acute patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 228-235.	3.2	84
10	An International Society of Bipolar Disorders task force report: Precursors and prodromes of bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 720-740.	1.9	71
11	Rationale and Baseline Characteristics of PREVENT: A Second-Generation Intervention Trial in Subjects At-Risk (Prodromal) of Developing First-Episode Psychosis Evaluating Cognitive Behavior Therapy, Aripiprazole, and Placebo for the Prevention of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, S111-S121.	4.3	69
12	Interventions in the initial prodromal states of psychosis in Germany: concept and recruitment. <i>British Journal of Psychiatry</i> , 2005, 187, s45-s48.	2.8	57
13	Cognitive-behavioral therapy in the pre-psychotic phase: An exploratory study. <i>Psychiatry Research</i> , 2005, 136, 251-255.	3.3	57
14	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. <i>European Neuropsychopharmacology</i> , 2020, 41, 28-39.	0.7	56
15	Randomized controlled multicentre trial of cognitive behaviour therapy in the early initial prodromal state: effects on social adjustment post treatment. <i>Microbial Biotechnology</i> , 2007, 1, 71-78.	1.7	54
16	Clinical high risk for psychosis: gender differences in symptoms and social functioning. <i>Microbial Biotechnology</i> , 2017, 11, 306-313.	1.7	54
17	Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. <i>Clinical Psychology Review</i> , 2021, 86, 102005.	11.4	52
18	Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31.	2.0	51

#	ARTICLE	IF	CITATIONS
19	Recent approaches to psychological interventions for people at risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 159-173.	3.2	48
20	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 34-39.	1.8	46
21	Why Do Bad Things Happen to Me? Attributional Style, Depressed Mood, and Persecutory Delusions in Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1338-1346.	4.3	46
22	Randomized Comparison of Group Cognitive Behaviour Therapy and Group Psychoeducation in Acute Patients with Schizophrenia: Effects on Subjective Quality of Life. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 144-150.	2.3	44
23	Self-experienced vulnerability, prodromal symptoms and coping strategies preceding schizophrenic and depressive relapses. <i>European Psychiatry</i> , 2002, 17, 384-393.	0.2	43
24	Bipolar At-Risk Criteria: An Examination of Which Clinical Features Have Optimal Utility for Identifying Youth at Risk of Early Transition From Depression to Bipolar Disorders. <i>Schizophrenia Bulletin</i> , 2017, 43, 737-744.	4.3	42
25	Preventing and Reducing Coercive Measures – An Evaluation of the Implementation of the Safewards Model in Two Locked Wards in Germany. <i>Frontiers in Psychiatry</i> , 2019, 10, 340.	2.6	39
26	European college of neuropsychopharmacology network on the prevention of mental disorders and mental health promotion (ECNP PMD-MHP). <i>European Neuropsychopharmacology</i> , 2019, 29, 1301-1311.	0.7	38
27	The bipolar disorder prodrome revisited: Is there a symptomatic pattern?. <i>Journal of Affective Disorders</i> , 2013, 151, 551-560.	4.1	34
28	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. <i>Schizophrenia Research</i> , 2017, 181, 38-42.	2.0	34
29	Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. <i>Journal of Affective Disorders</i> , 2015, 183, 45-48.	4.1	33
30	Cognitive behavioural therapy versus supportive therapy for persistent positive symptoms in psychotic disorders: The POSITIVE Study, a multicenter, prospective, single-blind, randomised controlled clinical trial. <i>Trials</i> , 2010, 11, 123.	1.6	26
31	Evaluation of Flexible and Integrative Psychiatric Treatment Models in Germany – A Mixed-Method Patient and Staff-Oriented Exploratory Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 785.	2.6	24
32	The Concept of Schizophrenia and Phase-Specific Treatment: Cognitive-Behavioral Treatment in Pre-Psychosis and in Nonresponders. <i>Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry</i> , 2003, 31, 209-228.	0.3	23
33	Primary prevention of depression: An umbrella review of controlled interventions. <i>Journal of Affective Disorders</i> , 2021, 294, 957-970.	4.1	23
34	Temperament and prodromal symptoms prior to first manic/hypomanic episodes: Results from a pilot study. <i>Journal of Affective Disorders</i> , 2015, 173, 39-44.	4.1	21
35	Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 17-27.	1.7	19
36	Coping and the stages of psychosis: an investigation into the coping styles in people at risk of psychosis, in people with first episode and multiple episode psychoses. <i>Microbial Biotechnology</i> , 2017, 11, 147-155.	1.7	18

#	ARTICLE	IF	CITATIONS
37	Improving early recognition and intervention in people at increased risk for the development of bipolar disorder: study protocol of a prospective-longitudinal, naturalistic cohort study (Early-BipoLife). <i>International Journal of Bipolar Disorders</i> , 2020, 8, 22.	2.2	18
38	Evidence-based psychotherapy for the prevention and treatment of first-episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 17-25.	3.2	17
39	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020, 36, 121-136.	0.7	17
40	Implementation, efficacy, costs and processes of inpatient equivalent home-treatment in German mental health care (AKtiV): protocol of a mixed-method, participatory, quasi-experimental trial. <i>BMC Psychiatry</i> , 2021, 21, 173.	2.6	17
41	Temporal dynamics of suspiciousness and hallucinations in clinical high risk and first episode psychosis. <i>Psychiatry Research</i> , 2020, 290, 113039.	3.3	15
42	Efficacy of cognitive-behavioral group therapy in patients at risk for serious mental illness presenting with subthreshold bipolar symptoms: Results from a prespecified interim analysis of a multicenter, randomized, controlled study. <i>Bipolar Disorders</i> , 2020, 22, 517-529.	1.9	14
43	Implementation of Guidelines on Prevention of Coercion and Violence (PreVCo) in Psychiatry: Study Protocol of a Randomized Controlled Trial (RCT). <i>Frontiers in Psychiatry</i> , 2020, 11, 579176.	2.6	13
44	Individuals at increased risk for development of bipolar disorder display structural alterations similar to people with manifest disease. <i>Translational Psychiatry</i> , 2021, 11, 485.	4.8	13
45	Ethical considerations in preventive interventions for bipolar disorder. <i>Microbial Biotechnology</i> , 2017, 11, 104-112.	1.7	12
46	Cognitive behavioral therapy in adolescents with early-onset psychosis: a randomized controlled pilot study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1011-1022.	4.7	11
47	Problems in measuring the JTC-bias in patients with psychotic disorders with the fish task: a secondary analysis of a baseline assessment of a randomized controlled trial. <i>BMC Psychiatry</i> , 2020, 20, 554.	2.6	11
48	Creativity in persons at risk for bipolar disorder – A pilot study. <i>Microbial Biotechnology</i> , 2019, 13, 1165-1172.	1.7	10
49	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	7.4	9
50	Promoting stigma coping and empowerment in patients with schizophrenia and depression: results of a cluster-RCT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 501-511.	3.2	8
51	The relationship between cannabis use and cognition in people diagnosed with first-episode psychosis. <i>Psychiatry Research</i> , 2020, 293, 113424.	3.3	8
52	Negative schemata about the self and others and paranoid ideation in at-risk states and those with persisting positive symptoms. <i>Microbial Biotechnology</i> , 2018, 12, 1157-1165.	1.7	6
53	Theory of mind, emotion recognition, delusions and the quality of the therapeutic relationship in patients with psychosis – a secondary analysis of a randomized-controlled therapy trial. <i>BMC Psychiatry</i> , 2020, 20, 59.	2.6	6
54	A comprehensive meta-analysis of the self-serving bias in schizophrenia spectrum disorders compared to non-clinical subjects. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 120, 542-549.	6.1	6

#	ARTICLE	IF	CITATIONS
55	Predictors of treatment response to psychological interventions in people at clinical high risk of first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 120-127.	1.7	5
56	Implementation of a Global Treatment Budget in Psychiatric Departments in Germany—Results and Critical Factors for Success From the Staff Perspective. <i>Frontiers in Psychiatry</i> , 2020, 11, 610.	2.6	5
57	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2022, 54, 90-99.	0.7	5
58	Specialized inpatient treatment for young people with early psychosis: acute-treatment and 12-month results. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1-14.	3.2	5
59	Cognitive Behavioral Therapy for Psychosis (CBTp): Multicenter Randomized Clinical Trial on Specific Efficacy. <i>SSRN Electronic Journal</i> , 0, , .	0.4	2
60	Früherkennung und Frühbehandlung von Menschen mit erhöhtem Psychoserisiko. , 2020, , 1-25.		0