
## Julianne O'Reilly-Wapstra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9479947/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Development of a segregation method to sort fast-grown Eucalyptus nitens (H. Deane & Maiden)<br>Maiden plantation trees and logs for higher quality structural timber products. Annals of Forest<br>Science, 2022, 79, . | 2.0 | 2         |
| 2  | Quality traits of plantation Eucalyptus nitens logs impacting volume and value recovery of structural sawn boards. European Journal of Wood and Wood Products, 2022, 80, 657-668.  | 2.9 | 1         |
| 3  | Consistent community genetic effects in the context of strong environmental and temporal variation in Eucalyptus. Oecologia, 2021, 195, 367-382.   | 2.0 | 5         |
| 4  | Development of Non-Destructive-Testing Based Selection and Grading Strategies for Plantation Eucalyptus nitens Sawn Boards. Forests, 2021, 12, 343.  | 2.1 | 7         |
| 5  | Developing near infrared spectroscopy models for predicting chemistry and responses to stress in <i>Pinus radiata</i> (D. Don). Journal of Near Infrared Spectroscopy, 2021, 29, 245-256.                                | 1.5 | 8         |
| 6  | Characterisation of wood quality of Eucalyptus nitens plantations and predictive models of density and stiffness with site and tree characteristics. Forest Ecology and Management, 2021, 491, 118992.                   | 3.2 | 9         |
| 7  | Thinning Influences Wood Properties of Plantation-Grown Eucalyptus nitens at Three Sites in Tasmania. Forests, 2021, 12, 1304.   | 2.1 | 2         |
| 8  | Friction correction when predicting wood basic density using drilling resistance. Holzforschung, 2021, 75, 508-516.  | 1.9 | 13        |
| 9  | Chemical Traits that Predict Susceptibility of Pinus radiata to Marsupial Bark Stripping. Journal of Chemical Ecology, 2021, , 1.  | 1.8 | 3         |
| 10 | Additive genetic variation in Pinus radiata bark chemistry and the chemical traits associated with variation in mammalian bark stripping. Heredity, 2021, 127, 498-509.  | 2.6 | 10        |
| 11 | Wood Properties Characterisation of Thermo-Hydro Mechanical Treated Plantation and Native Tasmanian Timber Species. Forests, 2020, 11, 1189.   | 2.1 | 5         |
| 12 | Quantitative Genetic Variation in Bark Stripping of Pinus radiata. Forests, 2020, 11, 1356.  | 2.1 | 11        |
| 13 | Forest fire may disrupt plant–microbial feedbacks. Plant Ecology, 2018, 219, 497-504.  | 1.6 | 6         |
| 14 | Phylogenetic trait conservatism predicts patterns of plantâ€soil feedback. Ecosphere, 2018, 9, e02409.   | 2.2 | 7         |
| 15 | A water availability gradient reveals the deficit level required to affect traits in potted juvenileEucalyptus globulus. Annals of Botany, 2017, 119, mcw266.  | 2.9 | 7         |
| 16 | Nitrification potential in the rhizosphere of Australian native vegetation. Soil Research, 2017, 55, 58.   | 1.1 | 12        |
| 17 | The Extended Community-Level Effects of Genetic Variation in Foliar Wax Chemistry in the Forest Tree<br>Eucalyptus globulus. Journal of Chemical Ecology, 2017, 43, 532-542.   | 1.8 | 9         |
| 18 | Genetic stability of physiological responses to defoliation in a eucalypt and altered chemical defence<br>in regrowth foliage. Tree Physiology, 2017, 37, 220-235.   | 3.1 | 6         |

JULIANNE O'REILLY-WAPSTRA

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Responses to mild water deficit and rewatering differ among secondary metabolites but are similar among provenances within <i>Eucalyptus</i> species. Tree Physiology, 2016, 36, tpv106. | 3.1 | 24        |
| 20 | Genetic control of cuticular wax compounds in <i>Eucalyptus globulus</i> . New Phytologist, 2016, 209, 202-215.  | 7.3 | 23        |
| 21 | Survival and recovery of Eucalyptus globulus seedlings from severe defoliation. Forest Ecology and Management, 2016, 379, 243-251.   | 3.2 | 12        |
| 22 | Phylogeny Explains Variation in The Root Chemistry of Eucalyptus Species. Journal of Chemical Ecology, 2016, 42, 1086-1097.  | 1.8 | 26        |
| 23 | Population divergence in the ontogenetic trajectories of foliar terpenes of a Eucalyptus species.<br>Annals of Botany, 2015, 115, 159-170.   | 2.9 | 14        |
| 24 | Direct and indirect effects of marsupial browsing on a foundation tree species. Oikos, 2015, 124, 515-524.   | 2.7 | 8         |
| 25 | Genetic and Ontogenetic Variation in an Endangered Tree Structures Dependent Arthropod and Fungal Communities. PLoS ONE, 2014, 9, e114132.   | 2.5 | 7         |
| 26 | Evolutionary History and Novel Biotic Interactions Determine Plant Responses to Elevated CO2 and Nitrogen Fertilization. PLoS ONE, 2014, 9, e114596.                                     | 2.5 | 2         |
| 27 | Genetic Correlations in Multi-Species Plant/Herbivore Interactions at Multiple Genetic Scales.<br>Advances in Ecological Research, 2014, 50, 267-295.                                    | 2.7 | 6         |
| 28 | When Ranges Collide. Advances in Ecological Research, 2014, 50, 297-350.   | 2.7 | 1         |
| 29 | Pinus sylvestris sapling growth and recovery from mammalian browsing. Forest Ecology and Management, 2014, 325, 18-25.   | 3.2 | 14        |
| 30 | Variable patterns of inheritance of ecologically important plant secondary metabolites in an inter-specific eucalypt hybrid. Forest Ecology and Management, 2014, 318, 71-77.            | 3.2 | 5         |
| 31 | Effect of limited water availability on foliar plant secondary metabolites of two Eucalyptus species.<br>Environmental and Experimental Botany, 2014, 105, 55-64.                        | 4.2 | 58        |
| 32 | Genetic analysis of the near-infrared spectral phenome of a global Eucalyptus species. Tree Genetics and Genomes, 2013, 9, 943-959.  | 1.6 | 13        |
| 33 | Habitat fragmentation in forests affects relatedness and spatial genetic structure of a native rodent,<br><i><scp>R</scp>attus lutreolus</i> . Austral Ecology, 2013, 38, 568-580.       | 1.5 | 9         |
| 34 | Phylogenetic Responses of Forest Trees to Global Change. PLoS ONE, 2013, 8, e60088.  | 2.5 | 14        |
| 35 | Chemical Variation in a Dominant Tree Species: Population Divergence, Selection and Genetic Stability across Environments. PLoS ONE, 2013, 8, e58416.                                    | 2.5 | 31        |
| 36 | Short-term responses of native rodents to aggregated retention in old growth wet Eucalyptus forests. Forest Ecology and Management, 2012, 267, 18-27.                                    | 3.2 | 8         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Natural selection for anti-herbivore plant secondary metabolites. , 2012, , 10-33.   |     | 5         |
| 38 | From genes to ecosystems. , 2012, , 269-286.   |     | 10        |
| 39 | Mammalian herbivores reveal marked genetic divergence among populations of an endangered plant species. Oikos, 2012, 121, 268-276.   | 2.7 | 8         |
| 40 | Stability of Plant Defensive Traits Among Populations in Two Eucalyptus Species Under Elevated Carbon Dioxide. Journal of Chemical Ecology, 2012, 38, 204-212.   | 1.8 | 32        |
| 41 | Field screening for genetic-based susceptibility to mammalian browsing. Forest Ecology and Management, 2011, 262, 1500-1506.   | 3.2 | 6         |
| 42 | Repellent and stocking guards reduce mammal browsing in eucalypt plantations. New Forests, 2011, 42, 301-316.  | 1.7 | 8         |
| 43 | Quantitative trait loci for foliar terpenes in a global eucalypt species. Tree Genetics and Genomes, 2011, 7, 485-498.   | 1.6 | 37        |
| 44 | Do multiple herbivores maintain chemical diversity of Scots pine monoterpenes?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2011, 366, 1337-1345.                                      | 4.0 | 60        |
| 45 | Native plant/herbivore interactions as determinants of the ecological and evolutionary effects of invasive mammalian herbivores: the case of the common brushtail possum. Biological Invasions, 2010, 12, 373-387. | 2.4 | 9         |
| 46 | A footprint of treeâ $\in$ genetics on the biota of the forest floor. Oikos, 2009, 118, 1917-1923.   | 2.7 | 32        |
| 47 | Non-lethal strategies to reduce browse damage in eucalypt plantations. Forest Ecology and Management, 2009, 259, 45-55.  | 3.2 | 14        |
| 48 | A geographic mosaic of genetic variation within a foundation tree species and its community-level consequences. Ecology, 2009, 90, 1762-1772.  | 3.2 | 125       |
| 49 | Quantitative trait loci for key defensive compounds affecting herbivory of eucalypts in Australia. New<br>Phytologist, 2008, 178, 846-851.   | 7.3 | 34        |
| 50 | Effectiveness of repellents for reducing damage to eucalypt seedlings by browsing mammals.<br>Australian Forestry, 2008, 71, 303-310.  | 0.9 | 8         |
| 51 | Discrimination between seedlings of Eucalyptus globulus, E. nitens and their F1 hybrid using near-infrared reflectance spectroscopy and foliar oil content. Silvae Genetica, 2008, 57, 262-269.                    | 0.8 | 20        |
| 52 | Assessment and Implications of Intraspecific and Phenological Variability in Monoterpenes of Scots<br>Pine (Pinus sylvestris) Foliage. Journal of Chemical Ecology, 2007, 33, 477-491.                             | 1.8 | 46        |
| 53 | Stability of Genetic-Based Defensive Chemistry Across Life Stages in a Eucalyptus Species. Journal of<br>Chemical Ecology, 2007, 33, 1876-1884.  | 1.8 | 26        |
| 54 | The role of genetic and chemical variation of Pinus sylvestris seedlings in influencing slug herbivory.<br>Oecologia, 2007, 152, 82-91.  | 2.0 | 25        |

JULIANNE O'REILLY-WAPSTRA

| #  | Article   | IF       | CITATIONS    |
|----|---|----------|--------------|
| 55 | Effects of nutrient variability on the genetic-based resistance of Eucalyptus globulus to a mammalian herbivore and on plant defensive chemistry. Oecologia, 2005, 142, 597-605.            | 2.0      | 50           |
| 56 | Inheritance Of Resistance to Mammalian Herbivores and of Plant Defensive Chemistry in an Eucalyptus Species. Journal of Chemical Ecology, 2005, 31, 357-375.                                | 1.8      | 22           |
| 57 | Inheritance Of Resistance To Mammalian Herbivores and Of Plant Defensive Chemistry In A Eucalyptus<br>Species. Journal of Chemical Ecology, 2005, 31, 519-537.                              | 1.8      | 11           |
| 58 | Linking plant genotype, plant defensive chemistry and mammal browsing in a Eucalyptus species.<br>Functional Ecology, 2004, 18, 677-684.  | 3.6      | 92           |
| 59 | Genetic variation in resistance of Eucalyptus globulus to marsupial browsers. Oecologia, 2002, 130, 289-296.  | 2.0      | 57           |
| 60 | Geographic Variation in Age and Size at Maturity in a Small Australian Viviparous Skink. Copeia, 2001, 2001, 646-655.   | 1.3      | 68           |
| 61 | Damage to and intake of plantation seedlings by captive European rabbits ( <i>Oryctolagus) Tj ETQq1 1 0.784314</i>  | rgBT /Ov | erlock 10 Tf |
| 62 | Geographic and annual variation in reproductive cycles in the Tasmanian spotted snow skink,<br>Niveoscincus ocellatus (Squamata : Scincidae). Australian Journal of Zoology, 1999, 47, 539. | 1.0      | 53           |
| 63 | Variation in constitutive and induced chemistry in the needles, bark and roots of young Pinus radiata trees. Trees - Structure and Function, 0, , 1.  | 1.9      | 5            |
| 64 | Effects of thinning on the longitudinal and radial variation in wood properties of <i>Eucalyptus nitens</i> . Forestry, 0, , .  | 2.3      | 1            |