

Jan W Drijfhout

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9483334/publications.pdf>

Version: 2024-02-01

286
papers

22,511
citations

7568

77
h-index

10734

138
g-index

289
all docs

289
docs citations

289
times ranked

21437
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-contact induction heating and SAAP-148 eliminate persisters within MRSA biofilms mimicking a metal implant infection. , 2021, 42, 34-42.		2
2	Cross-reactivity of IgM anti-modified protein antibodies in rheumatoid arthritis despite limited mutational load. Arthritis Research and Therapy, 2021, 23, 230.	3.5	12
3	An HLA-A*11:01-Binding Neoantigen from Mutated NPM1 as Target for TCR Gene Therapy in AML. Cancers, 2021, 13, 5390.	3.7	3
4	Performance characteristics of a new competitive DQ2.5-glia- \pm 3 gliadin ELISA. Food Control, 2020, 110, 107027.	5.5	2
5	A Broad-Spectrum Antiviral Peptide Blocks Infection of Viruses by Binding to Phosphatidylserine in the Viral Envelope. Cells, 2020, 9, 1989.	4.1	11
6	Synthesis of C α -Glycosyl Amino Acid Building Blocks Suitable for the Solid-Phase Synthesis of Multivalent Glycopeptide Mimics. European Journal of Organic Chemistry, 2020, 2020, 5126-5139.	2.4	6
7	Thrombocidin-1-derived antimicrobial peptide TC19 combats superficial multi-drug resistant bacterial wound infections. Biochimica Et Biophysica Acta - Biomembranes, 2020, 1862, 183282.	2.6	20
8	Evaluation of Sibling and Twin Fragment Ions Improves the Structural Characterization of Proteins by Top-Down MALDI In-Source Decay Mass Spectrometry. Analytical Chemistry, 2020, 92, 5871-5881.	6.5	9
9	Antibodies and B cells recognising citrullinated proteins display a broad cross-reactivity towards other post-translational modifications. Annals of the Rheumatic Diseases, 2020, 79, 472-480.	0.9	74
10	Eradication of meticillin-resistant Staphylococcus aureus from human skin by the novel LL-37-derived peptide P10 in four pharmaceutical ointments. International Journal of Antimicrobial Agents, 2019, 54, 610-618.	2.5	9
11	H1N1 hemagglutinin-specific HLA-DQ6-restricted CD4+ T cells can be readily detected in narcolepsy type 1 patients and healthy controls. Journal of Neuroimmunology, 2019, 332, 167-175.	2.3	15
12	Induction of HLA-A2 restricted CD8 T cell responses against ApoB100 peptides does not affect atherosclerosis in a humanized mouse model. Scientific Reports, 2019, 9, 17391.	3.3	5
13	Potential factors contributing to the poor antimicrobial efficacy of SAAP-148 in a rat wound infection model. Annals of Clinical Microbiology and Antimicrobials, 2019, 18, 38.	3.8	11
14	Epitope Stealing as a Mechanism of Dominant Protection by HLA-DQ6 in Type 1 Diabetes. Diabetes, 2019, 68, 787-795.	0.6	20
15	Synergistic microbicidal effect of cationic antimicrobial peptides and teicoplanin against planktonic and biofilm-encased Staphylococcus aureus. International Journal of Antimicrobial Agents, 2019, 53, 143-151.	2.5	39
16	Endocytosed soluble cowpox virus protein <sc>CPXV</sc>012 inhibits antigen cross-presentation in human monocyte-derived dendritic cells. Immunology and Cell Biology, 2018, 96, 137-148.	2.3	4
17	Specific T-Cell Responses against Minor Histocompatibility Antigens Cannot Generally Be Explained by Absence of Their Allelic Counterparts on the Cell Surface. Proteomics, 2018, 18, e1700250.	2.2	34
18	The antimicrobial peptide SAAP-148 combats drug-resistant bacteria and biofilms. Science Translational Medicine, 2018, 10, .	12.4	358

#	ARTICLE	IF	CITATIONS
19	Anti-Melanoma immunity and local regression of cutaneous metastases in melanoma patients treated with monobenzone and imiquimod; a phase 2 a trial. <i>Oncolmmunology</i> , 2018, 7, e1419113.	4.6	29
20	Linking T cell epitopes to a common linear B cell epitope: A targeting and adjuvant strategy to improve T cell responses. <i>Molecular Immunology</i> , 2018, 93, 115-124.	2.2	15
21	Cationic Amphipathic Antimicrobial Peptides Perturb the Inner Membrane of Germinated Spores Thus Inhibiting Their Outgrowth. <i>Frontiers in Microbiology</i> , 2018, 9, 2277.	3.5	20
22	Cationic Liposomes: A Flexible Vaccine Delivery System for Physicochemically Diverse Antigenic Peptides. <i>Pharmaceutical Research</i> , 2018, 35, 207.	3.5	44
23	Discovery of a new Pro-Pro endopeptidase, PPEP-2, provides mechanistic insights into the differences in substrate specificity within the PPEP family. <i>Journal of Biological Chemistry</i> , 2018, 293, 11154-11165.	3.4	10
24	Formation of Immune Complexes with a Tetanus-Derived B Cell Epitope Boosts Human T Cell Responses to Covalently Linked Peptides in an Ex Vivo Blood Loop System. <i>Journal of Immunology</i> , 2018, 201, 87-97.	0.8	16
25	Photochemical internalization enhances cytosolic release of antibiotic and increases its efficacy against staphylococcal infection. <i>Journal of Controlled Release</i> , 2018, 283, 214-222.	9.9	13
26	Bactericidal activity of amphipathic cationic antimicrobial peptides involves altering the membrane fluidity when interacting with the phospholipid bilayer. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 2404-2415.	2.6	59
27	Synthetic antimicrobial peptides delocalize membrane bound proteins thereby inducing a cell envelope stress response. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 2416-2427.	2.6	29
28	Abstract 5638: A tetanus-way of improving synthetic long peptide tumor vaccination. , 2018, , .		0
29	RIG-I Resists Hypoxia-Induced Immunosuppression and Dedifferentiation. <i>Cancer Immunology Research</i> , 2017, 5, 455-467.	3.4	29
30	Development and in-house validation of a competitive ELISA for the quantitative detection of gluten in food. <i>Food Control</i> , 2017, 80, 401-410.	5.5	14
31	Controlled Release of LL37-Derived Synthetic Antimicrobial and Anti-Biofilm Peptides SAAP145 and SAAP276 Prevents Experimental Biomaterial-Associated <i>Staphylococcus aureus</i> Infection. <i>Advanced Functional Materials</i> , 2017, 27, 1606623.	14.9	51
32	Identification of carbamylated alpha 1 anti-trypsin (A1AT) as an antigenic target of anti-CarP antibodies in patients with rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2017, 80, 77-84.	6.5	34
33	A Specialist Macaque MHC Class I Molecule with HLA-B*27-like Peptide-Binding Characteristics. <i>Journal of Immunology</i> , 2017, 199, 3679-3690.	0.8	11
34	Immunogenic stress and death of cancer cells: Contribution of antigenicity vs adjuvanticity to immunosurveillance. <i>Immunological Reviews</i> , 2017, 280, 165-174.	6.0	82
35	Antimicrobial Peptides in Biomedical Device Manufacturing. <i>Frontiers in Chemistry</i> , 2017, 5, 63.	3.6	148
36	A Linear 19-Mer Plant Defensin-Derived Peptide Acts Synergistically with Caspofungin against <i>Candida albicans</i> Biofilms. <i>Frontiers in Microbiology</i> , 2017, 8, 2051.	3.5	30

#	ARTICLE	IF	CITATIONS
37	The Antifungal Plant Defensin HsAFP1 Is a Phosphatidic Acid-Interacting Peptide Inducing Membrane Permeabilization. <i>Frontiers in Microbiology</i> , 2017, 8, 2295.	3.5	36
38	Abstract 1693: T cell responses to peptide-epitopes can be boosted by immune complexes of circulating anti-tetanus antibodies. , 2017, , .		0
39	The Breadth of Synthetic Long Peptide Vaccine-Induced CD8+ T Cell Responses Determines the Efficacy against Mouse Cytomegalovirus Infection. <i>PLoS Pathogens</i> , 2016, 12, e1005895.	4.7	16
40	Antimicrobial Peptide P60.4Ac-Containing Creams and Gel for Eradication of Methicillin-Resistant <i>Staphylococcus aureus</i> from Cultured Skin and Airway Epithelial Surfaces. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 4063-4072.	3.2	34
41	A Focal Adhesion Kinase-Derived Peptide Binds the Src SH3 Domain in Two Orientations, As Demonstrated Using Paramagnetic Nuclear Magnetic Resonance. <i>Biochemistry</i> , 2016, 55, 29-37.	2.5	2
42	Prevention of <i>Staphylococcus aureus</i> biomaterial-associated infections using a polymer-lipid coating containing the antimicrobial peptide OP-145. <i>Journal of Controlled Release</i> , 2016, 222, 1-8.	9.9	96
43	Dendritic Cells Guide Islet Autoimmunity through a Restricted and Uniquely Processed Peptidome Presented by High-Risk HLA-DR. <i>Journal of Immunology</i> , 2016, 196, 3253-3263.	0.8	24
44	Automated Multiplex LC-MS/MS Assay for Quantifying Serum Apolipoproteins A-I, B, C-I, C-II, C-III, and E with Qualitative Apolipoprotein E Phenotyping. <i>Clinical Chemistry</i> , 2016, 62, 188-197.	3.2	81
45	Discovery of a Selective Islet Peptidome Presented by the Highest-Risk HLA-DQ8 <i>trans</i> Molecule. <i>Diabetes</i> , 2016, 65, 732-741.	0.6	35
46	Abstract PR01: T cell responses to peptide-epitopes of choice can be boosted by immune complexes of circulating anti-tetanus toxoid antibodies. , 2016, , .		0
47	Humoral responses to HIVconsv induced by heterologous vaccine modalities in rhesus macaques. <i>Immunity, Inflammation and Disease</i> , 2015, 3, 82-93.	2.7	8
48	Synergistic Activity of the Plant Defensin HsAFP1 and Caspofungin against <i>Candida albicans</i> Biofilms and Planktonic Cultures. <i>PLoS ONE</i> , 2015, 10, e0132701.	2.5	67
49	<i>Clostridium difficile</i> secreted Pro-endopeptidase PPEP1 (ZMP1/CD2830) modulates adhesion through cleavage of the collagen binding protein CD2831. <i>FEBS Letters</i> , 2015, 589, 3952-3958.	2.8	59
50	Quantifying Protein Measurands by Peptide Measurements: Where Do Errors Arise?. <i>Journal of Proteome Research</i> , 2015, 14, 928-942.	3.7	40
51	Naturally Processed Non-canonical HLA-A*02:01 Presented Peptides. <i>Journal of Biological Chemistry</i> , 2015, 290, 2593-2603.	3.4	89
52	Phospholipid-driven differences determine the action of the synthetic antimicrobial peptide OP-145 on Gram-positive bacterial and mammalian membrane model systems. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 2437-2447.	2.6	61
53	Synthetic long peptide booster immunization in rhesus macaques primed with replication-competent NYVAC-C-KC induces a balanced CD4/CD8 T-cell and antibody response against the conserved regions of HIV-1. <i>Journal of General Virology</i> , 2015, 96, 1478-1483.	2.9	10
54	A Novel Secreted Metalloprotease (CD2830) from <i>Clostridium difficile</i> Cleaves Specific Proline Sequences in LPXTG Cell Surface Proteins. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 1231-1244.	3.8	71

#	ARTICLE	IF	CITATIONS
55	An Ensemble of Rapidly Interconverting Orientations in Electrostatic Proteinâ€“Peptide Complexes Characterized by NMR Spectroscopy. <i>ChemBioChem</i> , 2014, 15, 556-566.	2.6	10
56	Posttranslational Modification of HLA-DQ Binding Islet Autoantigens in Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 237-247.	0.6	150
57	Carbamylation and antibodies against carbamylated proteins in autoimmunity and other pathologies. <i>Autoimmunity Reviews</i> , 2014, 13, 225-230.	5.8	99
58	Effectiveness of slow-release systems in CD40 agonistic antibody immunotherapy of cancer. <i>Vaccine</i> , 2014, 32, 1654-1660.	3.8	22
59	T-cell receptor recognition of HLA-DQ2â€“gliadin complexes associated with celiac disease. <i>Nature Structural and Molecular Biology</i> , 2014, 21, 480-488.	8.2	177
60	LL-37-Derived Peptides Eradicate Multidrug-Resistant <i>Staphylococcus aureus</i> from Thermally Wounded Human Skin Equivalents. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 4411-4419.	3.2	113
61	<i>Clostridium difficile</i> sortase recognizes a (S/P)PXTG sequence motif and can accommodate diaminopimelic acid as a substrate for transpeptidation. <i>FEBS Letters</i> , 2014, 588, 4325-4333.	2.8	19
62	Cowpox Virus Protein CPXV012 Eludes CTLs by Blocking ATP Binding to TAP. <i>Journal of Immunology</i> , 2014, 193, 1578-1589.	0.8	31
63	Accurate quantitation of MHC-bound peptides by application of isotopically labeled peptide MHC complexes. <i>Journal of Proteomics</i> , 2014, 109, 240-244.	2.4	63
64	Metrological traceability in mass spectrometry-based targeted protein quantitation: A proof-of-principle study for serum apolipoproteins A-I and B100. <i>Journal of Proteomics</i> , 2014, 109, 143-161.	2.4	31
65	The human peptidylarginine deiminases type 2 and type 4 have distinct substrate specificities. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 829-836.	2.3	48
66	Point Mutation in the Hydrophobic Region Drives Selectivity and Activity of OP-145, a Derivative of Human Cathelicidin LL-37. <i>Biophysical Journal</i> , 2014, 106, 442a.	0.5	0
67	Induction of <i>A. fumigatus</i> -specific CD4-positive T cells in patients recovering from invasive aspergillosis. <i>Haematologica</i> , 2014, 99, 1255-1263.	3.5	31
68	Enhanced Cross-Presentation and Improved CD8+ T Cell Responses after Mannosylation of Synthetic Long Peptides in Mice. <i>PLoS ONE</i> , 2014, 9, e103755.	2.5	27
69	Dendritic cells process synthetic long peptides better than whole protein, improving antigen presentation and T cell activation. <i>European Journal of Immunology</i> , 2013, 43, 2554-2565.	2.9	157
70	Identification and systematic annotation of tissue-specific differentially methylated regions using the Illumina 450k array. <i>Epigenetics and Chromatin</i> , 2013, 6, 26.	3.9	192
71	Recognition of citrullinated and carbamylated proteins by human antibodies: specificity, cross-reactivity and the â€“AMC-Senshuâ€“ method. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 148-150.	0.9	73
72	Addition of interferonâ€“ γ to the p53â€“SLPâ€“ vaccine results in increased production of interferonâ€“ γ in vaccinated colorectal cancer patients: A phase I/II clinical trial. <i>International Journal of Cancer</i> , 2013, 132, 1581-1591.	5.1	50

#	ARTICLE	IF	CITATIONS
73	Reduced amyloid β 2 degradation in early Alzheimer's disease but not in the APP ^{swe} PS1dE9 and 3xTg-AD mouse models. <i>Aging Cell</i> , 2013, 12, 499-507.	6.7	53
74	Development of a Nose Cream Containing the Synthetic Antimicrobial Peptide P60.4Ac for Eradication of Methicillin-Resistant Staphylococcus aureus Carriage. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 3539-3544.	3.3	13
75	ACPA fine-specificity profiles in early rheumatoid arthritis patients do not correlate with clinical features at baseline or with disease progression. <i>Arthritis Research and Therapy</i> , 2013, 15, R140.	3.5	54
76	The concentration of anticitrullinated protein antibodies in serum and synovial fluid in relation to total immunoglobulin concentrations. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1059-1063.	0.9	21
77	DNA/long peptide vaccination against conserved regions of SIV induces partial protection against SIVmac251 challenge. <i>Aids</i> , 2013, 27, 2841-2851.	2.2	21
78	The Human Leukocyte Antigen-presented Ligandome of B Lymphocytes. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 1829-1843.	3.8	113
79	Characterization of the T-Cell-Mediated Immune Response Against the Aspergillus fumigatus Proteins Crf1 and Catalase 1 in Healthy Individuals. <i>Journal of Infectious Diseases</i> , 2013, 208, 847-856.	4.0	37
80	Discovery of T Cell Epitopes Implementing HLA-Peptidomics into a Reverse Immunology Approach. <i>Journal of Immunology</i> , 2013, 190, 3869-3877.	0.8	40
81	Validation of a New Enzyme-Linked Immunosorbent Assay to Detect the Triggering Proteins and Peptides for Celiac Disease: Interlaboratory Study. <i>Journal of AOAC INTERNATIONAL</i> , 2012, 95, 206-215.	1.5	24
82	Structural basis for the killing of human beta cells by CD8+ T cells in type 1 diabetes. <i>Nature Immunology</i> , 2012, 13, 283-289.	14.5	151
83	The Human Lactoferrin-Derived Peptide hLF1-11 Exerts Immunomodulatory Effects by Specific Inhibition of Myeloperoxidase Activity. <i>Journal of Immunology</i> , 2012, 188, 5012-5019.	0.8	57
84	Type 1 Diabetes-associated HLA-DQ8 Transdimer Accommodates a Unique Peptide Repertoire. <i>Journal of Biological Chemistry</i> , 2012, 287, 9514-9524.	3.4	64
85	The ACPA IgM fine specificity differs from the ACPA IgG antigen-recognition profile. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A33.2-A33.	0.9	0
86	Prime-boost regimens with adjuvanted synthetic long peptides elicit T cells and antibodies to conserved regions of HIV-1 in macaques. <i>Aids</i> , 2012, 26, 275-284.	2.2	35
87	CD8 T cell autoreactivity to preproinsulin epitopes with very low human leukocyte antigen class I binding affinity. <i>Clinical and Experimental Immunology</i> , 2012, 170, 57-65.	2.6	41
88	Optimizing delivery of HIV-1 conserved region-derived immunogen for induction of T and B cell responses in rhesus macaques. <i>Retrovirology</i> , 2012, 9, .	2.0	0
89	Anti-citrullinated fibronectin antibodies in rheumatoid arthritis are associated with human leukocyte antigen-DRB1 shared epitope alleles. <i>Arthritis Research and Therapy</i> , 2012, 14, R35.	3.5	40
90	Islet-Specific CTL Cloned from a Type 1 Diabetes Patient Cause Beta-Cell Destruction after Engraftment into HLA-A2 Transgenic NOD/SCID/IL2RG Null Mice. <i>PLoS ONE</i> , 2012, 7, e49213.	2.5	75

#	ARTICLE	IF	CITATIONS
91	Circulating specific antibodies enhance systemic cross-priming by delivery of complexed antigen to dendritic cells in vivo. <i>European Journal of Immunology</i> , 2012, 42, 598-606.	2.9	39
92	Potential of a p53-GLP vaccine by cyclophosphamide in ovarian cancer: A single-arm phase II study. <i>International Journal of Cancer</i> , 2012, 131, E670-80.	5.1	81
93	The Src SH2 domain interacts dynamically with the focal adhesion kinase binding site as demonstrated by paramagnetic nmr spectroscopy. <i>IUBMB Life</i> , 2012, 64, 538-544.	3.4	9
94	Regulation of autologous immunity to the mouse 5T4 oncofoetal antigen: implications for immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 1005-1018.	4.2	11
95	Unravelling the T-cell-mediated autoimmune attack on CNS myelin in a new primate EAE model induced with MOG ₃₄₋₅₆ peptide in incomplete adjuvant. <i>European Journal of Immunology</i> , 2012, 42, 217-227.	2.9	52
96	Skin-Depigmenting Agent Monobenzone Induces Potent T-Cell Autoimmunity toward Pigmented Cells by Tyrosinase Haptentation and Melanosome Autophagy. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1240-1251.	0.7	127
97	Discovery of low-affinity preproinsulin epitopes and detection of autoreactive CD8 T-cells using combinatorial MHC multimers. <i>Journal of Autoimmunity</i> , 2011, 37, 151-159.	6.5	66
98	Allo-HLA-reactive T cells inducing graft-versus-host disease are single peptide specific. <i>Blood</i> , 2011, 118, 6733-6742.	1.4	64
99	Aminopeptidase-Resistant Peptides Are Targeted to Lysosomes and Subsequently Degraded. <i>Traffic</i> , 2011, 12, 1897-1910.	2.7	4
100	Antigen processing by nardilysin and thimet oligopeptidase generates cytotoxic T cell epitopes. <i>Nature Immunology</i> , 2011, 12, 45-53.	14.5	94
101	Inhibition of mouse TAP by immune evasion molecules encoded by non-murine herpesviruses. <i>Molecular Immunology</i> , 2011, 48, 835-845.	2.2	22
102	Linker length dependent binding of a focal adhesion kinase derived peptide to the Src SH3-SH2 domains. <i>FEBS Letters</i> , 2011, 585, 601-605.	2.8	6
103	The fine specificity of IgM anti-citrullinated protein antibodies (ACPA) is different from that of IgG ACPA. <i>Arthritis Research and Therapy</i> , 2011, 13, R195.	3.5	17
104	Double- and monofunctional CD4 ⁺ and CD8 ⁺ T-cell responses to <i>Mycobacterium tuberculosis</i> DosR antigens and peptides in long-term latently infected individuals. <i>European Journal of Immunology</i> , 2011, 41, 2925-2936.	2.9	101
105	T-Cell Immune Function in Tumor, Skin, and Peripheral Blood of Advanced Stage Melanoma Patients: Implications for Immunotherapy. <i>Clinical Cancer Research</i> , 2011, 17, 5736-5747.	7.0	33
106	Identification of Human T-Cell Responses to <i>Mycobacterium tuberculosis</i> Resuscitation-Promoting Factors in Long-Term Latently Infected Individuals. <i>Vaccine Journal</i> , 2011, 18, 676-683.	3.1	67
107	Gluten-Specific T Cells Cross-React between HLA-DQ8 and the HLA-DQ2 ¹ /DQ8 ¹ Transdimer. <i>Journal of Immunology</i> , 2011, 187, 5123-5129.	0.8	52
108	Native Thrombocidin-1 and Unfolded Thrombocidin-1 Exert Antimicrobial Activity via Distinct Structural Elements. <i>Journal of Biological Chemistry</i> , 2011, 286, 43506-43514.	3.4	34

#	ARTICLE	IF	CITATIONS
109	Anti-citrullinated protein antibodies have a low avidity compared with antibodies against recall antigens. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 373-379.	0.9	69
110	Long peptides induce polyfunctional T cells against conserved regions of HIV-1 with superior breadth to single-gene vaccines in macaques. <i>European Journal of Immunology</i> , 2010, 40, 1973-1984.	2.9	71
111	Identification of citrullinated vimentin peptides as T cell epitopes in HLA-DR4-positive patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 117-125.	6.7	103
112	Positively charged amino acids flanking a sumoylation consensus tetramer on the 110kDa tri-snRNP component SART1 enhance sumoylation efficiency. <i>Journal of Proteomics</i> , 2010, 73, 1523-1534.	2.4	8
113	Epitope spreading of the anti-citrullinated protein antibody response occurs before disease onset and is associated with the disease course of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1554-1561.	0.9	268
114	The nonpolymorphic MHC Qa-1b mediates CD8+ T cell surveillance of antigen-processing defects. <i>Journal of Experimental Medicine</i> , 2010, 207, 671-671.	8.5	25
115	Identification of citrullinated vimentin peptides as T cell epitopes in HLA-DR4 positive RA patients. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, A74-A74.	0.9	0
116	AIDS-protective HLA-B*27/B*57 and chimpanzee MHC class I molecules target analogous conserved areas of HIV-1/SIVcpz. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15175-15180.	7.1	49
117	Enhancing Sensitivity of Detection of Immune Responses to <i>Mycobacterium leprae</i> Peptides in Whole-Blood Assays. <i>Vaccine Journal</i> , 2010, 17, 993-1004.	3.1	25
118	Success or failure of vaccination for HPV16-positive vulvar lesions correlates with kinetics and phenotype of induced T-cell responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 11895-11899.	7.1	215
119	The Ubiquitin-Proteasome System Plays an Important Role during Various Stages of the Coronavirus Infection Cycle. <i>Journal of Virology</i> , 2010, 84, 7869-7879.	3.4	101
120	<i>Mycobacterium tuberculosis</i> Peptides Presented by HLA-E Molecules Are Targets for Human CD8+ T-Cells with Cytotoxic as well as Regulatory Activity. <i>PLoS Pathogens</i> , 2010, 6, e1000782.	4.7	141
121	Evaluation of Immunological Cross-Reactivity between Clade A9 High-Risk Human Papillomavirus Types on the Basis of E6-specific CD4 ⁺ Memory T Cell Responses. <i>Journal of Infectious Diseases</i> , 2010, 202, 1200-1211.	4.0	13
122	LL-37 Directs Macrophage Differentiation toward Macrophages with a Proinflammatory Signature. <i>Journal of Immunology</i> , 2010, 185, 1442-1449.	0.8	153
123	High Resolution Mass Spectrometry for Rapid Characterization of Combinatorial Peptide Libraries. <i>ACS Combinatorial Science</i> , 2010, 12, 65-68.	3.3	11
124	Design, synthesis and evaluation of high-affinity binders for the celiac disease associated HLA-DQ2 molecule. <i>Molecular Immunology</i> , 2010, 47, 1091-1097.	2.2	48
125	Simultaneous Detection of Circulating Autoreactive CD8+ T-Cells Specific for Different Islet Cell-Associated Epitopes Using Combinatorial MHC Multimers. <i>Diabetes</i> , 2010, 59, 1721-1730.	0.6	187
126	A Universal Approach to Eliminate Antigenic Properties of Alpha-Gliadin Peptides in Celiac Disease. <i>PLoS ONE</i> , 2010, 5, e15637.	2.5	68

#	ARTICLE	IF	CITATIONS
127	Steric Hindrance and Fast Dissociation Explain the Lack of Immunogenicity of the Minor Histocompatibility HA-1Arg Null Allele. <i>Journal of Immunology</i> , 2009, 182, 4809-4816.	0.8	28
128	Induction of p53-Specific Immunity by a p53 Synthetic Long Peptide Vaccine in Patients Treated for Metastatic Colorectal Cancer. <i>Clinical Cancer Research</i> , 2009, 15, 1086-1095.	7.0	149
129	Immunization with a P53 synthetic long peptide vaccine induces P53-specific immune responses in ovarian cancer patients, a phase II trial. <i>International Journal of Cancer</i> , 2009, 125, 2104-2113.	5.1	123
130	Immune evasion mechanisms in colorectal cancer liver metastasis patients vaccinated with TroVax (MVA-5T4). <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1657-1667.	4.2	31
131	Vaccination against HPV-16 Oncoproteins for Vulvar Intraepithelial Neoplasia. <i>New England Journal of Medicine</i> , 2009, 361, 1838-1847.	27.0	970
132	Synthesis of modified and hybrid protein derived biopolymers. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 141-142.	1.6	1
133	CTLs are targeted to kill β 2 cells in patients with type 1 diabetes through recognition of a glucose-regulated preproinsulin epitope. <i>Journal of Clinical Investigation</i> , 2009, 119, 2843-2843.	8.2	1
134	Mobility of TOAC spin-labelled peptides binding to the Src SH3 domain studied by paramagnetic NMR. <i>Journal of Biomolecular NMR</i> , 2008, 41, 157-167.	2.8	22
135	Dominance of an alternative CLIP sequence in the celiac disease associated HLA-DQ2 molecule. <i>Immunogenetics</i> , 2008, 60, 551-555.	2.4	16
136	CD4+ T-cell recognition of human 5T4 oncofoetal antigen: implications for initial depletion of CD25+ T cells. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 833-847.	4.2	22
137	Skin reactions to human papillomavirus (HPV) 16 specific antigens intradermally injected in healthy subjects and patients with cervical neoplasia. <i>International Journal of Cancer</i> , 2008, 123, 146-152.	5.1	36
138	Large-Scale Characterization of Natural Ligands Explains the Unique Gluten-Binding Properties of HLA-DQ2. <i>Journal of Immunology</i> , 2008, 180, 3268-3278.	0.8	75
139	Rational Combination of Peptides Derived from Different <i>Mycobacterium leprae</i> Proteins Improves Sensitivity for Immunodiagnosis of <i>M. leprae</i> Infection. <i>Vaccine Journal</i> , 2008, 15, 522-533.	3.1	43
140	Induction of Tumor-Specific CD4+ and CD8+ T-Cell Immunity in Cervical Cancer Patients by a Human Papillomavirus Type 16 E6 and E7 Long Peptides Vaccine. <i>Clinical Cancer Research</i> , 2008, 14, 178-187.	7.0	346
141	Phase I Immunotherapeutic Trial with Long Peptides Spanning the E6 and E7 Sequences of High-Risk Human Papillomavirus 16 in End-Stage Cervical Cancer Patients Shows Low Toxicity and Robust Immunogenicity. <i>Clinical Cancer Research</i> , 2008, 14, 169-177.	7.0	286
142	Immunization with mannosylated peptide induces poor T cell effector functions despite enhanced antigen presentation. <i>International Immunology</i> , 2008, 20, 117-127.	4.0	13
143	Mannosylated self-peptide inhibits the development of experimental autoimmune encephalomyelitis via expansion of nonencephalitogenic T cells. <i>Journal of Leukocyte Biology</i> , 2008, 84, 182-190.	3.3	4
144	Fine specificity of monoclonal antibodies against celiac disease-inducing peptides in the gluteome. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1057-1066.	4.7	39

#	ARTICLE	IF	CITATIONS
145	An MVA-based Vaccine Targeting the Oncofetal Antigen 5T4 in Patients Undergoing Surgical Resection of Colorectal Cancer Liver Metastases. <i>Journal of Immunotherapy</i> , 2008, 31, 820-829.	2.4	45
146	CTLs are targeted to kill β 2 cells in patients with type 1 diabetes through recognition of a glucose-regulated preproinsulin epitope. <i>Journal of Clinical Investigation</i> , 2008, 118, 3390-402.	8.2	315
147	Proteomic analysis of secreted proteins in early rheumatoid arthritis: anti-citrulline autoreactivity is associated with up regulation of proinflammatory cytokines. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 712-719.	0.9	109
148	Distinct Uptake Mechanisms but Similar Intracellular Processing of Two Different Toll-like Receptor Ligand-Peptide Conjugates in Dendritic Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 21145-21159.	3.4	157
149	High Number of Intraepithelial CD8+ Tumor-Infiltrating Lymphocytes Is Associated with the Absence of Lymph Node Metastases in Patients with Large Early-Stage Cervical Cancer. <i>Cancer Research</i> , 2007, 67, 354-361.	0.9	369
150	Assessment of Cross-Reactivity between <i>Mycobacterium bovis</i> and <i>M. kansasii</i> ESAT-6 and CFP-10 at the T-Cell Epitope Level. <i>Vaccine Journal</i> , 2007, 14, 1536-1536.	3.1	1
151	Methylation of Arginine Residues Interferes with Citrullination by Peptidylarginine Deiminases in vitro. <i>Journal of Molecular Biology</i> , 2007, 367, 1118-1129.	4.2	138
152	Human neutrophil peptide-1 inhibits both the classical and the lectin pathway of complement activation. <i>Molecular Immunology</i> , 2007, 44, 3608-3614.	2.2	43
153	Soluble Mannosylated Myelin Peptide Inhibits the Encephalitogenicity of Autoreactive T Cells during Experimental Autoimmune Encephalomyelitis. <i>American Journal of Pathology</i> , 2007, 170, 272-280.	3.8	26
154	100 INVITED Progress with cervix cancer vaccines. The end in sight?. <i>European Journal of Cancer</i> , Supplement, 2007, 5, 28.	2.2	0
155	Efficient degradation of gluten by a prolyl endoprotease in a gastrointestinal model: implications for coeliac disease. <i>Gut</i> , 2007, 57, 25-32.	12.1	210
156	Association of smoking with the constitution of the anti-cyclic citrullinated peptide response in the absence of HLA-DRB1 shared epitope alleles. <i>Arthritis and Rheumatism</i> , 2007, 56, 2913-2918.	6.7	36
157	Fine specificity of the anti-citrullinated protein antibody response is influenced by the shared epitope alleles. <i>Arthritis and Rheumatism</i> , 2007, 56, 3949-3952.	6.7	114
158	P53-specific T cell responses in patients with malignant and benign ovarian tumors: Implications for p53 based immunotherapy. <i>International Journal of Cancer</i> , 2007, 121, 606-614.	5.1	34
159	Human Clonal CD8 Autoreactivity to an IGRP Islet Epitope Shared between Mice and Men. <i>Annals of the New York Academy of Sciences</i> , 2007, 1103, 192-195.	3.8	26
160	Expression, purification, and in vitro activity of an arterivirus main proteinase. <i>Virus Research</i> , 2006, 120, 97-106.	2.2	14
161	Development of novel LL-37 derived antimicrobial peptides with LPS and LTA neutralizing and antimicrobial activities for therapeutic application. <i>Peptides</i> , 2006, 27, 649-660.	2.4	155
162	Alternatively spliced tissue factor in mice: induction by <i>Streptococcus pneumoniae</i> . <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 918-920.	3.8	10

#	ARTICLE	IF	CITATIONS
163	Selective cytotoxic T-lymphocyte targeting of tumor immune escape variants. <i>Nature Medicine</i> , 2006, 12, 417-424.	30.7	142
164	BCR-ABL fusion regions as a source of multiple leukemia-specific CD8+ T-cell epitopes. <i>Leukemia</i> , 2006, 20, 1738-1750.	7.2	38
165	Chemical synthesis of the HPV16 E7 protein. <i>Tetrahedron Letters</i> , 2006, 47, 9349-9352.	1.4	2
166	Synthesis of 2-alkoxy-8-hydroxyadenylpeptides: Towards synthetic epitope-based vaccines. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3258-3261.	2.2	23
167	Isotype distribution of ANTI-CYCLIC citrullinated peptide antibodies in undifferentiated arthritis and rheumatoid arthritis reflects an ongoing immune response. <i>Arthritis and Rheumatism</i> , 2006, 54, 3799-3808.	6.7	184
168	Distinct regulation and impact of type 1 T-cell immunity against HPV16 L1, E2 and E6 antigens during HPV16-induced cervical infection and neoplasia. <i>International Journal of Cancer</i> , 2006, 118, 675-683.	5.1	41
169	Detection of human papillomavirus type 18 E6 and E7-specific CD4+ T-helper 1 immunity in relation to health versus disease. <i>International Journal of Cancer</i> , 2006, 118, 950-956.	5.1	59
170	Cd8 T-cell recognition of human 5T4 oncofetal antigen. <i>International Journal of Cancer</i> , 2006, 119, 1638-1647.	5.1	26
171	DRB1*0401-restricted human T cell clone specific for the major proinsulin73-90 epitope expresses a down-regulatory T helper 2 phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11683-11688.	7.1	40
172	Human Cathelicidin LL-37 Is a Chemoattractant for Eosinophils and Neutrophils That Acts via Formyl-Peptide Receptors. <i>International Archives of Allergy and Immunology</i> , 2006, 140, 103-112.	2.1	201
173	Passive Sexual Transmission of Human Immunodeficiency Virus Type 1 Variants and Adaptation in New Hosts. <i>Journal of Virology</i> , 2006, 80, 7226-7234.	3.4	23
174	Cutting Edge: HLA-B27 Acquires Many N-Terminal Dibasic Peptides: Coupling Cytosolic Peptide Stability to Antigen Presentation. <i>Journal of Immunology</i> , 2006, 176, 2697-2701.	0.8	37
175	Cross-presentation by intercellular peptide transfer through gap junctions. <i>Nature</i> , 2005, 434, 83-88.	27.8	401
176	Mannosylated PLP139-151 induces peptide-specific tolerance to experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2005, 160, 178-187.	2.3	28
177	Rapid enrichment of human papillomavirus (HPV)-specific polyclonal T cell populations for adoptive immunotherapy of cervical cancer. <i>International Journal of Cancer</i> , 2005, 114, 274-282.	5.1	22
178	Antigen microarray profiling of autoantibodies in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2005, 52, 2645-2655.	6.7	256
179	T-cell recognition of HLA-DQ2-bound gluten peptides can be influenced by an N-terminal proline at p-1. <i>Immunogenetics</i> , 2005, 57, 8-15.	2.4	49
180	Solution Structure of the Second PDZ Domain of the Neuronal Adaptor X11± and its Interaction with the C-terminal Peptide of the Human Copper Chaperone for Superoxide Dismutase. <i>Journal of Biomolecular NMR</i> , 2005, 32, 209-218.	2.8	14

#	ARTICLE	IF	CITATIONS
181	Unique Acquisition of Cytotoxic T-Lymphocyte Escape Mutants in Infant Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Virology</i> , 2005, 79, 12100-12105.	3.4	38
182	Autoreactive CD8 T cells associated with β cell destruction in type 1 diabetes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 18425-18430.	7.1	252
183	Impact of Peptides on the Recognition of HLA Class I Molecules by Human HLA Antibodies. <i>Journal of Immunology</i> , 2005, 175, 5950-5957.	0.8	46
184	Sexual Transmission of Single Human Immunodeficiency Virus Type 1 Virions Encoding Highly Polymorphic Multisite Cytotoxic T-Lymphocyte Escape Variants. <i>Journal of Virology</i> , 2005, 79, 13953-13962.	3.4	26
185	Anti-CCP Antibody Detection Facilitates Early Diagnosis and Prognosis of Rheumatoid Arthritis. <i>Current Rheumatology Reviews</i> , 2005, 1, 1-7.	0.8	18
186	Detection of Human Papillomavirus (HPV) 16-Specific CD4+ T-cell Immunity in Patients with Persistent HPV16-Induced Vulvar Intraepithelial Neoplasia in Relation to Clinical Impact of Imiquimod Treatment. <i>Clinical Cancer Research</i> , 2005, 11, 5273-5280.	7.0	80
187	Therapeutic vaccination with papillomavirus E6 and E7 long peptides results in the control of both established virus-induced lesions and latently infected sites in a pre-clinical cottontail rabbit papillomavirus model. <i>Vaccine</i> , 2005, 23, 5271-5280.	3.8	95
188	Natural Variation in Toxicity of Wheat: Potential for Selection of Nontoxic Varieties for Celiac Disease Patients. <i>Gastroenterology</i> , 2005, 129, 797-806.	1.3	230
189	Human Papillomavirus Type 16-Positive Cervical Cancer Is Associated with Impaired CD4+ T-Cell Immunity against Early Antigens E2 and E6. <i>Cancer Research</i> , 2004, 64, 5449-5455.	0.9	277
190	A novel and sensitive method for the detection of T cell stimulatory epitopes of β - and α -gliadin. <i>Gut</i> , 2004, 53, 1267-1273.	12.1	57
191	Stable polyplexes based on arginine-containing oligopeptides for in vivo gene delivery. <i>Gene Therapy</i> , 2004, 11, 457-464.	4.5	27
192	New chelation strategy allows for quick and clean ^{99m}Tc -labeling of synthetic peptides. <i>Nuclear Medicine and Biology</i> , 2004, 31, 815-820.	0.6	17
193	Chemically synthesized protein as tumour-specific vaccine: immunogenicity and efficacy of synthetic HPV16 E7 in the TC-1 mouse tumour model. <i>Vaccine</i> , 2004, 23, 305-311.	3.8	13
194	A Major Role for TPPII in Trimming Proteasomal Degradation Products for MHC Class I Antigen Presentation. <i>Immunity</i> , 2004, 20, 495-506.	14.3	227
195	Magnitude and polarization of P53-specific T-helper immunity in connection to leukocyte infiltration of colorectal tumors. <i>International Journal of Cancer</i> , 2003, 107, 425-433.	5.1	28
196	A novel, base-labile fluororous amine protecting group: synthesis and use as a tag in the purification of synthetic peptides. <i>Tetrahedron Letters</i> , 2003, 44, 9013-9016.	1.4	53
197	Synaptojanin 2 is recognized by HLA class II-restricted hairy cell leukemia-specific T cells. <i>Leukemia</i> , 2003, 17, 2467-2473.	7.2	9
198	Characterization of cereal toxicity for celiac disease patients based on protein homology in grains 1 The authors thank Drs. R. R. P. de Vries and R. Offringa for critical reading of the manuscript, A. de Ru for mass spectrometric analysis, and W. Benckhuijsen for peptide synthesis.. <i>Gastroenterology</i> , 2003, 125, 1105-1113.	1.3	213

#	ARTICLE	IF	CITATIONS
199	Competition-based cellular peptide binding assays for 13 prevalent HLA class I alleles using fluorescein-labeled synthetic peptides. <i>Human Immunology</i> , 2003, 64, 245-255.	2.4	62
200	Peptide Diffusion, Protection, and Degradation in Nuclear and Cytoplasmic Compartments before Antigen Presentation by MHC Class I. <i>Immunity</i> , 2003, 18, 97-108.	14.3	267
201	The Antimicrobial Peptide LL-37 Activates Innate Immunity at the Airway Epithelial Surface by Transactivation of the Epidermal Growth Factor Receptor. <i>Journal of Immunology</i> , 2003, 171, 6690-6696.	0.8	389
202	Hematopoiesis-restricted minor histocompatibility antigens HA-1- or HA-2-specific T cells can induce complete remissions of relapsed leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 2742-2747.	7.1	400
203	Identification of a Novel HLA-B60-Restricted T Cell Epitope of the Minor Histocompatibility Antigen HA-1 Locus. <i>Journal of Immunology</i> , 2002, 169, 3131-3136.	0.8	71
204	Specificity of Tissue Transglutaminase Explains Cereal Toxicity in Celiac Disease. <i>Journal of Experimental Medicine</i> , 2002, 195, 643-649.	8.5	338
205	The DBY gene codes for an HLA-DQ5-restricted human male-specific minor histocompatibility antigen involved in graft-versus-host disease. <i>Blood</i> , 2002, 99, 3027-3032.	1.4	156
206	The gluten response in children with celiac disease is directed toward multiple gliadin and glutenin peptides. <i>Gastroenterology</i> , 2002, 122, 1729-1737.	1.3	383
207	The use of Dodt as a Non-Malodorous Scavenger in Fmoc-Based Peptide Synthesis. <i>Protein and Peptide Letters</i> , 2002, 9, 379-385.	0.9	30
208	Human T cell responses to peptides of the <i>Mycobacterium leprae</i> 45-kD serine-rich antigen. <i>Clinical and Experimental Immunology</i> , 2002, 128, 140-148.	2.6	8
209	Use of benzyloxycarbonyl (Z)-based fluorophilic tagging reagents in the purification of synthetic peptides. <i>Tetrahedron Letters</i> , 2002, 43, 7809-7812.	1.4	72
210	Urokinase-Receptor/Integrin Complexes Are Functionally Involved in Adhesion and Progression of Human Breast Cancer in Vivo. <i>American Journal of Pathology</i> , 2001, 159, 971-982.	3.8	97
211	Molecular mimicry in type 1 diabetes mellitus revisited: T-cell clones to GAD65 peptides with sequence homology to Coxsackie or proinsulin peptides do not crossreact with homologous counterpart. <i>Human Immunology</i> , 2001, 62, 299-309.	2.4	73
212	Identification of three non-VNTR MUC1-derived HLA-A*0201-restricted T cell epitopes that induce protective anti-tumor immunity in HLA-A2/Kb-transgenic mice. <i>International Journal of Cancer</i> , 2001, 91, 385-392.	5.1	85
213	Long lasting p53-specific T cell memory responses in the absence of anti-p53 antibodies in patients with resected primary colorectal cancer. <i>European Journal of Immunology</i> , 2001, 31, 146-155.	2.9	53
214	The identification of a common pathogen-specific HLA class II, A*0201-restricted cytotoxic T cell epitope encoded within the heat shock protein 65. <i>European Journal of Immunology</i> , 2001, 31, 3602-3611.	2.9	26
215	Efficient Identification of Novel HLA-A*0201-Presented Cytotoxic T Lymphocyte Epitopes in the Widely Expressed Tumor Antigen Prame by Proteasome-Mediated Digestion Analysis. <i>Journal of Experimental Medicine</i> , 2001, 193, 73-88.	8.5	236
216	Specific Inhibition of the Classical Complement Pathway by C1q-Binding Peptides. <i>Journal of Immunology</i> , 2001, 167, 7052-7059.	0.8	84

#	ARTICLE	IF	CITATIONS
217	Cytomegalovirus in autoimmunity: T cell crossreactivity to viral antigen and autoantigen glutamic acid decarboxylase. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 3988-3991.	7.1	174
218	Antigen arrays in T cell immunology. Current Opinion in Immunology, 2000, 12, 80-84.	5.5	19
219	Identification of Major Epitopes of <i>Mycobacterium tuberculosis</i> AG85B That Are Recognized by HLA-A*0201-Restricted CD8+ T Cells in HLA-Transgenic Mice and Humans. Journal of Immunology, 2000, 165, 6463-6471.	0.8	152
220	Structure of celiac disease-associated HLA-DQ8 and non-associated HLA-DQ9 alleles in complex with two disease-specific epitopes. International Immunology, 2000, 12, 1157-1166.	4.0	47
221	T-cell lines reactive to an immunodominant epitope of the tyrosine phosphatase-like autoantigen IA-2 in type 1 diabetes. Diabetes, 2000, 49, 356-366.	0.6	70
222	Purification of His-Tagged Proteins by Immobilized Chelate Affinity Chromatography: The Benefits from the Use of Organic Solvent. Protein Expression and Purification, 2000, 18, 95-99.	1.3	217
223	Definition of agonists and design of antagonists for alloreactive T cell clones using synthetic peptide libraries. International Immunology, 1999, 11, 585-591.	4.0	12
224	Fluorogenic MMP Activity Assay for Plasma Including MMPs Complexed to alpha2-Macroglobulin. Annals of the New York Academy of Sciences, 1999, 878, 150-158.	3.8	42
225	Get into the groove! Targeting antigens to MHC class II. Immunological Reviews, 1999, 172, 87-96.	6.0	51
226	Differential binding of viral peptides to HLA-A2 alleles. Implications for human papillomavirus type 16 E7 peptide-based vaccination against cervical carcinoma. European Journal of Immunology, 1999, 29, 1292-1303.	2.9	48
227	Glutenin is involved in the gluten-driven mucosal T cell response. European Journal of Immunology, 1999, 29, 3133-3139.	2.9	184
228	Limitations of homology searching for identification of T-cell antigens with library derived mimicry epitopes. Vaccine, 1999, 18, 204-208.	3.8	6
229	Quantitative determination of TCR cross-reactivity using peptide libraries and protein databases. European Journal of Immunology, 1999, 29, 2385-2391.	2.9	1
230	A new hybrid resin for stepwise screening of peptide libraries combined with single bead Edman sequencing. , 1998, 4, 282-288.		20
231	Anti-Î±-gliadin antibodies (AGA) in the serum of coeliac children and controls recognize an identical collection of linear epitopes of Î±-gliadin. Clinical and Experimental Immunology, 1998, 114, 189-195.	2.6	18
232	T cells from the small intestinal mucosa of coeliac disease patients recognize a unique peptide sequence of gliadin. Gastroenterology, 1998, 114, A1105.	1.3	3
233	Purification of Toxic Compounds from Larvae of the Gray Fleshfly: The Identification of Paralysins. Biochemical and Biophysical Research Communications, 1998, 246, 457-462.	2.1	22
234	HLA-DR binding analysis of peptides from islet antigens in IDDM. Diabetes, 1998, 47, 1594-1601.	0.6	62

#	ARTICLE	IF	CITATIONS
235	Small intestinal T cells of celiac disease patients recognize a natural pepsin fragment of gliadin. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 10050-10054.	7.1	231
236	Simultaneous Humoral and Cellular Immune Response against Cancerâ€™Testis Antigen NY-ESO-1: Definition of Human Histocompatibility Leukocyte Antigen (HLA)-A2â€™binding Peptide Epitopes. Journal of Experimental Medicine, 1998, 187, 265-270.	8.5	668
237	Strongly increased efficiency of altered peptide ligands by mannosylation. International Immunology, 1998, 10, 1299-1304.	4.0	32
238	Peptide Vaccination with an Anchor-Replaced CTL Epitope Protects Against Human Papillomavirus Type 16-Induced Tumors Expressing the Wild-Type Epitope. Journal of Immunotherapy, 1998, 21, 399-408.	2.4	31
239	Characterization of HLA-B57-restricted human immunodeficiency virus type 1 Gag- and RT-specific cytotoxic T lymphocyte responses.. Journal of General Virology, 1998, 79, 2191-2201.	2.9	88
240	The HLA-A*0201-Restricted H-Y Antigen Contains a Posttranslationally Modified Cysteine That Significantly Affects T Cell Recognition. Immunity, 1997, 6, 273-281.	14.3	275
241	Liposome-mediated peptide loading of MHC-DR molecules in vivo. FEBS Letters, 1997, 409, 91-95.	2.8	18
242	Highly increased levels of active stromelysin in rheumatoid synovial fluid determined by a selective fluorogenic assay. FEBS Letters, 1997, 418, 305-309.	2.8	55
243	Autoantibodies to p53 in ovarian cancer patients and healthy women: a comparison between whole p53 protein and 18-mer peptides for screening purposes. Cancer Letters, 1997, 116, 93-101.	7.2	33
244	The identification of CD4+ T cell epitopes with dedicated synthetic peptide libraries. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 10313-10318.	7.1	97
245	A sensitive fluorometric assay for quantitatively measuring specific peptide binding to HLA class I and class II molecules. Journal of Immunological Methods, 1997, 200, 89-97.	1.4	30
246	A novel, highly efficient peptide-HLA class I binding assay using unfolded heavy chain molecules: identification of HIV-1 derived peptides that bind to HLA-A*0201 and HLA-A*0301. Journal of Immunological Methods, 1997, 205, 201-209.	1.4	20
247	Unique peptide binding characteristics of the disease-associated DQ(Î±1 * 0501, Î²1 * 0201) vs the non-disease-associated DQ(Î±1 * 0201, Î²1 * 0202) molecule. Immunogenetics, 1997, 46, 484-492.	2.4	84
248	Mannose receptor-mediated uptake of antigens strongly enhances HLA class II-restricted antigen presentation by cultured dendritic cells. European Journal of Immunology, 1997, 27, 2426-2435.	2.9	298
249	Analogues of CTL epitopes with improved MHC class-I binding capacity elicit anti-melanoma CTL recognizing the wild-type epitope. , 1997, 70, 302-309.		76
250	Mannose Receptor Mediated Uptake of Antigens Strongly Enhances HLA-Class II Restricted Antigen Presentation by Cultured Dendritic Cells. Advances in Experimental Medicine and Biology, 1997, 417, 171-174.	1.6	34
251	Convenient fluorometric assay for matrix metalloproteinase activity and its application in biological media. FEBS Letters, 1996, 390, 221-225.	2.8	84
252	Natural peptides isolated from Gly86/Val86-containing variants of HLA-DR1,-DR 11, -DR13, and -DR52. Immunogenetics, 1996, 43, 392-397.	2.4	45

#	ARTICLE	IF	CITATIONS
253	The generation of SDS-stable HLA DR dimers is independent of efficient peptide binding. <i>International Immunology</i> , 1996, 8, 397-404.	4.0	24
254	Peptide binding characteristics of the coeliac disease-associated DQ(?1*0501, ?1*0201) molecule. <i>Immunogenetics</i> , 1996, 44, 246-253.	2.4	28
255	The use of dedicated peptide libraries permits the discovery of high affinity binding peptides. <i>Journal of Immunological Methods</i> , 1995, 187, 179-188.	1.4	43
256	Purification and Functional Analysis of the Mycobacterium leprae Thioredoxin/Thioredoxin Reductase Hybrid Protein. <i>Journal of Biological Chemistry</i> , 1995, 270, 25604-25606.	3.4	32
257	Identification of a graft versus host disease-associated human minor histocompatibility antigen. <i>Science</i> , 1995, 268, 1476-1480.	12.6	414
258	CLIP binds to HLA class II using methionine-based, allele-dependent motifs as well as allele-independent supermotifs. <i>Molecular Immunology</i> , 1995, 32, 975-981.	2.2	32
259	Detailed motifs for peptide binding to HLA-A*0201 derived from large random sets of peptides using a cellular binding assay. <i>Human Immunology</i> , 1995, 43, 1-12.	2.4	45
260	A computer program for predicting possible cytotoxic T lymphocyte epitopes based on HLA class I peptide-binding motifs. <i>Human Immunology</i> , 1995, 43, 13-18.	2.4	88
261	An HLA class I peptide-binding assay based on competition for binding to class I molecules on intact human B cells. <i>Human Immunology</i> , 1995, 44, 189-198.	2.4	81
262	Solid-phase synthesis of peptide haptens containing a cysteine-sulfur mustard adduct. <i>International Journal of Peptide and Protein Research</i> , 1995, 45, 497-500.	0.1	5
263	Development of a convenient and sensitive assay for matrix metalloproteinase enzyme activity in synovial fluid samples using fluorogenic peptides. <i>Acta Orthopaedica</i> , 1995, 66, 151-152.	1.4	0
264	Identification of an Antigenic Domain on Mycobacterium leprae Protein Antigen 85B, Which Is Specifically Recognized by Antibodies from Patients with Leprosy. <i>Journal of Infectious Diseases</i> , 1994, 169, 162-169.	4.0	11
265	Analogues of peptide 9?21 of glycoprotein D of herpes simplex virus and their binding to group VII monoclonal antibodies. <i>Archives of Virology</i> , 1994, 138, 331-340.	2.1	9
266	Identification of an HLA-DQ2 peptide binding motif and HLA-DPw3-bound self-peptide by pool sequencing. <i>European Journal of Immunology</i> , 1994, 24, 375-379.	2.9	33
267	Identification of the core residues of the epitope of a monoclonal antibody raised against glycoprotein D of herpes simplex virus type 1 by screening of a random peptide library. <i>European Journal of Immunology</i> , 1994, 24, 3188-3193.	2.9	38
268	The use of self-assembled receptor layers in immunosensors. <i>Thin Solid Films</i> , 1994, 244, 913-916.	1.8	19
269	Synthetic Peptides as Receptors in Affinity Sensors: A Feasibility Study. <i>Analytical Biochemistry</i> , 1993, 215, 223-230.	2.4	31
270	Isolation of an HLA-A2.1 extracted human minor histocompatibility peptide. <i>European Journal of Immunology</i> , 1993, 23, 614-618.	2.9	21

#	ARTICLE	IF	CITATIONS
271	Identification of peptide sequences that potentially trigger HLA-A2.1-restricted cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1993, 23, 1215-1219.	2.9	185
272	In vitro induction of human cytotoxic T lymphocyte responses against peptides of mutant and wild-type p53. <i>European Journal of Immunology</i> , 1993, 23, 2072-2077.	2.9	246
273	Vaccination with cytotoxic T lymphocyte epitope-containing peptide protects against a tumor induced by human papillomavirus type 16-transformed cells. <i>European Journal of Immunology</i> , 1993, 23, 2242-2249.	2.9	739
274	T cell responses to synthetic peptides of herpes simplex virus type 1 glycoprotein D in naturally infected individuals. <i>Archives of Virology</i> , 1993, 130, 187-193.	2.1	17
275	Human Leukocyte Antigen-A2.1 Restricted Candidate Cytotoxic T Lymphocyte Epitopes of Human Papillomavirus Type 16 E6 and E7 Proteins Identified by Using the Processing-Defective Human Cell Line T2. <i>Journal of Immunotherapy</i> , 1993, 14, 115-120.	2.4	95
276	A ten-residue fragment of an antibody (mini-antibody) directed against lysozyme as ligand in immunoaffinity chromatography. <i>Journal of Chromatography A</i> , 1991, 548, 235-242.	3.7	36
277	A new synthetic functionalized antigen carrier. <i>International Journal of Peptide and Protein Research</i> , 1991, 37, 27-32.	0.1	40
278	Reactivity of human sera with overlapping synthetic peptides of herpes simplex virus type 1 glycoprotein D. <i>Archives of Virology</i> , 1990, 114, 251-258.	2.1	9
279	Solid-phase synthesis and applications of N-(S-acetylmercaptoacetyl) peptides. <i>Analytical Biochemistry</i> , 1990, 187, 349-354.	2.4	23
280	Synthetic antibody fragment as ligand in immunoaffinity chromatography. <i>Journal of Chromatography A</i> , 1990, 512, 337-343.	3.7	30
281	Virus Neutralizing Activity Induced by Synthetic Peptides of Glycoprotein D of Herpes Simplex Virus Type 1, selected by their Reactivity with Hyperimmune Sera from Mice. <i>Journal of General Virology</i> , 1990, 71, 1767-1774.	2.9	16
282	Immunological properties of multiple repeats of a linear epitope of herpes simplex virus type 1 glycoprotein D. <i>Journal of Immunological Methods</i> , 1989, 124, 211-217.	1.4	13
283	Immunological properties of an N-terminal fragment of herpes simplex virus type 1 glycoprotein D expressed in <i>Escherichia coli</i> . <i>Archives of Virology</i> , 1988, 103, 267-274.	2.1	5
284	Controlled peptide-protein conjugation by means of 3-nitro-2-pyridinesulfonyl protection-activation. <i>International Journal of Peptide and Protein Research</i> , 1988, 32, 161-166.	0.1	13
285	Antibodies against synthetic peptides of herpes simplex virus type 1 glycoprotein D and their capability to neutralize viral infectivity in vitro. <i>Journal of Virology</i> , 1988, 62, 501-510.	3.4	50
286	Efficient intramolecular nucleophilic catalysis in the base-catalyzed hydrolysis of o-(1-hydroxyalkyl)-N,N-dimethylbenzenesulfonamides. <i>Tetrahedron Letters</i> , 1986, 27, 2423-2426.	1.4	1