

Pierre-Marie Roy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9484819/publications.pdf>

Version: 2024-02-01

38
papers

5,901
citations

430874

18
h-index

345221

36
g-index

40
all docs

40
docs citations

40
times ranked

3878
citing authors

#	ARTICLE	IF	CITATIONS
1	Derivation and Validation of a Prognostic Model for Pulmonary Embolism. American Journal of Respiratory and Critical Care Medicine, 2005, 172, 1041-1046.	5.6	971
2	Prediction of Pulmonary Embolism in the Emergency Department: The Revised Geneva Score. Annals of Internal Medicine, 2006, 144, 165.	3.9	851
3	Age-Adjusted D-Dimer Cutoff Levels to Rule Out Pulmonary Embolism. JAMA - Journal of the American Medical Association, 2014, 311, 1117.	7.4	680
4	Multidetector-Row Computed Tomography in Suspected Pulmonary Embolism. New England Journal of Medicine, 2005, 352, 1760-1768.	27.0	593
5	Outpatient versus inpatient treatment for patients with acute pulmonary embolism: an international, open-label, randomised, non-inferiority trial. Lancet, The, 2011, 378, 41-48.	13.7	508
6	Diagnosis of pulmonary embolism by multidetector CT alone or combined with venous ultrasonography of the leg: a randomised non-inferiority trial. Lancet, The, 2008, 371, 1343-1352.	13.7	375
7	Diagnosing pulmonary embolism in outpatients with clinical assessment, D-Dimer measurement, venous ultrasound, and helical computed tomography: a multicenter management study. American Journal of Medicine, 2004, 116, 291-299.	1.5	355
8	Appropriateness of Diagnostic Management and Outcomes of Suspected Pulmonary Embolism. Annals of Internal Medicine, 2006, 144, 157.	3.9	271
9	Potential of an age adjusted D-dimer cut-off value to improve the exclusion of pulmonary embolism in older patients: a retrospective analysis of three large cohorts. BMJ: British Medical Journal, 2010, 340, c1475-c1475.	2.3	258
10	Pregnancy-Adapted YEARS Algorithm for Diagnosis of Suspected Pulmonary Embolism. New England Journal of Medicine, 2019, 380, 1139-1149.	27.0	200
11	Comparison of the Unstructured Clinician Gestalt, the Wells Score, and the Revised Geneva Score to Estimate Pretest Probability for Suspected Pulmonary Embolism. Annals of Emergency Medicine, 2013, 62, 117-124.e2.	0.6	144
12	Diagnosis of Pulmonary Embolism During Pregnancy. Annals of Internal Medicine, 2018, 169, 766.	3.9	128
13	A Computerized Handheld Decision-Support System to Improve Pulmonary Embolism Diagnosis. Annals of Internal Medicine, 2009, 151, 677.	3.9	106
14	Limited screening with versus without 18F-fluorodeoxyglucose PET/CT for occult malignancy in unprovoked venous thromboembolism: an open-label randomised controlled trial. Lancet Oncology, The, 2016, 17, 193-199.	10.7	83
15	Pulmonary embolism rule-out criteria (PERC) rule in European patients with low implicit clinical probability (PERCEPIC): a multicentre, prospective, observational study. Lancet Haematology, the, 2017, 4, e615-e621.	4.6	67
16	Triaging acute pulmonary embolism for home treatment by Hestia or simplified PESI criteria: the HOME-PE randomized trial. European Heart Journal, 2021, 42, 3146-3157.	2.2	64
17	Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation. Annals of Internal Medicine, 2022, 175, 29-35.	3.9	33
18	Derivation and Validation of a 4-Level Clinical Pretest Probability Score for Suspected Pulmonary Embolism to Safely Decrease Imaging Testing. JAMA Cardiology, 2021, 6, 669.	6.1	29

#	ARTICLE	IF	CITATIONS
19	Safety and Efficiency of Diagnostic Strategies for Ruling Out Pulmonary Embolism in Clinically Relevant Patient Subgroups. <i>Annals of Internal Medicine</i> , 2022, 175, 244-255.	3.9	27
20	Clinical risk assessment model to predict venous thromboembolism risk after immobilization for lower-limb trauma. <i>EclinicalMedicine</i> , 2020, 20, 100270.	7.1	19
21	Impact of the Age-Adjusted D-Dimer Cutoff to Exclude Pulmonary Embolism. <i>Circulation</i> , 2021, 143, 1828-1830.	1.6	18
22	Risk of symptomatic venous thromboembolism in mild and moderate COVID-19: A comparison of two prospective European cohorts. <i>Thrombosis Research</i> , 2021, 208, 4-10.	1.7	14
23	Major bleeding risk associated with oral anticoagulant in real clinical practice. A multicentre 3-year period population-based prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 2519-2529.	2.4	12
24	Comprehensive Outpatient Management of Low-Risk Pulmonary Embolism: Can Primary Care Do This? A Narrative Review. , 2020, 24, .		12
25	Reliability of the CARE rule and the HEART score to rule out an acute coronary syndrome in non-traumatic chest pain patients. <i>Internal and Emergency Medicine</i> , 2018, 13, 1111-1119.	2.0	11
26	Identifying Patients with Low Risk of Acute Coronary Syndrome Without Troponin Testing: Validation of the HEAR Score. <i>American Journal of Medicine</i> , 2021, 134, 499-506.e2.	1.5	11
27	Percutaneous radiologic gastrostomy versus nasogastric tube in critically ill patients. <i>Clinical Nutrition</i> , 2005, 24, 321-325.	5.0	10
28	Contemporary management of acute pulmonary embolism. <i>Trends in Cardiovascular Medicine</i> , 2022, 32, 259-268.	4.9	10
29	Major bleeding with antithrombotic agents: a 2012-2015 study using the French nationwide Health Insurance database linked to emergency department records within five areas - rationale and design of SACHA study. <i>Fundamental and Clinical Pharmacology</i> , 2019, 33, 443-462.	1.9	9
30	In patients with unprovoked VTE, does the addition of FDG PET/CT to a limited occult cancer screening strategy offer good value for money? A cost-effectiveness analysis from the publicly funded health care systems. <i>Thrombosis Research</i> , 2018, 171, 97-102.	1.7	6
31	Point-of-care ultrasonography for risk stratification of non-critical COVID-19 patients on admission (POCUSCO): a study protocol of an international study. <i>BMJ Open</i> , 2021, 11, e041118.	1.9	5
32	Prevalence and characterization of forgoing care: comparison of two prospective multicentre cohorts between pre-COVID-19 era and a lockdown period. <i>Archives of Public Health</i> , 2022, 80, 32.	2.4	5
33	Glucocorticoids for acute urticaria: study protocol for a double-blind non-inferiority randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e027431.	1.9	4
34	Evidence-based guidelines for thromboprophylaxis in patients with lower limb trauma requiring immobilization: an urgent, unmet need. <i>European Journal of Emergency Medicine</i> , 2020, 27, 245-246.	1.1	3
35	Suspected Acute Pulmonary Embolism: Gestalt, Scoring Systems, and Artificial Intelligence. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2021, 42, 176-182.	2.1	3
36	Thromboembolic risk stratification by TRiP(cast) score to rationalise thromboprophylaxis in patients with lower leg trauma requiring immobilisation: a study protocol of the casting stepped-wedge cluster randomised trial. <i>BMJ Open</i> , 2021, 11, e045905.	1.9	3

#	ARTICLE	IF	CITATIONS
37	Opinion and practice survey about the use of prognostic models in acute pulmonary embolism. <i>Thrombosis Research</i> , 2021, 198, 40-48.	1.7	2
38	Clinical use of low-dose parenteral anticoagulation, incidence of major bleeding and mortality: a multi-centre cohort study using the French national health data system. <i>European Journal of Clinical Pharmacology</i> , 2022, , 1.	1.9	1