

Benlin He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9485674/publications.pdf>

Version: 2024-02-01

155
papers

7,478
citations

44069

48
h-index

66911

78
g-index

158
all docs

158
docs citations

158
times ranked

5796
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient interface engineering of N, N'-Dicyclohexylcarbodiimide for stable HTMs-free CsPbBr ₃ perovskite solar cells with 10.16%-efficiency. Chemical Engineering Journal, 2022, 428, 131950.	12.7	32
2	Hydrogen-Bonded Dopant-Free Hole Transport Material Enables Efficient and Stable Inverted Perovskite Solar Cells. CCS Chemistry, 2022, 4, 3084-3094.	7.8	37
3	Multifunctional interface modifier ammonium silicofluoride for efficient and stable all-inorganic CsPbBr ₃ perovskite solar cells. Chemical Engineering Journal, 2022, 431, 134193.	12.7	24
4	Polypyrrole-molybdenum sulfide complex as an efficient and transparent catalytic electrode for bifacial dye-sensitized solar cells. Catalysis Communications, 2022, 163, 106403.	3.3	12
5	A double-sided tape-modifier bridging the TiO ₂ /perovskite buried interface for efficient and stable all-inorganic perovskite solar cells. Journal of Materials Chemistry A, 2022, 10, 6649-6661.	10.3	25
6	Reducing Energy Disorder for Efficient and Stable Sn ²⁺ Pb Alloyed Perovskite Solar Cells.. Angewandte Chemie, 2022, 134, .	2.0	3
7	Reducing Energy Disorder for Efficient and Stable Sn ²⁺ Pb Alloyed Perovskite Solar Cells.. Angewandte Chemie - International Edition, 2022, 61, .	13.8	32
8	Phase Control of Cs ₄ PbBr ₆ Derivatives to Suppress OD Cs ₄ PbBr ₆ for High Efficiency and Stable All-inorganic CsPbBr ₃ Perovskite Solar Cells. Small, 2022, 18, e2106323.	10.0	27
9	Universal Dynamic Liquid Interface for Healing Perovskite Solar Cells. Advanced Materials, 2022, 34, e2202301.	21.0	57
10	Ultraviolet filtration and defect passivation for efficient and photostable CsPbBr ₃ perovskite solar cells by interface engineering with ultraviolet absorber. Chemical Engineering Journal, 2021, 404, 126548.	12.7	29
11	Enhanced hole extraction by electron-rich alloys in all-inorganic CsPbBr ₃ perovskite solar cells. Chemical Communications, 2021, 57, 7577-7580.	4.1	14
12	Tri-Brominated Perovskite Film Management and Multiple Ionic Defect Passivation for Highly Efficient and Stable Solar Cells. Solar Rrl, 2021, 5, 2000819.	5.8	13
13	Dimensionality Control of SnO ₂ Films for Hysteresis-Free, All-Inorganic CsPbBr ₃ Perovskite Solar Cells with Efficiency Exceeding 10%. ACS Applied Materials & Interfaces, 2021, 13, 11058-11066.	8.0	24
14	Multifunctional brominated graphene oxide boosted charge extraction for high-efficiency and stable all-inorganic CsPbBr ₃ perovskite solar cells. Chemical Engineering Journal, 2021, 412, 128727.	12.7	28
15	Achieving Concurrent High Energy Density and Efficiency in All-Polymer Layered Paraelectric/Ferroelectric Composites via Introducing a Moderate Layer. ACS Applied Materials & Interfaces, 2021, 13, 27522-27532.	8.0	87
16	Asymmetric Trilayer All-Polymer Dielectric Composites with Simultaneous High Efficiency and High Energy Density: A Novel Design Targeting Advanced Energy Storage Capacitors. Advanced Functional Materials, 2021, 31, 2100280.	14.9	179
17	Efficient Defect Passivation and Charge Extraction with Hexamethylenetetramine Interface Modification for Hole-Transporting Layers-Free CsPbBr ₃ Perovskite Solar Cells. Solar Rrl, 2021, 5, 2100344.	5.8	8
18	Enhanced energy level alignment and hole extraction of carbon electrode for air-stable hole-transporting material-free CsPbBr ₃ perovskite solar cells. Solar Energy Materials and Solar Cells, 2020, 205, 110267.	6.2	43

#	ARTICLE	IF	CITATIONS
19	Interface Engineering of Imidazolium Ionic Liquids toward Efficient and Stable CsPbBr ₃ Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 4540-4548.	8.0	132
20	Enhanced Efficiency of Air-Stable CsPbBr ₃ Perovskite Solar Cells by Defect Dual Passivation and Grain Size Enlargement with a Multifunctional Additive. ACS Applied Materials & Interfaces, 2020, 12, 36092-36101.	8.0	62
21	Compositional Engineering of Chloride Ion-Doped CsPbBr ₃ Halides for Highly Efficient and Stable All-Inorganic Perovskite Solar Cells. Solar Rrl, 2020, 4, 2000362.	5.8	26
22	Improved charge extraction through interface engineering for 10.12% efficiency and stable CsPbBr ₃ perovskite solar cells. Journal of Materials Chemistry A, 2020, 8, 20987-20997.	10.3	42
23	Boosted hole extraction in all-inorganic CsPbBr ₃ perovskite solar cells by interface engineering using MoO ₂ /N-doped carbon nanospheres composite. Solar Energy Materials and Solar Cells, 2020, 209, 110460.	6.2	27
24	Grain Enlargement and Defect Passivation with Melamine Additives for High Efficiency and Stable CsPbBr ₃ Perovskite Solar Cells. ChemSusChem, 2020, 13, 1834-1843.	6.8	62
25	Enhanced charge extraction in carbon-based all-inorganic CsPbBr ₃ perovskite solar cells by dual-function interface engineering. Electrochimica Acta, 2019, 328, 135102.	5.2	30
26	Advanced Modification of Perovskite Surfaces for Defect Passivation and Efficient Charge Extraction in Air-Stable CsPbBr ₃ Perovskite Solar Cells. ACS Sustainable Chemistry and Engineering, 2019, 7, 19286-19294.	6.7	51
27	Toward efficient and air-stable carbon-based all-inorganic perovskite solar cells through substituting CsPbBr ₃ films with transition metal ions. Chemical Engineering Journal, 2019, 375, 121930.	12.7	82
28	Poly(3-hexylthiophene)/zinc phthalocyanine composites for advanced interface engineering of 10.03%-efficiency CsPbBr ₃ perovskite solar cells. Journal of Materials Chemistry A, 2019, 7, 12635-12644.	10.3	94
29	Using SnO ₂ QDs and CsMBr ₃ (M = Sn, Bi, Cu) QDs as Charge-Transporting Materials for 10.6%-Efficiency All-Inorganic CsPbBr ₃ Perovskite Solar Cells with an Ultrahigh Open-Circuit Voltage of 1.610 V (Solar) Tj ETQq1 1 05784314 rgBT /Over	5.8	84
30	Co/Se and Ni/Se nanocomposite films prepared by magnetron sputtering as counter electrodes for dye-sensitized solar cells. Solar Energy, 2019, 180, 85-91.	6.1	34
31	Sonochemistry-assisted black/red phosphorus hybrid quantum dots for dye-sensitized solar cells. Journal of Power Sources, 2019, 410-411, 53-58.	7.8	33
32	Using SnO ₂ QDs and CsMBr ₃ (M = Sn, Bi, Cu) QDs as Charge-Transporting Materials for 10.6%-Efficiency All-Inorganic CsPbBr ₃ Perovskite Solar Cells with an Ultrahigh Open-Circuit Voltage of 1.610 V. Solar Rrl, 2019, 3, 1800284.	5.8	84
33	Self-powered flexible monoelectrodes from graphene/reduced graphene oxide composite films to harvest rain energy. Journal of Alloys and Compounds, 2019, 776, 31-35.	5.5	9
34	Cubic carbon quantum dots for light-harvesters in mesoscopic solar cells. Electrochimica Acta, 2018, 275, 275-280.	5.2	26
35	Simplified Perovskite Solar Cell with 4.1% Efficiency Employing Inorganic CsPbBr ₃ as Light Absorber. Small, 2018, 14, e1704443.	10.0	113
36	Carbon-Tailored All-Inorganic Perovskite Solar Cells To Harvest Solar and Water Vapor Energy. Angewandte Chemie - International Edition, 2018, 57, 5746-5749.	13.8	112

#	ARTICLE	IF	CITATIONS
37	A porous ceramic membrane tailored high-temperature supercapacitor. Journal of Power Sources, 2018, 379, 60-67.	7.8	26
38	High-purity Inorganic Perovskite Films for Solar Cells with 9.72% Efficiency. Angewandte Chemie - International Edition, 2018, 57, 3787-3791.	13.8	404
39	High-purity Inorganic Perovskite Films for Solar Cells with 9.72% Efficiency. Angewandte Chemie, 2018, 130, 3849-3853.	2.0	99
40	Self-Powered Low-Platinum Nanorod Alloy Monoelectrodes for Rain Energy Harvest. Energy Technology, 2018, 6, 1606-1609.	3.8	1
41	Carbon-Electrode-Tailored All-Inorganic Perovskite Solar Cells To Harvest Solar and Water Vapor Energy. Angewandte Chemie, 2018, 130, 5848-5851.	2.0	19
42	Alloy-Controlled Work Function for Enhanced Charge Extraction in All-Inorganic CsPbBr ₃ Perovskite Solar Cells. ChemSusChem, 2018, 11, 1432-1437.	6.8	62
43	Harvest rain energy by polyaniline-graphene composite films. Renewable Energy, 2018, 125, 995-1002.	8.9	22
44	Bifunctional polyaniline electrode tailored hybridized solar cells for energy harvesting from sun and rain. Journal of Energy Chemistry, 2018, 27, 742-747.	12.9	11
45	Lanthanide Ions Doped CsPbBr ₃ Halides for HTM-Free 10.14% Efficiency Inorganic Perovskite Solar Cell with an Ultrahigh Open-Circuit Voltage of 1.594 V. Advanced Energy Materials, 2018, 8, 1802346.	19.5	387
46	Enhanced charge extraction with all-carbon electrodes for inorganic CsPbBr ₃ perovskite solar cells. Dalton Transactions, 2018, 47, 15283-15287.	3.3	28
47	Spray-assisted deposition of CsPbBr ₃ films in ambient air for large-area inorganic perovskite solar cells. Materials Today Energy, 2018, 10, 146-152.	4.7	57
48	Enhanced charge extraction by setting intermediate energy levels in all-inorganic CsPbBr ₃ perovskite solar cells. Electrochimica Acta, 2018, 279, 84-90.	5.2	49
49	Efficiency enhancement of bifacial dye-sensitized solar cells through bi-tandem carbon quantum dots tailored transparent counter electrodes. Electrochimica Acta, 2018, 278, 204-209.	5.2	28
50	Hybridized dye-sensitized solar cells for persistent power generation free of sun illumination. Electrochimica Acta, 2018, 280, 181-190.	5.2	6
51	Transparent ternary alloy counter electrodes for high-efficiency bifacial dye-sensitized solar cells. Solar Energy, 2018, 170, 762-768.	6.1	22
52	9.13%-Efficiency and stable inorganic CsPbBr ₃ solar cells. Lead-free CsSnBr ₃ -xI _x quantum dots promote charge extraction. Journal of Power Sources, 2018, 399, 76-82.	7.8	105
53	Lattice Modulation of Alkali Metal Cations Doped Cs _x R _{1-x} PbBr ₃ Halides for Inorganic Perovskite Solar Cells. Solar Rrl, 2018, 2, 1800164.	5.8	154
54	A ceramic NiO/ZrO ₂ separator for high-temperature supercapacitor up to 140°C. Journal of Power Sources, 2018, 400, 126-134.	7.8	34

#	ARTICLE	IF	CITATIONS
55	Rain-responsive polypyrrole-graphene/PtCo electrodes for energy harvest. <i>Electrochimica Acta</i> , 2018, 285, 139-148.	5.2	6
56	Can dye-sensitized solar cells generate electricity in the dark?. <i>Nano Energy</i> , 2017, 33, 266-271.	16.0	40
57	Long persistence phosphor assisted all-weather solar cells. Electricity generation beyond sunny days. <i>Chemical Communications</i> , 2017, 53, 3209-3212.	4.1	19
58	Rapid Conversion from Carbohydrates to Large-Scale Carbon Quantum Dots for All-Weather Solar Cells. <i>ACS Nano</i> , 2017, 11, 1540-1547.	14.6	155
59	Transparent molybdenum sulfide decorated polyaniline complex counter electrodes for efficient bifacial dye-sensitized solar cells. <i>Solar Energy</i> , 2017, 147, 470-478.	6.1	35
60	Mo incorporated W ₁₈ O ₄₉ nanofibers as robust electrocatalysts for high-efficiency hydrogen evolution. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 14534-14546.	7.1	15
61	Robust electrocatalysts from metal doped W ₁₈ O ₄₉ nanofibers for hydrogen evolution. <i>Chemical Communications</i> , 2017, 53, 4323-4326.	4.1	19
62	Photoelectric conversion beyond sunny days: all-weather carbon quantum dot solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2143-2150.	10.3	54
63	Biomass converted carbon quantum dots for all-weather solar cells. <i>Electrochimica Acta</i> , 2017, 257, 259-266.	5.2	53
64	Interfacial engineering of hybridized solar cells for simultaneously harvesting solar and rain energies. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18551-18560.	10.3	9
65	Extra-high short-circuit current for bifacial solar cells in sunny and dark light conditions. <i>Chemical Communications</i> , 2017, 53, 10046-10049.	4.1	7
66	A Solar Cell That Is Triggered by Sun and Rain. <i>Angewandte Chemie</i> , 2016, 128, 5329-5332.	2.0	22
67	A Solar Cell That Is Triggered by Sun and Rain. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5243-5246.	13.8	96
68	Platinum Alloy Tailored All-Weather Solar Cells for Energy Harvesting from Sun and Rain. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14412-14416.	13.8	49
69	Carbide decorated carbon nanotube electrocatalyst for high-efficiency hydrogen evolution from seawater. <i>RSC Advances</i> , 2016, 6, 93267-93274.	3.6	33
70	An all-weather solar cell that can harvest energy from sunlight and rain. <i>Nano Energy</i> , 2016, 30, 818-824.	16.0	65
71	Counter electrodes from polymorphic platinum-nickel hollow alloys for high-efficiency dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2016, 328, 185-194.	7.8	21
72	Graphene enabled all-weather solar cells for electricity harvest from sun and rain. <i>Journal of Materials Chemistry A</i> , 2016, 4, 13235-13241.	10.3	38

#	ARTICLE	IF	CITATIONS
73	Room-temperature fabrication of multi-deformable perovskite solar cells made in a three-dimensional gel framework. <i>RSC Advances</i> , 2016, 6, 82933-82940.	3.6	7
74	Platinum Alloy Tailored All-Weather Solar Cells for Energy Harvesting from Sun and Rain. <i>Angewandte Chemie</i> , 2016, 128, 14624-14628.	2.0	10
75	Enhanced light harvesting of TiO ₂ /La _{0.95} Tb _{0.05} PO ₄ photoanodes for dye-sensitized solar cells. <i>Materials Chemistry and Physics</i> , 2016, 173, 340-346.	4.0	6
76	Spatial confinement growth of perovskite nanocrystals for ultra-flexible solar cells. <i>RSC Advances</i> , 2016, 6, 59429-59437.	3.6	3
77	Cylindrical dye-sensitized solar cells with high efficiency and stability over time and incident angle. <i>Chemical Communications</i> , 2016, 52, 3528-3531.	4.1	13
78	ZnO nanorods assisted Ni _{1.1} Pt and Co _{3.9} Pt alloy microtube counter electrodes for efficient dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2016, 190, 903-911.	5.2	10
79	Robust electrocatalysts from an alloyed Pt-Ru-M (M = Cr, Fe, Co, Ni, Mo)-decorated Ti mesh for hydrogen evolution by seawater splitting. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6513-6520.	10.3	118
80	Dissolution-resistant platinum alloy counter electrodes for stable dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2016, 190, 409-418.	5.2	22
81	Platinum alloy decorated polyaniline counter electrodes for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2016, 190, 76-84.	5.2	18
82	Counter electrode electrocatalysts from binary Pd-Co alloy nanoparticles for dye-sensitized solar cells. <i>Solar Energy</i> , 2016, 124, 68-75.	6.1	15
83	Alloying of platinum and molybdenum for transparent counter electrodes. A strategy of enhancing power output for bifacial dye-sensitized solar cells. <i>RSC Advances</i> , 2015, 5, 51600-51607.	3.6	16
84	Solid-state dye-sensitized solar cells from poly(ethylene oxide)/polyaniline electrolytes with catalytic and hole-transporting characteristics. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5368-5374.	10.3	53
85	Cost-effective alloy counter electrodes as a new avenue for high-efficiency dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2015, 158, 397-402.	5.2	29
86	Cost-effective, transparent iron selenide nanoporous alloy counter electrode for bifacial dye-sensitized solar cell. <i>Journal of Power Sources</i> , 2015, 282, 79-86.	7.8	47
87	Efficient dye-sensitized solar cells from curved silicate microsheet caged TiO ₂ photoanodes. An avenue of enhancing light harvesting. <i>Electrochimica Acta</i> , 2015, 178, 18-24.	5.2	18
88	Recent advances in critical materials for quantum dot-sensitized solar cells: a review. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17497-17510.	10.3	158
89	Graphene-incorporated quasi-solid-state dye-sensitized solar cells. <i>RSC Advances</i> , 2015, 5, 43402-43407.	3.6	10
90	A dye-sensitized solar cell having polyaniline species in each component with 3.1%-efficiency. <i>Journal of Power Sources</i> , 2015, 284, 178-185.	7.8	23

#	ARTICLE	IF	CITATIONS
91	Bifacial dye-sensitized solar cells with transparent cobalt selenide alloy counter electrodes. <i>Journal of Power Sources</i> , 2015, 284, 349-354.	7.8	44
92	Toward elevated light harvesting: efficient dye-sensitized solar cells with titanium dioxide/silica photoanodes. <i>RSC Advances</i> , 2015, 5, 46260-46266.	3.6	7
93	Multifunctional graphene incorporated polyacrylamide conducting gel electrolytes for efficient quasi-solid-state quantum dot-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 284, 369-376.	7.8	40
94	All-solid-state quantum dot-sensitized solar cell from plastic crystal electrolyte. <i>RSC Advances</i> , 2015, 5, 33463-33467.	3.6	17
95	Dissolution Engineering of Platinum Alloy Counter Electrodes in Dye-Sensitized Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11448-11452.	13.8	168
96	Recent advances in alloy counter electrodes for dye-sensitized solar cells. A critical review. <i>Electrochimica Acta</i> , 2015, 178, 886-899.	5.2	104
97	Bifacial quantum dot-sensitized solar cells with transparent cobalt selenide counter electrodes. <i>Journal of Power Sources</i> , 2015, 278, 183-189.	7.8	19
98	Titanium dioxide/calcium fluoride nanocrystallite for efficient dye-sensitized solar cell. A strategy of enhancing light harvest. <i>Journal of Power Sources</i> , 2015, 275, 175-180.	7.8	35
99	7.35% Efficiency rear-irradiated flexible dye-sensitized solar cells by sealing liquid electrolyte in a groove. <i>Chemical Communications</i> , 2015, 51, 491-494.	4.1	27
100	Bifacial dye-sensitized solar cells from covalent-bonded polyaniline-multiwalled carbon nanotube complex counter electrodes. <i>Journal of Power Sources</i> , 2015, 275, 489-497.	7.8	42
101	Conducting gel electrolytes with microporous structures for efficient quasi-solid-state dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 273, 1148-1155.	7.8	36
102	An avenue of sealing liquid electrolyte in flexible dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 274, 304-309.	7.8	18
103	Insights on tunneled electrons for electrical and photoelectric behaviors in conducting multilayer films. <i>Polymer Engineering and Science</i> , 2015, 55, 107-112.	3.1	1
104	An avenue of expanding triiodide reduction and shortening charge diffusion length in solid-state dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 273, 180-184.	7.8	3
105	Growth of hexagonal polyaniline fibers with polyacrylamide pendants. <i>Polymer Composites</i> , 2014, 35, 253-262.	4.6	1
106	Full-ionic liquid gel electrolytes: Enhanced photovoltaic performances in dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 264, 83-91.	7.8	36
107	Low-cost CoPt alloy counter electrodes for efficient dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 260, 180-185.	7.8	63
108	H3PO4 imbibed polyacrylamide-graft-chitosan frameworks for high-temperature proton exchange membranes. <i>Journal of Power Sources</i> , 2014, 249, 277-284.	7.8	20

#	ARTICLE	IF	CITATIONS
109	A simple approach of enhancing photovoltaic performances of quasi-solid-state dye-sensitized solar cells by integrating conducting polyaniline into electrical insulating gel electrolyte. <i>Journal of Power Sources</i> , 2014, 245, 468-474.	7.8	37
110	Solar photocatalysts from Gd ³⁺ /La codoped TiO ₂ nanoparticles. <i>Journal of Materials Science</i> , 2014, 49, 3371-3378.	3.7	11
111	Quasi-solid-state dye-sensitized solar cells from hydrophobic poly(hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,662 Td	4.0	18
112	Enhanced photovoltaic performances of quasi-solid-state dye-sensitized solar cells using a novel conducting gel electrolyte. <i>Journal of Power Sources</i> , 2014, 248, 923-930.	7.8	64
113	Employment of ionic liquid-imbibed polymer gel electrolyte for efficient quasi-solid-state dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 248, 816-821.	7.8	44
114	Insights of close contact between polyaniline and FTO substrate for enhanced photovoltaic performances of dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 125, 163-169.	5.2	22
115	Incorporation of H ₃ PO ₄ into three-dimensional polyacrylamide-graft-starch hydrogel frameworks for robust high-temperature proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 4447-4458.	7.1	21
116	Multifunctional graphene incorporated conducting gel electrolytes in enhancing photovoltaic performances of quasi-solid-state dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 260, 225-232.	7.8	56
117	Transmission booster from SiO ₂ incorporated TiO ₂ crystallites: Enhanced conversion efficiency in dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 134, 281-286.	5.2	39
118	Efficient quasi-solid-state dye-sensitized solar cells employing polyaniline and polypyrrole incorporated microporous conducting gel electrolytes. <i>Journal of Power Sources</i> , 2014, 254, 98-105.	7.8	59
119	Transmission enhanced photoanodes for efficient dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 125, 646-651.	5.2	52
120	Self-assembly of graphene oxide/polyaniline multilayer counter electrodes for efficient dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 121, 136-142.	5.2	30
121	Efficient dye-sensitized solar cells from polyaniline ⁺ single wall carbon nanotube complex counter electrodes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3119.	10.3	103
122	Rapid charge-transfer in polypyrrole ⁺ single wall carbon nanotube complex counter electrodes: Improved photovoltaic performances of dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 256, 170-177.	7.8	86
123	Solid-state electrolytes from polysulfide integrated polyvinylpyrrolidone for quantum dot-sensitized solar cells. <i>RSC Advances</i> , 2014, 4, 60478-60483.	3.6	18
124	Transparent Metal Selenide Alloy Counter Electrodes for High ⁺ Efficiency Bifacial Dye ⁺ Sensitized Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 14569-14574.	13.8	231
125	Enhanced dye illumination in dye-sensitized solar cells using TiO ₂ /GeO ₂ photo-anodes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12459.	10.3	48
126	Transparent nickel selenide alloy counter electrodes for bifacial dye-sensitized solar cells exceeding 10% efficiency. <i>Nanoscale</i> , 2014, 6, 12601-12608.	5.6	124

#	ARTICLE	IF	CITATIONS
127	Enhanced proton conductivity from phosphoric acid-incorporated 3D polyacrylamide-grafted starch hydrogel materials for high-temperature proton exchange membranes. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	5
128	Microporous gel electrolyte for quasi-solid-state dye-sensitized solar cell. <i>Polymer Engineering and Science</i> , 2014, 54, 2531-2535.	3.1	5
129	Low-Cost Counter Electrodes From CoPt Alloys For Efficient Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 4812-4818.	8.0	96
130	Efficient In ₂ S ₃ Quantum dot-sensitized Solar Cells: A Promising Power Conversion Efficiency of 1.30%. <i>Electrochimica Acta</i> , 2014, 139, 381-385.	5.2	42
131	Counter electrodes from binary ruthenium selenide alloys for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 271, 108-113.	7.8	32
132	Poly(vinylidene fluoride)-implanted cobalt-platinum alloy counter electrodes for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 147, 209-215.	5.2	11
133	Bifacial dye-sensitized solar cells with enhanced rear efficiency and power output. <i>Nanoscale</i> , 2014, 6, 15127-15133.	5.6	45
134	Three-dimensional hydrogel frameworks for high-temperature proton exchange membrane fuel cells. <i>Journal of Materials Science</i> , 2014, 49, 5481-5491.	3.7	14
135	Efficient quasi-solid-state dye-sensitized solar cells from graphene incorporated conducting gel electrolytes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2814.	10.3	60
136	Platinum-Free Binary CoNi Alloy Counter Electrodes for Efficient Dye-Sensitized Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10799-10803.	13.8	205
137	Platinum-free binary FeCo nanofiber alloy counter electrodes for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 268, 56-62.	7.8	42
138	Complexation of polyaniline and graphene for efficient counter electrodes in dye-sensitized solar cells: Enhanced charge transfer ability. <i>Journal of Power Sources</i> , 2014, 256, 8-13.	7.8	71
139	Efficient dye-sensitized solar cell from spiny polyaniline nanofiber counter electrode. <i>Materials Letters</i> , 2014, 119, 28-31.	2.6	12
140	PtRu nanofiber alloy counter electrodes for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 258, 117-121.	7.8	66
141	Counter electrodes from polyaniline-carbon nanotube complex/graphene oxide multilayers for dye-sensitized solar cell application. <i>Electrochimica Acta</i> , 2014, 125, 510-515.	5.2	32
142	Robust conducting gel electrolytes for efficient quasi-solid-state dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 137, 57-64.	5.2	27
143	Robust Polyaniline-Graphene Complex Counter Electrodes For Efficient Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8230-8236.	8.0	66
144	Counter electrodes from polyaniline-graphene complex/graphene oxide multilayers for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 137, 175-182.	5.2	29

#	ARTICLE	IF	CITATIONS
145	Mesoporous TiO ₂ anodes for efficient dye-sensitized solar cells: An efficiency of 9.86% under one sun illumination. <i>Journal of Power Sources</i> , 2014, 267, 445-451.	7.8	74
146	Peculiar electrical and photoelectric behaviors in conducting multilayers: Insights into accumulative charge tunneling. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	0
147	Preparation and electrochemical properties of poly(2,5-dihydroxyaniline)/activated carbon composite electrode in organic electrolyte. <i>Journal of Applied Polymer Science</i> , 2013, 127, 4672-4680.	2.6	9
148	Imbibition of polypyrrole into three-dimensional poly(hydroxyethyl methacrylate/glycerol) gel electrolyte for robust quasi-solid-state dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8055.	10.3	57
149	Enhanced photocatalytic activity from Gd, La codoped TiO ₂ nanotube array photocatalysts under visible-light irradiation. <i>Applied Surface Science</i> , 2013, 284, 837-842.	6.1	42
150	Insights on the accumulation of charge carriers for enhanced electrical and photoelectric behaviors in conducting multilayer films. <i>RSC Advances</i> , 2013, 3, 25190.	3.6	3
151	Quasi-solid-state dye-sensitized solar cell from polyaniline integrated poly(hexamethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 5326.	10.3	66
152	Application of poly(3,4-ethylenedioxythiophene):polystyrenesulfonate in polymer heterojunction solar cells. <i>Journal of Materials Science</i> , 2013, 48, 3528-3534.	3.7	8
153	Preparation and electrochemical properties of polyaniline/±-RuCl ₃ ·H ₂ O composites for supercapacitor. <i>Polymer Composites</i> , 2013, 34, 2142-2147.	4.6	2
154	Corrosion behavior of anodic oxidized TiO ₂ film in seawater. <i>Journal of Ocean University of China</i> , 2010, 9, 376-380.	1.2	1
155	EIS analysis of hydrophobic and hydrophilicTiO ₂ film. <i>Electrochimica Acta</i> , 2008, 54, 611-615.	5.2	10