

MarÃ-a JosÃ© SÃ¡nchez PÃ©rez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9487495/publications.pdf>

Version: 2024-02-01

503
papers

40,512
citations

2215

99
h-index

4117

175
g-index

518
all docs

518
docs citations

518
times ranked

49235
citing authors

#	ARTICLE	IF	CITATIONS
1	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. Lancet Oncology, The, 2014, 15, e538-e548.	10.7	3,343
2	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. Lancet Oncology, The, 2016, 17, e328-e346.	10.7	1,866
3	Global surveillance of cancer survival 1995â€“2009: analysis of individual data for 25â€ˆ676â€ˆ887 patients from 279 population-based registries in 67 countries (CONCORD-2). Lancet, The, 2015, 385, 977-1010.	13.7	1,863
4	Human Papillomavirus and Oral Cancer: The International Agency for Research on Cancer Multicenter Study. Journal of the National Cancer Institute, 2003, 95, 1772-1783.	6.3	1,013
5	Childhood cancer survival in Europe 1999â€“2007: results of EUROCORE-5â€ˆa population-based study. Lancet Oncology, The, 2014, 15, 35-47.	10.7	799
6	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
7	Lenalidomide plus Dexamethasone for High-Risk Smoldering Multiple Myeloma. New England Journal of Medicine, 2013, 369, 438-447.	27.0	449
8	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431
9	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
10	Prognoses and improvement for head and neck cancers diagnosed in Europe in early 2000s: The EUROCORE-5 population-based study. European Journal of Cancer, 2015, 51, 2130-2143.	2.8	344
11	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. BMJ: British Medical Journal, 2010, 340, b5500-b5500.	2.3	342
12	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2013, 11, 63.	5.5	329
13	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	4.7	285
14	Breast Cancer Risk From Modifiable and Nonmodifiable Risk Factors Among White Women in the United States. JAMA Oncology, 2016, 2, 1295.	7.1	285
15	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
16	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. Journal of Clinical Oncology, 2013, 31, 2708-2715.	1.6	280
17	Adherence to the Mediterranean Diet and Risk of Coronary Heart Disease in the Spanish EPIC Cohort Study. American Journal of Epidemiology, 2009, 170, 1518-1529.	3.4	272
18	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452.	4.7	251

#	ARTICLE	IF	CITATIONS
19	Mediterranean dietary pattern and cancer risk in the EPIC cohort. British Journal of Cancer, 2011, 104, 1493-1499.	6.4	248
20	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2007, 121, 2065-2072.	5.1	229
21	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	3.1	228
22	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-1092.	2.9	228
23	Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183.	7.4	227
24	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. European Heart Journal, 2011, 32, 1235-1243.	2.2	225
25	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65.	21.4	220
26	The role of type of tobacco and type of alcoholic beverage in oral carcinogenesis. International Journal of Cancer, 2004, 108, 741-749.	5.1	219
27	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. BMJ: British Medical Journal, 2011, 342, d1584-d1584.	2.3	218
28	Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2012, 7, e39361.	2.5	218
29	Survival of women with cancers of breast and genital organs in Europe 1999-2007: Results of the EUROCARE-5 study. European Journal of Cancer, 2015, 51, 2191-2205.	2.8	205
30	Pancreatic Cancer Risk and ABO Blood Group Alleles: Results from the Pancreatic Cancer Cohort Consortium. Cancer Research, 2010, 70, 1015-1023.	0.9	203
31	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 91, 381-390.	4.7	198
32	Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. Journal of the National Cancer Institute, 2011, 103, 1686-1695.	6.3	197
33	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. American Journal of Clinical Nutrition, 2010, 92, 912-921.	4.7	194
34	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. Nature Communications, 2020, 11, 597.	12.8	193
35	Adherence to a Mediterranean Diet Is Associated with Reduced 3-Year Incidence of Obesity. Journal of Nutrition, 2006, 136, 2934-2938.	2.9	191
36	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 255-263.	3.6	191

#	ARTICLE	IF	CITATIONS
37	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2010, 92, 398-407.	4.7	189
38	Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 1012-1019.	8.6	186
39	Validity of a short questionnaire to assess physical activity in 10 European countries. European Journal of Epidemiology, 2012, 27, 15-25.	5.7	185
40	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-390.	4.7	183
41	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647.	8.4	180
42	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168.	5.5	178
43	Estimation of Dietary Sources and Flavonoid Intake in a Spanish Adult Population (EPIC-Spain). Journal of the American Dietetic Association, 2010, 110, 390-398.	1.1	176
44	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. Hepatology, 2014, 60, 858-871.	7.3	175
45	Descriptive epidemiology of Kaposi sarcoma in Europe. Report from the RARECARE project. Cancer Epidemiology, 2014, 38, 670-678.	1.9	174
46	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. International Journal of Cancer, 2013, 132, 2918-2927.	5.1	172
47	Cancer incidence in Spain, 2015. Clinical and Translational Oncology, 2017, 19, 799-825.	2.4	169
48	Association Between Soft Drink Consumption and Mortality in 10 European Countries. JAMA Internal Medicine, 2019, 179, 1479.	5.1	169
49	Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2017, 167, 236-247.	3.9	168
50	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Clinical Nutrition, 2005, 59, 1387-1396.	2.9	166
51	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. BMC Medicine, 2021, 19, 1.	5.5	164
52	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. Carcinogenesis, 2006, 27, 1497-1501.	2.8	162
53	Alternative Methods of Accounting for Underreporting and Overreporting When Measuring Dietary Intake-Obesity Relations. American Journal of Epidemiology, 2011, 173, 448-458.	3.4	162
54	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. International Journal of Cancer, 2014, 135, 453-466.	5.1	161

#	ARTICLE	IF	CITATIONS
55	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. International Journal of Cancer, 2015, 136, 1149-1161.	5.1	161
56	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2011, 105, 1436-1442.	6.4	160
57	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	5.1	158
58	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2008, 98, 1574-1581.	6.4	157
59	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
60	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	4.7	150
61	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5.	5.5	148
62	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	7.4	147
63	Interactions Between Genetic Variants and Breast Cancer Risk Factors in the Breast and Prostate Cancer Cohort Consortium. Journal of the National Cancer Institute, 2011, 103, 1252-1263.	6.3	147
64	Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2012, 9, e1001230.	8.4	147
65	Age at Menarche and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 3526-3534.	8.6	147
66	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. Journal of Nutrition, 2009, 139, 1728-1737.	2.9	144
67	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. Endocrine-Related Cancer, 2010, 17, 1007-1019.	3.1	143
68	Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. Journal of the National Cancer Institute, 2012, 104, 240-253.	6.3	141
69	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	8.6	141
70	Olive oil intake and mortality within the Spanish population (EPIC-Spain). American Journal of Clinical Nutrition, 2012, 96, 142-149.	4.7	137
71	Dietary patterns among older Europeans: the EPIC-Elderly study. British Journal of Nutrition, 2005, 94, 100-113.	2.3	136
72	Mediterranean diet and colorectal cancer risk: results from a European cohort. European Journal of Epidemiology, 2013, 28, 317-328.	5.7	136

#	ARTICLE	IF	CITATIONS
73	Fruit and Vegetable Consumption and Mortality. American Journal of Epidemiology, 2013, 178, 590-602.	3.4	135
74	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2008, 88, 1353-1363.	4.7	132
75	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. Lancet Diabetes and Endocrinology, 2014, 2, 19-29.	11.4	132
76	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). British Journal of Nutrition, 2011, 106, 1581-1591.	2.3	130
77	Dietary sources of vitamin C, vitamin E and specific carotenoids in Spain. British Journal of Nutrition, 2004, 91, 1005-1011.	2.3	129
78	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. Journal of Clinical Oncology, 2012, 30, 4550-4557.	1.6	129
79	Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. International Journal of Epidemiology, 2012, 41, 1162-1173.	1.9	127
80	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 582-593.	2.5	126
81	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 144-156.	5.1	125
82	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. Cancer Prevention Research, 2011, 4, 1873-1883.	1.5	125
83	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	2.8	123
84	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort: A Factor Analysis. American Journal of Epidemiology, 2013, 177, 787-799.	3.4	119
85	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. Cancer Causes and Control, 2006, 17, 957-969.	1.8	118
86	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
87	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2012, 96, 164-174.	4.7	116
88	t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355.	1.6	115
89	CagA+Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
90	Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2013, 109, 1498-1507.	2.3	114

#	ARTICLE	IF	CITATIONS
91	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. <i>Annals of Oncology</i> , 2013, 24, 2449-2455.	1.2	114
92	Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2562-2569.	2.5	113
93	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	4.7	112
94	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1871-1888.	5.1	112
95	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006, 95, 406-415.	6.4	111
96	Cumulative Burden of Colorectal Cancer—Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020, 158, 1274-1286.e12.	1.3	110
97	Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor—Positive and -Negative Breast Cancer: a Nested Case—Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635.	1.5	108
98	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	3.4	107
99	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1405-1413.	4.7	104
100	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	5.1	104
101	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015, 137, 598-606.	5.1	104
102	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	2.5	102
103	Breast cancer survival in the US and Europe: A CONCORD high-resolution study. <i>International Journal of Cancer</i> , 2013, 132, 1170-1181.	5.1	100
104	Cross-Cancer Genome-Wide Analysis of Lung, Ovary, Breast, Prostate, and Colorectal Cancer Reveals Novel Pleiotropic Associations. <i>Cancer Research</i> , 2016, 76, 5103-5114.	0.9	100
105	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016, 8, 341ra76.	12.4	100
106	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6.	4.4	99
107	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	4.7	98
108	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	5.1	96

#	ARTICLE	IF	CITATIONS
109	Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. International Journal of Cancer, 2015, 136, 2640-2648.	5.1	95
110	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. Breast Cancer Research, 2012, 14, R76.	5.0	94
111	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Carcinogenesis, 2017, 38, 699-707.	2.8	94
112	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2006, 119, 175-182.	5.1	93
113	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. European Journal of Epidemiology, 2007, 22, 871-881.	5.7	93
114	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. Nature Communications, 2016, 7, 11375.	12.8	93
115	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	6.3	92
116	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. Hepatology, 2014, 60, 1222-1230.	7.3	91
117	Recent Changes in Breast Cancer Incidence in Spain, 1980-2004. Journal of the National Cancer Institute, 2009, 101, 1584-1591.	6.3	90
118	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. British Journal of Nutrition, 2011, 106, 1915-1925.	2.3	89
119	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1121-1127.	2.5	88
120	Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2009, 169, 1223-1232.	3.4	87
121	Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715.	2.5	85
122	Risk of second cancers cancer after a first primary breast cancer: A systematic review and meta-analysis. Gynecologic Oncology, 2015, 136, 158-171.	1.4	84
123	The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. Journal of the National Cancer Institute, 2009, 101, 321-330.	6.3	83
124	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. British Journal of Nutrition, 2012, 108, 2075-2082.	2.3	83
125	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	4.7	83
126	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. Human Molecular Genetics, 2012, 21, 456-462.	2.9	81

#	ARTICLE	IF	CITATIONS
127	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338.	5.1	80
128	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , 2016, 22, 4664-4675.	7.0	80
129	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	4.7	79
130	Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99.	2.9	79
131	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178.	5.5	79
132	Variant ABO Blood Group Alleles, Secretor Status, and Risk of Pancreatic Cancer: Results from the Pancreatic Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3140-3149.	2.5	78
133	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	4.7	77
134	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009, 33, 497-506.	3.4	77
135	Plasma phyto-oestrogens and prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2009, 100, 1817-1823.	6.4	77
136	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	3.4	77
137	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	5.1	77
138	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009, 125, 902-908.	5.1	76
139	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 344-353.	4.7	76
140	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	4.4	74
141	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	2.5	73
142	Dietary Intake of Polycyclic Aromatic Hydrocarbons in a Spanish Population. <i>Journal of Food Protection</i> , 2005, 68, 2190-2195.	1.7	72
143	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	2.8	72
144	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	5.1	72

#	ARTICLE	IF	CITATIONS
145	Colorectal cancer survival in the USA and Europe: a CONCORD high-resolution study. <i>BMJ Open</i> , 2013, 3, e003055.	1.9	72
146	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013, 24, 2166-2173.	1.2	72
147	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453.	4.7	71
148	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 1947-1957.	5.1	71
149	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	2.5	70
150	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	5.1	70
151	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	4.7	70
152	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k934.	2.3	70
153	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	5.1	69
154	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ: British Medical Journal</i> , 2012, 344, e363-e363.	2.3	69
155	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415.	5.1	68
156	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021, 44, 98-106.	8.6	68
157	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	2.5	67
158	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
159	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541.	2.5	67
160	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	6.3	67
161	Cumulative risk of second primary contralateral breast cancer in BRCA1/BRCA2 mutation carriers with a first breast cancer: A systematic review and meta-analysis. <i>Breast</i> , 2014, 23, 721-742.	2.2	67
162	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 752-761.	1.9	67

#	ARTICLE	IF	CITATIONS
163	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	2.5	66
164	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	5.5	66
165	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65
166	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 137, 1921-1930.	5.1	65
167	SERUM OSTEOPROTEGERIN AND RANKL LEVELS IN CHRONIC ALCOHOLIC LIVER DISEASE. <i>Alcohol and Alcoholism</i> , 2006, 41, 261-266.	1.6	64
168	Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214.	2.5	64
169	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	4.7	63
170	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021, 13, 3582.	4.1	63
171	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95.	7.2	62
172	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144.	4.4	61
173	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	5.1	60
174	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	5.1	60
175	Eighteen Insulin-like Growth Factor Pathway Genes, Circulating Levels of IGF-I and Its Binding Protein, and Risk of Prostate and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2877-2887.	2.5	59
176	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261.	2.5	59
177	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910.	2.5	59
178	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015, 30, 1491-1498.	0.9	59
179	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012, 106, 1866-1874.	6.4	58
180	Dietary Flavonoid and Lignan Intake and Mortality in a Spanish Cohort. <i>Epidemiology</i> , 2013, 24, 726-733.	2.7	58

#	ARTICLE	IF	CITATIONS
181	Meal patterns across ten European countries “ results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. Public Health Nutrition, 2016, 19, 2769-2780.	2.2	58
182	Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171.	8.6	57
183	Primary brain tumours and specific serum immunoglobulin E: a case“control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2011, 66, 1434-1441.	5.7	56
184	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. American Journal of Clinical Nutrition, 2012, 95, 1172-1181.	4.7	56
185	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. Journal of Epidemiology and Community Health, 2013, 67, 71-75.	3.7	56
186	Fruit and vegetable intake and cause-specific mortality in the EPIC study. European Journal of Epidemiology, 2014, 29, 639-652.	5.7	56
187	Cancer survival in adult patients in Spain. Results from nine population-based cancer registries. Clinical and Translational Oncology, 2018, 20, 201-211.	2.4	56
188	Dietary animal and plant protein intakes and their associations with obesity and cardio-metabolic indicators in European adolescents: the HELENA cross-sectional study. Nutrition Journal, 2015, 14, 10.	3.4	55
189	Healthy Lifestyle and Risk of Cancer in the European Prospective Investigation Into Cancer and Nutrition Cohort Study. Medicine (United States), 2016, 95, e2850.	1.0	55
190	Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. Cancer Prevention Research, 2011, 4, 1385-1392.	1.5	54
191	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689.	2.5	54
192	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. American Journal of Epidemiology, 2007, 166, 912-923.	3.4	53
193	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. Journal of Clinical Oncology, 2015, 33, 877-884.	1.6	53
194	Reproductive and hormone“related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. International Journal of Cancer, 2015, 137, 1196-1208.	5.1	53
195	Insulin“like growth factor I and risk of breast cancer by age and hormone receptor status“ A prospective study within the EPIC cohort. International Journal of Cancer, 2014, 134, 2683-2690.	5.1	52
196	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	3.4	51
197	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. Cancer Causes and Control, 2011, 22, 1075-1084.	1.8	51
198	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2011, 129, 449-459.	5.1	51

#	ARTICLE	IF	CITATIONS
199	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844.	5.1	50
200	Circulating Concentrations of Folate and Vitamin B12 in Relation to Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 279-285.	2.5	49
201	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700.	5.1	49
202	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	5.7	49
203	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	5.5	49
204	Brain atrophy in alcoholics: Relationship with alcohol intake; liver disease; nutritional status, and inflammation. <i>Alcohol and Alcoholism</i> , 2007, 42, 533-538.	1.6	48
205	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	1.8	48
206	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013, 52, 1369-1380.	3.9	48
207	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	4.7	48
208	The Impact of Plant-Based Dietary Patterns on Cancer-Related Outcomes: A Rapid Review and Meta-Analysis. <i>Nutrients</i> , 2020, 12, 2010.	4.1	48
209	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	5.1	46
210	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014, 124, 530-535.	1.4	46
211	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275.	4.7	46
212	Prostate cancer incidence trends in Spain before and during the prostate-specific antigen era: impact on mortality. <i>Annals of Oncology</i> , 2010, 21, iii83-iii89.	1.2	45
213	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559.	2.5	45
214	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	2.5	45
215	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014, 25, 1609-1615.	1.2	45
216	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	5.1	45

#	ARTICLE	IF	CITATIONS
217	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	5.0	45
218	Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched case-control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730.	5.1	45
219	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
220	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 1145-1150.	4.7	44
221	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1079-1087.	2.9	44
222	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	5.1	44
223	The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37.	3.4	43
224	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	4.7	43
225	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017, 107, 1012-1022.e2.	1.0	43
226	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	5.1	42
227	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	2.5	42
228	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	5.1	42
229	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986.	5.7	42
230	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2475-2481.	5.1	41
231	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	5.7	41
232	Human Papillomavirus in HNSCC: A European Epidemiologic Perspective. <i>Hematology/Oncology Clinics of North America</i> , 2008, 22, 1143-1153.	2.2	40
233	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	5.1	40
234	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 130, 2204-2210.	5.1	40

#	ARTICLE	IF	CITATIONS
235	Risk of second primary cancer among women with breast cancer: A population-based study in Granada (Spain). <i>Gynecologic Oncology</i> , 2013, 130, 340-345.	1.4	40
236	Investigating sources of variability in metabolomic data in the EPIC study: the Principal Component Partial R-square (PC-PR2) method. <i>Metabolomics</i> , 2014, 10, 1074-1083.	3.0	40
237	Quality of life in patients with non-muscle-invasive bladder cancer: One-year results of a multicentre prospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 19.e7-19.e15.	1.6	40
238	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case-Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	2.5	39
239	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
240	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006, 9, 785-791.	2.2	38
241	Breast cancer incidence in Spain before, during and after the implementation of screening programmes. <i>Annals of Oncology</i> , 2010, 21, iii97-iii102.	1.2	38
242	Physical Activity and Risk of Cerebrovascular Disease in the European Prospective Investigation Into Cancer and Nutrition-Spain Study. <i>Stroke</i> , 2013, 44, 111-118.	2.0	38
243	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	5.1	38
244	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	1.9	38
245	Trends in incidence, mortality and survival in women with breast cancer from 1985 to 2012 in Granada, Spain: a population-based study. <i>BMC Cancer</i> , 2018, 18, 781.	2.6	38
246	Curative Strategy (GEM-CESAR) for High-Risk Smoldering Myeloma (SMM): Carfilzomib, Lenalidomide and Dexamethasone (KRd) As Induction Followed By HDT-ASCT, Consolidation with Krd and Maintenance with Rd. <i>Blood</i> , 2019, 134, 781-781.	1.4	38
247	Dietary intake of the water-soluble vitamins B1, B2, B6, B12 and C in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S122-S149.	2.9	37
248	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910.	5.1	37
249	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	2.5	37
250	Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2532-2540.	2.5	36
251	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 399-410.	5.1	36
252	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1246-1259.	5.1	36

#	ARTICLE	IF	CITATIONS
253	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 811-821.	1.8	35
254	Prognoses for head and neck cancers in Europe diagnosed in 1995–1999: a population-based study. <i>Annals of Oncology</i> , 2011, 22, 165-174.	1.2	35
255	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 950-956.	2.9	35
256	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 827-838.	4.7	35
257	Coffee and tea consumption, genotype-based <i>CYP1A2</i> and <i>NAT2</i> activity and colorectal cancer risk-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 401-412.	5.1	35
258	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667.	8.6	35
259	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , 2013, 13, 7.	2.2	34
260	Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survival—Results from the EPIC Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1813-1823.	2.5	34
261	Standardizing effect size from linear regression models with log-transformed variables for meta-analysis. <i>BMC Medical Research Methodology</i> , 2017, 17, 44.	3.1	34
262	A Mobile System to Improve Quality of Life Via Energy Balance in Breast Cancer Survivors (BENECA) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 7, e14136</i> .	3.7	34
263	Sequence Variants of Estrogen Receptor β and Risk of Prostate Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1973-1981.	2.5	33
264	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009, 124, 245-249.	5.1	33
265	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 748-760.	2.8	33
266	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1354-1361.	4.7	33
267	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 139-147.	4.7	33
268	Association of breast cancer risk <i>loci</i> with breast cancer survival. <i>International Journal of Cancer</i> , 2015, 137, 2837-2845.	5.1	33
269	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015, 69, 455-461.	2.9	33
270	Geographical variability in survival of European children with central nervous system tumours. <i>European Journal of Cancer</i> , 2017, 82, 137-148.	2.8	33

#	ARTICLE	IF	CITATIONS
271	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
272	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987.	5.1	32
273	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. International Journal of Cancer, 2010, 126, 1928-1935.	5.1	32
274	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. European Journal of Nutrition, 2015, 54, 365-375.	3.9	32
275	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. Preventive Medicine, 2016, 85, 106-112.	3.4	32
276	Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. European Journal of Clinical Nutrition, 2008, 62, 324-331.	2.9	31
277	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	2.5	31
278	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	2.5	31
279	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. Scientific Reports, 2016, 6, 36017.	3.3	31
280	Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. PLoS ONE, 2012, 7, e39821.	2.5	31
281	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
282	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2174-2182.	2.5	30
283	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	2.0	30
284	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	5.0	30
285	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
286	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
287	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	5.0	30
288	Aromatic DNA Adducts and Risk of Gastrointestinal Cancers: A Case-Cohort Study within the EPIC-Spain. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 685-692.	2.5	29

#	ARTICLE	IF	CITATIONS
289	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014, 111, 1881-1890.	2.3	29
290	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015, 113, 1622-1631.	6.4	29
291	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167.	4.7	29
292	Quality analysis of population-based information on cancer stage at diagnosis across Europe, with presentation of stage-specific cancer survival estimates: A EURO-CARE-5 study. <i>European Journal of Cancer</i> , 2017, 84, 335-353.	2.8	29
293	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	1.5	29
294	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021, 149, 865-882.	5.1	29
295	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e019814.	3.7	29
296	Is hospital discharge administrative data an appropriate source of information for cancer registries purposes? Some insights from four Spanish registries. <i>BMC Health Services Research</i> , 2010, 10, 9.	2.2	28
297	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	5.1	28
298	Body iron status and gastric cancer risk in the <sc>EURGAST</sc> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	5.1	28
299	Early mortality in multiple myeloma: the time-dependent impact of comorbidity: A population-based study in 621 real-life patients. <i>American Journal of Hematology</i> , 2016, 91, 700-704.	4.1	28
300	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	2.5	28
301	Moderate egg consumption and all-cause and specific-cause mortality in the Spanish European Prospective into Cancer and Nutrition (EPIC-Spain) study. <i>European Journal of Nutrition</i> , 2019, 58, 2003-2010.	3.9	28
302	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. <i>International Journal of Cancer</i> , 2019, 145, 58-69.	5.1	28
303	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020, 146, 929-942.	5.1	28
304	Obesity as a Risk Factor for Prostate Cancer Mortality: A Systematic Review and Dose-Response Meta-Analysis of 280,199 Patients. <i>Cancers</i> , 2021, 13, 4169.	3.7	28
305	Prognostic Value of Serum Selenium Levels in Alcoholics. <i>Biological Trace Element Research</i> , 2008, 125, 22-29.	3.5	27
306	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	2.8	27

#	ARTICLE	IF	CITATIONS
307	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 487-494.	4.2	27
308	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	2.5	27
309	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	3.4	27
310	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	2.5	27
311	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	6.4	27
312	Comorbidities, age and period of diagnosis influence treatment and outcomes in early breast cancer. <i>International Journal of Cancer</i> , 2019, 144, 2118-2127.	5.1	27
313	Socio-Economic Inequalities in Lung Cancer Outcomes: An Overview of Systematic Reviews. <i>Cancers</i> , 2022, 14, 398.	3.7	27
314	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort Study. <i>Journal of Crohn's and Colitis</i> , 2022, 16, 1187-1196.	1.3	27
315	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918.	1.8	26
316	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 2971-2979.	5.1	26
317	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012, 48, 3267-3277.	2.8	26
318	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	3.4	26
319	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013, 52, 1503-1512.	3.9	26
320	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014, 135, 2910-2917.	5.1	26
321	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 2918-2929.	5.1	26
322	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017, 23, 4181-4189.	7.0	26
323	Data Quality in Rare Cancers Registration: The Report of the RARECARE Data Quality Study. <i>Tumori</i> , 2017, 103, 22-32.	1.1	26
324	Night Shift Work, Chronotype, Sleep Duration, and Prostate Cancer Risk: CAPLIFE Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6300.	2.6	26

#	ARTICLE	IF	CITATIONS
325	Serologic markers of <i>Chlamydia trachomatis</i> and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2020, 147, 2042-2052.	5.1	26
326	Bisphenol-A exposure and risk of breast and prostate cancer in the Spanish European Prospective Investigation into Cancer and Nutrition study. Environmental Health, 2021, 20, 88.	4.0	26
327	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47.	5.1	25
328	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. International Journal of Cancer, 2018, 143, 245-252.	5.1	25
329	Educational Note: Paradoxical collider effect in the analysis of non-communicable disease epidemiological data: a reproducible illustration and web application. International Journal of Epidemiology, 2019, 48, 640-653.	1.9	25
330	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. Cancer Research, 2019, 79, 274-285.	0.9	25
331	Serum levels of <i>hsa-miR-16</i> , <i>hsa-miR-29a</i> , <i>hsa-miR-150</i> , <i>hsa-miR-155</i> and <i>hsa-miR-223</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. International Journal of Cancer, 2020, 147, 1315-1324.	5.1	25
332	The spread of SARS-CoV-2 in Spain: Hygiene habits, sociodemographic profile, mobility patterns and comorbidities. Environmental Research, 2021, 192, 110223.	7.5	25
333	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2010, 91, 1769-1776.	4.7	24
334	Association of plasma markers of cholesterol homeostasis with metabolic syndrome components. A cross-sectional study. Nutrition, Metabolism and Cardiovascular Diseases, 2011, 21, 651-657.	2.6	24
335	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. Cancer Causes and Control, 2012, 23, 1163-1171.	1.8	24
336	Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28.	2.0	24
337	Trends in survival of multiple myeloma: A thirty-year population-based study in a single institution. Cancer Epidemiology, 2015, 39, 693-699.	1.9	24
338	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2016, 138, 65-73.	5.1	24
339	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. International Journal of Cancer, 2018, 142, 1355-1360.	5.1	24
340	Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. Breast Cancer Research, 2018, 20, 147.	5.0	24
341	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. BMC Medicine, 2021, 19, 81.	5.5	24
342	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, .	6.3	23

#	ARTICLE	IF	CITATIONS
343	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-139.	3.4	23
344	Multimorbidity and short-term overall mortality among colorectal cancer patients in Spain: A population-based cohort study. European Journal of Cancer, 2020, 129, 4-14.	2.8	23
345	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. Clinical Gastroenterology and Hepatology, 2022, 20, 864-873.e13.	4.4	23
346	Prospective analysis of circulating metabolites and endometrial cancer risk. Gynecologic Oncology, 2021, 162, 475-481.	1.4	23
347	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	4.4	23
348	Olive oil consumption is associated with a lower risk of cardiovascular disease and stroke. Clinical Nutrition, 2022, 41, 122-130.	5.0	23
349	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. Preventive Medicine, 2009, 49, 365-373.	3.4	22
350	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. Journal of Ovarian Research, 2017, 10, 20.	3.0	22
351	Compliance with the 2018 World Cancer Research Fund/American Institute for Cancer Research Cancer Prevention Recommendations and Prostate Cancer. Nutrients, 2020, 12, 768.	4.1	22
352	Circulating tryptophan metabolites and risk of colon cancer: Results from case-control and prospective cohort studies. International Journal of Cancer, 2021, 149, 1659-1669.	5.1	22
353	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer. British Journal of Cancer, 2022, 126, 1301-1309.	6.4	22
354	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. International Journal of Cancer, 2015, 136, 915-927.	5.1	21
355	Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. British Journal of Cancer, 2015, 112, 162-166.	6.4	21
356	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26.	5.5	21
357	Alcohol consumption and risk of urothelial cell bladder cancer in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2017, 141, 1963-1970.	5.1	21
358	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250.	5.1	21
359	Relationship between exposure to mixtures of persistent, bioaccumulative, and toxic chemicals and cancer risk: A systematic review. Environmental Research, 2020, 188, 109787.	7.5	21
360	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study. Nutrients, 2021, 13, 4293.	4.1	21

#	ARTICLE	IF	CITATIONS
361	Cancer Survival in Adults in Spain: A Population-Based Study of the Spanish Network of Cancer Registries (REDECAN). <i>Cancers</i> , 2022, 14, 2441.	3.7	21
362	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	2.5	20
363	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , 2010, 211, 531-538.	0.8	20
364	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666.	2.6	20
365	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013, 24, 427-438.	1.8	20
366	Bladder cancer index: cross-cultural adaptation into Spanish and psychometric evaluation. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 20.	2.4	20
367	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015, 137, 911-920.	5.1	20
368	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	6.4	20
369	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1542-1550.	6.3	20
370	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. <i>Blood</i> , 2022, 139, 1557-1563.	1.4	20
371	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 803-809.	1.8	19
372	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	2.5	19
373	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016, 139, 1480-1492.	5.1	19
374	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017, 46, 1823-1835.	1.9	19
375	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019, 11, 1954.	4.1	19
376	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 631-643.	4.7	19
377	Physical Comorbidities and Depression in Recent and Long-Term Adult Cancer Survivors: NHANES 2007-2018. <i>Cancers</i> , 2021, 13, 3368.	3.7	19
378	Association of Pre-diagnostic Antibody Responses to <i>Escherichia coli</i> and <i>Bacteroides fragilis</i> Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021, 13, 1-14.	9.8	19

#	ARTICLE	IF	CITATIONS
379	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	1.6	18
380	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018, 143, 515-526.	5.1	18
381	Is low survival for cancer in Eastern Europe due principally to late stage at diagnosis?. <i>European Journal of Cancer</i> , 2018, 93, 127-137.	2.8	18
382	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018, 78, 302-308.	0.9	18
383	Prognostic utility of serum free light chain ratios and heavy-light chain ratios in multiple myeloma in three PETHEMA/GEM phase III clinical trials. <i>PLoS ONE</i> , 2018, 13, e0203392.	2.5	18
384	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	5.5	18
385	Psychological factors related to time to help-seeking for cancer symptoms: a meta-analysis across cancer sites. <i>Health Psychology Review</i> , 2020, 14, 245-268.	8.6	18
386	Prediagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2022, 150, 1255-1268.	5.1	18
387	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	2.5	17
388	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	6.3	17
389	Aromatic DNA adducts and breast cancer risk: a case-cohort study within the EPIC-Spain. <i>Carcinogenesis</i> , 2017, 38, 691-698.	2.8	17
390	Comparison of the Dietary Antioxidant Profiles of 21 a priori Defined Mediterranean Diet Indexes. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018, 118, 2254-2268.e8.	0.8	17
391	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1552-1555.	2.5	17
392	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	5.1	17
393	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 104-113.	2.5	17
394	Meat and Heme Iron Intake and Risk of Squamous Cell Carcinoma of the Upper Aero-Digestive Tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2138-2148.	2.5	16
395	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014, 35, 2716-2722.	2.8	16
396	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 291-297.	2.5	16

#	ARTICLE	IF	CITATIONS
397	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	5.1	16
398	Bisphenol-A in the European Prospective Investigation into Cancer and Nutrition cohort in Spain: Levels at recruitment and associated dietary factors. <i>Environmental Research</i> , 2020, 182, 109012.	7.5	16
399	<p><Multimorbidity by Patient and Tumor Factors and Time-to-Surgery Among Colorectal Cancer Patients in Spain: A Population-Based Study</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 31-40.	3.0	16
400	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 957-963.	2.9	15
401	Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 927-936.	2.5	15
402	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013, 8, e59947.	2.5	15
403	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13-8-year follow-up study. <i>Public Health Nutrition</i> , 2016, 19, 674-681.	2.2	15
404	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600649.	3.3	15
405	Association study of dietary non-enzymatic antioxidant capacity (NEAC) and colorectal cancer risk in the Spanish Multicase-“Control Cancer (MCC-Spain) study. <i>European Journal of Nutrition</i> , 2019, 58, 2229-2242.	3.9	15
406	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	2.5	15
407	A multilayered post-GWAS assessment on genetic susceptibility to pancreatic cancer. <i>Genome Medicine</i> , 2021, 13, 15.	8.2	15
408	Causal Effects of Lifetime Smoking on Breast and Colorectal Cancer Risk: Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 953-964.	2.5	15
409	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	2.5	14
410	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 146, 759-768.	5.1	14
411	Bisphenol A exposure and risk of ischemic heart disease in the Spanish European Prospective Investigation into cancer and nutrition study. <i>Chemosphere</i> , 2020, 261, 127697.	8.2	14
412	Anticipated help-seeking for cancer symptoms before and after the coronavirus pandemic: results from the Onco-barometer population survey in Spain. <i>British Journal of Cancer</i> , 2021, 124, 2017-2025.	6.4	14
413	Absolute Risk of Oropharyngeal Cancer After an HPV16-E6 Serology Test and Potential Implications for Screening: Results From the Human Papillomavirus Cancer Cohort Consortium. <i>Journal of Clinical Oncology</i> , 2022, 40, 3613-3622.	1.6	14
414	Plant sterol intake and education level in the Spanish EPIC cohort. <i>Nutrition</i> , 2009, 25, 769-773.	2.4	13

#	ARTICLE	IF	CITATIONS
415	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767.	2.5	13
416	The influence of lifestyle, diet, and reproductive history on age at natural menopause in Spain: Analysis from the EPIC-Spain sub-cohort. <i>American Journal of Human Biology</i> , 2018, 30, e23181.	1.6	13
417	Secular trends in stillbirth by maternal socioeconomic status in Spain 2007-15: a population-based study of 4 million births. <i>European Journal of Public Health</i> , 2019, 29, 1043-1048.	0.3	13
418	Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011, 6, e16914.	2.5	12
419	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , 2014, 35, 2047-2054.	2.8	12
420	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017, 140, 316-321.	5.1	12
421	Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , 2019, 12, 116.	3.0	12
422	Physical comorbidities as a marker for high risk of psychological distress in cancer patients. <i>Psycho-Oncology</i> , 2021, 30, 1160-1166.	2.3	12
423	Lung, Breast and Colorectal Cancer Incidence by Socioeconomic Status in Spain: A Population-Based Multilevel Study. <i>Cancers</i> , 2021, 13, 2820.	3.7	12
424	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021, 13, 3132.	4.1	12
425	Circulating Sex Hormone Levels and Colon Cancer Risk in Men: A Nested Case-Control Study and Meta-Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 793-803.	2.5	12
426	Prostate cancer treatment in Europe at the end of 1990s. <i>Acta Oncológica</i> , 2009, 48, 867-873.	1.8	11
427	Association of alcohol dehydrogenase polymorphisms and lifestyle factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , 2012, 107, 2117-2127.	3.3	11
428	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 538-545.	2.5	11
429	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	2.5	11
430	Incidence and survival time trends for Spanish children and adolescents with leukaemia from 1983 to 2007. <i>Clinical and Translational Oncology</i> , 2017, 19, 301-316.	2.4	11
431	Thyroid Cancer Epidemiology in South Spain: a population-based time trend study. <i>Endocrine</i> , 2018, 62, 423-431.	2.3	11
432	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020, 146, 44-57.	5.1	11

#	ARTICLE	IF	CITATIONS
433	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020, 59, 2929-2937.	3.9	11
434	Oxidative Balance Scores (OBSs) Integrating Nutrient, Food and Lifestyle Dimensions: Development of the NutrientL-OBS and FoodL-OBS. <i>Antioxidants</i> , 2022, 11, 300.	5.1	11
435	Is 2,3,5-Pyrroletricarboxylic Acid in Hair a Better Risk Indicator for Melanoma than Traditional Epidemiologic Measures for Skin Phenotype?. <i>American Journal of Epidemiology</i> , 2007, 165, 1170-1177.	3.4	10
436	Adherence to the Spanish dietary guidelines and its association with obesity in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Granada study. <i>Public Health Nutrition</i> , 2014, 17, 2425-2435.	2.2	10
437	Influence of Dopaminergic System Genetic Variation and Lifestyle Factors on Excessive Alcohol Consumption. <i>Alcohol and Alcoholism</i> , 2016, 51, 258-267.	1.6	10
438	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021, 31, 130-135.	0.3	10
439	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	2.5	10
440	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	1.8	9
441	Comorbidities, timing of treatments, and chemotherapy use influence outcomes in stage III colon cancer: A population-based European study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1151-1159.	1.0	9
442	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	1.9	8
443	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	3.9	8
444	Plasma Non-Enzymatic Antioxidant Capacity (NEAC) in Relation to Dietary NEAC, Nutrient Antioxidants and Inflammation-Related Biomarkers. <i>Antioxidants</i> , 2020, 9, 301.	5.1	8
445	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021, 36, 953-964.	5.7	8
446	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021, 19, 312.	5.5	8
447	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 420-427.	2.8	7
448	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011, 26, 979-86.	2.6	7
449	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016, 26, 439-445.	0.3	7
450	Trends in net survival from head and neck cancer in six European Latin countries: results from the SUDCAN population-based study. <i>European Journal of Cancer Prevention</i> , 2017, 26, S16-S23.	1.3	7

#	ARTICLE	IF	CITATIONS
451	Disparities in the management of cutaneous malignant melanoma. A population-based high-resolution study. <i>European Journal of Cancer Care</i> , 2019, 28, e13043.	1.5	7
452	Adherence to Clinical Practice Guidelines and Colorectal Cancer Survival: A Retrospective High-Resolution Population-Based Study in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6697.	2.6	7
453	Predictive Model of the Risk of In-Hospital Mortality in Colorectal Cancer Surgery, Based on the Minimum Basic Data Set. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4216.	2.6	7
454	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	2.5	7
455	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	5.1	7
456	Socioeconomic Inequalities and Ethnicity Are Associated with a Positive COVID-19 Test among Cancer Patients in the UK Biobank Cohort. <i>Cancers</i> , 2021, 13, 1514.	3.7	7
457	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021, 42, 705-713.	2.8	7
458	The role of multimorbidity in short-term mortality of lung cancer patients in Spain: a population-based cohort study. <i>BMC Cancer</i> , 2021, 21, 1048.	2.6	7
459	Curative strategy (GEM-CESAR) for High-Risk Smoldering Myeloma (SMM): Carfilzomib, Lenalidomide and Dexamethasone (KRd) As Induction Followed By HDT-ASCT, Consolidation with KrD and Maintenance with Rd. <i>Blood</i> , 2018, 132, 2142-2142.	1.4	7
460	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer. <i>Nutrients</i> , 2021, 13, 4435.	4.1	7
461	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013, 58, 65-77.	2.3	6
462	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	5.1	6
463	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055.	2.9	6
464	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	2.5	6
465	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	3.4	6
466	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020, 150, 3241-3248.	2.9	6
467	Socioeconomic Inequalities in Colorectal Cancer Survival in Southern Spain: A Multilevel Population-Based Cohort Study. <i>Clinical Epidemiology</i> , 2020, Volume 12, 797-806.	3.0	6
468	Deprivation gap in colorectal cancer survival attributable to stage at diagnosis: A population-based study in Spain. <i>Cancer Epidemiology</i> , 2020, 68, 101794.	1.9	6

#	ARTICLE	IF	CITATIONS
469	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 1325-1333.	5.1	6
470	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021, 44, 416-424.	8.6	6
471	BRCA1/2 testing for genetic susceptibility to cancer after 25 years: A scoping review and a primer on ethical implications. <i>Breast</i> , 2022, 61, 66-76.	2.2	6
472	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study. <i>BMC Cancer</i> , 2022, 22, 546.	2.6	6
473	Clinical intervals and diagnostic characteristics in a cohort of prostate cancer patients in Spain: a multicentre observational study. <i>BMC Urology</i> , 2015, 15, 60.	1.4	5
474	Inflammatory Potential of the Diet and Incidence of Crohn's Disease and Ulcerative Colitis in the EPIC-Spain Cohort. <i>Nutrients</i> , 2021, 13, 2201.	4.1	5
475	Trends in gender of authors of original research in oncology among major medical journals: a retrospective bibliometric study. <i>BMJ Open</i> , 2021, 11, e046618.	1.9	5
476	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656.	5.1	4
477	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrients</i> , 2021, 13, 1843.	4.1	4
478	Polyphenol Intake and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Antioxidants</i> , 2021, 10, 1249.	5.1	4
479	Public Perceptions of the Role of Lifestyle Factors in Cancer Development: Results from the Spanish Onco-Barometer 2020. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10472.	2.6	4
480	The Current Role of the Heavy/Light Chain Assay in the Diagnosis, Prognosis and Monitoring of Multiple Myeloma: An Evidence-Based Approach. <i>Diagnostics</i> , 2021, 11, 2020.	2.6	4
481	Predictive Model and Mortality Risk Score during Admission for Ischaemic Stroke with Conservative Treatment. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3182.	2.6	4
482	Metabolically-Defined Body Size Phenotypes and Risk of Endometrial Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, , .	2.5	4
483	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017, 28, 429-435.	1.8	3
484	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1654-1664.	2.5	3
485	Kaposi sarcoma incidence, survival and trends: Data from the information network on rare cancers in Europe (RARECAREnet). <i>Cancer Epidemiology</i> , 2021, 70, 101877.	1.9	3
486	Cancer incidence estimation from mortality data: a validation study within a population-based cancer registry. <i>Population Health Metrics</i> , 2021, 19, 18.	2.7	3

#	ARTICLE	IF	CITATIONS
487	Combined Genome, Transcriptome and Metabolome Analysis in the Diagnosis of Childhood Cerebellar Ataxia. International Journal of Molecular Sciences, 2021, 22, 2990.	4.1	3
488	Differences in the management and survival of metastatic colorectal cancer in Europe. A population-based study. Digestive and Liver Disease, 2021, 53, 639-645.	0.9	3
489	Prognostic Impact Of Comorbidity In Multiple Myeloma. Blood, 2013, 122, 5340-5340.	1.4	3
490	Pre-diagnostic C-reactive protein concentrations, CRP genetic variation and mortality among individuals with colorectal cancer in Western European populations. BMC Cancer, 2022, 22, .	2.6	3
491	Consistency and inconsistency in testing biomarkers in breast cancer. A GRELL study in cut-off variability in the Romance language countries. Breast, 2013, 22, 476-481.	2.2	2
492	How are risk ratios reported in orthopaedic surgery journals? A descriptive study of formats used to report absolute risks. BMJ Open, 2018, 8, e025047.	1.9	2
493	Multiple Myeloma with Prior Precursor Disease Shows Better Outcome. Blood, 2015, 126, 1756-1756.	1.4	2
494	Exercise training, inflammatory cytokines, and other markers of low-grade inflammation in breast cancer survivors: A systematic review and meta-analysis.. Journal of Clinical Oncology, 2014, 32, 121-121.	1.6	2
495	Follow-up care over 12 months of patients with prostate cancer in Spain. Medicine (United States), 2021, 100, e27801.	1.0	2
496	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. Molecular Nutrition and Food Research, 2017, 61, 1600927.	3.3	1
497	Controversial Messages on Cancer. Asian Pacific Journal of Cancer Prevention, 2015, 16, 6171-6172.	1.2	1
498	Heavy and Light Chain Monitoring in High Risk Smoldering Multiple Myeloma Patients Included in the GEM-CESAR Trial: Comparison with Conventional and Minimal Residual Disease IMWG Response Assessment. Blood, 2019, 134, 1852-1852.	1.4	1
499	Bayesian variable selection and survival modeling: assessing the Most important comorbidities that impact lung and colorectal cancer survival in Spain. BMC Medical Research Methodology, 2022, 22, 95.	3.1	1
500	Dietary Patterns and Prostate Cancer: CAPLIFE Study. Cancers, 2022, 14, 3475.	3.7	1
501	Plasmacytoid lymphoma treated with rituximab as first-line monotherapy. Clinical and Translational Oncology, 2009, 11, 704-706.	2.4	0
502	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	1.8	0
503	Modulation of insulin-like growth factors (IGF I-II) and IGF binding-protein 3 (IGFBP-3) through exercise training in women with breast cancer: A systematic review and meta-analysis.. Journal of Clinical Oncology, 2014, 32, 120-120.	1.6	0