

Philipp J Hohensinner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9488592/publications.pdf>

Version: 2024-02-01

32
papers

1,038
citations

567281

15
h-index

454955

30
g-index

32
all docs

32
docs citations

32
times ranked

1902
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell Type-Specific Roles of NF- κ B Linking Inflammation and Thrombosis. <i>Frontiers in Immunology</i> , 2019, 10, 85.	4.8	376
2	Deficient Activity of the Nuclease MRE11A Induces T Cell Aging and Promotes Arthritogenic Effector Functions in Patients with Rheumatoid Arthritis. <i>Immunity</i> , 2016, 45, 903-916.	14.3	88
3	Autophagy deficient keratinocytes display increased DNA damage, senescence and aberrant lipid composition after oxidative stress in vitro and in vivo. <i>Redox Biology</i> , 2017, 11, 219-230.	9.0	76
4	Inflammation and cardiac outcome. <i>Current Opinion in Infectious Diseases</i> , 2011, 24, 259-264.	3.1	59
5	Neutrophil Extracellular Trap Degradation by Differently Polarized Macrophage Subsets. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2265-2278.	2.4	54
6	Monocyte chemoattractant protein (MCP-1) is expressed in human cardiac cells and is differentially regulated by inflammatory mediators and hypoxia. <i>FEBS Letters</i> , 2006, 580, 3532-3538.	2.8	37
7	Fractalkine is an independent predictor of mortality in patients with advanced heart failure. <i>Thrombosis and Haemostasis</i> , 2012, 108, 1220-1227.	3.4	36
8	Macrophage-modulating cytokines predict adverse outcome in heart failure. <i>Thrombosis and Haemostasis</i> , 2010, 103, 435-441.	3.4	33
9	Genetic associations and regulation of expression indicate an independent role for 14q32 snoRNAs in human cardiovascular disease. <i>Cardiovascular Research</i> , 2019, 115, 1519-1532.	3.8	25
10	Differential expression of Plg-RKT and its effects on migration of proinflammatory monocyte and macrophage subsets. <i>Blood</i> , 2019, 134, 561-567.	1.4	23
11	PAI-1 (Plasminogen Activator Inhibitor-1) Expression Renders Alternatively Activated Human Macrophages Proteolytically Quiescent. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1913-1922.	2.4	22
12	Impaired High-Density Lipoprotein Anti-Oxidative Function Is Associated With Outcome in Patients With Chronic Heart Failure. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	19
13	Urokinase plasminogen activator protects cardiac myocytes from oxidative damage and apoptosis via hOGG1 induction. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2017, 22, 1048-1055.	4.9	19
14	Bariatric surgery in morbidly obese individuals affects plasma levels of protein C and thrombomodulin. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 47, 51-56.	2.1	18
15	Alternative activation of human macrophages enhances tissue factor expression and production of extracellular vesicles. <i>Haematologica</i> , 2021, 106, 454-463.	3.5	17
16	Changes of Circulating Extracellular Vesicles from the Liver after Roux-en-Y Bariatric Surgery. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2153.	4.1	15
17	Effects of Nicorandil on Inflammation, Apoptosis and Atherosclerotic Plaque Progression. <i>Biomedicines</i> , 2021, 9, 120.	3.2	15
18	CD8+CD28null T Lymphocytes are Associated with the Development of Atrial Fibrillation after Elective Cardiac Surgery. <i>Thrombosis and Haemostasis</i> , 2020, 120, 1182-1187.	3.4	13

#	ARTICLE	IF	CITATIONS
19	Monocyte subsets predict mortality after cardiac arrest. <i>Journal of Leukocyte Biology</i> , 2021, 109, 1139-1146.	3.3	13
20	Inhibition of microRNA-494-3p activates Wnt signaling and reduces proinflammatory macrophage polarization in atherosclerosis. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 26, 1228-1239.	5.1	13
21	Anti-thrombotic and pro-fibrinolytic effects of levosimendan in human endothelial cells in vitro. <i>Vascular Pharmacology</i> , 2017, 90, 44-50.	2.1	11
22	Cardioprotective cytokine interleukin-6 is upregulated by statins in human cardiac tissue. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 6122-6133.	3.6	11
23	Pharmacological inhibition of fatty acid oxidation reduces atherosclerosis progression by suppression of macrophage NLRP3 inflammasome activation. <i>Biochemical Pharmacology</i> , 2021, 190, 114634.	4.4	11
24	The pro-inflammatory marker soluble suppression of tumorigenicity-2 (ST2) is reduced especially in diabetic morbidly obese patients undergoing bariatric surgery. <i>Cardiovascular Diabetology</i> , 2020, 19, 26.	6.8	10
25	Epinephrine treatment but not time to ROSC is associated with intestinal injury in patients with cardiac arrest. <i>Resuscitation</i> , 2020, 155, 32-38.	3.0	6
26	Circulating levels of proprotein convertase subtilisin/kexin type 9 (PCSK9) are associated with monocyte subsets in patients with stable coronary artery disease. <i>Journal of Clinical Lipidology</i> , 2021, 15, 512-521.	1.5	5
27	Protease-Activated Receptors 1 and 3 are Differentially Expressed on Human Monocyte Subsets and are Upregulated by Lipopolysaccharide Ex Vivo and In Vivo. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1394-1402.	3.4	4
28	MiRNA Let-7a and Let-7d Are Induced by Globotriaosylceramide via NF-κB Activation in Fabry Disease. <i>Genes</i> , 2021, 12, 1184.	2.4	3
29	Quantitative and Functional Assessment of the Influence of Routinely Used Cryopreservation Media on Mononuclear Leukocytes for Medical Research. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1881.	4.1	3
30	Pharmacologic modulation of intracellular Na ⁺ concentration with ranolazine impacts inflammatory response in humans and mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	3
31	A role for gp130 ligands in angiogenesis: Oncostatin M upregulates its own receptors and angiopoietin2 in human endothelial cells. <i>FASEB Journal</i> , 2006, 20, A1100.	0.5	0
32	The gp130 ligand Oncostatin M contributes to stem cell homing via induction of SDF1 in cardiac cells.. <i>FASEB Journal</i> , 2006, 20, .	0.5	0