

Klaudia Burka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9488862/publications.pdf>

Version: 2024-02-01

454
papers

17,065
citations

19657
h-index

34986
g-index

469
all docs

469
docs citations

469
times ranked

9456
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
2	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	473
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $s = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
4	Luminosity determination in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
5	Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC. Nature Physics, 2017, 13, 852-858.	16.7	218
6	Measurement of the W-boson mass in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
7	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 784, 13-19.	4.1	196
8	Measurement of the Inelastic Proton-Proton Cross Section at $s = 13 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	7.8	185
9	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
10	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
11	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
12	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96.	4.7	157
13	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
14	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
15	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $s = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	7.8	145
16	Observation of $W^+ + W^-$ decays and VH production with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 13-19.	4.1	138
17	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	137
18	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Physical Review D, 2016, 94.	4.7	136

#	ARTICLE	IF	CITATIONS
19	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
20	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
21	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
22	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
23	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
24	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 302-322.	4.7	114
25	Search for new phenomena in dijet events using $t\bar{t}$ collision data collected at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2017, 96.	4.7	115
26	Search for heavy resonances decaying into WW in the $e^+e^- \mu^+\mu^-$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
27	Search for squarks and gluinos in final states with jets and missing transverse momentum using $t\bar{t}$ collision data collected at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2018, 97, .	4.7	108
28	Search for heavy ZZ resonances in the $e^+e^- \mu^+\mu^-$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
29	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 158-178.	3.9	101
30	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	98
31	Measurement of W± and Z-boson production cross sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	3.9	87
32	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
33	Measurement of multi-particle azimuthal correlations in pp, pA+Pb and low-multiplicity PbA+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
34	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	82
35	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81

#	ARTICLE	IF	CITATIONS
37	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
38	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
39	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
40	Angular analysis of BO $\rightarrow \frac{1}{4}\pi + \frac{1}{4}\pi$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
41	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
42	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
43	Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
44	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s = 8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
45	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 108-128.	4.1	74
46	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
47	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
48	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
49	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
50	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
51	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\text{H}^{\pm}\text{H}^{\pm}$ Decay Channel in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 105-125.	7.8	70
52	ATLAS data quality operations and performance for 2015-2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
54	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68

#	ARTICLE	IF	CITATIONS
55	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
56	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
57	Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
58	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, 11.	4.7	64
59	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
60	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, 11.	4.7	64
61	Measurement of the Higgs boson mass in the a_2 resonance channel, candidate selection, and cross-section measurements of the Higgs boson decaying into a pair of leptons in proton-proton collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 78, 13.	4.7	64
62	-leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	4.7	63
63	Study of the rare decays of B^0 s and B^0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	62
64	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
65	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
66	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
67	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	3.9	60
68	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ and 5.0 TeV . <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
69	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$, $H^\pm \rightarrow l^\pm \nu_l$, in the $\tau^\pm + \text{jets}$ and $l^\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
70	Measurement of the $t\bar{t}$ production cross-section using $\sqrt{s} = 13 \text{ TeV}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 142.	4.1	57
71	Search for scalar leptoquarks in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>New Journal of Physics</i> , 2016, 18, 093016.	2.9	56
72	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56

#	ARTICLE	IF	CITATIONS
73	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
74	Charged-particle distributions in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ATeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ pp interactions measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 770, 1–10.	4.7	56
75	Search for heavy charged Higgs particles with the ATLAS detector in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 36.1 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{~GeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ATeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review D</i> , 2019, 99.	4.7	55
76	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
77	Search for an $\ell^+ \ell^-$ decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 1–10.	4.7	54
78	Search for charged Higgs bosons produced in association with a top quark and decaying via $H \rightarrow t\bar{t}$ using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 1–10.	4.7	53
79	Search for the production of a same-sign Higgs boson pair in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^-l^+l^-$ channel using $\text{pp} \rightarrow \gamma\gamma$ cross sections in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 1007.	4.7	53
80	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow l^+l^-l^+l^-$ channel using $\text{pp} \rightarrow \gamma\gamma$ pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
81	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 211802.	7.8	53
82	Observation of Electroweak Production of a Same-Sign $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block" \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 1–10.	7.8	53
83	Search for the direct production of charginos and neutralinos in final states with two jets in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="block" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ATeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 761, 372–392.	4.1	52
84	Measurement of the top quark mass in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="block" \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ final state using proton-antiproton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 761, 372–392.	4.1	52
85	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="block" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ATeV} \langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ channel from $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="block" \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
86	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow \tau^+\tau^-$ and for a $Z' \rightarrow \tau^+\tau^-$ boson in the au au final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
87	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
88	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ $\text{NN} = 2.76$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
89	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	51
90	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51

#	ARTICLE	IF	CITATIONS
91	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898. Search for High-Mass Resonances Decaying to $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mi} > \bar{l}_1 < / \text{mml:mi} > \langle \text{mml:mi} \rangle \bar{l}_2 < / \text{mml:mi} > < / \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$	3.9	50
92	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mi} > p < / \text{mml:mi} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > < / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:msqrt} > \langle \text{mml:mi} \rangle s < / \text{mml:mi} >$	7.8	50
93	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
94	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mi} > b < / \text{mml:mi} > \langle \text{mml:mover} \rangle$ $\text{accent} = \text{"true"} < \text{mml:mi} > b < / \text{mml:mi} > \langle \text{mml:mo stretchy} = \text{"false"} \rangle \bar{A}^- < / \text{mml:mo} > < / \text{mml:mover} > < / \text{mml:math} \rangle$	4.7	50
95	Using $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mrow} > \langle \text{mml:mtext} \rangle 36 < / \text{mml:mtext} > \langle \text{mml:mtext} \rangle \text{fb}^{-1} < / \text{mml:mtext} > \langle \text{mml:mtext} \rangle \text{at} < / \text{mml:mtext} > \langle \text{mml:mtext} \rangle \text{TeV} < / \text{mml:mtext} > \langle \text{mml:msup} > \langle \text{mml:math} \rangle$ for the standard model Higgs boson produced in association with top quarks and decaying into a $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mi} > b < / \text{mml:mi} > \langle \text{mml:mover accent} = \text{"true"} \rangle$ $\langle \text{mml:mi} > b < / \text{mml:mi} > \langle \text{mml:mo stretchy} = \text{"false"} \rangle \bar{A}^- < / \text{mml:mo} > < / \text{mml:mover} > < / \text{mml:math} \rangle$ pair in $\langle \text{mml:math} \rangle$	7.8	49
96	accents="true" stretchy="false">"false"> $\bar{A}^- < / \text{mml:mo} > < / \text{mml:mover} > < / \text{mml:math} \rangle$ pair in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"} < \text{mml:mi} > p < / \text{mml:mi} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > < / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ xmlns:	4.7	49
97	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
98	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
99	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > < / \text{mml:mrow} > < / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$	4.7	48
100	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} > \langle \text{mml:msqrt} > \langle \text{mml:mi} \rangle s < / \text{mml:mi} > < / \text{mml:msqrt} > \langle \text{mml:mo} = < / \text{mml:math} \rangle$ and 13 TeV and $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} > \langle \text{mml:mi} \rangle p$ Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	2.9	47
101	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} > \langle \text{mml:mi} \rangle p$ Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47
102	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ decay channel. European Physical Journal C, 2019, 79, 1.	3.9	47
103	Study of the rare decays of $B^0 \rightarrow B^0 \bar{B}^0$ and $B^+ \rightarrow B^0 \bar{B}^+$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513. Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $\langle \text{mml:math} \rangle$	3.9	46
104	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mrow} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > \langle \text{mml:mi} \rangle p < / \text{mml:mi} > < / \text{mml:mrow} > < / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:mi} \rangle p < / \text{mml:mi} > < / \text{mml:math} \rangle$ +Pb collisions with the ATLAS detector at the CERN Large Hadron Collider. Physical Review C, 2018, 97,	2.9	46
105	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
106	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1. Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW \rightarrow 2\ell 2\nu$ decay channel in pp collisions at $\langle \text{mml:math} \rangle$	3.9	46
107	$\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} > \langle \text{mml:mi} \rangle s < / \text{mml:mi} > < / \text{mml:msqrt} > \langle \text{mml:mo} = < / \text{mml:mo} > \langle \text{mml:mn} > 13 < / \text{mml:math} \rangle$ width="0.25em" /> $\langle \text{mml:mtext} \rangle \text{TeV} < / \text{mml:mtext} > \langle \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508-529	4.1	46
108	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46

#	ARTICLE	IF	CITATIONS
109	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
110	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\text{a}_1, \text{a}_2, \text{bb}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 783, 392-414.		
111	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
112	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ collisions with the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	43
113	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow \text{a}_1 \text{a}_2$ and $Z Z \rightarrow \text{a}_1 \text{a}_2, \text{Z}^{\frac{1}{2}}$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
114	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from $\text{H}^{\pm} \rightarrow \text{e}^{\pm} \nu \text{H}^0 \rightarrow \text{e}^{\pm} \nu \text{Z} \rightarrow \text{e}^{\pm} \nu \text{W} \rightarrow \text{e}^{\pm} \nu \text{f} \bar{\text{f}}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019, 100, 032003.	4.7	43
115	Combined measurement of differential and total cross sections in the $\text{H}^{\pm} \rightarrow \text{e}^{\pm} \nu \text{H}^0$ and the $\text{H}^{\pm} \rightarrow \text{Z} \text{Z}^{\frac{1}{2}} \text{Z} \text{Z}^{\frac{1}{2}}$ decay channels at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.		
116	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
117	Measurement of the $t \bar{t} Z$ and $t \bar{t} W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40. Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $\text{Z} \text{Z} \rightarrow \text{e}^+ \text{e}^- \text{Z} \text{Z} \rightarrow \text{e}^+ \text{e}^- \text{W} \text{W}$.	3.9	41
118	Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 212301.	7.8	41
119	Search for charged-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 212301.	4.7	41
120	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in $\text{Z} \text{Z} \rightarrow \text{e}^+ \text{e}^- \text{Z} \text{Z} \rightarrow \text{e}^+ \text{e}^- \text{W} \text{W}$. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41
121	Measurement of $\text{W} \text{Z}$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
122	Higgs boson production cross-section measurements and their EFT interpretation in the $\text{ell} \ell \ell \ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
123	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ at $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
124	Measurements of b-jet tagging efficiency with the ATLAS detector using $\text{t} \bar{\text{t}}$ events at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
125	Search for heavy resonances decaying into a pair of Z bosons in the $\text{ell}^+ \text{ell}^- \text{ell}^+ \text{ell}^- \text{ell}^+ \text{ell}^-$ final states using 139 fb $^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
126	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in p+ Pb collisions measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 313-336.		

#	ARTICLE	IF	CITATIONS
127	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Measurements of $t\bar{t}$, $b\bar{b}$ and $c\bar{c}$ production in the $t\bar{t}$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.1	39
128	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Measurements of $t\bar{t}$, $b\bar{b}$ and $c\bar{c}$ production in the $t\bar{t}$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.7	39
129	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Measurements of $t\bar{t}$, $b\bar{b}$ and $c\bar{c}$ production in the $t\bar{t}$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.7	39
130	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Measurements of $t\bar{t}$, $b\bar{b}$ and $c\bar{c}$ production in the $t\bar{t}$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.7	39
131	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review D, 2018, 98, 032002.	4.1	39
132	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.	4.1	39
133	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 10, 038.	4.7	39
134	Search for pair production of Higgs bosons in the final state using proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 699.	4.7	38
135	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
136	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
137	Measurement of the exclusive $t\bar{t} + b\bar{b} + c\bar{c}$ process in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 303-323.	4.7	38
138	Search for Higgs boson pair production in the $t\bar{t} + b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. Observation of electroweak $W/A + Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 699.	4.7	38
139	Search for Higgs boson pair production in the $t\bar{t} + b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. Observation of electroweak $W/A + Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 699.	4.1	38
140	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
141	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
142	Measurement of the W boson polarisation in $t\bar{t} + b\bar{b}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
143	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
144	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37

#	ARTICLE	IF	CITATIONS
145	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	37
146	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2017, 119, 051802.	7.8	36
147	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
148	Measurement of flow harmonics correlations with mean transverse momentum in lead+lead and proton+lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
149	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
150	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
151	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
152	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 91-113.	3.9	35
153	Search for long-lived particles produced in pp collisions at $s=13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019, 99, .	4.7	35
154	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
155	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34
156	Measurement of exclusive $W+W^-$ production and search for exclusive Higgs boson production in pp collisions at $s=8\text{TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	33
157	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
158	Measurements of J/ψ and $\psi(3770)$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
159	Measurement of the Soft-Drop Jet Mass in $\sqrt{s}=13 \text{ TeV}$ pp Collisions at the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 121, 092001.	7.8	33
160	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
161	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 793, 10519.	3.9	33
162	Determination of the strong coupling constant α_s from transverse energy-energy correlations in multijet events at $\sqrt{s}=8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32

#	ARTICLE or pair and single production of vectorlike quarks in final states with at least one	IF	CITATIONS
163	<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>Z</mml:mi></mml:math> boson decaying into a pair of electrons or muons in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> collision data collected with the ATLAS detector at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">	4.7	32
164	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4π decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
165	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565. Measurement of the Production Cross Section in <mml:math display="block">\langle Z \rangle_{\text{ATLAS}} = 1.05 \pm 0.05 \text{ pb}	3.9	31
166	Measurements of inclusive and differential cross sections in the $H \rightarrow ZZ^*$ decay channel in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	7.8	31
167	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
168	Search for $W W/W Z$ resonance production in $t\bar{t}q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
169	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
170	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
171	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters B, 2019, 788, 316-335.	4.1	31
172	Search for the Higgs boson decays $H \rightarrow t\bar{t} + \text{jet}$ and $H \rightarrow t\bar{t} + \text{jet} + \text{jet}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters B, Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148.	4.1	31
173	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
174	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
175	Search for pair production of gluinos decaying via stop and sbottom in events with <mml:math display="block">\langle p_T \rangle_{\text{miss}} = 100 \text{ GeV}	4.7	30
176	Searches for the Z^3 decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
177	Study of $WW\gamma$ and $WZ\gamma$. European Physical Journal C, 2017, 77, 646.	3.9	30
178	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
179	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
180	Searches for lepton-flavour-violating decays of the Higgs boson in $s = 13$ TeV pp collisions with the ATLAS detector. Physics Letters B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	4.1	30

#	ARTICLE	IF	CITATIONS
181	Evidence for $\star t \bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
182	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 251-268.		
183	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
184	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
185	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.		
186	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
187	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
188	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	29
189	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $t\bar{t}$, $q\bar{q}$ and $\tilde{q}\tilde{q}$ final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
190	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
191	Search for a heavy scalar resonance in association with a high-mass dijet system in $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 1.	4.7	28
192	Measurement of lepton differential distributions and the top quark mass in $\star t \bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
193	Measurement of WW/WZ ightarrow ell u q q' production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
194	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
195	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \rightarrow aa \rightarrow 4b channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
196	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
197	Measurement of the $\star t \bar{t}$ cross sections in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	4.7	28
198	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
199	Measurement of photonâ€“jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.	4.1	28
200	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
201	Measurement of the transverse momentum distribution of Drellâ€“Yan lepton pairs in protonâ€“proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
202	Search for charginoâ€“neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
203	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
204	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
205	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
206	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
207	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l}_i -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
208	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.		
209	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
210	Searches for exclusive Higgs and Z boson decays into J/ψ , $\chi(2S)$, and (nS) at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.		
211	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
212	Searches for Higgs boson decays into a pair of light bosons in the $b\bar{b}\ell\ell$ final state in pp collision at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.	4.7	26
213	Search for Higgs boson pair production in the $b\bar{b}WW^{\star}$ decay mode at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	26
214	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}\ell\ell$ final state in pp collision at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.		
215	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}WW^{\star}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
216	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25

#	ARTICLE	IF	CITATIONS
217	Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
218	Operation and performance of the ATLAS Tile Calorimeter in RunA1. European Physical Journal C, 2018, 78, 987.	3.9	25
219	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	4.1	25
220	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
221	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
222	Search for supersymmetry in a final state containing two photons and missing transverse momentum in \varvec{s} . European Physical Journal C, 2016, 76, 517.	3.9	24
223	Measurement of the $W\bar{W}\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.		
224	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, 054902.	2.9	24
225	Measurement of jet fragmentation in Pb+Pb and T_j distributions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	4.1	24
226	Measurement of jet fragmentation in Pb+Pb and T_j distributions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	2.9	24
227	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
228	Measurement of fiducial and differential WW production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
229	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
230	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
231	Measurement of vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. Physical Review D, 2017, 96, 034001.	4.7	23
232	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, 034001.	4.7	23
233	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	7.8	23

#	ARTICLE	IF	CITATIONS
235	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
236	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8 TeV with ATLAS. Physical Review D, 2016, 94, .	4.7	22
237	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.	2.5	22
238	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1, http://www.w3.org/1998/Math/MathML	4.7	22
239	top quarks decaying to all-hadronic final states in $\sqrt{s}=13$ TeV with the ATLAS detector. Nuclear Physics B, 2018, 918, 257-316.	4.7	22
240	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Nuclear Physics B, 2019, 918, 257-316.	4.7	22
241	using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 791, 56-71.	4.1	22
242	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton+proton collisions at a centre-of-mass energy of $\sqrt{s}=13$ TeV with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
243	Measurements of top-quark pair spin correlations in the $\bar{q}q$ channel at $\sqrt{s}=13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
244	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
245	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
246	Search for the Standard Model Higgs boson decaying into b b-bar produced in association with top quarks decaying hadronically in pp collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
247	momentum with ATLAS using $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 32-52.	4.1	21
248	Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 32-52.	4.1	21
249	Search for supersymmetry in events with four or more leptons in $\sqrt{s}=13$ TeV pp collisions with ATLAS. Physical Review D, 2018, 98, .	4.7	21
250	Search for Higgs boson decays into pairs of light (pseudo)scalar particles in the $\tilde{\chi}_1^0 \tilde{\chi}_1^0$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 782, 750-767.	4.7	21
251	Measurement of jet fragmentation in 5.02 TeV proton+lead and proton+proton collisions with the ATLAS detector. Nuclear Physics A, 2018, 978, 65-106.	1.5	21
252	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, .	4.7	21

#	ARTICLE	IF	CITATIONS
253	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
254	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
255	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
256	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
257	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 761, 11-20.	4.7	20
258	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
259	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
260	Search for pair production of Higgsinos in final states with at least three tagged jets in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, .	4.7	20
261	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .	4.7	20
262	Search for $W\rightarrow tb$ decays in the hadronic final state using pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 781, 327-348.	4.1	20
263	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
264	Search for long-lived particles in final states with displaced dimuon vertices in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 115-124.	4.7	20
265	Search for resonances in the mass distribution of jet pairs with one or two jets identified as jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 115-124.	4.1	20
266	Search for resonances in the mass distribution of jet pairs with one or two jets identified as jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 759, 229-246.	4.1	19
267	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ p p collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
268	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	4.1	19
269	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
270	Search for top-quark decays $t \rightarrow b\bar{q}$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
271	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
272	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
273	Search for top quark decays t → qH, with H → $\tilde{\chi}_1^0$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
274	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 787, 68-88.	4.7	18
275	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
276	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
277	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	4.7	18
278	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
279	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.7	17
280	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
281	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
282	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
283	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
284	Search for flavor-changing neutral currents in top quark decays $t \rightarrow H c$ and $t \rightarrow H u$ in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2018, 98, .	4.7	17
285	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p+p collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 785, 136-158.	4.7	17
287	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
289	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
290	Measurement of $W^{\pm} \nu$ boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
291	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
292	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
293	Measurement of the azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s}=13 \text{ TeV}$ Collisions at the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	7.8	17
294	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
295	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
296	Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 758, 249-268.	4.1	16
297	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
298	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow t\bar{t}$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
299	Measurement of colour flow using jet-pull observables in $t\bar{t} \rightarrow t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	3.9	16
300	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	7.8	16
301	Search for exclusive Higgs and Z boson decays to $b\bar{b}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
302	Measurement of differential cross sections and $W^+/W^-\gamma$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
303	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 799, 525-534.	4.7	16
304	Measurement of event-shape observables in $Z \rightarrow e^+e^-$ and $Z \rightarrow \mu^+\mu^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
305	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-/\mu^+\mu^-$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
306	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
307	Measurements of integrated and differential cross sections for isolated photon pair production in collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206–228.	4.7	15
308	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206–228.	4.7	15
309	Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2017, 96, 1.	4.7	15
310	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
311	Search for scalar resonances decaying into $\tilde{\chi}_1^0 + \tilde{\chi}_1^0$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
312	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, 1.	4.7	15
313	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
314	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
315	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
316	Studies of $Z\tilde{1}^0$ production in association with a high-mass dijet system in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
317	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206–228.	4.7	14
318	Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, 1.	4.7	14
319	Measurement of VH , $t\bar{t}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
320	Measurements of inclusive and differential fiducial cross-sections of $\gamma\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
321	Search for correlations and conditional yields in $\gamma\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
322	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
323	Search for displaced vertices of τ -positively charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 80, 125–144.	4.1	14
324	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
325	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 1.	3.9	14
326	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
327	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
328	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
329	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 114	4.7	14
330	Search for Higgs and Z boson decays to $b\bar{b}$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
331	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
332	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$, 8, 7 TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
333	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 102.	3.9	13
334	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55	4.7	13
335	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 102.	4.7	13
336	Measurement of the production cross section of a Higgs boson in association with a vector boson in the $H\rightarrow\tau^+\tau^-$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55	4.1	13
337	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
338	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters B, 2019, 799, 112646	4.7	13
339	Search for non-resonant Higgs boson pair production in the $b\bar{b}\rightarrow\tau^+\tau^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters B, 2019, 799, 112646	4.7	13
340	Search for non-resonant Higgs boson pair production in the $b\bar{b}\rightarrow\tau^+\tau^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135145.	4.1	13
341	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
342	Measurement of the $b\bar{b}\rightarrow b\bar{b}\gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12

#	ARTICLE	IF	CITATIONS
343	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	4.1	12
344	Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s} = 13 \text{ TeV}$ pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 52-71.	4.1	12
345	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
346	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
347	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 205-217.	4.1	12
348	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2018, 98, 1.	4.9	12
349	Search for R-parity-violating top squarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, 1.	4.7	12
350	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
351	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2019, 122, 151801.	7.8	12
352	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
353	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
354	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
355	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
356	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
357	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
358	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
359	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
360	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8 \text{ and } 13 \text{ TeV}$. European Physical Journal C, 2022, 82, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
361	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
362	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
363	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
364	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
365	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2019, 99, .	4.7	11
366	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1, 10+P0 collisions at $\sqrt{s} = 13 \text{ TeV}$.	4.7	11
367	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1, 10+P0 collisions at $\sqrt{s} = 13 \text{ TeV}$.	4.1	11
368	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016, 11, P11020-P11020.	1.2	10
369	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
370	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 765, 132-153.	4.7	10
371	Measurement of the $Z\gamma\gamma$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
372	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
373	Measurement of prompt photon production in pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 785, 134913.	4.1	10
374	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 798, 134913.	4.1	10
375	Search for pairs of highly collimated photon-jets in pp collisions at $s=13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, .	4.7	10
376	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb^{-1} of pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 800, 135082.	4.1	10
377	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
378	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
379	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017, 12, P05002-P05002.	1.2	10
380	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
381	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	10
382	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
383	Measurement of the $W+W^-$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2017, 773, 354-371.	4.7	10
384	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
385	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
386	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	9
387	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
388	Search for top squarks decaying to tau sleptons in $\tilde{t}_1 \rightarrow \tau^{\pm} \tilde{\chi}_{1\pm}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 98.	4.7	9
389	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
390	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 788, 347-370.	4.1	9
391	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
392	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
393	Measurement of the $Z(\ell^+\ell^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
394	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
395	Measurement of the relative width difference of the $B_0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
396	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
397	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
398	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
399	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\rightarrow q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45. Measurement of dijet azimuthal decorrelations in mml:math $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector and determination of the strong coupling. Physical Review D, 2018, 98, 092001.	4.1	8
400	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
402	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
403	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
404	Measurements of $W+W^+$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
405	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
406	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
407	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
408	Femtoscopics with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with ATLAS. Physical Review C, 2017, 96, 054909.	4.7	8
409	Femtoscopics with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with ATLAS. Physical Review C, 2017, 96, 054909.	4.7	7
410	Measurement of Z/γ polarization in $Z \rightarrow \ell^+\ell^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
411	Combination of inclusive and differential charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	7
412	Modelling radiation damage to pixel sensors in the ATLAS detector. Journal of Instrumentation, 2019, 14, P06012-P06012.	1.2	7
413	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. Journal of Instrumentation, 2019, 14, P09011-P09011.	1.2	7
414	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7

#	ARTICLE	IF	CITATIONS
415	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
416	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
417	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . Properties of $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
418	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at small opening angles in $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	4.7	6
419	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
420	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
421	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
422	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
423	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8\text{TeV}$ and 13TeV . European Physical Journal C, 2020, 80, 1.	3.9	5
424	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
425	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
426	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ using 36fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
427	The ATLAS inner detector trigger performance in pp collisions at 13TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
428	Measurement of W+W- production in association with one jet in proton-proton collisions at $s=8\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	4.1	4
429	Measurement of jet activity in top quark events using the $e^+\ell^-\ell^+$ final state with two b-tagged jets in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
430	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, .	4.7	4
431	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13\text{TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
432	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
433	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
434	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
435	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
436	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ events in RunA2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
437	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
438	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
439	Measurement of the k t splitting scales in $Z \rightarrow t\bar{t}$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
440	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
441	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e\gamma$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
442	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
443	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
444	Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
445	Study of ordered hadron chains with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	4.7	2
446	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\langle E_{beam} \rangle = 4 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2018, 13, P12006-P12006.	1.2	2
447	Search for exotic decays of the Higgs boson into $b\overline{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
448	Measurement of the energy asymmetry in $t\bar{t}j$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. <i>European Physical Journal C</i> , 2022, 82, .	3.9	2
449	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + \text{jets}$ final state in pp collisions at $s=8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2017, 95, .	4.7	1
450	ATLAS Collaboration. <i>Nuclear Physics A</i> , 2017, 967, 942-964.	1.5	1

#	ARTICLE	IF	CITATIONS
451	Measurement of azimuthal flow of soft and high- p_T charged particles in 5.02 TeV Pb+Pb collisions with the ATLAS detector. Nuclear and Particle Physics Proceedings, 2017, 289-290, 441-444.	0.5	1
452	ATLAS Collaboration. Nuclear Physics A, 2019, 982, 985-1009.	1.5	1
453	The Flow Harmonics Measurement with the Event Plane and Multi-particle Cumulant Methods in Pb+Pb Collisions at 2.76 TeV in ATLAS. Acta Physica Polonica B, 2016, 47, 1625.	0.8	0
454	Measurements of Fourier Harmonics of Azimuthal Anisotropy in Pb+Pb and Xe+Xe Collisions. Acta Physica Polonica B, Proceedings Supplement, 2019, 12, 253.	0.1	0