
Gabor S Ungvari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9489605/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	The prevalence of insomnia in the general population in China: A meta-analysis. PLoS ONE, 2017, 12, e0170772.	2.5	247
2	Measurement-Based Care Versus Standard Care for Major Depression: A Randomized Controlled Trial With Blind Raters. American Journal of Psychiatry, 2015, 172, 1004-1013.	7.2	222
3	Brexanolone for postpartum depression: A meta-analysis of randomized controlled studies. Psychiatry Research, 2019, 279, 83-89.	3.3	196
4	Prevalence of depression and its impact on quality of life among frontline nurses in emergency departments during the COVID-19 outbreak. Journal of Affective Disorders, 2020, 276, 312-315.	4.1	196
5	Prevalence of suicidal ideation and suicide attempts in the general population of China. International Journal of Psychiatry in Medicine, 2015, 49, 296-308.	1.8	127
6	Prevalence of prenatal and postpartum depression in fathers: A comprehensive meta-analysis of observational surveys. Journal of Affective Disorders, 2020, 263, 491-499.	4.1	110
7	Cognitive behavioral therapy for post-stroke depression: A meta-analysis. Journal of Affective Disorders, 2018, 235, 589-596.	4.1	106
8	Prevalence of Internet addiction disorder in Chinese university students: A comprehensive meta-analysis of observational studies. Journal of Behavioral Addictions, 2018, 7, 610-623.	3.7	102
9	Prevalence of Workplace Violence Against Health-Care Professionals in China: A Comprehensive Meta-Analysis of Observational Surveys. Trauma, Violence, and Abuse, 2020, 21, 498-509.	6.2	102
10	The prevalence of autism spectrum disorders in China: a comprehensive meta-analysis. International Journal of Biological Sciences, 2018, 14, 717-725.	6.4	97
11	Obesity increases the risk of depression in children and adolescents: Results from a systematic review and meta-analysis. Journal of Affective Disorders, 2020, 267, 78-85.	4.1	94
12	Prevalence of sleep disturbances in Chinese university students: a comprehensive metaâ€analysis. Journal of Sleep Research, 2018, 27, e12648.	3.2	93
13	The Prevalence of Sleep Disturbances and Sleep Quality in Older Chinese Adults: A Comprehensive Meta-Analysis. Behavioral Sleep Medicine, 2019, 17, 683-697.	2.1	74
14	Prevalence of depressive symptoms in children and adolescents in China: A meta-analysis of observational studies. Psychiatry Research, 2019, 272, 790-796.	3.3	72
15	Depression after minor stroke: Prevalence and predictors. Journal of Psychosomatic Research, 2015, 79, 143-147.	2.6	71
16	ECT augmentation of clozapine for clozapine-resistant schizophrenia: A meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2018, 105, 23-32.	3.1	71
17	Adjunctive minocycline for schizophrenia: A meta-analysis of randomized controlled trials. European Neuropsychopharmacology, 2017, 27, 8-18.	0.7	69
18	Prevalence of suicide attempts in bipolar disorder: a systematic review and meta-analysis of observational studies. Epidemiology and Psychiatric Sciences, 2020, 29, e63.	3.9	68

#	Article	IF	CITATIONS
19	Adjunctive intranasal esketamine for major depressive disorder: A systematic review of randomized double-blind controlled-placebo studies. Journal of Affective Disorders, 2020, 265, 63-70.	4.1	68
20	Quality of life in Parkinson's disease: A systematic review and metaâ€analysis of comparative studies. CNS Neuroscience and Therapeutics, 2021, 27, 270-279.	3.9	66
21	Adjunctive celecoxib for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Journal of Psychiatric Research, 2017, 92, 139-146.	3.1	65
22	Impact of Anxiety on Health-Related Quality of Life After Stroke: A Cross-Sectional Study. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2535-2541.	0.9	62
23	Metaâ€analysis of randomized, doubleâ€blind, placeboâ€controlled trials of melatonin in Alzheimer's disease. International Journal of Geriatric Psychiatry, 2017, 32, 50-57.	2.7	61
24	Prevalence of aggression in hospitalized patients with schizophrenia in <scp>C</scp> hina: A metaâ€analysis. Asia-Pacific Psychiatry, 2016, 8, 60-69.	2.2	58
25	Mindfulness-Based Interventions for Insomnia: A Meta-Analysis of Randomized Controlled Trials. Behavioral Sleep Medicine, 2020, 18, 1-9.	2.1	58
26	Prevalence of Poor Sleep Quality in Perinatal and Postnatal Women: A Comprehensive Meta-Analysis of Observational Studies. Frontiers in Psychiatry, 2020, 11, 161.	2.6	57
27	Poststroke Fatigue: Risk Factors and its Effect on Functional Status and Health-Related Quality of Life. International Journal of Stroke, 2015, 10, 506-512.	5.9	52
28	Quality of Life in Schizophrenia: A Meta-Analysis of Comparative Studies. Psychiatric Quarterly, 2019, 90, 519-532.	2.1	52
29	Comparison of cognitive dysfunction between schizophrenia and bipolar disorder patients: A meta-analysis of comparative studies. Journal of Affective Disorders, 2020, 274, 652-661.	4.1	50
30	Sleep quality in medical students: a comprehensive meta-analysis of observational studies. Sleep and Breathing, 2020, 24, 1151-1165.	1.7	50
31	Prevalence of Poor Sleep Quality in Nursing Staff: A Meta-Analysis of Observational Studies. Behavioral Sleep Medicine, 2020, 18, 746-759.	2.1	49
32	Mindfulness-based interventions for major depressive disorder: A comprehensive meta-analysis of randomized controlled trials. Journal of Affective Disorders, 2018, 229, 429-436.	4.1	47
33	Prevalence of major depressive disorder in older adults in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 297-304.	4.1	45
34	Serum 25-Hydroxyvitamin D Levels and Depression in Older Adults: A Dose–Response Meta-Analysis of Prospective Cohort Studies. American Journal of Geriatric Psychiatry, 2019, 27, 1192-1202.	1.2	45
35	Electroconvulsive Therapy Added to Non-Clozapine Antipsychotic Medication for Treatment Resistant Schizophrenia: Meta-Analysis of Randomized Controlled Trials. PLoS ONE, 2016, 11, e0156510.	2.5	44
36	Sleep duration and its association with demographics, lifestyle factors, poor mental health and chronic diseases in older Chinese adults. Psychiatry Research, 2017, 257, 212-218.	3.3	44

#	Article	IF	CITATIONS
37	Prevalence of depressive symptoms in primary school students in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 268, 20-27.	4.1	43
38	Neurocognitive dysfunction in subjects at clinical high risk for psychosis: A meta-analysis. Journal of Psychiatric Research, 2018, 103, 38-45.	3.1	42
39	Prospective memory deficits in patients with depression: A meta-analysis. Journal of Affective Disorders, 2017, 220, 79-85.	4.1	39
40	Prevalence of major depressive disorder in children and adolescents in China: A systematic review and meta-analysis. Journal of Affective Disorders, 2018, 241, 592-598.	4.1	38
41	Prevalence of verbal and physical workplace violence against nurses in psychiatric hospitals in China. Archives of Psychiatric Nursing, 2019, 33, 68-72.	1.4	38
42	Prescription of antipsychotic and concomitant medications for adult Asian schizophrenia patients: Findings of the 2016 Research on Asian Psychotropic Prescription Patterns (REAP) survey. Asian Journal of Psychiatry, 2019, 45, 74-80.	2.0	38
43	The prevalence of depressive symptoms in â€~left-behind children' in China: a meta-analysis of comparative studies and epidemiological surveys. Journal of Affective Disorders, 2019, 244, 209-216.	4.1	37
44	Prevalence of comorbid depression in schizophrenia: A meta-analysis of observational studies. Journal of Affective Disorders, 2020, 273, 524-531.	4.1	37
45	The psychometric properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) and the Patient Health Questionnaire-9 (PHQ-9) in depressed inpatients in China. Psychiatry Research, 2016, 243, 92-96.	3.3	36
46	Smoking in male patients with schizophrenia in China: A meta-analysis. Drug and Alcohol Dependence, 2016, 162, 146-153.	3.2	36
47	Sleep Duration and Sleep Patterns in Chinese University Students: A Comprehensive Meta-Analysis. Journal of Clinical Sleep Medicine, 2017, 13, 1153-1162.	2.6	34
48	Internet addiction in Tibetan and Han Chinese middle school students: prevalence, demographics and quality of life. Psychiatry Research, 2018, 268, 131-136.	3.3	34
49	Worldwide prevalence of sexual harassment towards nurses: A comprehensive metaâ€analysis of observational studies. Journal of Advanced Nursing, 2020, 76, 980-990.	3.3	34
50	The prevalence of depression in menopausal women in China: A meta-analysis of observational studies. Journal of Affective Disorders, 2019, 256, 337-343.	4.1	33
51	The 33-item Hypomania Checklist (HCL-33): A new self-completed screening instrument for bipolar disorder. Journal of Affective Disorders, 2016, 190, 214-220.	4.1	32
52	Adjunctive ketamine and electroconvulsive therapy for major depressive disorder: A meta-analysis of randomized controlled trials. Journal of Affective Disorders, 2019, 250, 123-131.	4.1	32
53	Sexual dysfunction and its impact on quality of life in Chinese patients with schizophrenia treated in primary care. Comprehensive Psychiatry, 2016, 65, 116-121.	3.1	31
54	The prevalence of bipolar disorder in China: A meta-analysis. Journal of Affective Disorders, 2017, 207, 413-421.	4.1	31

#	Article	IF	CITATIONS
55	Prevalence of Depression Among Empty-Nest Elderly in China: A Meta-Analysis of Observational Studies. Frontiers in Psychiatry, 2020, 11, 608.	2.6	31
56	Use of electroconvulsive therapy for Asian patients with schizophrenia (2001–2009): Trends and correlates. Psychiatry and Clinical Neurosciences, 2015, 69, 489-496.	1.8	30
57	Gender differences in general mental health, smoking, drinking and chronic diseases in older adults in Jilin province, China. Psychiatry Research, 2017, 251, 58-62.	3.3	30
58	Comparison of residual depressive symptoms and functional impairment between fully and partially remitted patients with major depressive disorder: a multicenter study. Psychiatry Research, 2018, 261, 547-553.	3.3	30
59	Apathy and Health-Related Quality of Life in Stroke. Archives of Physical Medicine and Rehabilitation, 2014, 95, 857-861.	0.9	29
60	Clozapine prescription pattern in patients with schizophrenia in Asia: The REAP survey (2016). Psychiatry Research, 2020, 287, 112271.	3.3	29
61	The effect of artemether on psychotic symptoms and cognitive impairment in first-episode, antipsychotic drug-naive persons with schizophrenia seropositive to Toxoplasma gondii. Journal of Psychiatric Research, 2014, 53, 119-124.	3.1	28
62	The prevalence of depressive and anxiety symptoms and their associations with quality of life among clinically stable older patients with psychiatric disorders during the COVID-19 pandemic. Translational Psychiatry, 2021, 11, 75.	4.8	28
63	Prevalence of aggression in patients with schizophrenia: A systematic review and meta-analysis of observational studies. Asian Journal of Psychiatry, 2020, 47, 101846.	2.0	26
64	The prevalence of depression in men who have sex with men (MSM) living with HIV: A meta-analysis of comparative and epidemiological studies. General Hospital Psychiatry, 2020, 66, 112-119.	2.4	26
65	The Relationship between Frontal Lobe Lesions, Course of Post-Stroke Depression, and 1-year Prognosis in Patients with First-Ever Ischemic Stroke. PLoS ONE, 2014, 9, e100456.	2.5	26
66	Adjunctive raloxifene for postmenopausal women with schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Schizophrenia Research, 2018, 197, 288-293.	2.0	25
67	The Association Between Post-stroke Depression, Aphasia, and Physical Independence in Stroke Patients at 3-Month Follow-Up. Frontiers in Psychiatry, 2018, 9, 374.	2.6	25
68	Prevalence and socio-demographic correlates of poor sleep quality among older adults in Hebei province, China. Scientific Reports, 2020, 10, 12266.	3.3	25
69	Internet addiction among adolescents in Macau and mainland China: prevalence, demographics and quality of life. Scientific Reports, 2020, 10, 16222.	3.3	25
70	Adjunctive intranasal oxytocin for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. Schizophrenia Research, 2019, 206, 13-20.	2.0	24
71	Prevalence and correlates of fatigue and its association with quality of life among clinically stable older psychiatric patients during the COVID-19 outbreak: a cross-sectional study. Globalization and Health, 2020, 16, 119.	4.9	24
72	Comorbid Moderate–Severe Depressive Symptoms and their Association with Quality of Life in Chinese Patients with Schizophrenia Treated in Primary Care. Community Mental Health Journal, 2016, 52, 921-926.	2.0	23

#	Article	IF	CITATIONS
73	Physical restraint for psychiatric patients and its associations with clinical characteristics and the National Mental Health Law in China. Psychiatry Research, 2016, 241, 154-158.	3.3	23
74	Intracranial Atherosclerosis and Poststroke Depression in Chinese Patients with Ischemic Stroke. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 998-1004.	1.6	23
75	Prevalence and correlates of aggressive behavior in psychiatric inpatient populations. World Journal of Psychiatry, 2022, 12, 1-23.	2.7	23
76	Comparison of comorbid depression between irritable bowel syndrome and inflammatory bowel disease: A meta-analysis of comparative studies. Journal of Affective Disorders, 2018, 237, 37-46.	4.1	22
77	Adjunctive ondansetron for schizophrenia: A systematic review and meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2019, 113, 27-33.	3.1	22
78	Prevalence of depression and its relationship with quality of life among university students in Macau, Hong Kong and mainland China. Scientific Reports, 2020, 10, 15798.	3.3	22
79	Enlarged perivascular spaces in the centrum semiovale are associated with poststroke depression: A 3-month prospective study. Journal of Affective Disorders, 2018, 228, 166-172.	4.1	22
80	Prevalence of problematic Internet use and its association with quality of life among undergraduate nursing students in the later stage of COVIDâ€19 pandemic era in China. American Journal on Addictions, 2021, 30, 585-592.	1.4	21
81	The MacArthur Competence Assessment Tools for assessing decision-making capacity in schizophrenia: A meta-analysis. Schizophrenia Research, 2017, 183, 56-63.	2.0	20
82	Prevalence of burnout in mental health nurses in China: A meta-analysis of observational studies. Archives of Psychiatric Nursing, 2020, 34, 141-148.	1.4	20
83	Quality of life and clinical correlates in older adults living in the community and in nursing homes in <scp>M</scp> acao. Psychogeriatrics, 2017, 17, 194-199.	1.2	19
84	Quality of life in Chinese patients with schizophrenia: A meta-analysis. Psychiatry Research, 2018, 268, 392-399.	3.3	19
85	Prevalence of sexual harassment of nurses and nursing students in China: a meta-analysis of observational studies. International Journal of Biological Sciences, 2019, 15, 749-756.	6.4	19
86	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. Journal of Affective Disorders, 2019, 252, 92-98.	4.1	19
87	Combination of Metformin and Lifestyle Intervention for Antipsychotic-Related Weight Gain: A Meta-Analysis of Randomized Controlled Trials. Pharmacopsychiatry, 2019, 52, 24-31.	3.3	19
88	An Overview of the Expert Consensus on the Prevention and Treatment of Gaming Disorder in China (2019 Edition). Neuroscience Bulletin, 2020, 36, 825-828.	2.9	19
89	Minocycline for Depressive Symptoms: a Meta-Analysis of Randomized, Double-Blinded, Placebo-Controlled Trials. Psychiatric Quarterly, 2020, 91, 451-461.	2.1	19
90	Changes in Nursing Students' Career Choices Following the COVID-19 Pandemic in China. Frontiers in Psychiatry, 2021, 12, 657021.	2.6	19

#	Article	IF	CITATIONS
91	Apathy and suicide-related ideation 3Âmonths after stroke: a cross-sectional study. BMC Neurology, 2015, 15, 60.	1.8	18
92	Memory Impairment Following Electroconvulsive Therapy in Chinese Patients with Schizophrenia: Meta-Analysis of Randomized Controlled Trials. Perspectives in Psychiatric Care, 2018, 54, 107-114.	1.9	18
93	Cerebral Small Vessel Disease Burden Is Associated With Accelerated Poststroke Cognitive Decline: A 1-Year Follow-Up Study. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 336-343.	2.3	18
94	Cognitive functions in smoking and non-smoking patients with schizophrenia: A systematic review and meta-analysis of comparative studies. Psychiatry Research, 2019, 272, 155-163.	3.3	18
95	Efficacy and safety of traditional Chinese medicine for Tourette's syndrome: A meta-analysis of randomized controlled trials. Asian Journal of Psychiatry, 2020, 47, 101853.	2.0	18
96	Worldwide prevalence of smoking cessation in schizophrenia patients: A meta-analysis of comparative and observational studies. Asian Journal of Psychiatry, 2020, 54, 102190.	2.0	18
97	Worldwide prevalence of suicide attempt in pregnant and postpartum women: a meta-analysis of observational studies. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 711-720.	3.1	18
98	Knowledge and Attitudes of Patients and Their Relatives Toward Electroconvulsive Therapy in China. Perspectives in Psychiatric Care, 2016, 52, 248-253.	1.9	17
99	Suicidal ideation at 1-year post-stroke: A nationwide survey in China. General Hospital Psychiatry, 2017, 44, 38-42.	2.4	17
100	Elder abuse and its impact on quality of life in nursing homes in China. Archives of Gerontology and Geriatrics, 2018, 78, 155-159.	3.0	17
101	Short-term efficacy and tolerability of lurasidone in the treatment of acute schizophrenia: A meta-analysis of randomized controlled trials. Journal of Psychiatric Research, 2018, 103, 244-251.	3.1	17
102	Adjunctive multi-session transcranial direct current stimulation for neurocognitive dysfunction in schizophrenia: A meta-analysis. Asian Journal of Psychiatry, 2021, 66, 102887.	2.0	17
103	Quality of life in Chinese patients with schizophrenia treated in primary care. Psychiatry Research, 2017, 254, 80-84.	3.3	16
104	Adjunctive memantine for major mental disorders: A systematic review and meta-analysis of randomized double-blind controlled trials. Schizophrenia Research, 2019, 209, 12-21.	2.0	16
105	Guidelines for the diagnosis and treatment of depressive disorders in China: The second edition. Journal of Affective Disorders, 2019, 253, 352-356.	4.1	16
106	Electroconvulsive therapy for older adult patients with major depressive disorder: a systematic review of randomized controlled trials. Psychogeriatrics, 2018, 18, 468-475.	1.2	15
107	Comparison of the screening ability between the 32-item Hypomania Checklist (HCL-32) and the Mood Disorder Questionnaire (MDQ) for bipolar disorder: A meta-analysis and systematic review. Psychiatry Research, 2019, 273, 461-466.	3.3	15
108	Psychopathology and extrapyramidal side effects in smoking and non-smoking patients with schizophrenia: Systematic review and meta-analysis of comparative studies. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 92, 476-482.	4.8	15

#	Article	IF	CITATIONS
109	Prevalence of suicideâ€related behaviors among physicians: A systematic review and metaâ€analysis. Suicide and Life-Threatening Behavior, 2020, 50, 1264-1275.	1.9	14
110	Prospective Memory Performance in Non-Psychotic First-Degree Relatives of Patients with Schizophrenia: A Controlled Study. PLoS ONE, 2014, 9, e111562.	2.5	14
111	Gender differences in attitudes towards antipsychotic medications in patients with schizophrenia. Psychiatry Research, 2016, 245, 276-281.	3.3	13
112	Hyperprolactinemia, prolactin-related side effects and quality of life in Chinese psychiatric patients. Comprehensive Psychiatry, 2016, 71, 71-76.	3.1	13
113	Prevalence of smoking in nursing students worldwide: A meta-analysis of observational studies. Nurse Education Today, 2020, 84, 104205.	3.3	13
114	Prevalence of Poor Sleep Quality in Patients With Hypertension in China: A Meta-analysis of Comparative Studies and Epidemiological Surveys. Frontiers in Psychiatry, 2020, 11, 591.	2.6	13
115	Prospective memory predicts the level of community living skills in schizophrenia. Psychiatry Research, 2014, 219, 86-91.	3.3	12
116	Prevalence of Nurses' Smoking Habits in Psychiatric and General Hospitals in China. Archives of Psychiatric Nursing, 2014, 28, 119-122.	1.4	12
117	Poststroke agitation and aggression and social quality of life: a case control study. Topics in Stroke Rehabilitation, 2017, 24, 126-133.	1.9	12
118	The association between urinary Alzheimer-associated neuronal thread protein and cognitive impairment in late-life depression: a controlled pilot study. International Journal of Biological Sciences, 2018, 14, 1497-1502.	6.4	12
119	Prospective memory in schizophrenia: A meta-analysis of comparative studies. Schizophrenia Research, 2019, 212, 62-71.	2.0	12
120	Adjunctive folate for major mental disorders: A systematic review. Journal of Affective Disorders, 2020, 267, 123-130.	4.1	12
121	Trends of Polypharmacy and Prescription Patterns of Antidepressants in Asia. Journal of Clinical Psychopharmacology, 2018, 38, 598-603.	1.4	11
122	Meta-analysis of adherence to highly active antiretroviral therapy in patients with HIV infection in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 913-922.	1.2	11
123	Oral health in patients with stroke: a meta-analysis of comparative studies. Topics in Stroke Rehabilitation, 2020, 27, 75-80.	1.9	11
124	Workplace violence against frontline clinicians in emergency departments during the COVID-19 pandemic. PeerJ, 2021, 9, e12459.	2.0	11
125	Prevalence of borderline personality disorder and its risk factors in female prison inmates in China. Psychiatry Research, 2017, 250, 200-203.	3.3	10
126	Prospective memory in bipolar disorder: A meta-analysis. Psychiatry Research, 2018, 259, 184-190.	3.3	10

#	Article	IF	CITATIONS
127	Cognitive Behavioural Therapy for Insomnia Monotherapy in Patients with Medical or Psychiatric Comorbidities: a Meta-Analysis of Randomized Controlled Trials. Psychiatric Quarterly, 2020, 91, 1209-1224.	2.1	10
128	Poor Insight in Schizophrenia Patients in China: a Meta-Analysis of Observational Studies. Psychiatric Quarterly, 2020, 91, 1017-1031.	2.1	10
129	Network Analysis of Depression, Anxiety, Posttraumatic Stress Symptoms, Insomnia, Pain, and Fatigue in Clinically Stable Older Patients With Psychiatric Disorders During the COVID-19 Outbreak. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 196-205.	2.3	10
130	Cerebral Small Vessel Disease Burden Is Associated With Poststroke Depressive Symptoms: A 15-Month Prospective Study. Frontiers in Aging Neuroscience, 2018, 10, 46.	3.4	9
131	Recovery of cognitive functioning following abstinence from ketamine. Addictive Behaviors, 2019, 99, 106081.	3.0	9
132	Prevalence of depressive symptoms in overweight and obese children and adolescents in mainland China: A meta-analysis of comparative studies and epidemiological surveys. Journal of Affective Disorders, 2019, 250, 26-34.	4.1	9
133	Topological reorganization of the default mode network in patients with poststroke depressive symptoms: A resting-state fMRI study. Journal of Affective Disorders, 2020, 260, 557-568.	4.1	9
134	Huperzine A for treatment of cognitive impairment in major depressive disorder: a systematic review of randomized controlled trials. Shanghai Archives of Psychiatry, 2016, 28, 64-71.	0.7	9
135	Demographic and clinical differences between early- and late-onset bipolar disorders in a multicenter study in China. Psychiatry Research, 2016, 246, 688-691.	3.3	8
136	China to halt using executed prisoners' organs for transplants: a step in the right direction in medical ethics. Journal of Medical Ethics, 2016, 42, 10-10.	1.8	8
137	Current cigarette smoking in Chinese female patients with schizophrenia: A meta-analysis. Psychiatry Research, 2016, 235, 203-205.	3.3	8
138	Neuroticism and Fatigue 3 Months After Ischemic Stroke. Archives of Physical Medicine and Rehabilitation, 2017, 98, 716-721.	0.9	8
139	Location of Acute Infarcts and Agitation and Aggression in Stroke. Journal of Neuropsychiatry and Clinical Neurosciences, 2017, 29, 172-178.	1.8	8
140	Prevalence of depressive syndrome and their association with demographic and clinical characteristics in Chinese HIV patients. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1388-1392.	1.2	8
141	Adjunctive azapirone for schizophrenia: A meta-analysis of randomized, double-blind, placebo-controlled trials. European Neuropsychopharmacology, 2018, 28, 149-158.	0.7	8
142	Knowledge and attitudes of older psychiatric patients and their caregivers towards electroconvulsive therapy. Psychogeriatrics, 2018, 18, 343-350.	1.2	8
143	Worldwide prevalence of falls in older adults with psychiatric disorders: A meta-analysis of observational studies. Psychiatry Research, 2019, 273, 114-120.	3.3	8
144	Prevalence of sexual harassment toward psychiatric nurses and its association with quality of life in China. Archives of Psychiatric Nursing, 2020, 34, 394-397.	1.4	8

#	Article	IF	CITATIONS
145	Adjunctive huperzine A for cognitive deficits in schizophrenia: a systematic review and meta-analysis. Human Psychopharmacology, 2016, 31, 286-295.	1.5	7
146	Smoking and its associations with sociodemographic and clinical characteristics and quality of life in patients with schizophrenia treated in primary care in China. General Hospital Psychiatry, 2016, 38, 79-83.	2.4	7
147	Comparison of quality of life in homeless and non-homeless Chinese patients with psychiatric disorders. Psychiatry Research, 2017, 249, 115-119.	3.3	7
148	The development and validation of a short version of the 33-item Hypomania Checklist (HCL-33). Journal of Affective Disorders, 2018, 235, 206-210.	4.1	7
149	Prevalence of falls in adult and older adult psychiatric patients in China: A systematic review and comprehensive meta-analysis of observational studies. Psychiatry Research, 2018, 266, 18-25.	3.3	7
150	Prevalence of mental disorders in China. Lancet Psychiatry,the, 2019, 6, 467-468.	7.4	7
151	Voluntary admissions for patients with schizophrenia: A systematic review and meta-analysis. Asian Journal of Psychiatry, 2020, 48, 101902.	2.0	7
152	The Prevalence of Depression and Its Association With Quality of Life Among Pregnant and Postnatal Women in China: A Multicenter Study. Frontiers in Psychiatry, 2021, 12, 656560.	2.6	7
153	Prevalence of schizophrenia and its association with socio-demographic correlates in an agricultural region of China. Asian Journal of Psychiatry, 2021, 64, 102743.	2.0	7
154	Amineptine treatment of persistent catatonic symptoms in schizophrenia: a controlled study. Neuropsychopharmacologia Hungarica, 2010, 12, 463-7.	0.1	7
155	The Bipolar II Depression Questionnaire: A Self-Report Tool for Detecting Bipolar II Depression. PLoS ONE, 2016, 11, e0149752.	2.5	6
156	Electroconvulsive therapy and its relationships with clinical characteristics and quality of life in Chinese psychiatric patients. Psychiatry Research, 2016, 246, 246-249.	3.3	6
157	The Relationship Between Sleep Patterns, Quality of Life, and Social and Clinical Characteristics in Chinese Patients With Schizophrenia. Perspectives in Psychiatric Care, 2017, 53, 342-349.	1.9	6
158	The Prevalence of Suicide Attempts and Independent Demographic and Clinical Correlates among Chronic Schizophrenia Patients in Agricultural Areas of China. Psychiatric Quarterly, 2019, 90, 683-691.	2.1	6
159	Prevalence and Socio-Demographic Correlates of Poor Mental Health Among Older Adults in Agricultural Areas of China. Frontiers in Psychiatry, 2020, 11, 549148.	2.6	6
160	Psychometric Properties of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR) in Depressed Adolescents. Frontiers in Psychiatry, 2020, 11, 598609.	2.6	6
161	Prevalence of Fatigue and Its Association With Quality of Life Among Frontline Clinicians in Ophthalmology and Otolaryngology Departments During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 678917.	2.6	6
162	Efficacy and Safety of Adjunctive Aripiprazole, Metformin, and Paeoniae–Glycyrrhiza Decoction for Antipsychotic-Induced Hyperprolactinemia: A Network Meta-Analysis of Randomized Controlled Trials. Frontiers in Psychiatry, 2021, 12, 728204.	2.6	6

#	Article	IF	CITATIONS
163	Prevalence of depression and its associated factors among adolescents in China during the early stage of the COVID-19 outbreak. PeerJ, 2021, 9, e12223.	2.0	6
164	Prevalence of Suicidality and its Association with Quality of Life in Older Patients with Clinically Stable Psychiatric Disorders in China During the COVID-19 Pandemic. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 237-244.	2.3	6
165	Comparison of treatment patterns in schizophrenia between China and Japan (2001â€2009). Asia-Pacific Psychiatry, 2017, 9, e12277.	2.2	5
166	Prevalence of Major Depression and Its Associations With Demographic and Clinical Characteristics and Quality of Life in Chinese Patients With HBV-related Liver Diseases. Archives of Psychiatric Nursing, 2017, 31, 287-290.	1.4	5
167	Exploration of the psychometric properties of the 33-item Hypomania Checklist - external assessment (HCL-33-EA). Journal of Affective Disorders, 2019, 245, 987-990.	4.1	5
168	Knowledge and attitudes of adolescents with psychiatric disorders and their caregivers towards electroconvulsive therapy in China. Asian Journal of Psychiatry, 2020, 49, 101968.	2.0	5
169	Validation of the 33-item Hypomania Checklist (HCL-33) in screening adolescents with bipolar disorder. Journal of Affective Disorders, 2021, 281, 786-791.	4.1	5
170	Predictors of suicide attempts after violent offences in schizophrenia spectrum disorders. Psychiatry Research, 2015, 230, 728-731.	3.3	4
171	Comparison of insight and clinical variables in homeless and non-homeless psychiatric inpatients in China. Psychiatry Research, 2017, 255, 13-16.	3.3	4
172	Sleep duration and patterns in Chinese patients with diabetes: A metaâ€analysis of comparative studies and epidemiological surveys. Perspectives in Psychiatric Care, 2019, 55, 344-353.	1.9	4
173	Exploring causal pathways linking cerebral small vessel diseases burden to poststroke depressive symptoms with structural equation model analysis. Journal of Affective Disorders, 2019, 253, 218-223.	4.1	4
174	Unmedicated patients with schizophrenia in economically underdeveloped areas of China. Asian Journal of Psychiatry, 2020, 47, 101865.	2.0	4
175	Prevalence and correlates of bipolar disorder in the adult population of Hebei province, China. Journal of Affective Disorders, 2020, 263, 129-133.	4.1	4
176	Sleep disturbance and its association with quality of life among psychiatric nurses in China. PeerJ, 2021, 9, e10659.	2.0	4
177	Suicidal ideation in <scp>C</scp> hinese patients with chronic obstructive pulmonary disease: a controlled study. Psychogeriatrics, 2016, 16, 172-176.	1.2	3
178	Physical comorbidities in older adults receiving antidepressants in Asia. Psychogeriatrics, 2018, 18, 351-356.	1.2	3
179	Cognitive behavioural therapy monotherapy for insomnia: A meta-analysis of randomized controlled trials. Asian Journal of Psychiatry, 2020, 49, 101828.	2.0	3
180	Atrophy of the left dorsolateral prefrontal cortex is associated with poor performance in verbal fluency in elderly poststroke women. Neural Regeneration Research, 2013, 8, 346-56.	3.0	3

#	Article	IF	CITATIONS
181	A comparison of clinical characteristics of older adults treated with antidepressants in general and psychiatric hospitals in <scp>A</scp> sia. Psychogeriatrics, 2017, 17, 348-355.	1.2	2
182	Comparing two short versions of the 32â€item Hypomania Checklist (HCLâ€32) for patients with bipolar disorder. Perspectives in Psychiatric Care, 2019, 55, 396-400.	1.9	2
183	Short versions of the 32â€item Hypomania Checklist: A systematic review. Perspectives in Psychiatric Care, 2020, 56, 102-111.	1.9	2
184	Use of the 33-Item Hypomania Checklist (HCL-33) to Distinguish Bipolar Disorder From Major Depressive Disorder in Older Adults. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 410-417.	2.3	2
185	Meta-analysis of the Efficacy and Safety of Adjunctive Rosuvastatin for Dyslipidemia in Patients with Schizophrenia. Shanghai Archives of Psychiatry, 2018, 30, 4-11.	0.7	2
186	Sleep Disturbances and Their Association With Quality of Life in Older Psychiatric Patients During the COVID-19 Pandemic. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 229-236.	2.3	2
187	Suicide after hospital contact for psychiatric assessment in Hong Kong: A long-term cohort study. Psychiatry Research, 2018, 264, 266-269.	3.3	1
188	Long-Term Outcomes of Unlocking Chinese Patients with Severe Mental Illness. Psychiatric Quarterly, 2018, 89, 757-763.	2.1	1
189	Prevalence and socio-demographic correlates of major depressive disorder in older adults in Hebei province, China. Journal of Affective Disorders, 2020, 265, 590-594.	4.1	1
190	Association Between Behavioral Dysexecutive Syndrome and the Health-Related Quality of Life Among Stroke Survivors. Frontiers in Psychiatry, 2020, 11, 563930.	2.6	1
191	Reliability and Validity of the Quick Inventory of Depressive Symptomatology—Self-Report Scale in Older Adults With Depressive Symptoms. Frontiers in Psychiatry, 2021, 12, 686711.	2.6	1
192	The journal Current Opinion in Psychiatry and its impact on mental health in China. Current Opinion in Psychiatry, 2020, 33, 292-293.	6.3	0
193	Electroconvulsive Therapy for Agitation in Schizophrenia: Metaanalysis of Randomized Controlled Trials. Shanghai Archives of Psychiatry, 2017, 29, 1-14.	0.7	0
194	Comparing the Self- and External Assessment Versions of the HCL-33 as Screening Instruments for Bipolar Disorder in Older Depressed Patients. Frontiers in Psychiatry, 2021, 12, 727992.	2.6	0
195	A comparison of the 33-item Hypomania Checklist with the 33-item Hypomania Checklist-external assessment for the detection of bipolar disorder in adolescents. International Journal of Bipolar Disorders, 2021, 9, 41.	2.2	Ο