

# Etienne C Hirsch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9490480/publications.pdf>

Version: 2024-02-01

299  
papers

35,155  
citations

2802

94  
h-index

3915

177  
g-index

301  
all docs

301  
docs citations

301  
times ranked

25958  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Neuroinflammation in Parkinson's disease: a target for neuroprotection?. <i>Lancet Neurology</i> , The, 2009, 8, 382-397.   | 10.2 | 1,648     |
| 2  | The substantia nigra of the human brain. <i>Brain</i> , 1999, 122, 1437-1448.   | 7.6  | 1,481     |
| 3  | Melanized dopaminergic neurons are differentially susceptible to degeneration in Parkinson's disease. <i>Nature</i> , 1988, 334, 345-348.   | 27.8 | 1,180     |
| 4  | Infiltration of CD4+ lymphocytes into the brain contributes to neurodegeneration in a mouse model of Parkinson disease. <i>Journal of Clinical Investigation</i> , 2009, 119, 182-92.   | 8.2  | 875       |
| 5  | Dopamine depletion impairs precursor cell proliferation in Parkinson disease. <i>Nature Neuroscience</i> , 2004, 7, 726-735.  | 14.8 | 842       |
| 6  | Nuclear translocation of NF- $\kappa$ B is increased in dopaminergic neurons of patients with Parkinson disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 7531-7536.        | 7.1  | 657       |
| 7  | Caspase-3: A vulnerability factor and final effector in apoptotic death of dopaminergic neurons in Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 2875-2880. | 7.1  | 644       |
| 8  | Missing pieces in the Parkinson's disease puzzle. <i>Nature Medicine</i> , 2010, 16, 653-661.   | 30.7 | 621       |
| 9  | Nitric oxide synthase and neuronal vulnerability in parkinson's disease. <i>Neuroscience</i> , 1996, 72, 355-363.   | 2.3  | 556       |
| 10 | Immunocytochemical analysis of tumor necrosis factor and its receptors in Parkinson's disease. <i>Neuroscience Letters</i> , 1994, 172, 151-154.  | 2.1  | 532       |
| 11 | Neuroinflammation in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012, 18, S210-S212.  | 2.2  | 516       |
| 12 | Iron and Aluminum Increase in the Substantia Nigra of Patients with Parkinson's Disease: An X-Ray Microanalysis. <i>Journal of Neurochemistry</i> , 1991, 56, 446-451.  | 3.9  | 501       |
| 13 | Neuronal loss in the pedunculopontine tegmental nucleus in Parkinson disease and in progressive supranuclear palsy.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 5976-5980.    | 7.1  | 499       |
| 14 | Understanding Dopaminergic Cell Death Pathways in Parkinson Disease. <i>Neuron</i> , 2016, 90, 675-691.   | 8.1  | 460       |
| 15 | Pedunculopontine Nucleus Region Deep Brain Stimulation in Parkinson Disease: Surgical Anatomy and Terminology. <i>Stereotactic and Functional Neurosurgery</i> , 2016, 94, 298-306.   | 1.5  | 452       |
| 16 | Cellular localization of the Huntington's disease protein and discrimination of the normal and mutated form. <i>Nature Genetics</i> , 1995, 10, 104-110.  | 21.4 | 431       |
| 17 | Glutathione peroxidase, glial cells and Parkinson's disease. <i>Neuroscience</i> , 1993, 52, 1-6.   | 2.3  | 422       |
| 18 | Fc $\gamma$ RII/CD23 Is Expressed in Parkinson's Disease and Induces, <i>In Vitro</i> , Production of Nitric Oxide and Tumor Necrosis Factor- $\alpha$ in Glial Cells. <i>Journal of Neuroscience</i> , 1999, 19, 3440-3447.          | 3.6  | 399       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | JNK-mediated induction of cyclooxygenase 2 is required for neurodegeneration in a mouse model of Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 665-670. | 7.1  | 396       |
| 20 | The substantia nigra of the human brain. <i>Brain</i> , 1999, 122, 1421-1436.  | 7.6  | 395       |
| 21 | The Role of Glial Reaction and Inflammation in Parkinson's Disease. <i>Annals of the New York Academy of Sciences</i> , 2003, 991, 214-228.  | 3.8  | 394       |
| 22 | Cholinergic mesencephalic neurons are involved in gait and postural disorders in Parkinson disease. <i>Journal of Clinical Investigation</i> , 2010, 120, 2745-2754.   | 8.2  | 359       |
| 23 | Divalent metal transporter 1 (DMT1) contributes to neurodegeneration in animal models of Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18578-18583.     | 7.1  | 354       |
| 24 | Neuroinflammatory processes in Parkinson's disease. <i>Annals of Neurology</i> , 2003, 53, S49-S60.  | 5.3  | 353       |
| 25 | Parkin prevents mitochondrial swelling and cytochrome c release in mitochondria-dependent cell death. <i>Human Molecular Genetics</i> , 2003, 12, 517-526.   | 2.9  | 352       |
| 26 | Protective action of the peroxisome proliferator-activated receptor- $\beta$ agonist pioglitazone in a mouse model of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2002, 82, 615-624.                                   | 3.9  | 347       |
| 27 | Spinocerebellar ataxia type 7 (SCA7): a neurodegenerative disorder with neuronal intranuclear inclusions. <i>Human Molecular Genetics</i> , 1998, 7, 913-918.  | 2.9  | 308       |
| 28 | Activation of the subventricular zone in multiple sclerosis: Evidence for early glial progenitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4694-4699.                  | 7.1  | 299       |
| 29 | Glial cells and inflammation in parkinson's disease: A role in neurodegeneration?. <i>Annals of Neurology</i> , 1998, 44, S115-20.   | 5.3  | 289       |
| 30 | Chronic systemic complex I inhibition induces a hypokinetic multisystem degeneration in rats. <i>Journal of Neurochemistry</i> , 2003, 84, 491-502.  | 3.9  | 284       |
| 31 | Reduced expression of brain-derived neurotrophic factor protein in Parkinson's disease substantia nigra. <i>NeuroReport</i> , 1999, 10, 557-561.   | 1.2  | 272       |
| 32 | Re-evaluation of the functional anatomy of the basal ganglia in normal and Parkinsonian states. <i>Neuroscience</i> , 1997, 76, 335-343.   | 2.3  | 262       |
| 33 | Novel pharmacological targets for the treatment of Parkinson's disease. <i>Nature Reviews Drug Discovery</i> , 2006, 5, 845-854.   | 46.4 | 262       |
| 34 | Pathogenesis of Parkinson's disease. <i>Movement Disorders</i> , 2013, 28, 24-30.  | 3.9  | 256       |
| 35 | Subthalamotomy in parkinsonian monkeys Behavioural and biochemical analysis. <i>Brain</i> , 1996, 119, 1717-1727.  | 7.6  | 248       |
| 36 | The pRb/E2F cell-cycle pathway mediates cell death in Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3585-3590.  | 7.1  | 245       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Caspase-8 Is an Effector in Apoptotic Death of Dopaminergic Neurons in Parkinson's Disease, But Pathway Inhibition Results in Neuronal Necrosis. <i>Journal of Neuroscience</i> , 2001, 21, 2247-2255.                               | 3.6  | 242       |
| 38 | Dysfunction of mitochondrial complex I and the proteasome: interactions between two biochemical deficits in a cellular model of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2003, 86, 1297-1307.                         | 3.9  | 239       |
| 39 | Dopaminergic and cholinergic lesions in progressive supranuclear palsy. <i>Annals of Neurology</i> , 1985, 18, 523-529.  | 5.3  | 228       |
| 40 | Is the Vulnerability of Neurons in the Substantia Nigra of Patients with Parkinson's Disease Related to Their Neuromelanin Content?. <i>Journal of Neurochemistry</i> , 1992, 59, 1080-1089.   | 3.9  | 218       |
| 41 | The p38 subunit of the aminoacyl-tRNA synthetase complex is a Parkin substrate: linking protein biosynthesis and neurodegeneration. <i>Human Molecular Genetics</i> , 2003, 12, 1427-1437.   | 2.9  | 217       |
| 42 | Involvement of Mitochondrial Complex II Defects in Neuronal Death Produced by N-Terminus Fragment of Mutated Huntingtin. <i>Molecular Biology of the Cell</i> , 2006, 17, 1652-1663.   | 2.1  | 217       |
| 43 | Crosslinking of $\alpha$ -synuclein by advanced glycation endproducts "an early pathophysiological step in Lewy body formation?. <i>Journal of Chemical Neuroanatomy</i> , 2000, 20, 253-257.  | 2.1  | 212       |
| 44 | Cystamine and cysteamine increase brain levels of BDNF in Huntington disease via HSJ1b and transglutaminase. <i>Journal of Clinical Investigation</i> , 2006, 116, 1410-1424.  | 8.2  | 211       |
| 45 | Behavioural disorders induced by external globus pallidus dysfunction in primates: I. Behavioural study. <i>Brain</i> , 2004, 127, 2039-2054.  | 7.6  | 210       |
| 46 | Neuromelanin associated redox-active iron is increased in the substantia nigra of patients with Parkinson's disease. <i>Journal of Neurochemistry</i> , 2003, 86, 1142-1148.   | 3.9  | 206       |
| 47 | Blood vessels change in the mesencephalon of patients with Parkinson's disease. <i>Lancet, The</i> , 1999, 353, 981-982.   | 13.7 | 202       |
| 48 | Expression of lactoferrin receptors is increased in the mesencephalon of patients with Parkinson disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9603-9607.             | 7.1  | 195       |
| 49 | Heterogeneity and selectivity of the degeneration of cholinergic neurons in the basal forebrain of patients with Alzheimer's disease. <i>Journal of Comparative Neurology</i> , 1993, 330, 15-31.                                    | 1.6  | 194       |
| 50 | Does adrenal graft enhance recovery of dopaminergic neurons in Parkinson's disease?. <i>Annals of Neurology</i> , 1990, 27, 676-682.   | 5.3  | 191       |
| 51 | Annonacin, a lipophilic inhibitor of mitochondrial complex I, induces nigral and striatal neurodegeneration in rats: possible relevance for atypical parkinsonism in Guadeloupe. <i>Journal of Neurochemistry</i> , 2004, 88, 63-69. | 3.9  | 187       |
| 52 | Microglial glucocorticoid receptors play a pivotal role in regulating dopaminergic neurodegeneration in parkinsonism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6632-6637. | 7.1  | 184       |
| 53 | The mitochondrial complex I inhibitor rotenone triggers a cerebral tauopathy. <i>Journal of Neurochemistry</i> , 2005, 95, 930-939.  | 3.9  | 183       |
| 54 | Evidence of active microglia in substantia nigra pars compacta of parkinsonian monkeys 1 year after MPTP exposure. <i>Glia</i> , 2004, 46, 402-409.  | 4.9  | 181       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Neuroinflammatory processes in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2005, 11, S9-S15.   | 2.2 | 181       |
| 56 | Annonacin, a Natural Mitochondrial Complex I Inhibitor, Causes Tau Pathology in Cultured Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 7827-7837.   | 3.6 | 176       |
| 57 | Behavioural disorders induced by external globus pallidus dysfunction in primates II. Anatomical study. <i>Brain</i> , 2004, 127, 2055-2070.  | 7.6 | 171       |
| 58 | Evolution of changes in neuronal activity in the subthalamic nucleus of rats with unilateral lesion of the substantia nigra assessed by metabolic and electrophysiological measurements. <i>European Journal of Neuroscience</i> , 2000, 12, 337-344. | 2.6 | 168       |
| 59 | An immunohistochemical study of the distribution of brain-derived neurotrophic factor in the adult human brain, with particular reference to Alzheimer's disease. <i>Neuroscience</i> , 1999, 88, 1015-1032.  | 2.3 | 166       |
| 60 | Biochemistry of Parkinson's disease 28 years later: A critical review. <i>Movement Disorders</i> , 1989, 4, S126-S144.  | 3.9 | 154       |
| 61 | Consequences of Nigrostriatal Denervation on the Functioning of the Basal Ganglia in Human and Nonhuman Primates: An <i>In Situ</i> Hybridization Study of Cytochrome Oxidase Subunit I mRNA. <i>Journal of Neuroscience</i> , 1997, 17, 765-773.     | 3.6 | 154       |
| 62 | Metabolic activity of excitatory parafascicular and pedunculo-pontine inputs to the subthalamic nucleus in a rat model of Parkinson's disease. <i>Neuroscience</i> , 2000, 97, 79-88.   | 2.3 | 153       |
| 63 | Thalamic Neuronal Activity in Dopamine-Depleted Primates: Evidence for a Loss of Functional Segregation within Basal Ganglia Circuits. <i>Journal of Neuroscience</i> , 2005, 25, 1523-1531.  | 3.6 | 153       |
| 64 | The mitochondrial complex I inhibitor annonacin is toxic to mesencephalic dopaminergic neurons by impairment of energy metabolism. <i>Neuroscience</i> , 2003, 121, 287-296.  | 2.3 | 150       |
| 65 | Nuclear translocation of NF- $\kappa$ B in cholinergic neurons of patients with Alzheimer's disease. <i>NeuroReport</i> , 1997, 8, 2849-2852.   | 1.2 | 147       |
| 66 | Dopaminergic neurons degenerate by apoptosis in Parkinson's disease. <i>Movement Disorders</i> , 1999, 14, 383-384.   | 3.9 | 147       |
| 67 | Increased m-calpain expression in the mesencephalon of patients with parkinson's disease but not in other neurodegenerative disorders involving the mesencephalon: a role in nerve cell death?. <i>Neuroscience</i> , 1996, 73, 979-987.              | 2.3 | 146       |
| 68 | Persistent Increase in Olfactory Type G-Protein $\alpha$ Subunit Levels May Underlie D1 Receptor Functional Hypersensitivity in Parkinson Disease. <i>Journal of Neuroscience</i> , 2004, 24, 7007-7014.  | 3.6 | 146       |
| 69 | Decreased tyrosine hydroxylase messenger RNA in the surviving dopamine neurons of the substantia nigra in parkinson's disease: An in situ hybridization study. <i>Neuroscience</i> , 1990, 38, 245-253.   | 2.3 | 143       |
| 70 | Preservation of midbrain catecholaminergic neurons in very old human subjects. <i>Brain</i> , 2000, 123, 366-373.   | 7.6 | 139       |
| 71 | Is Bax a mitochondrial mediator in apoptotic death of dopaminergic neurons in Parkinson's disease?. <i>Journal of Neurochemistry</i> , 2001, 76, 1785-1793.   | 3.9 | 138       |
| 72 | Dopaminergic Substantia Nigra Neurons Project Topographically Organized to the Subventricular Zone and Stimulate Precursor Cell Proliferation in Aged Primates. <i>Journal of Neuroscience</i> , 2006, 26, 2321-2325.                                 | 3.6 | 138       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Effects of L-DOPA on preproenkephalin and preprotachykinin gene expression in the MPTP-treated monkey striatum. <i>Neuroscience</i> , 1995, 68, 1189-1198.  | 2.3 | 136       |
| 74 | Toll like receptor 4 mediates cell death in a mouse MPTP model of Parkinson disease. <i>Scientific Reports</i> , 2013, 3, 1393.   | 3.3 | 134       |
| 75 | Ten Unsolved Questions About Neuroinflammation in Parkinson's Disease. <i>Movement Disorders</i> , 2021, 36, 16-24.   | 3.9 | 133       |
| 76 | New striatal dopamine neurons in MPTP-treated macaques result from a phenotypic shift and not neurogenesis. <i>Brain</i> , 2006, 129, 1194-1200.  | 7.6 | 124       |
| 77 | A new model to study compensatory mechanisms in MPTP-treated monkeys exhibiting recovery. <i>Brain</i> , 2007, 130, 2898-2914.  | 7.6 | 124       |
| 78 | Neuronal vulnerability in Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 1997, 50, 79-88.  | 0.5 | 118       |
| 79 | Why are nigral catecholaminergic neurons more vulnerable than other cells in Parkinson's disease?. <i>Annals of Neurology</i> , 1992, 32, S88-S93.  | 5.3 | 117       |
| 80 | The pallidum-subthalamic projection: An anatomical substrate for nonmotor functions of the subthalamic nucleus in primates. <i>Movement Disorders</i> , 2005, 20, 172-180.  | 3.9 | 116       |
| 81 | Normal and pathological gait: what we learn from Parkinson's disease: Figure 1. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 979-985.   | 1.9 | 116       |
| 82 | Differences in tyrosine hydroxylase-like immunoreactivity characterize the mesostriatal innervation of striosomes and extrastriosomal matrix at maturity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 303-307. | 7.1 | 115       |
| 83 | Cellular distribution of the iron-binding protein lactoferrin in the mesencephalon of Parkinson's disease cases. <i>Acta Neuropathologica</i> , 1996, 91, 566-572.  | 7.7 | 111       |
| 84 | Lack of up-regulation of ferritin is associated with sustained iron regulatory protein-1 binding activity in the substantia nigra of patients with Parkinson's disease. <i>Journal of Neurochemistry</i> , 2002, 83, 320-330.   | 3.9 | 111       |
| 85 | Altered expression of vesicular glutamate transporters VGLUT1 and VGLUT2 in Parkinson disease. <i>Neurobiology of Aging</i> , 2007, 28, 568-578.  | 3.1 | 109       |
| 86 | Rescue of Mesencephalic Dopaminergic Neurons in Culture by Low-Level Stimulation of Voltage-Gated Sodium Channels. <i>Journal of Neuroscience</i> , 2004, 24, 5922-5930.  | 3.6 | 106       |
| 87 | Does the calcium binding protein calretinin protect dopaminergic neurons against degeneration in Parkinson's disease?. <i>Brain Research</i> , 1994, 668, 62-70.  | 2.2 | 105       |
| 88 | Metabolic activity of the basal ganglia in parkinsonian syndromes in human and non-human primates: A cytochrome oxidase histochemistry study. <i>Neuroscience</i> , 1996, 71, 903-912.  | 2.3 | 104       |
| 89 | Does Oxidative Stress Participate in Nerve Cell Death in Parkinson's Disease?. <i>European Neurology</i> , 1993, 33, 52-59.   | 1.4 | 103       |
| 90 | Synaptic Plasticity in the Caudate Nucleus of Patients with Parkinson's Disease. <i>Experimental Neurology</i> , 1996, 5, 121-128.  | 1.7 | 102       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Dopaminergic innervation of the subthalamic nucleus in the normal state, in MPTP-treated monkeys, and in Parkinson's disease patients. <i>Journal of Comparative Neurology</i> , 2000, 425, 121-129.  | 1.6 | 100       |
| 92  | Atypical parkinsonism in Guadeloupe: a common risk factor for two closely related phenotypes?. <i>Brain</i> , 2007, 130, 816-827.   | 7.6 | 99        |
| 93  | Does neuromelanin contribute to the vulnerability of catecholaminergic neurons in monkeys intoxicated with MPTP?. <i>Neuroscience</i> , 1993, 56, 499-511.  | 2.3 | 97        |
| 94  | Caspase-3 activation in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-treated mice. <i>Movement Disorders</i> , 2001, 16, 185-189.  | 3.9 | 97        |
| 95  | Changes in vascularization in substantia nigra pars compacta of monkeys rendered parkinsonian. <i>Journal of Neural Transmission</i> , 2005, 112, 1237-1248.  | 2.8 | 94        |
| 96  | Bee Venom and Its Component Apamin as Neuroprotective Agents in a Parkinson Disease Mouse Model. <i>PLoS ONE</i> , 2013, 8, e61700.   | 2.5 | 93        |
| 97  | Cigarette smoke and nicotine protect dopaminergic neurons against the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine Parkinsonian toxin. <i>Brain Research</i> , 2003, 984, 224-232.  | 2.2 | 90        |
| 98  | Behavioral changes are not directly related to striatal monoamine levels, number of nigral neurons, or dose of parkinsonian toxin MPTP in mice. <i>Neurobiology of Disease</i> , 2003, 14, 218-228.   | 4.4 | 90        |
| 99  | Consequence of nigrostriatal denervation and L-dopa therapy on the expression of glutamic acid decarboxylase messenger RNA in the pallidum. <i>Neurology</i> , 1996, 47, 219-224.   | 1.1 | 88        |
| 100 | Heterogeneous Intracellular Localization and Expression of Ataxin-3. <i>Neurobiology of Disease</i> , 1998, 5, 335-347.   | 4.4 | 88        |
| 101 | Metabolic effects of nigrostriatal denervation in basal ganglia. <i>Trends in Neurosciences</i> , 2000, 23, S78-S85.  | 8.6 | 88        |
| 102 | Paraxanthine, the Primary Metabolite of Caffeine, Provides Protection against Dopaminergic Cell Death via Stimulation of Ryanodine Receptor Channels. <i>Molecular Pharmacology</i> , 2008, 74, 980-989.                                      | 2.3 | 86        |
| 103 | Mesencephalic cholinergic nuclei in progressive supranuclear palsy. <i>Neurology</i> , 1991, 41, 25-25.   | 1.1 | 85        |
| 104 | Glial cell line-derived neurotrophic factor (GDNF) gene expression in the human brain: A post mortem in situ hybridization study with special reference to Parkinson's disease. <i>Journal of Neural Transmission</i> , 1996, 103, 1043-1052. | 2.8 | 84        |
| 105 | Behavioral Recovery in MPTP-Treated Monkeys: Neurochemical Mechanisms Studied by Intrastratial Microdialysis. <i>Journal of Neuroscience</i> , 2008, 28, 9575-9584.   | 3.6 | 84        |
| 106 | c-fos protein-like immunoreactivity: Distribution in the human brain and over-expression in the hippocampus of patients with Alzheimer's disease. <i>Neuroscience</i> , 1992, 46, 9-21.   | 2.3 | 82        |
| 107 | Role of TNF- $\alpha$ Receptors in Mice Intoxicated with the Parkinsonian Toxin MPTP. <i>Experimental Neurology</i> , 2002, 177, 183-192.   | 4.1 | 81        |
| 108 | Three-dimensional cartography of functional territories in the human striatopallidal complex by using calbindin immunoreactivity. <i>Journal of Comparative Neurology</i> , 2002, 450, 122-134.   | 1.6 | 81        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Expression of glutamate receptors in the human and rat basal ganglia: Effect of the dopaminergic denervation on AMPA receptor gene expression in the striatopallidal complex in parkinson's disease and rat with 6-OHDA lesion. <i>Journal of Comparative Neurology</i> , 1996, 368, 553-568. | 1.6  | 80        |
| 110 | Gait Disorders in Parkinsonian Monkeys with Pedunculopontine Nucleus Lesions: A Tale of Two Systems. <i>Journal of Neuroscience</i> , 2013, 33, 11986-11993.  | 3.6  | 80        |
| 111 | Selective loss of cholinergic neurons in the ventral striatum of patients with Alzheimer disease.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 8580-8584.  | 7.1  | 79        |
| 112 | Dopamine, tremor, and Parkinson's disease. <i>Lancet, The</i> , 1992, 340, 125-126.   | 13.7 | 79        |
| 113 | Dopaminergic cell group A8 in the monkey: Anatomical organization and projections to the striatum. , 1999, 414, 334-347.  |      | 79        |
| 114 | Protection of midbrain dopaminergic neurons by the endo-product of purine metabolism uric acid: potentiation by low-level depolarization. <i>Journal of Neurochemistry</i> , 2009, 109, 1118-1128.  | 3.9  | 79        |
| 115 | Superoxide dismutase and Parkinson's disease. <i>Lancet, The</i> , 1990, 335, 1035-1036.  | 13.7 | 77        |
| 116 | Levodopa induces a cytoplasmic localization of D1 dopamine receptors in striatal neurons in Parkinson's disease. <i>Annals of Neurology</i> , 1999, 46, 103-111.  | 5.3  | 77        |
| 117 | Biochemistry of Parkinson's disease with special reference to the dopaminergic systems. <i>Molecular Neurobiology</i> , 1994, 9, 135-142.   | 4.0  | 74        |
| 118 | Behavioral Consequences of Bicuculline Injection in the Subthalamic Nucleus and the Zona Incerta in Rat. <i>Journal of Neuroscience</i> , 2002, 22, 8711-8719.  | 3.6  | 74        |
| 119 | Tyrosine hydroxylase protein and messenger RNA in the dopaminergic nigral neurons of patients with Parkinson's disease. <i>Brain Research</i> , 1993, 606, 341-345.   | 2.2  | 73        |
| 120 | Decreased TrkA Gene Expression in Cholinergic Neurons of the Striatum and Basal Forebrain of Patients with Alzheimer's Disease. <i>Experimental Neurology</i> , 1997, 145, 245-252.   | 4.1  | 73        |
| 121 | Does monoamine oxidase type B play a role in dopaminergic nerve cell death in Parkinson's disease?. <i>Neurology</i> , 1996, 46, 1262-1262.   | 1.1  | 72        |
| 122 | Consequences of nigrostriatal denervation on the gamma-aminobutyric acid neurons of substantia nigra pars reticulata and superior colliculus in parkinsonian syndromes. <i>Neurology</i> , 1996, 46, 802-809.   | 1.1  | 72        |
| 123 | Neuroprotection of midbrain dopamine neurons by nicotine is gated by cytoplasmic Ca <sup>2+</sup> . <i>FASEB Journal</i> , 2011, 25, 2563-2573.   | 0.5  | 72        |
| 124 | Selective vulnerability of pigmented dopaminergic neurons in Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 1989, 80, 19-22.   | 2.1  | 71        |
| 125 | Choline acetyltransferase-like immunoreactivity in the hippocampal formation of control subjects and patients with Alzheimer's disease. <i>Neuroscience</i> , 1989, 32, 701-714.  | 2.3  | 71        |
| 126 | The Phenotypic Differentiation of Locus Coeruleus Noradrenergic Neurons Mediated by Brain-Derived Neurotrophic Factor Is Enhanced by Corticotropin Releasing Factor through the Activation of a cAMP-Dependent Signaling Pathway. <i>Molecular Pharmacology</i> , 2006, 70, 30-40.            | 2.3  | 71        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Tremor-related activity of neurons in the "motor" thalamus: changes in firing rate and pattern in the MPTP vervet model of parkinsonism. <i>European Journal of Neuroscience</i> , 2003, 17, 2388-2400.  | 2.6 | 69        |
| 128 | Decreased choline acetyltransferase mRNA expression in the nucleus basalis of Meynert in Alzheimer disease: an in situ hybridization study.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 9549-9553.   | 7.1 | 68        |
| 129 | The Iron-Binding Protein Lactoferrin Protects Vulnerable Dopamine Neurons from Degeneration by Preserving Mitochondrial Calcium Homeostasis. <i>Molecular Pharmacology</i> , 2013, 84, 888-898.  | 2.3 | 68        |
| 130 | NMDA receptor GluN2A/GluN2B subunit ratio as synaptic trait of levodopa-induced dyskinesias: from experimental models to patients. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 245.   | 3.7 | 68        |
| 131 | Modelling Parkinson-like neurodegeneration via osmotic minipump delivery of MPTP and probenecid. <i>Journal of Neurochemistry</i> , 2008, 107, 701-711.  | 3.9 | 67        |
| 132 | Metabolic activity of cerebellar and basal ganglia-thalamic neurons is reduced in parkinsonism. <i>Brain</i> , 2006, 130, 265-275.   | 7.6 | 66        |
| 133 | Striosomes and extrastriosomal matrix contain different amounts of immunoreactive choline acetyltransferase in the human striatum. <i>Neuroscience Letters</i> , 1989, 96, 145-150.  | 2.1 | 63        |
| 134 | Flavaglines as Potent Anticancer and Cytoprotective Agents. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10064-10073.   | 6.4 | 63        |
| 135 | Alterations of GABAergic neurons in the basal ganglia of patients with progressive supranuclear palsy. <i>Neurology</i> , 1995, 45, 127-134.   | 1.1 | 62        |
| 136 | FADD: A link between TNF family receptors and caspases in Parkinson's disease. <i>Neurology</i> , 2002, 58, 308-310.   | 1.1 | 62        |
| 137 | Immunocytochemical Quantification of Tyrosine Hydroxylase at a Cellular Level in the Mesencephalon of Control Subjects and Patients with Parkinson's and Alzheimer's Disease. <i>Journal of Neurochemistry</i> , 1993, 61, 1024-1034.                        | 3.9 | 61        |
| 138 | Distribution of ataxin-7 in normal human brain and retina. <i>Brain</i> , 2000, 123, 2519-2530.  | 7.6 | 60        |
| 139 | Effect of mitochondrial complex I inhibition on Fe-S cluster protein activity. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 241-246.  | 2.1 | 60        |
| 140 | Distribution of manganese-dependent superoxide dismutase in the human brain. <i>Neuroscience</i> , 1994, 61, 317-330.  | 2.3 | 59        |
| 141 | Effects of Nigrostriatal Denervation and L-Dopa Therapy on the GABAergic Neurons of the Striatum in MPTP-treated Monkeys and Parkinson's Disease: An In Situ Hybridization Study of GAD67mRNA. <i>European Journal of Neuroscience</i> , 1995, 7, 1199-1209. | 2.6 | 59        |
| 142 | Neuronal distribution of intranuclear inclusions in Huntington's disease with adult onset. <i>NeuroReport</i> , 1998, 9, 1823-1826.  | 1.2 | 59        |
| 143 | Specific needs of dopamine neurons for stimulation in order to survive: implication for Parkinson disease. <i>FASEB Journal</i> , 2013, 27, 3414-3423.   | 0.5 | 59        |
| 144 | The Oxygen Paradox, the French Paradox, and age-related diseases. <i>GeroScience</i> , 2017, 39, 499-550.  | 4.6 | 59        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Somatic mosaicism of the CAG repeat expansion in spinocerebellar ataxia type 3/Machado-Joseph disease. <i>Human Mutation</i> , 1998, 11, 23-27.   | 2.5  | 58        |
| 146 | The Neurotransmitter Noradrenaline Rescues Septal Cholinergic Neurons in Culture from Degeneration Caused by Low-Level Oxidative Stress. <i>Molecular Pharmacology</i> , 2005, 67, 1882-1891.                           | 2.3  | 58        |
| 147 | Glial cells and Parkinson's disease. <i>Journal of Neurology</i> , 2000, 247, 1158-1162.  | 3.6  | 57        |
| 148 | Inflammation and dopaminergic neuronal loss in Parkinson's disease: a complex matter. <i>Experimental Neurology</i> , 2003, 184, 561-564.   | 4.1  | 57        |
| 149 | Immunohistochemical study of catechol-O-methyltransferase in the human mesostriatal system. <i>Neuroscience</i> , 1994, 62, 449-457.  | 2.3  | 55        |
| 150 | Functional Activity of Zona Incerta Neurons Is Altered after Nigrostriatal Denervation in Hemiparkinsonian Rats. <i>Experimental Neurology</i> , 2000, 162, 215-224.  | 4.1  | 54        |
| 151 | Nitric oxide, glial cells and neuronal degeneration in parkinsonism. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 163-165.   | 8.7  | 54        |
| 152 | Pedunculopontine Nucleus Region Deep Brain Stimulation in Parkinson Disease: Surgical Techniques, Side Effects, and Postoperative Imaging. <i>Stereotactic and Functional Neurosurgery</i> , 2016, 94, 307-319.         | 1.5  | 54        |
| 153 | Differential vulnerability of cholinergic projections to the mediodorsal nucleus of the thalamus in senile dementia of Alzheimer type and progressive supranuclear palsy. <i>Neuroscience</i> , 1991, 41, 25-31.        | 2.3  | 53        |
| 154 | GM-1 ganglioside promotes the recovery of surviving midbrain dopaminergic neurons in MPTP-treated monkeys. <i>Neuroscience</i> , 1993, 56, 965-972.   | 2.3  | 53        |
| 155 | Glucocorticoid receptor in astrocytes regulates midbrain dopamine neurodegeneration through connexin hemichannel activity. <i>Cell Death and Differentiation</i> , 2019, 26, 580-596.                                   | 11.2 | 53        |
| 156 | Stathmin: Cellular localization of a major phosphoprotein in the adult rat and human CNS. <i>Journal of Comparative Neurology</i> , 1993, 337, 655-668.   | 1.6  | 51        |
| 157 | Distribution of <sup>125</sup> I-Ferrotransferrin Binding Sites in the Mesencephalon of Control Subjects and Patients with Parkinson's Disease. <i>Journal of Neurochemistry</i> , 1993, 60, 2338-2341.                 | 3.9  | 51        |
| 158 | Analysis of monocyte infiltration in MPTP mice reveals that microglial CX3CR1 protects against neurotoxic over-induction of monocyte-attracting CCL2 by astrocytes. <i>Journal of Neuroinflammation</i> , 2017, 14, 60. | 7.2  | 50        |
| 159 | Quantitative Autoradiography of Tyrosine Hydroxylase Immunoreactivity in the Rat Brain. <i>Journal of Neurochemistry</i> , 1991, 57, 1212-1222.   | 3.9  | 49        |
| 160 | Consequences of Dopaminergic Denervation on the Metabolic Activity of the Cortical Neurons Projecting to the Subthalamic Nucleus in the Rat. <i>Journal of Neuroscience</i> , 2002, 22, 8762-8770.                      | 3.6  | 49        |
| 161 | Neuronal vulnerability in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012, 18, S52-S54.   | 2.2  | 49        |
| 162 | Hepcidin attenuates amyloid beta-induced inflammatory and pro-oxidant responses in astrocytes and microglia. <i>Journal of Neurochemistry</i> , 2017, 142, 140-152.   | 3.9  | 49        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Somatostatin messenger rna-containing neurons in Alzheimer's disease: An in situ hybridization study in hippocampus, parahippocampal cortex and frontal cortex. <i>Neuroscience</i> , 1994, 61, 755-764.                             | 2.3 | 48        |
| 164 | Differential distribution of the normal and mutated forms of huntingtin in the human brain. <i>Annals of Neurology</i> , 1997, 42, 712-719.  | 5.3 | 48        |
| 165 | Parkin immunoreactivity in the brain of human and non-human primates: An immunohistochemical analysis in normal conditions and in Parkinsonian syndromes. <i>Journal of Comparative Neurology</i> , 2001, 432, 184-196.              | 1.6 | 48        |
| 166 | Decreased tyrosine hydroxylase content in the dopaminergic neurons of MPTP-intoxicated monkeys: Effect of levodopa and GM1 ganglioside therapy. <i>Annals of Neurology</i> , 1994, 36, 206-214.                                      | 5.3 | 47        |
| 167 | The density of [125I]-transferrin binding sites on perikarya of melanized neurons of the substantia nigra is decreased in Parkinson's disease. <i>Brain Research</i> , 1997, 749, 170-174.   | 2.2 | 47        |
| 168 | Systemic Administration of NMDA and AMPA Receptor Antagonists Reverses the Neurochemical Changes Induced by Nigrostriatal Denervation in Basal Ganglia. <i>Journal of Neurochemistry</i> , 2002, 73, 344-352.                        | 3.9 | 47        |
| 169 | Evidence for a dopaminergic innervation of the pedunculopontine nucleus in monkeys, and its drastic reduction after MPTP intoxication. <i>Journal of Neurochemistry</i> , 2009, 110, 1321-1329.                                      | 3.9 | 47        |
| 170 | LY293558, an AMPA glutamate receptor antagonist, prevents and reverses levodopa-induced motor alterations in Parkinsonian rats. <i>Synapse</i> , 2001, 42, 40-47.  | 1.2 | 46        |
| 171 | Progressive supranuclear palsy. <i>Neurology</i> , 1991, 41, 1593-1593.  | 1.1 | 46        |
| 172 | Tyrosine kinase B messenger RNA expression in normal human brain and in the substantia nigra of parkinsonian patients: an in situ hybridization study. <i>Neuroscience</i> , 1998, 86, 813-826.                                      | 2.3 | 45        |
| 173 | Distribution and morphology of nigral axons projecting to the thalamus in primates. <i>Journal of Comparative Neurology</i> , 2002, 447, 249-260.  | 1.6 | 45        |
| 174 | Increased Expression and Redistribution of the Antiapoptotic Molecule Bcl-xL in Parkinson's Disease. <i>Neurobiology of Disease</i> , 2002, 10, 28-32.   | 4.4 | 44        |
| 175 | Ipsilateral and contralateral subthalamic activity after unilateral dopaminergic lesion. <i>NeuroReport</i> , 2000, 11, 3275-3278.   | 1.2 | 43        |
| 176 | Sleep Disorders in Parkinsonian Macaques: Effects of L-Dopa Treatment and Pedunculopontine Nucleus Lesion. <i>Journal of Neuroscience</i> , 2014, 34, 9124-9133.   | 3.6 | 43        |
| 177 | Autoradiographic localization and density of [125I]ferrotransferrin binding sites in the basal ganglia of control subjects, patients with Parkinson's disease and MPTP-lesioned monkeys. <i>Brain Research</i> , 1995, 691, 115-124. | 2.2 | 42        |
| 178 | Effects of L-DOPA-therapy on dopamine D2 receptor mRNA expression in the striatum of MPTP-intoxicated parkinsonian monkeys. <i>Molecular Brain Research</i> , 1996, 42, 149-155.   | 2.3 | 42        |
| 179 | Distribution of semaphorin IV in adult human brain. <i>Brain Research</i> , 1999, 823, 67-79.  | 2.2 | 42        |
| 180 | Mitochondrial free calcium levels (Rhod-2 fluorescence) and ultrastructural alterations in neuronally differentiated PC12 cells during ceramide-dependent cell death. <i>Journal of Comparative Neurology</i> , 2000, 426, 297-315.  | 1.6 | 42        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Nicotine, but not cotinine, partially protects dopaminergic neurons against MPTP-induced degeneration in mice. <i>Brain Research</i> , 2001, 890, 347-350.  | 2.2 | 42        |
| 182 | Role of activity-dependent mechanisms in the control of dopaminergic neuron survival. <i>Journal of Neurochemistry</i> , 2007, 101, 289-297.  | 3.9 | 42        |
| 183 | Dysfunction of the subthalamic nucleus induces behavioral and movement disorders in monkeys. <i>Movement Disorders</i> , 2009, 24, 1183-1192.   | 3.9 | 42        |
| 184 | Cloning of Rat Parkin cDNA and Distribution of Parkin in Rat Brain. <i>Journal of Neurochemistry</i> , 2002, 74, 1773-1776.   | 3.9 | 41        |
| 185 | Quantitative analysis of dopaminergic loss in relation to functional territories in MPTP-treated monkeys. <i>European Journal of Neuroscience</i> , 2003, 18, 2082-2086.  | 2.6 | 41        |
| 186 | New Species of Human Tyrosine Hydroxylase mRNA Are Produced in Variable Amounts in Adrenal Medulla and Are Overexpressed in Progressive Supranuclear Palsy. <i>Journal of Neurochemistry</i> , 1996, 67, 19-25.   | 3.9 | 40        |
| 187 | Neuronal Localization of Copper-Zinc Superoxide Dismutase Protein and mRNA within the Human Hippocampus from Control and Alzheimer'S Disease Brains. <i>Free Radical Research Communications</i> , 1991, 13, 571-580.   | 1.8 | 39        |
| 188 | Substance P, Neurokinins A and B, and Synthetic Tachykinin Peptides Protect Mesencephalic Dopaminergic Neurons in Culture via an Activity-Dependent Mechanism. <i>Molecular Pharmacology</i> , 2005, 68, 1214-1224.   | 2.3 | 38        |
| 189 | Clinical and pathological features in hydrocarbon-induced Parkinsonism. <i>Annals of Neurology</i> , 1996, 40, 922-925.   | 5.3 | 37        |
| 190 | The inflammatory response in the Parkinson brain. <i>Clinical Neuroscience Research</i> , 2001, 1, 434-443.   | 0.8 | 37        |
| 191 | Impairment of contextâ€adapted movement selection in a primate model of presymptomatic Parkinsonâ€™s disease. <i>Brain</i> , 2003, 126, 1392-1408.   | 7.6 | 37        |
| 192 | Trk Neurotrophin Receptors in Cholinergic Neurons of Patients with Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 1997, 8, 1-8.   | 1.5 | 36        |
| 193 | Role of pedunculopontine cholinergic neurons in the vulnerability of nigral dopaminergic neurons in Parkinson's disease. <i>Experimental Neurology</i> , 2016, 275, 209-219.  | 4.1 | 36        |
| 194 | Dysfunction of mitochondrial Lon protease and identification of oxidized protein in mouse brain following exposure to MPTP: Implications for Parkinson disease. <i>Free Radical Biology and Medicine</i> , 2017, 108, 236-246.  | 2.9 | 36        |
| 195 | Preferential expression of superoxide dismutase messenger RNA in melanized neurons in human mesencephalon. <i>Neuroscience</i> , 1993, 55, 167-175.   | 2.3 | 35        |
| 196 | Role of pontine nuclei damage in smooth pursuit impairment of progressive supranuclear palsy. <i>Neurology</i> , 1994, 44, 716-716.   | 1.1 | 35        |
| 197 | Regional distribution of monoamine vesicular uptake sites in the mesencephalon of control subjects and patients with Parkinson's disease: a postmortem study using tritiated tetrabenazine. <i>Brain Research</i> , 1995, 692, 233-243.   | 2.2 | 35        |
| 198 | Effect of subthalamic nucleus or entopeduncular nucleus lesion on levodopaâ€induced neurochemical changes within the basal ganglia and on levodopaâ€induced motor alterations in 6â€hydroxydopamineâ€lesioned rats. <i>Journal of Neurochemistry</i> , 2003, 86, 1328-1337. | 3.9 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Blood vessels and Parkinsonism. <i>Frontiers in Bioscience - Landmark</i> , 2004, 9, 277.   | 3.0 | 34        |
| 200 | Iron transport in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2009, 15, S209-S211.   | 2.2 | 34        |
| 201 | Motor neuron disease, parkinsonism and dementia. <i>Acta Neuropathologica</i> , 1987, 75, 104-108.  | 7.7 | 33        |
| 202 | Monoamine vesicular uptake sites in patients with Parkinson's disease and Alzheimer's disease, as measured by tritiated dihydrotetrabenazine autoradiography. <i>Brain Research</i> , 1994, 659, 1-9.   | 2.2 | 33        |
| 203 | Plasticity of nerve afferents to nigrostriatal neurons in parkinson's disease. <i>Annals of Neurology</i> , 1995, 37, 265-272.  | 5.3 | 33        |
| 204 | Heat shock protein 60: an endogenous inducer of dopaminergic cell death in Parkinson disease. <i>Journal of Neuroinflammation</i> , 2014, 11, 86.   | 7.2 | 33        |
| 205 | The noble gas xenon provides protection and trophic stimulation to midbrain dopamine neurons. <i>Journal of Neurochemistry</i> , 2017, 142, 14-28.  | 3.9 | 33        |
| 206 | Seven Solutions for Neuroprotection in Parkinson's Disease. <i>Movement Disorders</i> , 2021, 36, 306-316.  | 3.9 | 33        |
| 207 | Mechanism and consequences of nerve cell death in Parkinson's disease. <i>Journal of Neural Transmission Supplementum</i> , 1999, 56, 127-137.  | 0.5 | 31        |
| 208 | Proliferation of microglial cells induced by 1-methyl-4-phenylpyridinium in mesencephalic cultures results from an astrocyte-dependent mechanism: role of granulocyte macrophage colony-stimulating factor. <i>Journal of Neurochemistry</i> , 2005, 95, 1069-1077. | 3.9 | 31        |
| 209 | Alzheimer's disease: Is the decrease of the cholinergic innervation of the hippocampus related to intrinsic hippocampal pathology?. <i>Neuroscience</i> , 1992, 47, 843-851.  | 2.3 | 30        |
| 210 | Catecholaminergic systems in the medulla oblongata in parkinsonian syndromes. <i>Neurology</i> , 1990, 40, 1739-1739.   | 1.1 | 30        |
| 211 | Dopaminergic innervation of the pallidum in the normal state, in MPTP-treated monkeys and in parkinsonian patients. <i>European Journal of Neuroscience</i> , 2000, 12, 4525-4535.  | 2.6 | 29        |
| 212 | Expression of tachykinin NK2 receptor mRNA in human brain. <i>Neuroscience Letters</i> , 2001, 303, 25-28.  | 2.1 | 29        |
| 213 | Ultrastructural localization of parkin in the rat brainstem, thalamus and basal ganglia. <i>Journal of Neural Transmission</i> , 2004, 111, 1209-1218.  | 2.8 | 29        |
| 214 | Neuromelanin Accumulation with Age in Catecholaminergic Neurons from <i>Macaca fascicularis</i> Brainstem. <i>Developmental Neuroscience</i> , 1993, 15, 37-48.   | 2.0 | 28        |
| 215 | Levodopa but not ropinirole induces an internalization of D1 dopamine receptors in parkinsonian rats. <i>Movement Disorders</i> , 2002, 17, 1174-1179.  | 3.9 | 28        |
| 216 | Localization of copper-zinc superoxide dismutase mRNA in human hippocampus by in situ hybridization. <i>Neuroscience Letters</i> , 1989, 105, 41-46.  | 2.1 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Changes in GAD67 mRNA expression evidenced by in situ hybridization in the brain of R6/2 transgenic mice. <i>Journal of Neurochemistry</i> , 2003, 86, 1369-1378.  | 3.9 | 27        |
| 218 | Disruption of self-organized actions in monkeys with progressive MPTP-induced parkinsonism: II. Effects of reward preference. <i>European Journal of Neuroscience</i> , 2004, 19, 437-446.   | 2.6 | 27        |
| 219 | Xenon-mediated neuroprotection in response to sustained, low-level excitotoxic stress. <i>Cell Death Discovery</i> , 2016, 2, 16018.   | 4.7 | 27        |
| 220 | Age-related changes of neuronal counts in the human pedunculopontine nucleus. <i>Neuroscience Letters</i> , 2000, 288, 195-198.  | 2.1 | 26        |
| 221 | Cellular Quantification of Tyrosine Hydroxylase in the Rat Brain by Immunoautoradiography. <i>Journal of Neurochemistry</i> , 1993, 61, 617-626.   | 3.9 | 26        |
| 222 | Effect of melatonin on sleep disorders in a monkey model of Parkinson's disease. <i>Sleep Medicine</i> , 2015, 16, 1245-1251.  | 1.6 | 26        |
| 223 | Long-term outcome in neuroZika. <i>Neurology</i> , 2019, 92, e2406-e2420.  | 1.1 | 26        |
| 224 | Microtopography of d1 dopaminergic binding sites in the human substantia nigra: An autoradiographic study. <i>Neuroscience</i> , 1990, 37, 387-398.  | 2.3 | 25        |
| 225 | Striatal expression of substance P and methionin-enkephalin genes in patients with Parkinson's disease. <i>Neuroscience Letters</i> , 1995, 199, 220-224.  | 2.1 | 25        |
| 226 | Disruption of self-organized actions in monkeys with progressive MPTP-induced parkinsonism. I. Effects of task complexity. <i>European Journal of Neuroscience</i> , 2004, 19, 426-436.  | 2.6 | 25        |
| 227 | Probenecid potentiates <scp>MPTP</scp>/<scp>MPP</scp><sup>+</sup> toxicity by interference with cellular energy metabolism. <i>Journal of Neurochemistry</i> , 2013, 127, 782-792.   | 3.9 | 25        |
| 228 | Choline acetyltransferase mRNA expression in the striatal neurons of patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 1997, 225, 169-172.  | 2.1 | 24        |
| 229 | Sparing of orexinâ€œA</scp> and orexinâ€œB</scp> neurons in the hypothalamus and of orexin fibers in the substantia nigra of 1â€œmethylâ€œ4â€œphenylâ€œ1,2,3,6â€œtetrahydropyridineâ€œtreated macaques. <i>European Journal of Neuroscience</i> , 2015, 41, 129-136. |     | 24        |
| 230 | Tyrosine hydroxylase gene expression in human ventral mesencephalon: Detection of tyrosine hydroxylase messenger RNA in neurites. <i>Journal of Neuroscience Research</i> , 1990, 25, 569-575.   | 2.9 | 23        |
| 231 | Compartmental ordering of cholinergic innervation in the mediodorsal nucleus of the thalamus in human brain. <i>Brain Research</i> , 1990, 515, 117-125.   | 2.2 | 23        |
| 232 | The indirect basal ganglia pathway in dopamine D2 receptor-deficient mice. <i>Neuroscience</i> , 2000, 99, 643-650.  | 2.3 | 23        |
| 233 | Donepezil induces a cholinergic sprouting in basocortical degeneration. <i>Journal of Neurochemistry</i> , 2007, 102, 434-440.   | 3.9 | 23        |
| 234 | K<sub>ATP</sub> channel blockade protects midbrain dopamine neurons by repressing a gliaâ€œtoâ€œneuron signaling cascade that ultimately disrupts mitochondrial calcium homeostasis. <i>Journal of Neurochemistry</i> , 2010, 114, 553-564.                          | 3.9 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Glucocerebrosidase deficiency and mitochondrial impairment in experimental Parkinson disease. <i>Journal of the Neurological Sciences</i> , 2015, 356, 129-136.   | 0.6 | 23        |
| 236 | Expression of catalytic trkB gene in the striatum and the basal forebrain of patients with Alzheimer's disease: an in situ hybridization study. <i>Neuroscience Letters</i> , 1997, 221, 141-144.           | 2.1 | 22        |
| 237 | AMPA receptor antagonist LY293558 reverses preproenkephalin mRNA overexpression in the striatum of 6-OHDA-lesioned-rats treated with l-dopa. <i>European Journal of Neuroscience</i> , 2002, 16, 2236-2240. | 2.6 | 22        |
| 238 | How to improve neuroprotection in Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2007, 13, S332-S335.  | 2.2 | 22        |
| 239 | Internal pallidum and substantia nigra control different parts of the mesopontine reticular formation in primate. <i>Movement Disorders</i> , 2011, 26, 1648-1656.  | 3.9 | 22        |
| 240 | Cholinergic neuronal loss in the globus pallidus of Alzheimer disease patients. <i>Neuroscience Letters</i> , 1991, 123, 152-155.   | 2.1 | 21        |
| 241 | Regional vulnerability of mesencephalic dopaminergic neurons prone to degenerate in Parkinson's disease: A post-mortem study in human control subjects. <i>Neurobiology of Disease</i> , 2006, 23, 409-421. | 4.4 | 21        |
| 242 | S29434, a Quinone Reductase 2 Inhibitor: Main Biochemical and Cellular Characterization. <i>Molecular Pharmacology</i> , 2019, 95, 269-285.   | 2.3 | 21        |
| 243 | Differential vulnerability to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine of dopaminergic and cholinergic neurons in the monkey mesopontine tegmentum. <i>Brain Research</i> , 1993, 624, 281-285.         | 2.2 | 20        |
| 244 | Animal models in neurodegenerative diseases. , 2007, , 87-90.   |     | 20        |
| 245 | Calpastatin immunoreactivity in the monkey and human brain of control subjects and patients with Parkinson's disease. , 2000, 419, 175-192.   |     | 19        |
| 246 | Is Differential Regulation of Mitochondrial Transcripts in Parkinson's Disease Related to Apoptosis?. <i>Journal of Neurochemistry</i> , 1997, 68, 2098-2110.   | 3.9 | 19        |
| 247 | Neuroprotective and neurorestorative potential of xenon. <i>Cell Death and Disease</i> , 2016, 7, e2182-e2182.  | 6.3 | 19        |
| 248 | Neurotrophin receptors and selective loss of cholinergic neurons in Alzheimer disease. <i>Molecular and Chemical Neuropathology</i> , 1996, 28, 219-223.  | 1.0 | 18        |
| 249 | Experimental evidence for a toxic etiology of tropical parkinsonism. <i>Movement Disorders</i> , 2005, 20, 118-119.   | 3.9 | 18        |
| 250 | Striatal Expression of Glutamic Acid Decarboxylase Gene in Alzheimer's Disease. <i>Journal of Neurochemistry</i> , 2002, 71, 767-774.   | 3.9 | 16        |
| 251 | Parafascicular nucleus projection to the extrastriatal basal ganglia in monkeys. <i>NeuroReport</i> , 2006, 17, 277-280.  | 1.2 | 16        |
| 252 | monoclonal antibodies raised against Lewy bodies in brains from subjects with Parkinson's disease. <i>Brain Research</i> , 1985, 345, 374-378.  | 2.2 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Tumor Necrosis Factor-Like Weak Inducer of Apoptosis Induces Astrocyte Proliferation through the Activation of Transforming-Growth Factor- $\beta$ /Epidermal Growth Factor Receptor Signaling Pathway. <i>Molecular Pharmacology</i> , 2012, 82, 948-957. | 2.3 | 15        |
| 254 | The Sleep-Modulating Peptide Orexin-B Protects Midbrain Dopamine Neurons from Degeneration, Alone or in Cooperation with Nicotine. <i>Molecular Pharmacology</i> , 2015, 87, 525-532.  | 2.3 | 15        |
| 255 | Piperazine derivatives as iron chelators: a potential application in neurobiology. <i>BioMetals</i> , 2015, 28, 1043-1061.   | 4.1 | 15        |
| 256 | Expression of Trk Isoforms in Brain Regions and in the Striatum of Patients with Alzheimer's Disease. <i>Experimental Neurology</i> , 2000, 165, 285-294.  | 4.1 | 14        |
| 257 | In situ hybridization of GAD mRNA in monkey and human brain: quantification at both regional and cellular levels. <i>Neuroscience Letters</i> , 1993, 157, 57-61.  | 2.1 | 12        |
| 258 | Plasticity of afferent fibers to striatal neurons bearing D1 dopamine receptors in Parkinson's disease. <i>Movement Disorders</i> , 2001, 16, 435-441.   | 3.9 | 12        |
| 259 | Gangliosides and parkinsonism. <i>Neurology</i> , 1993, 43, 2132-2132.   | 1.1 | 12        |
| 260 | Loss of striatal high affinity NGF binding sites in progressive supranuclear palsy but not in Parkinson's disease. <i>Neuroscience Letters</i> , 1994, 182, 59-62.   | 2.1 | 11        |
| 261 | Metabolic changes in the basal ganglia of patients with Huntington's disease: an insitu hybridization study of cytochrome oxidase subunitI mRNA. <i>Journal of Neurochemistry</i> , 2002, 80, 466-476.   | 3.9 | 11        |
| 262 | DAP12 and CD11b contribute to the microglial-induced death of dopaminergic neurons in vitro but not in vivo in the MPTP mouse model of Parkinson's disease. <i>Journal of Neuroinflammation</i> , 2013, 10, 82.  | 7.2 | 11        |
| 263 | Dopaminergic innervation of the pallidum in the normal state, in MPTP-treated monkeys and in parkinsonian patients. <i>European Journal of Neuroscience</i> , 2000, 12, 4525-4535.   | 2.6 | 10        |
| 264 | Low affinity nerve growth factor receptor, adrenal transplant and Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 1993, 120, 33-37.   | 0.6 | 9         |
| 265 | Regional and cellular presenilin 2 (STM2) gene expression in the human brain. <i>NeuroReport</i> , 1996, 7, 2021-2025.   | 1.2 | 9         |
| 266 | Dopaminergic Neurons Reduced to Silence by Oxidative Stress: An Early Step in the Death Cascade in Parkinson's Disease?. <i>Science Signaling</i> , 2006, 2006, pe19-pe19.   | 3.6 | 9         |
| 267 | Quantitative evaluation of the human subventricular zone. <i>Brain</i> , 2012, 135, e221-e221.   | 7.6 | 9         |
| 268 | Aging of the dopaminergic system and motor behavior in mice intoxicated with the parkinsonian toxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. <i>Journal of Neurochemistry</i> , 2012, 122, 1032-1046.   | 3.9 | 9         |
| 269 | MFGE8 does not orchestrate clearance of apoptotic neurons in a mouse model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2013, 51, 192-201.   | 4.4 | 9         |
| 270 | In search of innovative therapeutics for neuropsychiatric disorders: The case of neurodegenerative diseases. <i>Annales Pharmaceutiques Francaises</i> , 2015, 73, 3-12.   | 1.0 | 9         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Tyrosine hydroxylase-like immunoreactivity in senile plaques is not related to the density of tyrosine hydroxylase-positive fibers in patients with Alzheimer's disease. <i>Neuroscience Letters</i> , 1990, 110, 210-215. | 2.1  | 8         |
| 272 | Neuroprotection of dopamine neurons by xenon against low-level excitotoxic insults is not reproduced by other noble gases. <i>Journal of Neural Transmission</i> , 2020, 127, 27-34.                                       | 2.8  | 8         |
| 273 | Glutaredoxin 1 Downregulation in the Substantia Nigra Leads to Dopaminergic Degeneration in Mice. <i>Movement Disorders</i> , 2020, 35, 1843-1853.   | 3.9  | 8         |
| 274 | [125I]EGF Binding in Basal Ganglia of Patients with Parkinson's Disease and Progressive Supranuclear Palsy and in MPTP-Treated Monkeys. <i>Experimental Neurology</i> , 1998, 154, 146-156.                                | 4.1  | 7         |
| 275 | Characterization of two antigens in parkinsonian Lewy bodies. <i>Brain Research</i> , 1988, 441, 139-144.  | 2.2  | 6         |
| 276 | CD95 (APO-1/Fas) and Parkinson's disease. <i>Annals of Neurology</i> , 1998, 44, 425-425.  | 5.3  | 6         |
| 277 | Increased mRNA expression of cytochrome oxidase in dorsal raphe nucleus of depressive suicide victims. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 413.   | 2.2  | 6         |
| 278 | Granulocyte colony-stimulating factor is not protective against selective dopaminergic cell death in vitro. <i>Neuroscience Letters</i> , 2005, 383, 44-48.  | 2.1  | 5         |
| 279 | Brain somatostatin concentrations do not decrease in progressive supranuclear palsy.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1987, 50, 1526-1528.  | 1.9  | 4         |
| 280 | Adrenal transplant, dopaminergic neurons, and Parkinson' disease. <i>Annals of Neurology</i> , 1993, 33, 662-663.  | 5.3  | 4         |
| 281 | Autoradiographic study of [125I]epidermal growth factor-binding sites in the mesencephalon of control and parkinsonian brains post-mortem. <i>Brain Research</i> , 1993, 628, 72-76.                                       | 2.2  | 4         |
| 282 | Neuronal plasticity and Parkinson disease. <i>Molecular and Chemical Neuropathology</i> , 1995, 24, 251-255.   | 1.0  | 4         |
| 283 | Editorial. <i>Journal of Neural Transmission</i> , 2010, 117, 897-898.   | 2.8  | 3         |
| 284 | The Global Fight Against Dementia. <i>Science Translational Medicine</i> , 2014, 6, 267ed22.   | 12.4 | 3         |
| 285 | Blood Vessels And Neurodegeneration In Parkinsonâ€™s Disease. <i>Advances in Behavioral Biology</i> , 2002, , 341-347.   | 0.2  | 2         |
| 286 | Journal of Neural Transmission: a scientific journal devoted since 1950 to the translation of neuroscience into clinical practice. <i>Journal of Neural Transmission</i> , 2019, 126, 359-365.                             | 2.8  | 2         |
| 287 | Inflammatory Changes and Apoptosis in Parkinsonâ€™s Disease. <i>Advances in Behavioral Biology</i> , 2002, , 259-263.  | 0.2  | 2         |
| 288 | Levodopa induces a cytoplasmic localization of D1 dopamine receptors in striatal neurons in Parkinson's disease. <i>Annals of Neurology</i> , 2000, 47, 136-136.   | 5.3  | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Localization of D1a dopamine receptors on cell bodies and axonal endings in the substantia nigra pars reticulata of the rat. Journal of Neural Transmission, 2007, 114, 1509-1517.            | 2.8 | 1         |
| 290 | Futures pistes th rapapeutiques m dicamenteuses pour la maladie de Parkinson. Bulletin De L'Academie Nationale De Medecine, 2012, 196, 1369-1379.   | 0.0 | 1         |
| 291 | Cholinergic Systems in Alzheimer's Disease, Parkinson's Disease and Progressive Supranuclear Palsy. Advances in Behavioral Biology, 1990, , 427-444.  | 0.2 | 1         |
| 292 | Hippocampal and Parahippocampal Somatostatin 28 and Neuropeptide Y Containing Neurons in Alzheimer's Disease (Part 1 of 2). Dementia and Geriatric Cognitive Disorders, 1992, 3, 282-289.     | 1.5 | 0         |
| 293 | Preface ? Special Issue: A Tribute for Prof. Dr. Melvin D. Yahr, M.D. (1917?2004). Journal of Neural Transmission, 2004, 111, 1205-1208.  | 2.8 | 0         |
| 294 | Dissociated mesencephalic cultures. , 2008, , 389-408.  |     | 0         |
| 295 | Introducing "High Impact Reviews" Journal of Neural Transmission, 2016, 123, 553-553.   | 2.8 | 0         |
| 296 | Anatomo-Chemical Organization of the Basal Ganglia Circuitry in the Normal and Parkinsonian States. Advances in Behavioral Biology, 2002, , 521-530.  | 0.2 | 0         |
| 297 | Contextual Analysis for Both Light and Electronic Microscopy Applications. , 1992, , .  |     | 0         |
| 298 | Localization and Density of Transferrin Binding Sites in the Nigrostriatal System of Control Subjects and Patients with Parkinson's Disease. Advances in Behavioral Biology, 1995, , 239-244. | 0.2 | 0         |
| 299 | Special issue in honor of Peter Riederer at the occasion of his 80th birthday. Journal of Neural Transmission, 2022, , .  | 2.8 | 0         |