
Joanna L Shisler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9495173/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A novel approach to concentrate human and animal viruses from wastewater using receptors-conjugated magnetic beads. Water Research, 2022, 212, 118112.	11.3	10
2	Inactivation Mechanism and Efficacy of Grape Seed Extract for Human Norovirus Surrogate. Applied and Environmental Microbiology, 2022, 88, e0224721.	3.1	4
3	Distribution and Antibiotic Resistance Profiles of <i>Salmonella enterica</i> in Rural Areas of North Carolina After Hurricane Florence in 2018. GeoHealth, 2021, 5, e2020GH000294.	4.0	8
4	Peracetic Acid Sanitation on Arugula Microgreens Contaminated with Surface-Attached and Internalized Tulane Virus and Rotavirus. Food and Environmental Virology, 2021, 13, 401-411.	3.4	4
5	Roles of Vegetable Surface Properties and Sanitizer Type on Annual Disease Burden of Rotavirus Illness by Consumption of Rotavirus ontaminated Fresh Vegetables: A Quantitative Microbial Risk Assessment. Risk Analysis, 2020, 40, 741-757.	2.7	7
6	The Basis of Peracetic Acid Inactivation Mechanisms for Rotavirus and Tulane Virus under Conditions Relevant for Vegetable Sanitation. Applied and Environmental Microbiology, 2020, 86, .	3.1	11
7	Assessment of microbial risks by characterization of Escherichia coli presence to analyze the public health risks from poor water quality in Nepal. International Journal of Hygiene and Environmental Health, 2020, 226, 113484.	4.3	31
8	UV Inactivation of Rotavirus and Tulane Virus Targets Different Components of the Virions. Applied and Environmental Microbiology, 2020, 86, .	3.1	33
9	Synergistic Combination of Oncolytic Virotherapy and Immunotherapy for Glioma. Clinical Cancer Research, 2020, 26, 2216-2230.	7.0	39
10	Free Chlorine Disinfection Mechanisms of Rotaviruses and Human Norovirus Surrogate Tulane Virus Attached to Fresh Produce Surfaces. Environmental Science & Technology, 2019, 53, 11999-12006.	10.0	31
11	<p>A cautionary note on the selectivity of oncolytic poxviruses</p> . Oncolytic Virotherapy, 2019, Volume 8, 3-8.	6.0	14
12	Influence of algal organic matter on MS2 bacteriophage inactivation by ultraviolet irradiation at 220†nm and 254†nm. Chemosphere, 2019, 214, 195-202.	8.2	11
13	Adenovirus Replication Cycle Disruption from Exposure to Polychromatic Ultraviolet Irradiation. Environmental Science & Technology, 2018, 52, 3652-3659.	10.0	21
14	Inactivation Mechanisms of Human and Animal Rotaviruses by Solar UVA and Visible Light. Environmental Science & Technology, 2018, 52, 5682-5690.	10.0	20
15	Characterizing the effects of insertion of a 5.2†kb region of a VACV genome, which contains known immune evasion genes, on MVA immunogenicity. Virus Research, 2018, 246, 55-64.	2.2	3
16	Cellular FLIP long isoform (cFLIPL)–IKKα interactions inhibit IRF7 activation, representing a new cellular strategy to inhibit IFNα expression. Journal of Biological Chemistry, 2018, 293, 1745-1755.	3.4	6
17	Voluntary Wheel Running Does Not Alter Mortality to or Immunogenicity of Vaccinia Virus in Mice: A Pilot Study. Frontiers in Physiology, 2018, 8, 1123.	2.8	1
18	Evaluation of Risk of Cholera after a Natural Disaster: Lessons Learned from the 2015 Nepal Earthquake. Journal of Water Resources Planning and Management - ASCE, 2018, 144, .	2.6	11

JOANNA L SHISLER

#	Article	IF	CITATIONS
19	A comparison of the effect of molluscum contagiosum virus MC159 and MC160 proteins on vaccinia virus virulence in intranasal and intradermal infection routes. Journal of General Virology, 2018, 99, 246-252.	2.9	7
20	Deletion of the <i>K1L</i> Gene Results in a Vaccinia Virus That Is Less Pathogenic Due to Muted Innate Immune Responses, yet Still Elicits Protective Immunity. Journal of Virology, 2017, 91, .	3.4	14
21	Molluscum Contagiosum Virus MC159 Abrogates cIAP1-NEMO Interactions and Inhibits NEMO Polyubiquitination. Journal of Virology, 2017, 91, .	3.4	13
22	Vaccinia Virus Encodes a Novel Inhibitor of Apoptosis That Associates with the Apoptosome. Journal of Virology, 2017, 91, .	3.4	16
23	Vaccination with a codon-optimized A27L-containing plasmid decreases virus replication and dissemination after vaccinia virus challenge. Vaccine, 2017, 35, 6007-6014.	3.8	5
24	Quantification of multiple waterborne pathogens in drinking water, drainage channels, and surface water in Kampala, Uganda, during seasonal variation. GeoHealth, 2017, 1, 258-269.	4.0	25
25	The Effect of the 2015 Earthquake on the Bacterial Community Compositions in Water in Nepal. Frontiers in Microbiology, 2017, 8, 2380.	3.5	24
26	Quantitative ultrasound and the pancreas: Demonstration of early detection capability. , 2017, , .		0
27	Quantitative ultrasound and the pancreas: Demonstration of early detection capability. , 2017, , .		0
28	cFLIPL Interrupts IRF3–CBP–DNA Interactions To Inhibit IRF3-Driven Transcription. Journal of Immunology, 2016, 197, 923-933.	0.8	20
29	Inactivation Kinetics and Replication Cycle Inhibition of Adenovirus by Monochloramine. Environmental Science and Technology Letters, 2016, 3, 185-189.	8.7	10
30	Effect of Leaf Surface Chemical Properties on Efficacy of Sanitizer for Rotavirus Inactivation. Applied and Environmental Microbiology, 2016, 82, 6214-6222.	3.1	19
31	Characterizing Bacteriophage PR772 as a Potential Surrogate for Adenovirus in Water Disinfection: A Comparative Analysis of Inactivation Kinetics and Replication Cycle Inhibition by Free Chlorine. Environmental Science & Technology, 2016, 50, 2522-2529.	10.0	13
32	Vaccinia virus K1 ankyrin repeat protein inhibits NF-κB activation by preventing RelA acetylation. Journal of General Virology, 2016, 97, 2691-2702.	2.9	25
33	Kaposi's Sarcoma-Associated Herpesvirus (KSHV) Induces the Oncogenic miR-17-92 Cluster and Down-Regulates TGF-β Signaling. PLoS Pathogens, 2015, 11, e1005255.	4.7	40
34	Solar and Temperature Treatments Affect the Ability of Human Rotavirus Wa To Bind to Host Cells and Synthesize Viral RNA. Applied and Environmental Microbiology, 2015, 81, 4090-4097.	3.1	15
35	Immune Evasion Strategies of Molluscum Contagiosum Virus. Advances in Virus Research, 2015, 92, 201-252.	2.1	51
36	Analysis of the Viral Replication Cycle of Adenovirus Serotype 2 after Inactivation by Free Chlorine. Environmental Science & Technology, 2015, 49, 4584-4590.	10.0	38

JOANNA L SHISLER

#	Article	IF	CITATIONS
37	Waterborne Viruses: A Barrier to Safe Drinking Water. PLoS Pathogens, 2015, 11, e1004867.	4.7	144
38	Inhibition of interferon gene activation by death-effector domain-containing proteins from the molluscum contagiosum virus. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E265-E272.	7.1	25
39	Viral and Cellular FLICE-Inhibitory Proteins: a Comparison of Their Roles in Regulating Intrinsic Immune Responses. Journal of Virology, 2014, 88, 6539-6541.	3.4	15
40	Ectromelia Virus Encodes a BTB/kelch Protein, EVM150, That Inhibits NF-κB Signaling. Journal of Virology, 2014, 88, 4853-4865.	3.4	25
41	Myxoma Virus Expressing a Fusion Protein of Interleukin-15 (IL15) and IL15 Receptor Alpha Has Enhanced Antitumor Activity. PLoS ONE, 2014, 9, e109801.	2.5	43
42	SEROLOGIC EVIDENCE FOR CIRCULATING ORTHOPOXVIRUSES IN PERIDOMESTIC RODENTS FROM RURAL UGANDA. Journal of Wildlife Diseases, 2013, 49, 125-131.	0.8	18
43	The Safe Global Water Institute: An integrated, collaborative approach for improving drinking water and sanitation globally. Proceedings of the Water Environment Federation, 2013, 2013, 184-187.	0.0	0
44	Molluscum contagiosum virus: persistence pays off. Future Virology, 2013, 8, 561-573.	1.8	10
45	The MC159 Protein from the Molluscum Contagiosum Poxvirus Inhibits NF-κB Activation by Interacting with the IκB Kinase Complex. Journal of Immunology, 2012, 188, 2371-2379.	0.8	30
46	The C11R Gene, Which Encodes the Vaccinia Virus Growth Factor, Is Partially Responsible for MVA-Induced NF-κB and ERK2 Activation. Journal of Virology, 2012, 86, 9629-9639.	3.4	9
47	Inactivation of Coxsackievirus by Chlorine, Silver, and Solar Disinfection for Safe Global Water. Proceedings of the Water Environment Federation, 2011, 2011, 64-71.	0.0	1
48	Assessment of Suitable Drinking Water Technologies for Disinfection of DNA Viruses: Providing Global Safe Water. Proceedings of the Water Environment Federation, 2011, 2011, 80-83.	0.0	0
49	Viral Double-stranded RNAs from Vaccinia Virus Early or Intermediate Gene Transcripts Possess PKR Activating Function, Resulting in NF-κB Activation, When the K1 Protein Is Absent or Mutated. Journal of Biological Chemistry, 2011, 286, 7765-7778.	3.4	39
50	Mechanistic Aspects of Adenovirus Serotype 2 Inactivation with Free Chlorine. Applied and Environmental Microbiology, 2010, 76, 2946-2954.	3.1	50
51	Poxvirus MC160 Protein Utilizes Multiple Mechanisms To Inhibit NF-κB Activation Mediated via Components of the Tumor Necrosis Factor Receptor 1 Signal Transduction Pathway. Journal of Virology, 2009, 83, 3162-3174.	3.4	29
52	Early viral protein synthesis is necessary for NF-κB activation in modified vaccinia Ankara (MVA)-infected 293ÂT fibroblast cells. Virology, 2009, 390, 298-306.	2.4	9
53	The effect of the vaccinia K1 protein on the PKR-eIF2α pathway in RK13 and HeLa cells. Virology, 2009, 394, 73-81.	2.4	28
54	Kinetics of adenovirus type 2 inactivation with free chlorine. Water Research, 2009, 43, 2916-2926.	11.3	48

JOANNA L SHISLER

#	Article	IF	CITATIONS
55	Characterization of wild-type and mutant vaccinia virus M2L proteins' abilities to localize to the endoplasmic reticulum and to inhibit NF-κB activation during infection. Virology, 2008, 373, 248-262.	2.4	18
56	Inactivation kinetics of adenovirus serotype 2 with monochloramine. Water Research, 2008, 42, 1467-1474.	11.3	38
57	Effect of Exposure to UV-C Irradiation and Monochloramine on Adenovirus Serotype 2 Early Protein Expression and DNA Replication. Applied and Environmental Microbiology, 2008, 74, 3774-3782.	3.1	45
58	Poxviral Regulation of the Host NF-κB Response: the Vaccinia Virus M2L Protein Inhibits Induction of NF-κB Activation via an ERK2 Pathway in Virus-Infected Human Embryonic Kidney Cells. Journal of Virology, 2006, 80, 8676-8685.	3.4	85
59	The MC160 Protein Expressed by the Dermatotropic Poxvirus Molluscum Contagiosum Virus Prevents Tumor Necrosis Factor Alpha-Induced NF-κB Activation via Inhibition of I Kappa Kinase Complex Formation. Journal of Virology, 2006, 80, 578-586.	3.4	46
60	The MCV MC159 protein inhibits late, but not early, events of TNF-α-induced NF-κB activation. Virology, 2005, 340, 255-264.	2.4	38
61	The Vaccinia Virus K1L Gene Product Inhibits Host NF-κB Activation by Preventing IκBα Degradation. Journal of Virology, 2004, 78, 3553-3560.	3.4	165
62	A Role for Tumor Necrosis Factor Receptor-2 and Receptor-interacting Protein in Programmed Necrosis and Antiviral Responses. Journal of Biological Chemistry, 2003, 278, 51613-51621.	3.4	406
63	Immunology 101 at poxvirus U: Immune evasion genes. Seminars in Immunology, 2001, 13, 59-66.	5.6	123
64	Immunology 102 at poxvirus U: Avoiding apoptosis. Seminars in Immunology, 2001, 13, 67-72.	5.6	32
65	Molluscum Contagiosum Virus Inhibitors of Apoptosis: The MC159 v-FLIP Protein Blocks Fas-Induced Activation of Procaspases and Degradation of the Related MC160 Protein. Virology, 2001, 282, 14-25.	2.4	78
66	Immune-defense molecules of Molluscum contagiosum virus, a human poxvirus. Trends in Microbiology, 2000, 8, 473-477.	7.7	43
67	Vaccinia Virus Serpin-1 Deletion Mutant Exhibits a Host Range Defect Characterized by Low Levels of Intermediate and Late mRNAs. Virology, 1999, 262, 298-311.	2.4	38
68	Adenoviral inhibitors of the apoptotic cascade. Trends in Microbiology, 1998, 6, 337-339.	7.7	8