

# Paolo Gauzzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9499150/publications.pdf>

Version: 2024-02-01

616  
papers

41,223  
citations

2975  
93  
h-index

4015  
176  
g-index

631  
all docs

631  
docs citations

631  
times ranked

13077  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	4.1	6,386
2	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	1.2	1,752
3	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
4	Combined Measurement of the Higgs Boson Mass in $\sqrt{s} = 7\text{ TeV}$ and $\sqrt{s} = 8\text{ TeV}$ with the ATLAS and CMS Experiments. Physics Review Letters, 2013, 110, 191803.	7.8	1,062
5	Measurement of the azimuthal anisotropy for charged particle production in lead-lead collisions with the ATLAS detector. Physical Review C, 2012, 86, 024905.	3.9	865
6	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
7	Combined search for the Standard Model Higgs boson using up to $4.9\text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66.	4.1	307
8	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
9	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	4.1	307
10	Performance of pile-up mitigation techniques for jets in $\sqrt{s} = 8\text{ TeV}$ p p collisions. European Physical Journal C, 2016, 76, 581.	3.9	298
11	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	4.1	295
12	Performance of $b$ -jet identification in the ATLAS experiment. Journal of Instrumentation, 2016, 11, P04008-P04008.	1.2	278
13	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7\text{ TeV}$ and $8\text{ TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
14	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
15	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
16	Search for Higgs boson resonances in $\gamma\gamma$ and $e^+e^-$ collisions at $\sqrt{s} = 8\text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90, 092003.	4.7	237
17	2		

#	ARTICLE	IF	CITATIONS
19	The KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 482, 364-386.	1.6	234
20	The tracking detector of the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 488, 51-73.	1.6	232
21	<i>Observation of Long-Range Elliptic Azimuthal Anisotropies in <math>\langle \text{mml:math} \rangle</math></i> <i>Search for new phenomena in the dijet mass distribution using <math>\langle \text{mml:math} \rangle</math> Collisions with the ATLAS</i>	7.8	228
22	$\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:math} \rangle \text{collision data at} < \text{mml:math}$ the ATLAS detector. Physical Review D, 2015, 91, .	4.7	227
23	Physics with the KLOE-2 experiment at the upgraded DA <small>̄</small> NE. European Physical Journal C, 2010, 68, 619-681.	3.9	222
24	Measurement of Higgs boson production in the diphoton decay channel in $\langle \text{mml:math} \rangle$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:math} \rangle$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2014, 90, .	4.7	214
25	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton- $\bar{\text{p}}$ collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
26	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
27	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton- $\bar{\text{p}}$ collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
28	Search for an additional, heavy Higgs boson in the $\text{H} \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in $\text{pp} \rightarrow p p$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
29	<i>Measurement of <math>\langle \text{mml:math} \rangle</math> in <math>\langle \text{mml:math} \rangle</math> lead-lead collisions at <math>\langle \text{mml:math} \rangle</math> with the ATLAS detector</i> . Physics Letters, Section B: Nuclear, Elementary Particles and Cosmology, 2014, 731, 195	4.1	195
30	$\langle \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$ lead-lead collisions at $\langle \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and Cosmology, 2014, 731, 195	4.1	194
31	$\langle \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$ lead-lead collisions at $\langle \text{mml:math} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particles and Cosmology, 2014, 731, 195	4.7	176
32	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
33	The first measurement of the neutron electromagnetic form factors in the time-like region. Nuclear Physics B, 1998, 517, 3-35.	2.5	174
34	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
35	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
36	<i>Search for the Standard Model Higgs Boson in the Diphoton Decay Channel with <math>\langle \text{mml:math} \rangle</math></i> <i>Collision Data at <math>\langle \text{mml:math} \rangle</math> and <math>\langle \text{mml:math} \rangle</math></i> <i>Physical Review Letters, 2012, 108, 111803.</i>	7.8	171

#	ARTICLE	IF	CITATIONS
37	ment with the ATLAS detector of multi-particle azimuthal correlations in $\langle \text{mml:math} \rangle$ xmins:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:mi>p</mml:mi><mml:mo>+</mml:mo><mml:mtext>Pb</mml:mtext></mml:math> collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" overflow="scroll"><mml:msup><mml:msub><mml:mrow><mml:mi>s</mml:mi></mml:mrow><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msub></mml:msup> with the ATLAS Detector Search for Scalar Diphoton Resonances in the Mass Range $63\text{GeV} < M < 600\text{GeV}$ with the ATLAS Detector in<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si3.gif"><mml:msqrt><mml:mo>=</mml:mo></mml:math>	4.1	169
38	Collision Data at <mml:math>\sqrt{s} = 7\text{TeV}</mml:math> display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> Collision Data at <mml:math>\sqrt{s} = 7\text{TeV}</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML"	7.8	168
39	Measurements of Higgs boson production and couplings in the four-lepton channel in<mml:math>\sqrt{s} = 7\text{TeV}</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:mrow></mml:math> collisions at center-of-mass energies of 7 and 8 $\text{TeV}$ with the ATLAS detector. Physical Review D, 2015, 91, 112002.	4.7	158
40	Measurement of the total cross section from elastic scattering in pp collisions at <mml:math>\sqrt{s} = 7\text{TeV}</mml:math> xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt><mml:mo>=</mml:mo><mml:mn>7</mml:mn><mml:mn>2.5</mml:mn><mml:mtext> $\text{fb}^{-1}$ </mml:mtext> with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	2.5	155
41	Measurement of the transverse momentum and $\phi_{\text{miss}}$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
42	Study of the decay $\tau^+\tau^- \rightarrow e^+e^- \nu\bar{\nu}$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 21-27.	4.1	148
43	Measurement of hard double-parton interactions in <i>W</i> + 2-jet events at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 033038.	2.9	147
44	Measurement of <mml:math>\sqrt{s} = 7\text{TeV}</mml:math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 102-110. Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
45	Measurement of the $t\bar{t}$ production cross-section using $e\bar{e}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7\text{TeV}$ and $8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
46	Limit on the production of a light vector gauge boson in $\tau^+\tau^-$ meson decays with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 111-115.	4.1	140
47	Measurement of <mml:math>\sqrt{s} = 7\text{TeV}</mml:math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 111-115.	4.1	140
48			

#	ARTICLE	IF	CITATIONS
55	Search for Invisible Decays of a Higgs Boson Produced in Association with a $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} \text{ Z} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Boson} \text{ in ATLAS. Physical Review Letters, 2014, 112, .}$	7.8	130
56	Search for Dark Matter in Events with a Hadronically Decaying $\text{W}\bar{\nu}\text{Z}$ Boson and Missing Transverse Momentum in $\text{pp}$ Collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2014, 112, 041802.	7.8	129
57	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8\text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	128
58	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $\text{pp}$ events using $\text{pp}$ collision data at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. Search for pair-produced third-generation squarks decaying via charm quarks in compressed supersymmetric scenarios in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ collisions at} \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ W} \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \text{ W} \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ Collisions at} \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ Search for the Standard Model Higgs boson produced in association with top quarks and decaying into} \langle \text{mml:math} \text{ varvec}\{\bar{b}\} \langle \text{mml:math} \text{ varvec}\{p\} \text{ collisions at} \langle \text{mml:math} \text{ sqrt}\{s\} = \text{varvec}\{8\}, \text{mathrm TeV}\} \langle \text{mml:math} \text{ s} = 8\text{ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.}$	4.7	126
59	Evidence for Electroweak Production of $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\rangle \langle \text{mml:mi} \text{ W} \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\pm} \langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \text{ W} \langle \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \text{ p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 730, 320-322.}$	4.7	126
60	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \text{car}^{\pm} \text{ s}$ in $\text{pp}$ events using $\text{pp}$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465.	7.8	123
61	Search for new resonances in $W\Gamma$ and $Z\Gamma$ final states in $\text{pp}$ collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll">\rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ s} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ mathvariant="normal" NN} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle ^{2.76} \langle \text{mml:mn} \rangle ^{1.21}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 730, 320-322.	3.9	123
62	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010, 70, 1193-1236.	3.9	121
63	Measurement of inclusive jet charged-particle fragmentation functions in Pb+Pb collisions at $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ altimg="si1.gif" overflow="scroll">\rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ s} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{ mathvariant="normal" NN} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle ^{2.76} \langle \text{mml:mn} \rangle ^{1.21}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 730, 320-322.	4.7	121
64	Search for a vector gauge boson in $\tilde{l}$ meson decays with the KLOE detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 706, 251-255.	4.1	116
65	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
66	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in $\text{pp}$ collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
67	Measurement of inclusive jet and dijet cross sections in $\text{p} \text{p}$ collisions at $7\text{ TeV}$ centre-of-mass energy with $\text{ATLAS}$ detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	114
68	Search for New Particles in Two-Jet Final States in $7\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2010, 105, 161801. Measurement of the $t\bar{t}$ -channel single top quark production cross section in $\text{pp}$ collisions at $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:ub="http://www.elsevier.com/xml/ Ph$	7.8	113
69	Search for New Particles in Two-Jet Final States in $7\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2010, 105, 161801. Measurement of the $t\bar{t}$ -channel single top quark production cross section in $\text{pp}$ collisions at $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:ub="http://www.elsevier.com/xml/ Ph$	4.1	113
70	Search for New Particles in Two-Jet Final States in $7\text{ TeV}$ Proton-Proton Collisions with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2010, 105, 161801. Measurement of the $t\bar{t}$ -channel single top quark production cross section in $\text{pp}$ collisions at $\langle \text{mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:ub="http://www.elsevier.com/xml/ Ph$	5	113

# ARTICLE

IF

CITATIONS

73 Precision measurement of <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"  
altimg="si1.gif" overflow="scroll"><mml:mi>f</mml:mi><mml:mo>

#	ARTICLE	IF	CITATIONS
91	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
92	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
93	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210. Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z Z \rightarrow 3\gamma$ . with 4.8 $\sqrt{s} = 8$ TeV of pp collision data at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	3.9	95
94	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210. Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z Z \rightarrow 3\gamma$ . with 4.8 $\sqrt{s} = 8$ TeV of pp collision data at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	3.9	95
95	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210. Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z Z \rightarrow 3\gamma$ . with 4.8 $\sqrt{s} = 8$ TeV of pp collision data at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	3.9	95
96	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
97	Search for massive long-lived particles using muon-track displaced vertices or displaced lepton pairs in $t\bar{t}$ collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	4.7	91
98	Search for dark matter in events with a $t\bar{t}$ pair in $t\bar{t}$ collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	4.7	90
99	Search for Higgs boson pair production in the $b\bar{b} b\bar{b} A\bar{A}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
100	Search for the $b\bar{b} \rightarrow b\bar{b} \gamma\gamma$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
101	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
102	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
103	Search for light vector boson production in $t\bar{t}$ collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 736, 459-464.	4.7	87
104	Data handling, reconstruction, and simulation for the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 534, 403-433.	1.6	86
105	Search for light vector boson production in $t\bar{t}$ collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 736, 459-464.	4.7	86
106	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
107	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
108	Observation of an Excited State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	4.7	82

#	ARTICLE	IF	CITATIONS
109	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	82
110	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7\text{TeV}$ . Journal of High Energy Physics, 2013, 2013, 1. <i>Observation of the Higgs boson via its decay to two photons at ATLAS</i> , <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	4.7	81
111	Events from $\text{Collisions at } \sqrt{s}=8\text{TeV}$ . <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	7.8	80
112	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $p p$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
113	The trigger system of the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 492, 134-146.	1.6	78
114	Measurement of upsilon production in $7\text{TeV}$ collisions at ATLAS. Physical Review D, 2013, 87, .	4.7	78
115	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
116	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s}=8\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.		
117	Light-quark and gluon jet discrimination in $p p$ collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
118	Search for dark matter in events with heavy quarks and missing transverse momentum in $p p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
119	Production in $p p$ collisions at $\sqrt{s}=7\text{TeV}$ . <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	4.7	76
120	Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $\sqrt{s}=7\text{TeV}$ Collisions Using 4.7 $\text{fb}^{-1}$ of ATLAS Data. Physical Review Letters, 2012, 109, 211803.		75
121	A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. Science, 2012, 338, 1576-1582.	12.6	74
122	Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in $p p$ collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
123	Limit on the production of a new vector boson in $e^+ e^- \rightarrow U^3, U \rightarrow l^+ l^-$ with the KLOE experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 356-361.	4.1	74
124	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
125	<a href="http://www.elsevier.com/xml/xocs/dtd">http://www.elsevier.com/xml/xocs/dtd</a> <a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a> <a href="http://www.w3.org/2001/XMLSchema-instance">http://www.w3.org/2001/XMLSchema-instance</a> <a href="http://www.elsevier.com/xml/ja/dtd">http://www.elsevier.com/xml/ja/dtd</a> <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a> <a href="http://www.elsevier.com/xml/common/table/dtd">http://www.elsevier.com/xml/common/table/dtd</a>	4.1	72
126	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ and 8 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 732, 8-27.		

#	ARTICLE	IF	CITATIONS
127	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013.	4.7	71
128	Measurements of normalized differential cross sections for $t\bar{t}$ production in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013.	4.7	71
129	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
130	Search for new phenomena in events with a photon and missing transverse momentum in $t\bar{t}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2015, 91, .	4.7	71
131	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
132	Measurement of the high-mass Drell-Yan differential cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 725, 223-242.	4.7	69
133	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
134	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}' \tilde{l}, \tilde{l}\bar{l}$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
135	Compréhensives measurements of $t\bar{t}$ -channel single top-quark production cross sections at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 277-308.	4.1	68
136	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	4.7	68
137	Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 720, 277-308.	3.9	68
138	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
139	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
140	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
141	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
142	Measurement of the $W \rightarrow l\bar{l}$ and $Z/\gamma^* \rightarrow l\bar{l}$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	64

#	ARTICLE	IF	CITATIONS
145	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
146	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $\sqrt{s}=7\text{TeV}$ pp Collisions. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	7.8	64
147	Observation and measurements of the production of prompt and non-prompt $Z$ bosons in association with $Z$ boson in $\sqrt{s}=8\text{TeV}$ pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
148	Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at $\sqrt{s}=7\text{TeV}$ . <i>Physical Review Letters</i> , 2012, 109, 211802.	7.8	63
149	Measurement of ZBoson Production in Pb-Pb Collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2013, 110, 022301.	7.8	63
150	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s}=7$ and $8\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
151	Dalitz plot analysis of $e^+e^- \rightarrow e^+e^- \gamma$ events at $\sqrt{s} \approx 10\text{GeV}$ with the KLOE detector. <i>European Physical Journal C</i> , 2007, 49, 473.	3.9	62
152	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8\text{TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
153	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s}=8\text{TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
154	Study of the branching ratio and charge asymmetry for the decay $W \rightarrow e^+ \nu_e$ in $\sqrt{s}=8\text{TeV}$ pp collisions. <i>European Physical Journal C</i> , 2016, 76, 154.	4.1	61
155	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010, 70, 723-753.	3.9	61
156	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and ZZ $\gamma$ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
157	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7\text{TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
158	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions. <i>Physical Review D</i> , 2015, 92, 032007.	4.7	61
159	Study of the $t\bar{t}$ production mode with Decay Channel $t \rightarrow b\ell\nu$ . <i>Physical Review D</i> , 2015, 92, 032007.	4.7	61
160	Measurements of $t\bar{t}$ production in $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, 032007.	4.1	60
161	Summary of the searches for squarks and gluinos using $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
162	Summary of the searches for squarks and gluinos using $\sqrt{s}=8\text{TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60

#	ARTICLE	IF	CITATIONS
163	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
164	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell^+ \ell^- + b\bar{b}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60
165	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
166	Search for the decay $\tau \rightarrow e \nu e \bar{\nu}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 713, 387-407.	4.1	59
167	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	59
168	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	59
169	Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2013, 111, 152301.	7.8	59
170	Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run. <i>Journal of Instrumentation</i> , 2013, 8, P07004-P07004.	1.2	59
171	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
172	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
173	Measurement of the differential cross sections of Higgs boson production measured in the four-lepton decay channel in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.1	58
174	Measurement of the Photon Isolated Prompt Photons Cross section in $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014, 89.	4.7	58
175	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
176	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 694, 327-345.	4.7	57
177	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Physical Review Letters</i> , 2012, 109, 261803.	7.8	57
178	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	57
179	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 109, 261803.	7.8	57
180	Search for long-lived stopped R-hadrons decaying out of time with $\sqrt{s} = 7$ TeV pp collisions using the ATLAS detector. <i>Physical Review D</i> , 2013, 88, 1.	4.7	57

#	ARTICLE	IF	CITATIONS
181	Search for $\text{H}^+$ or $\text{H}^-$ or $\text{H}^0$ produced in association with top quarks and constraints on the Yukawa coupling between the top quark and the Higgs boson using data taken at 7 TeV and 8 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 222-242.	4.1	57
182	Precise measurement of $\langle \bar{K}^+ e^- \rangle_{1/2(1^3)} / \langle \bar{K}^0 \rangle_{1/2(1^3)}$ and study of $\bar{K}^+ e^- \rangle_{1/2(1^3)}$ . European Physical Journal C, 2009, 64, 627-636.		
183	Search for $WZ$ resonances in the fully leptonic channel using $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 737, 177-182.		
184	Search for the Standard Model Higgs boson decay to $\text{H} \rightarrow \text{bb} \rightarrow \text{bb} \rightarrow \text{bb} \rightarrow \text{bb}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.		
185	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
186	Measurement of the electromagnetic form factor of the proton in the time-like region. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1994, 334, 431-434.	4.1	55
187	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $pp$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
188	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
189	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
190	Search for high-mass resonances decaying to dilepton final states in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
191	Test of CPT and Lorentz symmetry in entangled neutral kaons with the KLOE experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 730, 89-94.	4.1	54
192	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional $b$ -jets in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
193	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
194	Measurement of the cross-section for $W$ boson production in association with $b$ -jets in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
195	Search for the electroweak production of supersymmetric particles in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93.	4.7	53
196	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
197	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
198	Search for the lepton-flavor violating decay $\text{H} \rightarrow Z \nu \bar{\nu}$ in $pp$ collisions with the ATLAS detector. Physical Review D, 2016, 93.	4.7	52

#	ARTICLE	IF	CITATIONS
199	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ , decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
200	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 749, 519-541.	4.1	52
201	Measurement of the top quark mass in the $t\bar{t} \rightarrow l^+l^-$ lepton+jets and $t\bar{t} \rightarrow l^+l^-$ dilepton channels using $\sqrt{s} = 7$ TeV ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330.	3.9	52
202	Measurement of $D_s^+$ , $D_s^-$ and $\Lambda_c^0$ meson production cross sections in pp collisions at $\sqrt{s} = 7$ TeV ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330.	2.5	52
203	A global fit to determine the pseudoscalar mixing angle and the gluonium content of the $\rho'$ meson. <i>Journal of High Energy Physics</i> , 2009, 2009, 105-105.	4.7	51
204	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010, 70, 755-785.	3.9	51
205	Search for vectorlike quarks in $t\bar{t}$ and $b\bar{b}$ collisions at the $\sqrt{s} = 7$ TeV ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	7.8	51
206	Search for Higgs bosons decaying to two photons in $t\bar{t}$ and $b\bar{b}$ collisions at the $\sqrt{s} = 7$ TeV ATLAS experiment. <i>European Physical Journal C</i> , 2015, 91, 1.	4.7	51
207	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
208	Search for Higgs bosons decaying to two photons in $t\bar{t}$ and $b\bar{b}$ collisions at the $\sqrt{s} = 7$ TeV ATLAS experiment. <i>European Physical Journal C</i> , 2015, 91, 1.	7.8	49
209	Search for Higgs and scalar bosons decaying to two photons in $t\bar{t}$ and $b\bar{b}$ collisions at the $\sqrt{s} = 7$ TeV ATLAS experiment. <i>European Physical Journal C</i> , 2015, 91, 1.	7.8	49
210	Search for Higgs and scalar bosons decaying to two photons in $t\bar{t}$ and $b\bar{b}$ collisions at the $\sqrt{s} = 7$ TeV ATLAS experiment. <i>European Physical Journal C</i> , 2015, 91, 1.	7.8	49

#	ARTICLE or pair production of a new heavy quark that decays into a $\langle \text{mml:math} \rangle$	IF	CITATIONS
217	$\text{xmns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ boson and a light quark in $\langle \text{mml:math} \rangle$ $\text{xmns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ $\text{xmns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$	4.7	48
218	Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $s=8\text{TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 15-34.	4.1	48
219	Measurement of $\tilde{\chi}_1^0(\tilde{\chi}_1^0 \rightarrow \tilde{\chi}_1^0 \tilde{\chi}_1^0)$ and the pseudoscalar mixing angle. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 45-51.	4.1	47
220	Search for light top squark pair production in final states with leptons and b-jets with the ATLAS detector in $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle$ TeV $\langle \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 13-31.	4.1	47
221	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
222	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\text{$\text{pp} \rightarrow p p$}$ collisions at $\text{$\sqrt{s} = 7\text{TeV}$}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
223	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\text{$\sqrt{s} = 13\text{TeV}$}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
224	Study of the decay $\tilde{\chi}_1^0 \rightarrow e^+ e^- \tilde{\chi}_1^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 55-60.	4.1	45
225	$\text{xmns:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:mi} \rangle H \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\tau} \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ $\text{stretchy} = \text{"false"}$ $\langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle \hat{\alpha} \hat{\tau} \langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle T j \text{ ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 417.1d (stretchy="false")}$ decay mode with $\text{xmls:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$	4.1	45
226	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\text{$\sqrt{s} = 7\text{TeV}$}$ . European Physical Journal C, 2013, 73, 1.	3.9	45
227	Measurement of the $\text{$\tau + jets$}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
228	A neural network clustering algorithm for the ATLAS silicon pixel detector. Journal of Instrumentation, 2014, 9, P09009-P09009.	1.2	45
229	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
230	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
231	Search for supersymmetry at $\text{$\sqrt{s} = 8\text{TeV}$}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
232	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\text{$\sqrt{s} = 8\text{TeV}$}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
233	$\text{xmls:xocs} = \text{"http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmls:xs} = \text{"http://www.w3.org/2001/XMLSchema"}$ $\text{xmls:xsi} = \text{"http://www.w3.org/2001/XMLSchema-instance"}$ $\text{xmls:ja} = \text{"http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmls:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{xmls:psib} = \text{"http://www.elsevier.com/xml/common/table/dtd"}$ Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton-proton collisions at $\text{xmls:mml} = \text{"http://www.w3.org/1998/Math/MathML"}$ $\text{altimg} = \text{"si1.gif"}$ $\text{overflow} = \text{"scroll"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \times \langle \text{mml:mtext} \rangle$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 280-298.	4.1	44

#	ARTICLE	IF	CITATIONS
235	mathvariant="italic">>Z</mml:mi></mml:math> boson production in< mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>p</mml:mi><mml:mo>+</mml:mo><mml:mi>Pb</mml:mi></mml:math> at< mml:math altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>W</mml:mi></mml:mrow><mml:msqrt><mml:mo>s</mml:mo><mml:mi>s</mml:mi></mml:math> Search for< mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>W</mml:mi></mml:mrow><mml:msqrt><mml:mo>s</mml:mo><mml:mi>s</mml:mi></mml:math> <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a> </mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	2.9	44
236	stretchy="false">â†'</mml:mo><mml:mi>t</mml:mi><mml:mover accent="true" stretchy="false"></mml:mo></mml:mrow></mml:math> in the lepton plus jets final state in protonâ€“proton collisions at a centre-of-mass energy of < mml:math xmlns:mml. Physics Letters, Sect.	4.1	44
237	Measurement of the DAÎ† NE luminosity with the KLOE detector using large angle Bhabha scattering. European Physical Journal C, 2006, 47, 589.	3.9	43
238	Search for the Standard Model Higgs boson in the Hâ€‰%â†'â€‰, +, â‰, â˜' decay mode in \$ \sqrt{s} = 7,\{ \mathrm{TeV} \}\$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a> </mml:math> altimg="si1.gif" overflow="scroll"><mml:mi>f^3</mml:mi><mml:mi>f^3</mml:mi></mml:math> stretchy="false">â†'</mml:mo><mml:msup><mml:mrow><mml:mi>â‰,</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.7	43
239	production in protonâ€“proton collisions at < mml:math altimg="si130.g. Physics Letters, Section B: Search for magnetic monopoles and stable particles with high electric charges in 8ÂTeV</mml:math> collisions with the ATLAS detector. Physical Review D, 2016, 93, .	4.1	43
240	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55. Measurement of the form-factor slopes for the decay < mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sh="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>e</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.7	43
241	Study of the process < mml:math altimg="si1.gif" overflow="scroll" xmlns:sh="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>e</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.1	42
242	in the l-meson mass region with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 669, 223-228. Further search for supersymmetry at < mml:math altimg="si1.gif" overflow="scroll" xmlns:sh="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/xml/common/ce/dtd" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>e</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.1	42
243	final states with jets, missing transverse momentum, and isolated leptons with the ATLAS detector. Physical Review D, 2012, 86, .	4.1	42
244	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at \$ \sqrt{s} = 7 \text{ TeV} \$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
245	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at \$ s = 8 \text{ TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
246	Two-particle Boseâ€“Einstein correlations in pp collisions at \$ \sqrt{s} = 0.9 \text{ and } 7 \text{ TeV} \$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
247	Search for long-lived, multi-charged particles in pp collisions at < mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.7	42
248	using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 722, 305-323.	4.7	41
249	Search for extra dimensions in diphoton events from protonâ€“proton collisions at \$ \sqrt{s} = 7, \text{ TeV} \$ in the ATLAS detector at the LHC. New Journal of Physics, 2013, 15, 043007.	2.9	41
250	Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8ÂTeV</mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msup><mml:mrow><mml:mi>p</mml:mi></mml:mrow></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math></mml:math>	4.7	41
251	at the LHC using the ATLAS detector. Physical Review D, 2014, 90, .	4.7	41
252	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at \$ \sqrt{s} = 8 \text{ TeV} \$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
253	Measurement of the production and lepton charge asymmetry of \$ W \$ bosons in Pb+Pb collisions at \$ \sqrt{s} = 2.76 \text{ TeV} \$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41

#	ARTICLE	IF	CITATIONS
253	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 07, 1.	4.7	40
254	Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 07, 1.	4.1	40
255	Search for pair production of heavy top-like quarks decaying to a high- $p_T$ $t\bar{t}$ system. European Physical Journal C, 2014, 74, 3117.	4.1	40
256	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.1	40
257	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
258	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
260	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow \bar{D}_s^0$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
261	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- \rightarrow Z^2$ final states using 139 fb $^{-1}$ of proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 81, 1.	3.9	40
262	Search for angular correlations in Drell-Yan lepton pairs to probe simonmath C, 2021, 81, 1.		
263	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	4.7	39
264	Search for flavour-changing neutral current top-quark decays to $\varvec{q}Z$ in $\varvec{q}p$ collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
265	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 87.	3.9	39
266	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
267	First measurement of the neutron electromagnetic form factor in the time-like region. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 313, 283-287.	4.1	37
268	Nucleon time-like form factors below the $\overline{N}N$ threshold. European Physical Journal C, 1999, 11, 709-715.	3.9	37
269	Charged particle's flux measurement from PMMA irradiated by 80 MeV/u carbon ion beam. Physics in Medicine and Biology, 2012, 57, 5667-5678.	3.0	37

#	ARTICLE	IF	CITATIONS
271	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in $\sqrt{s} = 7 \text{ TeV}$ . <i>Physical Review Letters</i> , 2012, 108, 241802.	7.8	37
272	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. Search for direct slepton and gluino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 728, 562-578.	3.9	37
273	Search for new phenomena in photon + jet events collected in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 728, 562-578.	4.1	37
274	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 $\text{fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Measurement of the</i> $\sqrt{s} = 13 \text{ TeV}$ <i>pp collision data with the ATLAS detector. Journal of High Energy Physics</i> , 2014, 139, 011.	4.7	37
275	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
276	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. Observation of top-quark pair production in association with a photon and measurement of the $\sqrt{s} = 7 \text{ TeV}$ <i>pp collision data with the ATLAS detector. Journal of High Energy Physics</i> , 2014, 2014, 1.	4.1	36
277	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
278	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
279	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. Observation of top-quark pair production in association with a photon and measurement of the $\sqrt{s} = 7 \text{ TeV}$ <i>pp collision data with the ATLAS detector. Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
280	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
281	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	4.7	36
282	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ . <i>Physical Review C</i> , 2016, 93, 024903.	3.9	36
283	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Search for contact interactions and large extra dimensions in dilepton events from $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review C</i> , 2016, 93, 024903.	4.7	36
284	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. Search for contact interactions and large extra dimensions in dilepton events from $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review C</i> , 2016, 93, 024903.	4.7	36
285	Search for Quantum Black Hole Production in High-Invariant-Mass $\sqrt{s} = 7 \text{ TeV}$ <i>pp</i> collisions. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
286	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	7.8	35
287	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^\pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
288	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^\pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35

#	ARTICLE	IF	CITATIONS
289	Search for top quark decays $t \rightarrow qH$ with $H \rightarrow b\bar{b}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, .	4.7	35
290	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ and $W \rightarrow t\bar{t} q\bar{q} b\bar{b}$ decays in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165. Search for Scalar Charm Quark Pair Production in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2015, 114, 161801.	3.9	35
291	$\text{Collisions at } \sqrt{s} = 8 \text{ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 161801.}$	7.8	35
292	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
293	A search for flavour changing neutral currents in top-quark decays in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
294	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 22-39.	4.7	34
295	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
296	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Physical Review D</i> , 2015, 91, .	4.7	34
297	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $p\bar{p}$ collisions using the ATLAS detector. <i>Physical Review D</i> , 2016, 93, .	4.7	34
298	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 228-246.	4.7	34
299	$\text{Resonances in Proton-Proton Collisions at } \sqrt{s} = 8 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 109, 081801.	7.8	33
300	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in $p\bar{p}$ Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 261804.	7.8	33
301	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2676.	3.9	33
302	Dynamics of isolated-photon plus jet production in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Nuclear Physics B</i> , 2013, 875, 483-535.	4.7	33
303	Analysis of events with b-jets and a pair of leptons of the same charge in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
304	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
305	Search for third generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
306	Measurement of $c_1$ and $c_2$ production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	32

#	ARTICLE	IF	CITATIONS
307	Search for s-channel single top-quark production in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 118-136.		
308	Construction and performance of the lead-scintillating fiber calorimeter prototypes for the KLOE detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 354, 352-363.	1.6	31
309	Measurement of the total $e+e^- \rightarrow t\bar{t}$ hadrons cross section near the $e+e^- \rightarrow t\bar{t}N$ threshold. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 365, 427-430.	4.1	31
310	Measurement of the b-hadron production cross section using decays to $t\bar{t}$ . Nuclear Physics B, 2012, 864, 341-381.	2.5	31
311	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton+proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
312	Measurement of the differential cross-section of $B + \bar{B}$ meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
313	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.	4.7	31
314	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $H \rightarrow t\bar{t}$ decay channel at $s=8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	31
315	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
316	Measurement of the $t \rightarrow l^+ \nu_l$ transition form factor with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 362-367.	4.1	31
317	Search for supersymmetry in pp collisions at $\sqrt{s}=7 \text{ TeV}$ final states with missing transverse momentum and b-jets with the ATLAS detector. Physical Review D, 2012, 85.	4.7	30
318	Evidence for $t\bar{t}$ production in $\sqrt{s}=7 \text{ TeV}$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 1.	7.8	30
319	Search for invisible particles produced in association with single-top-quarks in proton+proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
320	Measurement of the $t\bar{t} \rightarrow l^+ l^-$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
321	Combination of KLOE $t\bar{t}$ ( $e+e^- \rightarrow t\bar{t} + l^+ l^-$ ) measurements and determination of $t\bar{t}$ production cross-section in the energy range 0.10 < $s$ < 0.95 GeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
322	Evidence for $t\bar{t}$ production in the multilepton final state in proton+proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
323	The low energy tagger for the KLOE-2 experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 617, 81-84.	1.6	29

#	ARTICLE	IF	CITATIONS
325	Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 721, 22-50.		
326	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	29
327	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 299-317.	4.7	29
328	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 1.	4.7	28
329	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.	4.7	28
330	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
332	Measurement of branching ratios and estimate of the phase of the strong decay amplitude. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 444, 111-118.	4.1	27
333	Measurement of differential cross sections and forward-backward ratios in $\sqrt{s} = 7 \text{ TeV}$ collisions with the ATLAS detector. Physical Review D, 2015, 92, 032002.	2.9	27
334	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27
336	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
337	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
338	Precision measurement of the $\ell^+ \ell^- \rightarrow e^+ e^- \rightarrow 0$ Dalitz plot distribution with the KLOE detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
339	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\nu}_t$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
340	Scalar mesons at KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2009, 186, 290-293.	0.4	26
341	Search for Pair Production of a New Quark that Decays into a $Z$ -Boson and a Bottom Quark with the ATLAS Detector. Physical Review Letters, 2012, 109, 071801.	7.8	26
342	Precise measurement of prompt photon emission from 80 MeV/u carbon ion beam irradiation. Journal of Instrumentation, 2012, 7, P03001-P03001.	1.2	26

#	ARTICLE	IF	CITATIONS
343	Measurement of the parity-violating asymmetry parameter $\epsilon$ in the helicity amplitudes for the decay $t\bar{t} \rightarrow b\bar{b} + l^+l^-$ . <i>Nature</i> , 2015, 521, 47-49.	4.7	26
344	Measurement of the top pair production cross section in 8 TeV proton-proton collisions using kinematic information in the final state with ATLAS. <i>Physical Review D</i> , 2015, 91, 092002.	4.7	26
345	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2015, 92, 092003.	4.7	26
346	Combined limit on the production of a light gauge boson decaying into $l^+l^-$ and $ee$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 784, 336-341.	4.1	26
347	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ and $WW$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the Measurement of the branching ratio of the $C_2$ process. <i>Nature</i> , 2015, 521, 50-53.	3.9	26
348	Search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb $^{-1}$ of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	4.1	25
349	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
350	Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 718, 369-390.	4.1	25
351	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
352	Operation and performance of the ATLAS semiconductor tracker. <i>Journal of Instrumentation</i> , 2014, 9, P08009.	1.2	25
353	Determination of the top-quark pole mass using $t\bar{t} \rightarrow e^+e^- + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
354	Study of the Dalitz decay $t\bar{t} \rightarrow e^+e^- + e^+e^-$ with the KLOE detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 742, 1-6.	4.1	25
355	Search for direct production of charged and neutralines in events with three leptons and missing transverse momentum in $t\bar{t} \rightarrow b\bar{b} + l^+l^-$ pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 71-74.	4.1	24
356	Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in $t\bar{t}$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2014, 16, 113013.	2.9	24
357	Search for dark Higgsstrahlung in $e^+e^- \rightarrow t\bar{t} + \text{miss. energy}$ and missing energy events with the KLOE experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 747, 365-372.	4.1	24

#	ARTICLE	IF	CITATIONS
361	Search for type-III seesaw heavy leptons in $\langle \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ the ATLAS detector. <i>Physical Review D</i> , 2015, 92, 032003.	4.7	24
362	Precise measurement of $(K_S \rightarrow e^+ e^- (\bar{D}^0)) / (K_S \rightarrow e^+ e^- (\bar{D}^0))$ with the KLOE detector at DA <small>F</small> NE. <i>European Physical Journal C</i> , 2006, 48, 767.	3.9	23
363	Commissioning of the ATLAS Muon Spectrometer with $\bar{\nu}$ -cosmic rays. <i>European Physical Journal C</i> , 2010, 70, 875-916.	3.9	23
364	Time-dependent angular analysis of the decay $B_s \rightarrow \psi(\chi_0) \pi^\pm$ and extraction of $\Gamma(\psi \rightarrow s)$ and the CP-violating weak phase $\phi_\psi$ by ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	23
365	Search for excited electrons and muons in $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 093011.	2.9	23
366	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3168.	3.9	23
367	Measurement of the underlying event in jet events from $7\text{TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
368	Determination of the Ratio of Quark Fragmentation Fractions $b/\langle b \rangle$ . <i>Physical Review Letters</i> , 2015, 115, 262001.	7.8	23
369	A search for high-mass resonances decaying to $t, \bar{t}, \tau^+, \tau^-$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
370	Measurement of transverse energy correlations in multi-jet events in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector and determination of the strong coupling constant $\alpha_s$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010, 694, 16-21.	4.1	23
371	Measurement of three-jet production cross-sections in $p p$ collisions at $7\text{TeV}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
372	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
373	AtFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
374	A description of the ratio between electric and magnetic proton form factors by using space-like, time-like data and dispersion relations. <i>European Physical Journal C</i> , 2006, 46, 421-428.	3.9	22
375	Measurement of the slope parameter $\beta$ with the KLOE detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010, 694, 16-21.	4.1	22
376	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22
377	A new limit on the CP violating decay $\langle \text{mml:math} \rangle$ . <i>Computing and Software for Big Science</i> , 2022, 6, 1.	4.1	22
378	A LYSO calorimeter for the SuperB factory. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013, 718, 107-109.	1.6	22

#	ARTICLE	IF	CITATIONS
379	Search for new phenomena in the $\text{t} \bar{\text{t}} W$ final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 713, 860-878.		
380	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead+lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
381	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
382	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
383	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
384	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22
385	A new measurement of $t \bar{t} W$ polarization in $W \rightarrow l^+ l^- \nu \bar{\nu}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 301, 317-320.	4.1	21
386	Upper limit on the $t \bar{t} W$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1993, 301, 317-320.	4.1	21
387	ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .	4.7	21
388	Measurement of $t \bar{t}$ polarization in $W \rightarrow l^+ l^- \nu \bar{\nu}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2062.	3.9	21
389	A search for high-mass resonances decaying to $t \bar{t} W$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 242-260.	4.1	21
390	Measurement of the production cross-section of $t(2S) \rightarrow t^+ t^- (\ell^+ \ell^- + \nu \bar{\nu})$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
391	Determination of spin and parity of the Higgs boson in the $WW^*$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
392	The QCAL tile calorimeter of KLOE. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 483, 649-659.	1.6	20
393	Observation of the rare $t \bar{t} W$ decay with the KLOE experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 702, 224-228.		
394	Search for diphoton events with large missing transverse momentum in 7 TeV proton+proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	4.1	20
395	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	7.8	20
396	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
397	Search for the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" } \text{ altimg="si1.gif" } \text{ overflow="scroll" } \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle X \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ and other hidden-beauty states in the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" } \text{ altimg="si2.gif" } \text{ overflow="scroll" } \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle i \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} + \langle / \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 199-217.	4.1	20
398	The KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 494, 326-331. Measurement of the branching ratio $\Lambda_c^+ \rightarrow p \Lambda \pi^+$ in a CP-violating asymmetry in the charm-flavor system.	1.6	19
399	Search for charged Higgs bosons through the violation of lepton universality in $\overline{\ell} \ell$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
400	Measurement of k T splitting scales in $W \rightarrow l \nu$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
401	Measurement of $\bar{t}$ meson production in $\bar{t}^3\bar{t}^3$ interactions and $\bar{t}(\bar{t} \rightarrow \bar{t}\bar{t})$ with the KLOE detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
402	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	19
403	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H$ in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
404	Addendum to "Measurement of the $t \bar{t}$ production cross-section using events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
405	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
406	Probing lepton flavour violation via neutrinoless $\vartheta_{13}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
407	Measurement of the running of the fine structure constant below 1 GeV with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 767, 485-492.	4.1	19
408	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb <sup>-1</sup> of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
409	Nucleon time-like form factors below the. European Physical Journal C, 1999, 11, 709.	3.9	19
410	The FENICE detector at the e+e- collider ADONE. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 337, 34-43.	1.6	18
411	Measurements of light yield, attenuation length and time response of long samples of scintillating fibers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 370, 367-371.	1.6	18
412	Measurement of $(K S \rightarrow e^+ e^-)$ / $(K S \rightarrow \pi^0 \pi^0)$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 538, 21-26.	4.1	18
413	Data acquisition and monitoring for the KLOE detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 516, 288-314.	1.6	18

#	ARTICLE	IF	CITATIONS
415	Measurement and simulation of the neutron response and detection efficiency of a Pb-scintillating fiber calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 368-372.	1.6	18
416	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
417	Measurement of $W^{\pm}$ and $Z^{\pm}$ production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 717, 49-69.	4.1	18
418	Search for resonant diboson production in the $WW/WZ \rightarrow l^+l^-l^+l^-$ decay channels with the ATLAS detector. Physical Review D, 2013, 87, 092005.	4.7	18
419	Measurement of the transverse polarization of $W^{\pm}$ events using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 717, 49-69.	4.1	18
420	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
421	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	4.7	18
422	Determination of CP and CPT violation parameters in the neutral kaon system using the Bell-Steinberger relation and data from the KLOE experiment. Journal of High Energy Physics, 2006, 2006, 011-011.	4.7	17
423	Determination of $\bar{l}_1 \bar{l}_2 l_3 l_4$ Dalitz plot slopes and asymmetries with the KLOE detector. Journal of High Energy Physics, 2008, 2008, 006-006.	4.7	17
424	Calibration and performances of the KLOE calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 239-243.	1.6	17
425	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
426	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
427	Modelling $Z \rightarrow l^+l^-$ processes in ATLAS with $l^+$ -embedded $Z \rightarrow l^+l^-$ data. Journal of Instrumentation, 2015, 10, P09018-P09018.	1.2	17
428	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
429	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
433	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2015, 75, 158.	3.9	17
434	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
435	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
436	Measurement of the branching fraction for the decay $K\bar{S} \rightarrow e^+e^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 535, 37-42.	4.1	16
437	Search for resonant top quark plus jet production in $t\bar{t} + j$ events with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ . Physical Review D, 2012, 86, .	4.7	16
438	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1. Search for a fermiophobic Higgs boson in the diphoton and $t\bar{t}$ decay channels with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
439	Search for resonant top quark plus jet production in $t\bar{t} + j$ events with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ . Physical Review D, 2012, 86, .	4.7	16
440	Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. Journal of Instrumentation, 2014, 9, P07024-P07024.	1.2	16
441	Measurement of the production of neighbouring jets in lead+lead collisions at $\sqrt{s}=2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 751, 376-395.	4.7	16
442	Commissioning of the New Taggers of the KLOE-2 Experiment. Acta Physica Polonica B, 2015, 46, 81.	0.8	16
443	Simultaneous measurements of the $\tau$ and $\mu$ lifetimes. Physical Review D, 2015, 92, 032006.	4.7	16
444	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .	4.7	16
445	Measurements of four-lepton production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 552-572.	4.7	16
446	Search for free neutron-antineutron oscillations. Zeitschrift für Physik C-Particles and Fields, 1989, 43, 175-179.	1.5	15
447	Measurement of the leptonic decay widths of the $\tilde{\chi}_1^0$ -meson with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205.	4.1	15
448	Prospects for e+e- physics at Frascati between the $\tilde{\chi}_1^0$ and the $\tilde{\chi}_2^0$ . European Physical Journal C, 2007, 50, 729.	3.9	15
449	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
450	Study of the time and space distribution of emitters from carbon ion beam irradiation on PMMA. Nuclear Instruments & Methods in Physics Research B, 2012, 283, 1-8.	1.4	15

#	ARTICLE	IF	CITATIONS
451	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
452	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
453	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
454	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
455	Search for a multi-Higgs-boson cascade in $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector in $\text{W}^{\pm}\text{H}^{\pm}$ . Physical Review D, 2014, 89, .	4.7	15
456	Standalone vertex finding in the ATLAS muon spectrometer. Journal of Instrumentation, 2014, 9, P02001-P02001.	1.2	15
457	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
458	Determination of nucleon and pion form factors via dispersion relations. Nuclear Physics A, 2000, 666-667, 38-43.	1.5	14
459	Upper limit on the $\Lambda_c \rightarrow \Lambda \pi^+ \pi^- \pi^+$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 49-54.	4.1	14
460	Search for a heavy narrow resonance decaying to $e^+e^-$ , $\mu^+\mu^-$ , or $\tau^+\tau^-$ , with the ATLAS detector in $\text{W}^{\pm}\text{H}^{\pm}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 49-54.	4.1	14
461	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. Physical Review D, 2013, 88, .	4.7	14
462	Search for new phenomena in events with three charged leptons at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Physical Review D, 2013, 87, .	4.7	14
463	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
464	Measurement of the charge asymmetry for the $K_S \rightarrow e^+e^-$ decay and test of CPT symmetry with the KLOE detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
465	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	14
466	Measurement of the c-jet mistagging efficiency in $\text{W}^{\pm}\text{H}^{\pm}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
467	Autocalibration of high precision drift tubes. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 311-316.	0.4	13
468	Search for the decay $\Lambda_c \rightarrow \Lambda \pi^+ \pi^- \pi^+$ with the KLOE experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 679, 10-14.	4.7	13

#	ARTICLE	IF	CITATIONS
469	Precision measurement of the K S meson lifetime with the KLOE detector. European Physical Journal C, 2011, 71, 1.	3.9	13
470	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
471	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
472	Search for lepton flavour violation in the $e^{\pm}\gamma$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
473	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
474	Measurement of the CP-violating phase $\delta_s$ and the $B_s 0 \rightarrow B_s 0$ meson decay width difference with $B_s 0 \rightarrow J/\psi \pi^+$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
475	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
476	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
477	Scattering of thermal photons by a 46 GeV positron beam at LEP. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 262, 135-138.	4.1	12
478	Measurement of the ratio $(KL\bar{t}\bar{t}^3)/((KL\bar{t}\bar{t})^2)$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 566, 61-69.	4.1	12
479	Underlying event characteristics and their dependence on jet size of charged-particle jet events in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 86, .	4.7	12
480	Search for resonant WZ production in the $WZ \rightarrow l^+l^-l^+l^-$ channel in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	12
481	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196.	4.1	12
482	Search for a standard model Higgs boson in the $\text{H} \rightarrow \text{bb} \rightarrow \text{bb} \ell^+ \ell^-$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196.	4.1	12
483	Measurement of charged-particle event shape variables in inclusive $\sqrt{s} = 7\text{ TeV}$ proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, .	4.7	12
484	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{ fb}^{-1}$ of $\sqrt{s} = 8\text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
485	Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector. Physical Review D, 2014, 89, .	4.7	12
486	Measurement of the branching ratio $\text{H} \rightarrow \text{bb} \rightarrow \text{bb} \ell^+ \ell^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 89, .	4.7	12

#	ARTICLE	IF	CITATIONS
487	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
488	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
489	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
490	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
491	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	12
492	The KLOE drift chamber. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 461, 25-28.	1.6	11
493	Measurement of the branching fraction for the decay of muons in atomic strata. <i>Physical Review D</i> , 1998, 58, 092001.	4.1	11
494	Search for the $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle K \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle S \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle \text{mml:mo} \rangle \hat{\alpha}^t \langle / \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:math} \rangle$ decay with the KLOE detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009, 672, 203-208. $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \hat{\alpha}^Z \langle / \text{mml:mo} \rangle \langle / \text{mml:mrow} \rangle$ production with the ATLAS detector at $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si2.gif".	4.1	11
495	Measurement of the cross section of high transverse momentum $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle Z \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ production in proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.1	11
496	Stretchy="false" $\rangle \hat{\alpha}^t \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mover} \rangle \langle \text{mml:math} \rangle$ production in proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.1	11
497	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
498	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ display="inline" $\rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 93, .	4.7	11
499	Measuring the hadronic cross section via radiative return. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2003, 116, 243-248.	0.4	10
500	Search for the Higgs boson in the $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle Z \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ production at $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle Z \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 93, .	4.1	10
501	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	10
502	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
503	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\langle \text{mml:math} \rangle$ with $\text{mml:mml} = "http://www.w3.org/1998/Math/MathML"$ altimg="si1.gif" overflow="scroll" $\rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 2.76 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$ with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 10-28.	4.1	10
504	Measurement of the branching fraction for the decay $K \rightarrow \pi^+ \pi^- \pi^+ \pi^-$ with the KLOE detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 804, 135378.	4.1	10

#	ARTICLE	IF	CITATIONS
505	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\bar{W}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
506	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
507	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
508	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
509	The KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 201-205.	1.6	9
510	Calibration and reconstruction performances of the KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 344-347.	1.6	9
511	IRIDE: Interdisciplinary research infrastructure based on dual electron linacs and lasers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 740, 138-146.	4.1	9
513	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
514	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
515	Final results of a search for free neutron-antineutron oscillations. Il Nuovo Cimento A, 1990, 103, 731-750.	0.2	8
516	What can we learn about the ratio by using space-like, time-like data and dispersion relations?. Nuclear Physics A, 2005, 755, 286-289.	1.5	8
517	Measurement of the absolute branching ratio of the decay with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 128-133.	4.1	8
518	Measurements of the absolute branching ratio of the decay with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 128-133.	4.1	8
519	Measurements of the absolute branching ratio of the decay with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 128-133.	4.1	8
520	Measurements of $W+W\bar{W}$ + 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
521	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
522	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8

#	ARTICLE	IF	CITATIONS
523	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	7
524	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
525	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
526	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
527	Fast measurement of luminosity at LEP by detecting the single bremsstrahlung photons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1991, 306, 467-473.	1.6	6
528	Performance of a highly segmented scintillating fibres electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 326, 477-482.	1.6	6
529	Performance of fine mesh photomultiplier tubes in magnetic fields up to 0.3 T. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 368, 628-634.	1.6	6
530	Construction of the inner layer barrel drift chambers of the ATLAS muon spectrometer at the LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 546, 481-497.	1.6	6
531	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 714, 197-214.	4.1	6
532	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 261-279.	4.1	6
533	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
534	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
535	Fast luminosity monitor at LEP. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 349, 27-31.	1.6	5
536	Status of the KLOE electromagnetic calorimeter: final optimization, progress in construction and first calibration. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 14-19.	0.4	5
537	The ADCs and TDCs for the KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 675-678.	1.6	5
538	Measurement of the $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ form factor parameters with the KLOE detector. Journal of High Energy Physics, 2007, 2007, 105-105.	4.7	5
539	Measurement of the pion form factor for $M > 0.1$ GeV with the KLOE detector. Chinese Physics C, 2010, 34, 686-691.	3.7	5
540	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .	4.7	5

#	ARTICLE	IF	CITATIONS
541	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
542	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
543	The ATLAS inner detector trigger performance in pp collisions at $13\text{TeV}$ during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
544	The KLOE drift chamber VCI 2001. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2002, 478, 138-141.	1.6	4
545	Determination of $f(e^+e^- \rightarrow e^+e^-)$ from radiative processes at DA <small>F</small> NE. <i>European Physical Journal C</i> , 2004, 33, s656-s658.	3.9	4
546	The barrel-inner-large tracking chambers for the ATLAS muon spectrometer: Ready for installation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007, 573, 340-360.	1.6	4
547	A study of the radiative $K\bar{L} \rightarrow e^{\pm} e^{\mp} \gamma$ decay and search for direct photon emission with the KLOE detector. <i>European Physical Journal C</i> , 2008, 55, 539.	3.9	4
548	Measurement and Simulation of the Neutron Response and Detection Efficiency of a Pb-Scintillating Fiber Calorimeter. <i>IEEE Transactions on Nuclear Science</i> , 2008, 55, 1409-1412.	2.0	4
549	Measurement of the absolute branching ratios for semileptonic $K \rightarrow e^{\pm} e^{\mp}$ decays with the KLOE detector. <i>Journal of High Energy Physics</i> , 2008, 2008, 098-098.	4.7	4
550	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
551	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \pi^+ \pi^-$ events in Run2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
552	Measurement of the production cross section of pairs of isolated photons in pp collisions at $13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
553	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
554	Anisotropy in the Direction of Cosmic-Muon Bundles Observed at Sea Level in the Northern Hemisphere. <i>Europhysics Letters</i> , 1990, 11, 287-292.	2.0	3
555	Space resolution obtained with a highly segmented SCIFI e.m. calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1992, 315, 327-331.	1.6	3
556	Quality checks and first calibration of the KLOE electromagnetic calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1998, 409, 558-560.	1.6	3
557	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	3	
558	Precision tests of quantum mechanics symmetry with entangled neutral kaons at KLOE. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	3

#	ARTICLE	IF	CITATIONS
559	Measurement of b-quark fragmentation properties in jets using the decay $B\bar{B} \rightarrow J/\psi K\bar{K}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
560	Measurement of multi-muon events in a flash chamber tracking calorimeter at sea level. <i>Il Nuovo Cimento Della SocietÀ Italiana Di Fisica C</i> , 1991, 14, 363-375.	0.2	2
561	Thermal neutron radiation damage on light yield and attenuation length of scintillating fibres. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994, 338, 398-403.	1.6	2
562	The electromagnetic calorimeter of the KLOE experiment at DA <small>F</small> NE. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996, 379, 511-514.	1.6	2
563	The KLOE trigger system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 461, 465-469.	1.6	2
564	The hadronic cross section measurement at KLOE. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2005, 144, 231-237.	0.4	2
565	A description of the ratio between electric and magnetic proton form factors by using space-like, time-like data and dispersion relations. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2006, 162, 46-52.	0.4	2
566	Precise measurements of the $\bar{l}$ -meson and the neutral kaon masses with the KLOE detector. <i>Journal of High Energy Physics</i> , 2007, 2007, 073-073.	4.7	2
567	Measurement of the charged kaon lifetime with the KLOE detector. <i>Journal of High Energy Physics</i> , 2008, 2008, 073-073.	4.7	2
568	Measurement and simulation of the neutron detection efficiency with a Pb-scintillating fiber calorimeter. <i>Journal of Physics: Conference Series</i> , 2009, 160, 012023.	0.4	2
569	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
570	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. <i>European Physical Journal C</i> , 2022, 82, .	3.9	2
571	Performance of a scintillating fibres semiprojective electromagnetic calorimeter. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995, 357, 363-368.	1.6	1
572	? Studies with the KLOE Detector at DAFNE The KLOE Collaboration ? Presented by A. Farilla. <i>Physica Scripta</i> , 2002, T99, 123.	2.5	1
573	Measurement of hadronic cross section and preliminary results on the pion form factor using the radiative return at DA <small>F</small> NE. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2003, 123, 177-185.	0.4	1
574	The KLOE computing environment. <i>IEEE Transactions on Nuclear Science</i> , 2004, 51, 897-902.	2.0	1
575	Measurement of detection efficiency using Pb-scintillating fiber sampling KLOE calorimeter for neutrons between 22 and 174 MeV. , 2008, , .	1	
576	Measurement of the $K\bar{S} \rightarrow \pi^0 \eta'$ branching ratio using a pure $K\bar{S}$ beam with the KLOE detector. <i>Journal of High Energy Physics</i> , 2008, 2008, 051-051.	4.7	1

#	ARTICLE	IF	CITATIONS
577	RECENT RESULTS FROM KLOE AT DA <small>+</small> NE. International Journal of Modern Physics E, 2009, 18, 231-240.	1.0	1
578	Measurement of the detection efficiency of the KLOE calorimeter for neutrons between 22 and 174MeV. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 244-247.	1.6	1
579	KLOE results on light meson spectroscopy and prospects for KLOE-2. Journal of Physics: Conference Series, 2012, 349, 012002.	0.4	1
580	The SuperBFactory Electromagnetic Calorimeter. Journal of Physics: Conference Series, 2012, 404, 012065.	0.4	1
581	The KLOE-2 experiment at DA <small>+</small> NE. EPJ Web of Conferences, 2019, 212, 01002.	0.3	1
582	Upper limit on the $\bar{t} \rightarrow e^+ e^-$ branching fraction with the KLOE experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
583	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8\text{ TeV}$ ) with the ATLAS detector. , 2016, 76, 1.		1
584	Measurement of the cross-section for $e+e^- \rightarrow$ hadrons near the nucleon-antinucleon threshold by the FENICE experiment. Il Nuovo Cimento A, 1994, 107, 2383-2388.	0.2	0
585	Performance of a scintillating fibres semiprojective electromagnetic calorimeter. Nuclear Physics, Section B, Proceedings Supplements, 1995, 44, 163-167.	0.4	0
586	The KLOE electromagnetic calorimeter. Nuclear Physics, Section B, Proceedings Supplements, 1998, 61, 126-131.	0.4	0
587	The neutron electromagnetic form factors in the time-like region. AIP Conference Proceedings, 1998, . . .	0.4	0
588	The KLOE electromagnetic calorimeter. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 163-168.	0.4	0
589	Nucleon time-like form factors: Unexpected features and perspectives. Nuclear Physics A, 1999, 655, c249-c254.	1.5	0
590	KLOE at DA <small>+</small> NE. AIP Conference Proceedings, 2000, . . .	0.4	0
591	KLOE results on kaon decays and phi radiative decays. Nuclear Physics, Section B, Proceedings Supplements, 2003, 115, 145-149.	0.4	0
592	KLOE results on $\pi^+$ radiative decays. Nuclear Physics A, 2003, 721, C801-C804.	1.5	0
593	Studies of $\pi^+$ meson radiative decays with KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2003, 117, 677-680.	0.4	0
594	Meson decay studies with the KLOE detector at DA <small>+</small> NE. Nuclear Physics A, 2005, 752, 175-184.	1.5	0

#	ARTICLE		IF	CITATIONS
595	LATEST RESULTS FROM KLOE AT DAÏ NE. International Journal of Modern Physics A, 2007, 22, 357-364.		1.5	0
596	Light scalar mesons at KLOE. AIP Conference Proceedings, 2008, , .		0.4	0
597	<i>&lt; i&gt;V&lt;/i&gt;&lt;sub&gt;i&lt;/sub&gt;&lt;sub&gt;j&lt;/sub&gt;&lt;sub&gt;us&lt;/sub&gt;&lt;/i&gt;&lt;/sub&gt;   and lepton universality from kaon decays with the KLOE detector. Journal of High Energy Physics, 2008, 2008, 059-059.</i>		4.7	0
598	Measurement and simulation of neutron detection efficiency in lead-scintillating fiber calorimeters. Nuclear Physics, Section B, Proceedings Supplements, 2009, 197, 353-357.		0.4	0
599	Measurement of neutron detection efficiency between 22 and 174MeV using two different kinds of Pb-scintillating fiber sampling calorimeters. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 617, 107-108.		1.6	0
600	Light Meson Spectroscopy with KLOE. , 2010, , .			0
601	KLOE results on scalar and pseudoscalar mesons. Chinese Physics C, 2010, 34, 632-637.		3.7	0
602	DISCRETE 2010: Symposium on Prospects in the Physics of Discrete Symmetries. Journal of Physics: Conference Series, 2011, 335, 011001.		0.4	0
603	Measurement of the neutron detection efficiency of a 80% absorberâ€“20% scintillating fibers calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 626-627, 67-71.		1.6	0
604	Measurement of prompt photons and gamma PET from 80 MeV/u carbon beam on PMMA target. , 2011, , .			0
605	Charged and Neutral Particles Production from 80 MeV/u <sup>12</sup> C ion beam on a PMMA target. , 2012, , .			0
606	KLOE results in flavour physics and prospects for KLOE-2. Nuclear Physics, Section B, Proceedings Supplements, 2013, 241-242, 24-27.		0.4	0
607	The KLOE-2 Project. EPJ Web of Conferences, 2014, 73, 08002. Precision measurements of the $\langle mml:math altimg="si1.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x$		0.3	0
608			0.4	0
609	Detection of $\pi^+ \pi^- a_0(980)^0$ , $f_0(980)^0$ and $\pi^+ \pi^- \pi^+ \pi^-$ with the KLOE detector at DAÏ NE. , 2002, , .			0
610	Studies of $\pi^+$ meson radiative decays with KLOE. , 2003, , 677-680.			0
611	MEASUREMENT OF THE DETECTION EFFICIENCY OF THE KLOE CALORIMETER FOR NEUTRONS BETWEEN 20 AND 174 MEV. , 2008, , .			0
612	The Low Energy Tagger for the KLOE-2 experiment. , 2010, , .			0

#	ARTICLE	IF	CITATIONS
613	Hadron physics at KLOE: results and prospects. , 2011,,.	0	0
614	Light Hadron Physics at KLOE and KLOE-2. <i>Acta Physica Polonica B, Proceedings Supplement</i> , 2013, 6, 749.	0.1	0
615	Recent KLOE Results on Hadron Physics. <i>Acta Physica Polonica B, Proceedings Supplement</i> , 2014, 7, 425.	0.1	0
616	Recent Results On Light Pseudoscalar Mesons. , 2017,,.	0	0