

# Marcus F Stoddard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9504562/publications.pdf>

Version: 2024-02-01

28  
papers

1,482  
citations

623734

14  
h-index

501196

28  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1530  
citing authors

#	ARTICLE	IF	CITATIONS
1	FlowRAU-Net: Accelerated 4D Flow MRI of Aortic Valvular Flows With a Deep 2D Residual Attention Network. <i>IEEE Transactions on Biomedical Engineering</i> , 2022, 69, 3812-3824.	4.2	4
2	Early Apixaban Use Following Stroke in Patients With Atrial Fibrillation. <i>Stroke</i> , 2021, 52, 1164-1171.	2.0	18
3	Beneficial Cardiac Structural and Functional Adaptations After Lumbosacral Spinal Cord Epidural Stimulation and Task-Specific Interventions: A Pilot Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 554018.	2.8	10
4	Systolic and diastolic function in chronic spinal cord injury. <i>PLoS ONE</i> , 2020, 15, e0236490.	2.5	4
5	Childhood cancer survivors: The integral role of the cardiologist and cardiovascular imaging. <i>American Heart Journal</i> , 2020, 226, 127-139.	2.7	3
6	Two-dimensional strain echocardiography-derived left ventricular ejection fraction, volumes, and global systolic dyssynchrony index: Comparison with three-dimensional echocardiography. <i>Echocardiography</i> , 2019, 36, 1054-1065.	0.9	6
7	The evolution of apical hypertrophic cardiomyopathy: Development of mid-ventricular obstruction and apical aneurysm 11 years after initial diagnosis. <i>Echocardiography</i> , 2019, 36, 987-991.	0.9	2
8	A curious case of an absent left atrial appendage. <i>Echocardiography</i> , 2018, 35, 1882-1884.	0.9	2
9	Frequent premature atrial contractions impair left atrial contractile function and promote adverse left atrial remodeling. <i>Echocardiography</i> , 2018, 35, 1310-1317.	0.9	12
10	Risk of Recurrent Neurologic Stroke or Transient Ischemic Attack in Patients with Cryptogenic Stroke and Intrapulmonary Shunt. <i>Echocardiography</i> , 2016, 33, 276-280.	0.9	3
11	Echocardiographic Assessment of Cardiotoxic Effects of Cancer Therapy. <i>Current Cardiology Reports</i> , 2016, 18, 99.	2.9	15
12	Determination of the Optimum Number of Cardiac Cycles to Differentiate Intra-pulmonary Shunt and Patent Foramen Ovale by Saline Contrast Two- and Three-dimensional Echocardiography. <i>Echocardiography</i> , 2014, 31, 293-301.	0.9	19
13	Intrapulmonary Shunt Is a Potentially Unrecognized Cause of Ischemic Stroke and Transient Ischemic Attack. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 683-690.	2.8	42
14	Transesophageal Echocardiography Impacts Management and Evaluation of Patients with Stroke, Transient Ischemic Attack, or Peripheral Embolism. <i>Echocardiography</i> , 2006, 23, 202-207.	0.9	34
15	Left atrial inflow propagation rate derived by transesophageal color M-mode echocardiography is a promising index of preload. <i>Clinical Cardiology</i> , 2003, 26, 201-204.	1.8	2
16	Left atrial thrombus predicts transient ischemic attack in patients with atrial fibrillation. <i>American Heart Journal</i> , 2003, 145, 676-682.	2.7	69
17	Left atrial inflow propagation rate: A new transesophageal echocardiographic index of preload. <i>Journal of the American Society of Echocardiography</i> , 2002, 15, 1057-1064.	2.8	4
18	Risk of Thromboembolism in Acute Atrial Fibrillation or Atrial Flutter. <i>Echocardiography</i> , 2000, 17, 393-405.	0.9	26

#	ARTICLE	IF	CITATIONS
19	Preconditioning of Human Myocardium With Adenosine During Coronary Angioplasty. <i>Circulation</i> , 1997, 95, 2500-2507.	1.6	205
20	Transesophageal echocardiographic guidance of cardioversion in patients with atrial fibrillation. <i>American Heart Journal</i> , 1995, 129, 1204-1215.	2.7	122
21	Left atrial appendage thrombus is not uncommon in patients with acute atrial fibrillation and a recent embolic event: A transesophageal echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1995, 25, 452-459.	2.8	493
22	The cough test is superior to the Valsalva maneuver in the delineation of right-to-left shunting through a patent foramen ovale during contrast transesophageal echocardiography. <i>American Heart Journal</i> , 1993, 125, 185-189.	2.7	58
23	Pulsed Doppler transesophageal echocardiographic determination of cardiac output in human beings: Comparison with thermodilution technique. <i>American Heart Journal</i> , 1993, 126, 956-962.	2.7	61
24	The Role of Doppler Echocardiography in the Assessment of Left Ventricular Diastolic Function. <i>Echocardiography</i> , 1992, 9, 387-406.	0.9	16
25	Prolongation of isovolumetric relaxation time as assessed by Doppler echocardiography predicts doxorubicin-induced systolic dysfunction in humans. <i>Journal of the American College of Cardiology</i> , 1992, 20, 62-69.	2.8	155
26	Transesophageal echocardiography: Normal variants and mimickers. <i>American Heart Journal</i> , 1992, 124, 1587-1598.	2.7	41
27	Comparison of cardiac dimensions by transesophageal and transthoracic echocardiography. <i>American Heart Journal</i> , 1992, 124, 675-678.	2.7	48
28	The transesophageal echocardiographic diagnosis of left atrial myxoma simulating a left atrial thrombus in the setting of mitral stenosis. <i>Clinical Cardiology</i> , 1992, 15, 379-382.	1.8	8