

Paul CalÃ's

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9511007/publications.pdf>

Version: 2024-02-01

194
papers

12,308
citations

26630

56
h-index

27406

106
g-index

213
all docs

213
docs citations

213
times ranked

10657
citing authors

#	ARTICLE	IF	CITATIONS
1	The severity of nonalcoholic fatty liver disease is associated with gut dysbiosis and shift in the metabolic function of the gut microbiota. <i>Hepatology</i> , 2016, 63, 764-775.	7.3	1,029
2	Beta-Adrenergic Antagonist Drugs in the Prevention of Gastrointestinal Bleeding in Patients with Cirrhosis and Esophageal Varices. <i>New England Journal of Medicine</i> , 1991, 324, 1532-1538.	27.0	485
3	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , 2005, 42, 1373-1381.	7.3	482
4	Sources of variability in histological scoring of chronic viral hepatitis. <i>Hepatology</i> , 2005, 41, 257-264.	7.3	471
5	Determination of reliability criteria for liver stiffness evaluation by transient elastography. <i>Hepatology</i> , 2013, 57, 1182-1191.	7.3	466
6	Clinical outcomes in patients with chronic hepatitis C after direct-acting antiviral treatment: a prospective cohort study. <i>Lancet</i> , The, 2019, 393, 1453-1464.	13.7	449
7	Liver stiffness in nonalcoholic fatty liver disease: A comparison of supersonic shear imaging, FibroScan, and ARFI with liver biopsy. <i>Hepatology</i> , 2016, 63, 1817-1827.	7.3	388
8	Noninvasive diagnosis of hepatic fibrosis or cirrhosis. <i>Gastroenterology</i> , 1997, 113, 1609-1616.	1.3	349
9	Ultrasonographic surveillance of hepatocellular carcinoma in cirrhosis: A randomized trial comparing 3- and 6-month periodicities. <i>Hepatology</i> , 2011, 54, 1987-1997.	7.3	309
10	Diagnostic accuracy and prognostic significance of blood fibrosis tests and liver stiffness measurement by FibroScan in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2016, 65, 570-578.	3.7	300
11	Severe portal hypertensive gastropathy and antral vascular ectasia are distinct entities in patients with cirrhosis. <i>Gastroenterology</i> , 1995, 108, 138-144.	1.3	238
12	Ultrasonographic diagnosis of hepatic fibrosis or cirrhosis. <i>Journal of Hepatology</i> , 1999, 30, 472-478.	3.7	237
13	Comparison of blood tests for liver fibrosis specific or not to NAFLD. <i>Journal of Hepatology</i> , 2009, 50, 165-173.	3.7	230
14	Early Administration of Vapreotide for Variceal Bleeding in Patients with Cirrhosis. <i>New England Journal of Medicine</i> , 2001, 344, 23-28.	27.0	218
15	Gastroesophageal endoscopic features in cirrhosis. <i>Gastroenterology</i> , 1990, 98, 156-162.	1.3	190
16	Histopathological evaluation of liver fibrosis: quantitative image analysis vs semi-quantitative scores. <i>Journal of Hepatology</i> , 1998, 28, 439-446.	3.7	189
17	Superior portosystemic collateral circulation estimated by azygos blood flow in patients with cirrhosis. <i>Journal of Hepatology</i> , 1985, 1, 37-46.	3.7	159
18	Non-invasive diagnosis of esophageal varices in chronic liver diseases. <i>Journal of Hepatology</i> , 1999, 31, 867-873.	3.7	157

#	ARTICLE	IF	CITATIONS
19	Lack of effect of propranolol in the prevention of large oesophageal varices in patients with cirrhosis. European Journal of Gastroenterology and Hepatology, 1999, 11, 741.	1.6	144
20	Low-dose terlipressin improves systemic and splanchnic hemodynamics in fluid-challenged endotoxic rats*. Critical Care Medicine, 2003, 31, 215-220.	0.9	142
21	Acoustic radiation force impulse: a new ultrasonographic technology for the widespread noninvasive diagnosis of liver fibrosis. European Journal of Gastroenterology and Hepatology, 2010, 22, 1074-1084.	1.6	126
22	Evolution of noninvasive tests of liver fibrosis is associated with prognosis in patients with chronic hepatitis C. Hepatology, 2014, 60, 65-76.	7.3	118
23	Reproducibility of Liver Stiffness Measurement by Ultrasonographic Elastometry. Clinical Gastroenterology and Hepatology, 2008, 6, 1263-1269.	4.4	113
24	Comparison of eight diagnostic algorithms for liver fibrosis in hepatitis C: new algorithms are more precise and entirely noninvasive. Hepatology, 2012, 55, 58-67.	7.3	112
25	Refining the Baveno VI elastography criteria for the definition of compensated advanced chronic liver disease. Journal of Hepatology, 2021, 74, 1109-1116.	3.7	112
26	Vascular involvement of the liver in Turner's syndrome. Hepatology, 2004, 39, 239-247.	7.3	110
27	IL-34 and macrophage colony-stimulating factor are overexpressed in hepatitis C virus fibrosis and induce profibrotic macrophages that promote collagen synthesis by hepatic stellate cells. Hepatology, 2014, 60, 1879-1890.	7.3	107
28	New sequential combinations of non-invasive fibrosis tests provide an accurate diagnosis of advanced fibrosis in NAFLD. Journal of Hepatology, 2019, 71, 389-396.	3.7	107
29	Hemodynamic and antifibrotic effects of losartan in rats with liver fibrosis and/or portal hypertension. Journal of Hepatology, 2002, 37, 773-780.	3.7	105
30	The combination of a blood test and Fibroscan improves the non-invasive diagnosis of liver fibrosis. Liver International, 2009, 29, 1507-1515.	3.9	105
31	Validation of Baveno VI Criteria for Screening and Surveillance of Esophageal Varices in Patients With Compensated Cirrhosis and a Sustained Response to Antiviral Therapy. Gastroenterology, 2019, 156, 997-1009.e5.	1.3	100
32	Detrimental hemodynamic and inflammatory effects of microparticles originating from septic rats*. Critical Care Medicine, 2009, 37, 2045-2050.	0.9	99
33	Endoscopic detection of early esophageal cancer in a high-risk population: does Lugol staining improve videoendoscopy?. Gastrointestinal Endoscopy, 1997, 45, 480-484.	1.0	97
34	Characteristics of patients with chronic hepatitis B in France: Predominant frequency of HBe antigen negative cases. Journal of Hepatology, 2006, 45, 355-360.	3.7	96
35	Complications and competing risks of death in compensated viral cirrhosis (ANRS CO12 CirVir) Tj ETQq1 1 0.784314 rgBT /Overlock 10	7.3	96
36	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. European Journal of Gastroenterology and Hepatology, 2008, 20, 693-701.	1.6	95

#	ARTICLE	IF	CITATIONS
37	Evaluating the accuracy and increasing the reliable diagnosis rate of blood tests for liver fibrosis in chronic hepatitis C. <i>Liver International</i> , 2008, 28, 1352-1362.	3.9	94
38	A New Combination of Blood Test and Fibroscan for Accurate Non-Invasive Diagnosis of Liver Fibrosis Stages in Chronic Hepatitis C. <i>American Journal of Gastroenterology</i> , 2011, 106, 1255-1263.	0.4	87
39	Ribavirin exposure after the first dose is predictive of sustained virological response in chronic hepatitis C. <i>Hepatology</i> , 2008, 47, 1453-1461.	7.3	80
40	Prothrombin index is an indirect marker of severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 1133-1141.	1.6	75
41	Effects of hydrogen sulfide on hemodynamics, inflammatory response and oxidative stress during resuscitated hemorrhagic shock in rats. <i>Critical Care</i> , 2010, 14, R165.	5.8	75
42	Nomogram for individualized prediction of hepatocellular carcinoma occurrence in hepatitis C virus cirrhosis (ANRS CO12 CirVir). <i>Hepatology</i> , 2016, 64, 1136-1147.	7.3	75
43	Hepatitis C, alpha interferon, anxiety and depression disorders: A prospective study of 71 patients. <i>World Journal of Biological Psychiatry</i> , 2003, 4, 115-118.	2.6	74
44	The Osteopontin Level in Liver, Adipose Tissue and Serum Is Correlated with Fibrosis in Patients with Alcoholic Liver Disease. <i>PLoS ONE</i> , 2012, 7, e35612.	2.5	74
45	In vivo evaluation of lipid nanocapsules as a promising colloidal carrier for paclitaxel. <i>International Journal of Pharmaceutics</i> , 2007, 344, 143-149.	5.2	72
46	A stepwise algorithm using an at-a-glance first-line test for the non-invasive diagnosis of advanced liver fibrosis and cirrhosis. <i>Journal of Hepatology</i> , 2017, 66, 1158-1165.	3.7	71
47	Prevention of recurrent variceal bleeding in alcoholic cirrhotic patients: prospective controlled trial of propranolol and sclerotherapy. <i>Journal of Hepatology</i> , 1991, 12, 283-289.	3.7	69
48	Diagnostic accuracy, reproducibility and robustness of fibrosis blood tests in chronic hepatitis C: A meta-analysis with individual data. <i>Clinical Biochemistry</i> , 2008, 41, 1368-1376.	1.9	69
49	Comparison of Elastography, Serum Marker Scores, and Histology for the Assessment of Liver Fibrosis in Hepatitis B Virus (HBV)-Infected Patients in Burkina Faso. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 82, 454-458.	1.4	66
50	Respective roles of porto-septal fibrosis and centrilobular fibrosis in alcoholic liver disease. <i>Journal of Pathology</i> , 2003, 201, 55-62.	4.5	65
51	Inter-observer and intra-observer variability in hepatology. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 959-966.	1.6	63
52	Reproducibility of blood tests of liver fibrosis in clinical practice. <i>Clinical Biochemistry</i> , 2008, 41, 10-18.	1.9	63
53	New Doppler ultrasound signs improve the non-invasive diagnosis of cirrhosis or severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 743-751.	1.6	62
54	A novel spleenâ€dedicated stiffness measurement by FibroScanÂ® improves the screening of highâ€risk oesophageal varices. <i>Liver International</i> , 2020, 40, 175-185.	3.9	60

#	ARTICLE	IF	CITATIONS
55	Effects of long-term administration of interferon α in two models of liver fibrosis in rats. Journal of Hepatology, 1998, 29, 263-270.	3.7	59
56	Improved diagnostic accuracy of blood tests for severe fibrosis and cirrhosis in chronic hepatitis C. European Journal of Gastroenterology and Hepatology, 2009, 21, 28-38.	1.6	58
57	Reproducibility in Ultrasonic Characterization of Carotid Plaques. Cerebrovascular Diseases, 1998, 8, 273-277.	1.7	57
58	Effects of simvastatin, pentoxifylline and spironolactone on hepatic fibrosis and portal hypertension in rats with bile duct ligation. Journal of Hepatology, 1997, 26, 1363-1371.	3.7	56
59	Current management of the complications of portal hypertension: variceal bleeding and ascites. Cmaj, 2006, 174, 1433-1443.	2.0	55
60	Screening for therapeutic trials and treatment indication in clinical practice: <scp>MACK</scp>â€³, a new blood test for the diagnosis of fibrotic <scp>NASH</scp>. Alimentary Pharmacology and Therapeutics, 2018, 47, 1387-1396.	3.7	55
61	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: The Liver-FibroSTARD standards. Journal of Hepatology, 2015, 62, 807-815.	3.7	54
62	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. Journal of Gastroenterology, 2014, 49, 527-537.	5.1	53
63	Ursodeoxycholic acid for the treatment of primary biliary cirrhosis. Journal of Hepatology, 1990, 11, 16-21.	3.7	52
64	Personalized surveillance for hepatocellular carcinoma in cirrhosisâ€œ using machine learning adapted to HCV status. Journal of Hepatology, 2020, 73, 1434-1445.	3.7	52
65	Antifibrotic and hemodynamic effects of the early and chronic administration of octreotide in two models of liver fibrosis in rats. Hepatology, 1998, 28, 1525-1531.	7.3	51
66	IL-26 is overexpressed in chronically HCV-infected patients and enhances TRAIL-mediated cytotoxicity and interferon production by human NK cells. Gut, 2015, 64, 1466-1475.	12.1	49
67	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. Hepatology, 2002, 36, 840-849.	7.3	48
68	FibroMeters: a family of blood tests for liver fibrosis. Gastroenterologie Clinique Et Biologique, 2008, 32, 40-51.	0.9	47
69	Effect of Prolonged Interferon Therapy on the Outcome of Hepatitis C Virusâ€œRelated Cirrhosis: A Randomized Trial. Clinical Gastroenterology and Hepatology, 2007, 5, 502-507.	4.4	45
70	Metabolic and hepatic effects of bloodletting in dysmetabolic iron overload syndrome: A randomized controlled study in 274 patients. Hepatology, 2017, 65, 465-474.	7.3	45
71	Optimization and robustness of blood tests for liver fibrosis and cirrhosis. Clinical Biochemistry, 2010, 43, 1315-1322.	1.9	42
72	Diagnosis of different liver fibrosis characteristics by blood tests in non-alcoholic fatty liver disease. Liver International, 2010, 30, 1346-1354.	3.9	41

#	ARTICLE	IF	CITATIONS
73	Acute effect of propranolol on splanchnic circulation in normal and portal hypertensive rats. Journal of Hepatology, 1985, 1, 349-357.	3.7	39
74	Fibrinogen angers with a new deletion (? GVYYQ 346-350) causes hypofibrinogenemia with hepatic storage. Journal of Thrombosis and Haemostasis, 2007, 5, 1999-2005.	3.8	38
75	Comparison of liver fibrosis blood tests developed for HCV with new specific tests in HIV/HCV co-infection. Journal of Hepatology, 2010, 53, 238-244.	3.7	38
76	Direct comparison of the specialised blood fibrosis tests FibroMeter^{V2G} and Enhanced Liver Fibrosis score in patients with nonâ€alcoholic fatty liver disease from tertiary care centres. Alimentary Pharmacology and Therapeutics, 2019, 50, 1214-1222.	3.7	38
77	Diagnosis and Measurement of Liver Fibrosis by MRI in Bile Duct Ligated Rats. Digestive Diseases and Sciences, 2007, 52, 2601-2609.	2.3	37
78	Factors Limiting Complete Tumor Ablation by Radiofrequency Ablation. CardioVascular and Interventional Radiology, 2008, 31, 107-115.	2.0	37
79	Association Between Severity of Obstructive Sleep Apnea and Blood Markers of Liver Injury. Clinical Gastroenterology and Hepatology, 2016, 14, 1657-1661.	4.4	37
80	Evaluation of Baveno recommendations for grading esophageal varices. Journal of Hepatology, 2003, 39, 658-659.	3.7	36
81	Combination of blood tests for significant fibrosis and cirrhosis improves the assessment of liverâ€prognosis in chronic hepatitis C. Alimentary Pharmacology and Therapeutics, 2014, 40, 178-188.	3.7	36
82	Screening of esophageal varices by esophageal capsule endoscopy: results of a French multicenter prospective study. Endoscopy, 2015, 47, 486-492.	1.8	33
83	Interobserver agreement on endoscopic diagnosis of bleeding peptic ulcers. Gastrointestinal Endoscopy, 1997, 46, 27-32.	1.0	30
84	Prevention of portal hypertension by propranolol and spironolactone in rats with bile duct ligation. Journal of Hepatology, 1997, 26, 167-173.	3.7	29
85	Prospective study on the application of the Baveno II Consensus Conference criteria in patients with cirrhosis and gastrointestinal bleeding. Journal of Hepatology, 2000, 33, 738-741.	3.7	29
86	Weakness of mucosal barrier in portal hypertensive gastropathy of alcoholic cirrhosis. Effects of propranolol and enprostil. Journal of Hepatology, 1995, 23, 689-696.	3.7	28
87	Internal Radiotherapy of Liver Cancer with Rat Hepatocarcinoma-Intestine-Pancreas Gene as a Liver Tumor-Specific Promoter. Human Gene Therapy, 2008, 19, 915-926.	2.7	28
88	Improved fibrosis staging by elastometry and blood test in chronic hepatitis C. Liver International, 2014, 34, 907-917.	3.9	28
89	A Novel FibroScan Examination Dedicated to Spleen Stiffness Measurement. Ultrasound in Medicine and Biology, 2018, 44, 1616-1626.	1.5	27
90	Large oesophageal varice screening by a sequential algorithm using a cirrhosis blood test and optionally capsule endoscopy. Liver International, 2018, 38, 84-93.	3.9	27

#	ARTICLE	IF	CITATIONS
91	A Single Test Combining Blood Markers and Elastography is More Accurate Than Other Fibrosis Tests in the Main Causes of Chronic Liver Diseases. <i>Journal of Clinical Gastroenterology</i> , 2017, 51, 639-649.	2.2	26
92	Effect of propranolol on metabolic activity of the liver in patients with alcoholic cirrhosis. <i>Journal of Hepatology</i> , 1988, 7, 186-192.	3.7	25
93	Sodium Iodide Symporter Is Expressed at the Preneoplastic Stages of Liver Carcinogenesis and in Human Cholangiocarcinoma. <i>Gastroenterology</i> , 2007, 132, 1495-1503.	1.3	24
94	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 973-982.	1.6	24
95	Controlled attenuation parameter (<sc>CAP</sc>): a new device for fast evaluation of liver fat?. <i>Liver International</i> , 2012, 32, 875-877.	3.9	24
96	Hepatic hyper- vitaminosis A. <i>European Journal of Gastroenterology and Hepatology</i> , 2000, 12, 361-364.	1.6	23
97	Multicenter prospective validation of the Baveno IV and Baveno II/III criteria in cirrhosis patients with variceal bleeding. <i>Hepatology</i> , 2015, 61, 1024-1032.	7.3	23
98	Increased liver stiffness in patients with severe sleep apnoea and metabolic comorbidities. <i>European Respiratory Journal</i> , 2018, 51, 1800601.	6.7	23
99	Pharmacodynamic and pharmacokinetic study of propranolol in patients with cirrhosis and portal hypertension.. <i>British Journal of Clinical Pharmacology</i> , 1989, 27, 763-770.	2.4	22
100	Hemodynamic effects of terlipressin and octreotide administration alone or in combination in portal hypertensive rats. <i>Journal of Hepatology</i> , 1998, 29, 103-111.	3.7	22
101	Late onset of Wilson's disease in a family with genetic haemochromatosis. <i>European Journal of Gastroenterology and Hepatology</i> , 2006, 18, 43-47.	1.6	22
102	Comparison of accuracy of fibrosis degree classifications by liver biopsy and non-invasive tests in chronic hepatitis C. <i>BMC Gastroenterology</i> , 2011, 11, 132.	2.0	22
103	Renal macro- and microcirculation autoregulatory capacity during early sepsis and norepinephrine infusion in rats. <i>Critical Care</i> , 2013, 17, R139.	5.8	22
104	Resolution of chronic hepatitis Delta after 1 year of combined therapy with pegylated interferon, tenofovir and emtricitabine. <i>Journal of Clinical Virology</i> , 2010, 47, 97-99.	3.1	21
105	How to clarify the Baveno <sc>VI</sc> criteria for ruling out varices needing treatment by noninvasive tests. <i>Liver International</i> , 2019, 39, 49-53.	3.9	21
106	New method of cardiac output measurement using ultrasound velocity dilution in rats. <i>Journal of Applied Physiology</i> , 2001, 91, 1274-1282.	2.5	19
107	Quantification of portalâ€‘bridging fibrosis area more accurately reflects fibrosis stage and liver stiffness than whole fibrosis or perisinusoidal fibrosis areas in chronic hepatitis C. <i>Modern Pathology</i> , 2014, 27, 1035-1045.	5.5	19
108	Including Ratio of Platelets to Liver Stiffness Improves Accuracy of Screening for Esophageal Varices That Require Treatment. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 777-787.e17.	4.4	19

#	ARTICLE	IF	CITATIONS
109	Apoptosis and liver fibrosis: antifibrotic strategies. <i>Biomedicine and Pharmacotherapy</i> , 1998, 52, 259-263.	5.6	18
110	A not so solitary fibrous tumor of the liver. <i>Gastroenterologie Clinique Et Biologique</i> , 2010, 34, 716-720.	0.9	18
111	AST/ALT ratio is not an index of liver fibrosis in chronic hepatitis C when aminotransferase activities are determinate according to the international recommendations. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 467-472.	1.5	18
112	MRI measurement of liver fat content predicts the metabolic syndrome. <i>Diabetes and Metabolism</i> , 2013, 39, 314-321.	2.9	18
113	Verapamil has no effect on porto-hepatic pressure gradient, hepatic blood flow and elimination function of the liver in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 1989, 8, 302-307.	3.7	17
114	Colonic investigations in the elderly: Colonoscopy or barium enema?. <i>Aging Clinical and Experimental Research</i> , 1995, 7, 190-194.	2.9	16
115	Gastroesophageal endoscopic signs of cirrhosis: independent diagnostic accuracy, interassociation, and relationship to etiology and hepatic dysfunction. <i>Gastrointestinal Endoscopy</i> , 1998, 48, 148-157.	1.0	16
116	Steatosis degree, measured by morphometry, is linked to other liver lesions and metabolic syndrome components in patients with NAFLD. <i>European Journal of Gastroenterology and Hepatology</i> , 2011, 23, 974-981.	1.6	16
117	Liver fibrosis diagnosis by blood test and elastography in chronic hepatitis C: agreement or combination?. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 991-1003.	3.7	16
118	Improving estimation of liver fibrosis using combination and newer noninvasive biomarker scoring systems in hepatitis C-infected haemophilia patients. <i>Haemophilia</i> , 2007, 13, 722-729.	2.1	15
119	Different precore/core mutations of hepatitis B interact with, limit, or favor liver fibrosis severity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1750-1756.	2.8	15
120	Long-term administration of PGE1 increases liver fibrosis and collateral blood flow in bile-duct-ligated rats. <i>Journal of Hepatology</i> , 1999, 30, 70-76.	3.7	14
121	Clinical interpretation of Fibroscan® results: a real challenge. <i>Liver International</i> , 2010, 30, 1400-1402.	3.9	14
122	A pragmatic non-invasive assessment of liver fibrosis in patients with psoriasis, rheumatoid arthritis or Crohn's disease receiving methotrexate therapy. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 100003.	1.5	14
123	Spleno-renal shunt blood flow is an accurate index of collateral circulation in different models of portal hypertension and after pharmacological changes in rats. <i>Journal of Hepatology</i> , 2000, 32, 434-440.	3.7	13
124	The noninvasive diagnosis of esophageal varices and its application in clinical practice. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2018, 42, 6-16.	1.5	13
125	Laser ablation of microdroplets for copper isotopic analysis <i>via</i> MC-ICP-MS. Analysis of serum microsomes for the diagnosis and follow-up treatment of Wilson's disease. <i>Journal of Analytical Atomic Spectrometry</i> , 2021, 36, 968-980.	3.0	13
126	Splenorenal shunt blood flow by transit-time ultrasound as an index of collateral circulation in portal hypertensive rats. <i>Hepatology</i> , 1998, 28, 1269-1274.	7.3	12

#	ARTICLE	IF	CITATIONS
127	Evaluation and improvement of a reliable diagnosis of cirrhosis by blood tests. Gastroenterologie Clinique Et Biologique, 2008, 32, 1050-1060.	0.9	12
128	Effects of octreotide on intestinal transit and bacterial translocation in conscious rats with portal hypertension and liver fibrosis. Digestive Diseases and Sciences, 2001, 46, 2367-2373.	2.3	11
129	The effects of vasopressin and its analogues on the liver and its disorders in the critically ill. Current Opinion in Critical Care, 2010, 16, 148-152.	3.2	11
130	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. Clinica Chimica Acta, 2011, 412, 347-352.	1.1	11
131	Criteria to Determine Reliability of Noninvasive Assessment of Liver Fibrosis With Virtual Touch Quantification. Clinical Gastroenterology and Hepatology, 2019, 17, 164-171.e5.	4.4	11
132	Automated morphometry provides accurate and reproducible virtual staging of liver fibrosis in chronic hepatitis C. Journal of Pathology Informatics, 2015, 6, 20.	1.7	11
133	Gastric Mucosal Surface In Cirrhosis Evaluated By Magnifying Endoscopy And Scanning Electronic Microscopy. Endoscopy, 2000, 32, 614-623.	1.8	10
134	Predictive factors for hepatocellular carcinoma in chronic hepatitis B using structural equation modeling: a prospective cohort study. Clinics and Research in Hepatology and Gastroenterology, 2021, 45, 101713.	1.5	10
135	Prevention of relapse in patients with chronic non-A, non-B/C hepatitis who respond to alpha-interferon. A controlled multicenter trial of low-dose maintenance therapy. Journal of Hepatology, 1994, 21, 774-778.	3.7	9
136	Radiofrequency thermal ablation of liver carcinoma. Gastroenterologie Clinique Et Biologique, 2006, 30, 130-135.	0.9	9
137	Intrafamilial hepatitis E in France. Journal of Clinical Virology, 2007, 39, 51-53.	3.1	9
138	Combination of fibrosis tests: Sequential or synchronous?. Hepatology, 2009, 50, 656-657.	7.3	9
139	Relationship between vascular reactivity in vitro and blood flows in rats with cirrhosis. Clinical Science, 1999, 97, 313.	4.3	8
140	Hemodynamic effects of the early and long-term administration of propranolol in rats with intrahepatic portal hypertension. Hepatology International, 2008, 2, 457-464.	4.2	8
141	Liver fibrosis in patients with non-alcoholic fatty liver disease: diagnostic options in clinical practice. Expert Opinion on Medical Diagnostics, 2012, 6, 381-394.	1.6	8
142	Effects of positive pressure on both femoral venous and arterial blood velocities and the cutaneous microcirculation of the forefoot. Cardiovascular Research, 1997, 36, 372-376.	3.8	7
143	Interferon alpha therapy in haemophilic patients with chronic hepatitis C: a French multicentre pilot study of 58 patients. European Journal of Gastroenterology and Hepatology, 2001, 13, 859-864.	1.6	7
144	Treatment of liver fibrosis: Clinical aspects. Gastroenterologie Clinique Et Biologique, 2009, 33, 958-966.	0.9	7

#	ARTICLE	IF	CITATIONS
145	Fibrosis progression under maintenance interferon in hepatitis C is better detected by blood test than liver morphometry. <i>Journal of Viral Hepatitis</i> , 2012, 19, e143-53.	2.0	7
146	Cirrhosis Diagnosis and Liver Fibrosis Staging. <i>Journal of Clinical Gastroenterology</i> , 2015, 49, 512-519.	2.2	7
147	Crossâ€linkage between bacterial taxonomy and gene functions: a study of metagenomeâ€assembled genomes of gut microbiota in adult nonâ€alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 722-732.	3.7	7
148	Alteration in response of the portal tributary vascular bed to the Î²-agonist dobutamine in rats with extrahepatic portal hypertension. <i>Journal of Hepatology</i> , 1986, 2, 267-275.	3.7	6
149	Radiation-induced cholangitis with hepatocellular carcinoma. <i>Gastroenterologie Clinique Et Biologique</i> , 2010, 34, 35-39.	0.9	6
150	Fibrosis assessment using FibroMeter combined to first generation tests in hepatitis C. <i>World Journal of Hepatology</i> , 2017, 9, 310.	2.0	6
151	Clinical outcomes after treatment with direct antiviral agents: beyond the virological response in patients with previous HCV-related decompensated cirrhosis. <i>BMC Infectious Diseases</i> , 2022, 22, 94.	2.9	6
152	Î²-blockers and variceal haemorrhage. <i>Lancet</i> , The, 1990, 336, 506.	13.7	5
153	Hemodynamic and pharmacokinetic study of tertatolol in patients with alcoholic cirrhosis and portal hypertension. <i>Journal of Hepatology</i> , 1993, 19, 43-50.	3.7	5
154	Doppler ultrasonography devices, including elastography, allow for accurate diagnosis of severe liver fibrosis. <i>European Journal of Radiology</i> , 2018, 108, 133-139.	2.6	5
155	Vapreotide acetate for the treatment of esophageal variceal bleeding. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008, 2, 185-192.	3.0	4
156	Performance of FibroScan Â® to detect large esophageal varices in chronic liver diseases is improved by a novel spleen-dedicated examination. <i>Journal of Hepatology</i> , 2017, 66, S374.	3.7	4
157	A single blood test adjusted for different liver fibrosis targets improves fibrosis staging and especially cirrhosis diagnosis. <i>Hepatology Communications</i> , 2018, 2, 455-466.	4.3	4
158	COVID-19 infection in first trimester of pregnancy marked by a liver cytolysis in a woman previously treated by hydroxychloroquine for repeated implantation failure: a case report. <i>BMC Infectious Diseases</i> , 2020, 20, 845.	2.9	4
159	Nonâ€selective betaâ€blockers increase overall and liver mortality in alcoholic cirrhosis with MELDÂâ%¥Â12 over 5 years of followâ€up. <i>Liver International</i> , 2021, 41, 168-179.	3.9	4
160	Systematic screening for advanced liver fibrosis in patients with coronary artery disease: The CORONASH study. <i>PLoS ONE</i> , 2022, 17, e0266965.	2.5	4
161	Propranolol in the Primary Prevention of Upper Gastrointestinal Tract Haemorrhage in Patients with Cirrhosis of the Liver and Oesophageal Varices1. <i>Drugs</i> , 1989, 37, 52-61.	10.9	3
162	Spontaneous regression of esophageal varices is a phenomenon that has spontaneously disappeared from our memory. <i>Journal of Hepatology</i> , 1991, 12, 263-264.	3.7	3

#	ARTICLE	IF	CITATIONS
163	Liver haemangioma and pregnancy. Lancet, The, 1996, 347, 1693-1694.	13.7	3
164	Should measurements of hemodynamics in portal hypertension be dynamic?. Journal of Hepatology, 1998, 29, 829-831.	3.7	3
165	Hemodynamic effects of acute and chronic administration of vapreotide in rats with cirrhosis. Digestive Diseases and Sciences, 2003, 48, 154-161.	2.3	3
166	Physiopathologie de la cirrhose et de ses complications. Reanimation: Journal De La Societe De Reanimation De Langue Francaise, 2007, 16, 557-562.	0.1	3
167	Metastatic hepatocellular carcinoma: When surgery and successive palliative treatments lead to remission. Clinics and Research in Hepatology and Gastroenterology, 2014, 38, e19-e22.	1.5	3
168	Liver-FibroSTARD checklist and glossary: tools for standardized design and reporting of diagnostic accuracy studies of liver fibrosis tests. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1135-7.	2.3	3
169	Simple blood fibrosis tests reduce unnecessary referrals for specialized evaluations of liver fibrosis in NAFLD and ALD patients. Clinics and Research in Hepatology and Gastroenterology, 2020, 44, 349-355.	1.5	3
170	Liver fibrosis staging by computed tomography: prospective randomized multicentric evaluation of image analyses. Clinics and Research in Hepatology and Gastroenterology, 2021, 46, 101797.	1.5	3
171	Session 1: Definition of Key Eventsâ€œ Last Attempt?. , 0, , 11-39.		3
172	Diagnostic des hÃ©patopathies et de leur sÃ©vÃ©ritÃ©. IRBM News, 2002, 23, 41-48.	0.1	2
173	Ultrasonographic elastometry vs. blood tests for the diagnosis of cirrhosis: A Pyrrhic victory?. Journal of Hepatology, 2009, 51, 228-229.	3.7	2
174	1045 SEVERAL PATHOLOGICAL LESIONS INFLUENCE NON-INVASIVE TESTS OF LIVER FIBROSIS. Journal of Hepatology, 2012, 56, S408-S409.	3.7	2
175	A major new step in noninvasive evaluation of portal hypertension: elastography. Liver International, 2013, 33, 4-6.	3.9	2
176	ABO blood group does not influence Childâ€‘Pugh A cirrhosis outcome: An observational studyâ€‘from CIRRAL and ANRS CO12 CIRVIR cohorts. Liver International, 2022, 42, 1386-1400.	3.9	2
177	Comparison of screening strategies with two new tests to score and diagnose varices needing treatment. Clinics and Research in Hepatology and Gastroenterology, 2022, 46, 101925.	1.5	2
178	Propranolol in the prevention of ascites. Lancet, The, 1991, 338, 509-510.	13.7	1
179	Fractal dimension can distinguish models and pharmacologic changes in liver fibrosis in rats. Hepatology, 2002, 36, 840-849.	7.3	1
180	Laser Doppler flowmetry signals to quantify effects of isoflurane on the peripheral cardiovascular system of healthy rats. Applied Physics Letters, 2007, 91, 263901.	3.3	1

#	ARTICLE	IF	CITATIONS
181	Blood Tests to Diagnose Fibrosis or Cirrhosis in Patients With Chronic Hepatitis C Virus Infection. <i>Annals of Internal Medicine</i> , 2013, 159, 371.	3.9	1
182	Obstructive sleep apnoea and non-alcoholic fatty liver disease: Which patients should be referred to hepatologists?. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2019, 43, e90-e92.	1.5	1
183	LÃ©sions muqueuses gastriques de lâ€™hypertension portale. <i>Acta Endoscopica</i> , 1995, 25, 327-335.	0.0	0
184	Ã‰valuation non invasive de la fibrose hÃ©patique au cours des co-infections VIH et VHC et/ou VHB. <i>Journal Africain D'Hepato-Gastroenterologie</i> , 2007, 1, 54-58.	0.0	0
185	Laser Doppler flowmetry in healthy rats: impact of isoflurane anesthetic on signal complexity. , 2008, , .		0
186	ActualitÃ©s sur les co-infections VIHâ€™VHC. <i>Antibiotiques</i> , 2008, 10, 167-175.	0.1	0
187	Which would you prefer for a liver fibrosis test: A limited fixed menu or a gourmet buffet?. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 388-389.	0.9	0
188	Response to Munteanu et al.. <i>American Journal of Gastroenterology</i> , 2011, 106, 1853-1854.	0.4	0
189	Can we precisely classify liver fibrosis without biopsy in hepatitis C?. <i>Clinical Practice (London,)</i> Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.1	0
190	Reply:. <i>Hepatology</i> , 2012, 55, 653-653.	7.3	0
191	Automatic detection of cirrhosis in hospitalized patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2016, 28, 74-81.	1.6	0
192	Editorial: combining elastography with blood test for fibrosis assessment in chronic hepatitis C â€™ authorsâ€™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 1276-1277.	3.7	0
193	Reply to: â€™Pitfalls in the non-invasive assessment of liver fibrosis with eLIFT-FM VCTE algorithmâ€™ and to â€™Application of the new eLIFT test for the non-invasive diagnosis of advanced liver fibrosis in people with type 2 diabetesâ€™. <i>Journal of Hepatology</i> , 2018, 68, 605-606.	3.7	0
194	Non-invasive diagnosis of variceal bleeding: choose the right target population and identify the right culprit. <i>Annals of Translational Medicine</i> , 2020, 8, 774-774.	1.7	0