

George Coupland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/951520/publications.pdf>

Version: 2024-02-01

217
papers

34,769
citations

3333

91
h-index

3647

180
g-index

246
all docs

246
docs citations

246
times ranked

17024
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Arabis alpina</i> : A perennial model plant for ecological genomics and life history evolution. <i>Molecular Ecology Resources</i> , 2022, 22, 468-486.	2.2	7
2	A rice single cell transcriptomic atlas defines the developmental trajectories of rice floret and inflorescence meristems. <i>New Phytologist</i> , 2022, 234, 494-512.	3.5	41
3	MicroRNA172 controls inflorescence meristem size through regulation of APETALA2 in Arabidopsis. <i>New Phytologist</i> , 2022, 235, 356-371.	3.5	10
4	Gene regulatory networks controlled by FLOWERING LOCUS C that confer variation in seasonal flowering and life history. <i>Journal of Experimental Botany</i> , 2021, 72, 4-14.	2.4	41
5	Cytokinin-promoted secondary growth and nutrient storage in the perennial stem zone of <i>Arabis alpina</i> . <i>Plant Journal</i> , 2021, 105, 1459-1476.	2.8	5
6	Systematic analyses of the MIR172 family members of Arabidopsis define their distinct roles in regulation of APETALA2 during floral transition. <i>PLoS Biology</i> , 2021, 19, e3001043.	2.6	44
7	Unraveling the role of MADS transcription factor complexes in apple tree dormancy. <i>New Phytologist</i> , 2021, 232, 2071-2088.	3.5	31
8	Transposition and duplication of MADS-domain transcription factor genes in annual and perennial <i>Arabis</i> species modulates flowering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	6
9	Genetic and Molecular Analysis of Root Hair Development in <i>Arabis alpina</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 767772.	1.7	2
10	Functional Divergence of the Arabidopsis Florigen-Interacting bZIP Transcription Factors FD and FDP. <i>Cell Reports</i> , 2020, 31, 107717.	2.9	49
11	Mutagenesis of a Quintuple Mutant Impaired in Environmental Responses Reveals Roles for <i>CHROMATIN REMODELING4</i> in the Arabidopsis Floral Transition. <i>Plant Cell</i> , 2020, 32, 1479-1500.	3.1	17
12	The sugar transporter SWEET10 acts downstream of FLOWERING LOCUS T during floral transition of <i>Arabidopsis thaliana</i> . <i>BMC Plant Biology</i> , 2020, 20, 53.	1.6	59
13	Regulation of shoot meristem shape by photoperiodic signaling and phytohormones during floral induction of Arabidopsis. <i>ELife</i> , 2020, 9, .	2.8	30
14	A regulatory circuit conferring varied flowering response to cold in annual and perennial plants. <i>Science</i> , 2019, 363, 409-412.	6.0	69
15	FLOWERING LOCUS C Isolation and Characterization: Two Articles That Opened Many Doors. <i>Plant Cell</i> , 2019, 31, 1190-1191.	3.1	8
16	Genetic and molecular analysis of trichome development in <i>Arabis alpina</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 12078-12083.	3.3	28
17	Gibberellins Act Downstream of <i>Arabis</i> PERPETUAL FLOWERING1 to Accelerate Floral Induction during Vernalization. <i>Plant Physiology</i> , 2019, 180, 1549-1563.	2.3	17
18	Floral regulators FLC and SOC1 directly regulate expression of the B3-type transcription factor TARGET OF FLC AND SVP 1 at the Arabidopsis shoot apex via antagonistic chromatin modifications. <i>PLoS Genetics</i> , 2019, 15, e1008065.	1.5	48

#	ARTICLE	IF	CITATIONS
19	Ubiquitin carboxyl-terminal hydrolases are required for period maintenance of the circadian clock at high temperature in <i>Arabidopsis</i> . <i>Scientific Reports</i> , 2019, 9, 17030.	1.6	17
20	Linking genes with ecological strategies in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2019, 70, 1141-1151.	2.4	37
21	<i>PERPETUAL FLOWERING2</i> coordinates the vernalization response and perennial flowering in <i>Arabis alpina</i> . <i>Journal of Experimental Botany</i> , 2019, 70, 949-961.	2.4	17
22	Floral homeotic proteins modulate the genetic program for leaf development to suppress trichome formation in flowers. <i>Development (Cambridge)</i> , 2018, 145, .	1.2	21
23	Demography and mating system shape the genome-wide impact of purifying selection in <i>Arabis alpina</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 816-821.	3.3	55
24	Differential effects of light-to-dark transitions on phase setting in circadian expression among clock-controlled genes in <i>Pharbitis nil</i> . <i>Plant Signaling and Behavior</i> , 2018, 13, e1473686.	1.2	4
25	Revised nomenclature and functional overview of the ULP gene family of plant deSUMOylating proteases. <i>Journal of Experimental Botany</i> , 2018, 69, 4505-4509.	2.4	20
26	Competence to Flower: Age-Controlled Sensitivity to Environmental Cues. <i>Plant Physiology</i> , 2017, 173, 36-46.	2.3	100
27	<i>PSEUDO RESPONSE REGULATORS</i> stabilize <i>CONSTANS</i> protein to promote flowering in response to day length. <i>EMBO Journal</i> , 2017, 36, 904-918.	3.5	103
28	Improving and correcting the contiguity of long-read genome assemblies of three plant species using optical mapping and chromosome conformation capture data. <i>Genome Research</i> , 2017, 27, 778-786.	2.4	155
29	Divergence of annual and perennial species in the Brassicaceae and the contribution of cis-acting variation at <i>FLC</i> orthologues. <i>Molecular Ecology</i> , 2017, 26, 3437-3457.	2.0	63
30	The Root Growth-Regulating Brevicompanine Natural Products Modulate the Plant Circadian Clock. <i>ACS Chemical Biology</i> , 2017, 12, 1466-1471.	1.6	9
31	Root-associated fungal microbiota of nonmycorrhizal <i>Arabis alpina</i> and its contribution to plant phosphorus nutrition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9403-E9412.	3.3	239
32	Two SUMO Proteases <i>SUMO PROTEASE RELATED TO FERTILITY1</i> and 2 Are Required for Fertility in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2017, 175, 1703-1719.	2.3	31
33	Evolution of the selfing syndrome: Anther orientation and herkogamy together determine reproductive assurance in a self-compatible plant. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 2206-2218.	1.1	44
34	Divergence of regulatory networks governed by the orthologous transcription factors <i>FLC</i> and <i>PEP1</i> in Brassicaceae species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E11037-E11046.	3.3	50
35	The timing of <i>GIGANTEA</i> expression during day/night cycles varies with the geographical origin of <i>Arabidopsis</i> accessions. <i>Plant Signaling and Behavior</i> , 2017, 12, e1342026.	1.2	16
36	Root microbiota dynamics of perennial <i>Arabis alpina</i> are dependent on soil residence time but independent of flowering time. <i>ISME Journal</i> , 2017, 11, 43-55.	4.4	133

#	ARTICLE	IF	CITATIONS
37	Pinpointing genes underlying annual/perennial transitions with comparative genomics. BMC Genomics, 2016, 17, 921.	1.2	16
38	Photoperiodic and thermosensory pathways interact through <scp>CONSTANS</scp> to promote flowering at high temperature under short days. Plant Journal, 2016, 86, 426-440.	2.8	100
39	Multi-layered Regulation of SPL15 and Cooperation with SOC1 Integrate Endogenous Flowering Pathways at the Arabidopsis Shoot Meristem. Developmental Cell, 2016, 37, 254-266.	3.1	174
40	Editorial: Recent Advances in Flowering Time Control. Frontiers in Plant Science, 2016, 7, 2011.	1.7	26
41	Sample Preparation of Arabidopsis thaliana Shoot Apices for Expression Studies of Photoperiod-Induced Genes. Methods in Molecular Biology, 2016, 1398, 81-91.	0.4	0
42	A Luciferase-Based Assay to Test Whether Gene Expression Responses to Environmental Inputs Are Temporally Restricted by the Circadian Clock. Methods in Molecular Biology, 2016, 1398, 93-106.	0.4	0
43	Mechanisms controlling time measurement in plants and their significance in natural populations. , 2016, , 187-208.		0
44	Phosphorylation of <scp>CONSTANS</scp> and its <scp>COP</scp>1â€dependent degradation during photoperiodic flowering of Arabidopsis. Plant Journal, 2015, 84, 451-463.	2.8	59
45	Genome expansion of Arabis alpina linked with retrotransposition and reduced symmetric DNA methylation. Nature Plants, 2015, 1, 14023.	4.7	156
46	The dynamics of <i><scp>FLOWERING LOCUS</scp> T</i> expression encodes longâ€day information. Plant Journal, 2015, 83, 952-961.	2.8	33
47	The Plant CellIntroduces Breakthrough Reports: A New Forum for Cutting-Edge Plant Research. Plant Cell, 2015, , tpc.15.00862.	3.1	1
48	The <scp>GI</scp>â€<scp>CDF</scp> module of Arabidopsis affects freezing tolerance and growth as well as flowering. Plant Journal, 2015, 81, 695-706.	2.8	104
49	Natural diversity in daily rhythms of gene expression contributes to phenotypic variation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 905-910.	3.3	68
50	Site-directed mutagenesis in Arabidopsis thaliana using dividing tissue-targeted RGEN of the CRISPR/Cas system to generate heritable null alleles. Planta, 2015, 241, 271-284.	1.6	159
51	SWP73 Subunits of Arabidopsis SWI/SNF Chromatin Remodeling Complexes Play Distinct Roles in Leaf and Flower Development. Plant Cell, 2015, 27, 1889-1906.	3.1	42
52	The Arabidopsis DNA Polymerase Î Has a Role in the Deposition of Transcriptionally Active Epigenetic Marks, Development and Flowering. PLoS Genetics, 2015, 11, e1004975.	1.5	36
53	Evolution of <i>CONSTANS</i>Regulation and Function after Gene Duplication Produced a Photoperiodic Flowering Switch in the Brassicaceae. Molecular Biology and Evolution, 2015, 32, 2284-2301.	3.5	49
54	Combinatorial activities of SHORT VEGETATIVE PHASE and FLOWERING LOCUS C define distinct modes of flowering regulation in Arabidopsis. Genome Biology, 2015, 16, 31.	3.8	150

#	ARTICLE	IF	CITATIONS
55	Floral induction in <i>Arabidopsis thaliana</i> by FLOWERING LOCUS T requires direct repression of BLADE-ON-PETIOLE genes by homeodomain protein PENNYWISE. <i>Plant Physiology</i> , 2015, 169, pp.00960.2015.	2.3	51
56	Large-scale adaptive differentiation in the alpine perennial herb <i>Androsace alpina</i> . <i>New Phytologist</i> , 2015, 206, 459-470.	3.5	36
57	Deeper Rooting: Pflanzenanzüchtung und die Herausforderungen des Klimawandels. , 2015, , 153-166.		0
58	Elevated Levels of MYB30 in the Phloem Accelerate Flowering in <i>Arabidopsis</i> through the Regulation of FLOWERING LOCUS T. <i>PLoS ONE</i> , 2014, 9, e89799.	1.1	30
59	<i>Arabidopsis</i> florigen FT binds to diurnally oscillating phospholipids that accelerate flowering. <i>Nature Communications</i> , 2014, 5, 3553.	5.8	143
60	SHORT VEGETATIVE PHASE reduces gibberellin biosynthesis at the <i>Arabidopsis</i> shoot apex to regulate the floral transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2760-9.	3.3	132
61	Evolutionary conservation of cold-induced antisense RNAs of FLOWERING LOCUS C in <i>Arabidopsis thaliana</i> perennial relatives. <i>Nature Communications</i> , 2014, 5, 4457.	5.8	72
62	Diurnal and circadian expression profiles of glycerolipid biosynthetic genes in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2014, 9, e29715.	1.2	21
63	A tribute to Ko Shimamoto (1949-2013). <i>Journal of Experimental Botany</i> , 2014, 65, 6755-6759.	2.4	0
64	Evening Expression of <i>Arabidopsis</i> GIGANTEA Is Controlled by Combinatorial Interactions among Evolutionarily Conserved Regulatory Motifs. <i>Plant Cell</i> , 2014, 26, 3999-4018.	3.1	17
65	Analysis of TTG1 function in <i>Arabis alpina</i> . <i>BMC Plant Biology</i> , 2014, 14, 16.	1.6	25
66	Elevated salicylic acid levels conferred by increased expression of ISOCHORISMATE SYNTHASE 1 contribute to hyperaccumulation of SUMO1 conjugates in the <i>Arabidopsis</i> mutant <i>early in short days 4</i> . <i>Plant Journal</i> , 2014, 79, 206-219.	2.8	42
67	<i>miR824</i> Regulated AGAMOUS-LIKE16 Contributes to Flowering Time Repression in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2024-2037.	3.1	112
68	NATURAL VARIATION IN EPIGENETIC GENE REGULATION AND ITS EFFECTS ON PLANT DEVELOPMENTAL TRAITS. <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 620-631.	1.1	38
69	Flowering responses to seasonal cues: what's new?. <i>Current Opinion in Plant Biology</i> , 2014, 21, 120-127.	3.5	91
70	The (r)evolution of gene regulatory networks controlling <i>Arabidopsis</i> plant reproduction: a two-decade history. <i>Journal of Experimental Botany</i> , 2014, 65, 4731-4745.	2.4	106
71	Identification of pathways directly regulated by SHORT VEGETATIVE PHASE during vegetative and reproductive development in <i>Arabidopsis</i> . <i>Genome Biology</i> , 2013, 14, R56.	3.8	134
72	DELLA-Interacting SWI3C Core Subunit of Switch/Sucrose Nonfermenting Chromatin Remodeling Complex Modulates Gibberellin Responses and Hormonal Cross Talk in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 163, 305-317.	2.3	98

#	ARTICLE	IF	CITATIONS
73	Identification of <i>Arabidopsis</i> SUMO-interacting proteins that regulate chromatin activity and developmental transitions. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 19956-19961.	3.3	66
74	Mechanisms of Age-Dependent Response to Winter Temperature in Perennial Flowering of <i>Arabis alpina</i> . Science, 2013, 340, 1094-1097.	6.0	207
75	Small Ubiquitin-Like Modifier Conjugating Enzyme with Active Site Mutation Acts as Dominant Negative Inhibitor of SUMO Conjugation in <i>Arabidopsis</i> F ¹ . Journal of Integrative Plant Biology, 2013, 55, 75-82.	4.1	16
76	A Molecular Framework for Auxin-Mediated Initiation of Flower Primordia. Developmental Cell, 2013, 24, 271-282.	3.1	262
77	Mutation identification by direct comparison of whole-genome sequencing data from mutant and wild-type individuals using k-mers. Nature Biotechnology, 2013, 31, 325-330.	9.4	149
78	PEP1 of <i>Arabis alpina</i> Is Encoded by Two Overlapping Genes That Contribute to Natural Genetic Variation in Perennial Flowering. PLoS Genetics, 2012, 8, e1003130.	1.5	69
79	Analysis of the <i>Arabidopsis</i> Shoot Meristem Transcriptome during Floral Transition Identifies Distinct Regulatory Patterns and a Leucine-Rich Repeat Protein That Promotes Flowering. Plant Cell, 2012, 24, 444-462.	3.1	178
80	EARLY FLOWERING4 Recruitment of EARLY FLOWERING3 in the Nucleus Sustains the <i>Arabidopsis</i> Circadian Clock. Plant Cell, 2012, 24, 428-443.	3.1	275
81	The Circadian Clock-Associated Small GTPase LIGHT INSENSITIVE PERIOD1 Suppresses Light-Controlled Endoreplication and Affects Tolerance to Salt Stress in <i>Arabidopsis</i> . Plant Physiology, 2012, 161, 278-290.	2.3	8
82	The genetic basis of flowering responses to seasonal cues. Nature Reviews Genetics, 2012, 13, 627-639.	7.7	1,200
83	Spatially distinct regulatory roles for gibberellins in the promotion of flowering of <i>Arabidopsis</i> under long photoperiods. Development (Cambridge), 2012, 139, 2198-2209.	1.2	193
84	Mutation in <i>TERMINAL FLOWER1</i> Reverses the Photoperiodic Requirement for Flowering in the Wild Strawberry <i>Fragaria vesca</i> . Plant Physiology, 2012, 159, 1043-1054.	2.3	158
85	Functional characterisation of <i>HvCO1</i> , the barley (<i>Hordeum vulgare</i>) flowering time ortholog of <i>CONSTANS</i> . Plant Journal, 2012, 69, 868-880.	2.8	136
86	Prieurianin/endosidin ¹ is an actin-stabilizing small molecule identified from a chemical genetic screen for circadian clock effectors in <i>Arabidopsis thaliana</i> . Plant Journal, 2012, 71, 338-352.	2.8	53
87	Comparing genetic diversity within a crop and its wild progenitor: a case study for barley.., 2012, , 186-192.		0
88	When Vernalization Makes Sense. Science, 2011, 331, 36-37.	6.0	17
89	DOF-binding sites additively contribute to guard cell-specificity of <i>AtMYB60</i> promoter. BMC Plant Biology, 2011, 11, 162.	1.6	65
90	Cytokinin promotes flowering of <i>Arabidopsis</i> via transcriptional activation of the <i>FT</i> paralogue <i>TSF</i> . Plant Journal, 2011, 65, 972-979.	2.8	172

#	ARTICLE	IF	CITATIONS
91	The Arabidopsis <i>SOC1</i> -like genes <i>AGL42</i> , <i>AGL71</i> and <i>AGL72</i> promote flowering in the shoot apical and axillary meristems. <i>Plant Journal</i> , 2011, 67, 1006-1017.	2.8	117
92	Distinct roles for Arabidopsis SUMO protease ESD4 and its closest homolog ELS1. <i>Planta</i> , 2011, 233, 63-73.	1.6	52
93	Nitrate regulates floral induction in Arabidopsis, acting independently of light, gibberellin and autonomous pathways. <i>Planta</i> , 2011, 233, 539-552.	1.6	158
94	Aa <i>TFL1</i> Confers an Age-Dependent Response to Vernalization in Perennial <i>Arabis alpina</i> . <i>Plant Cell</i> , 2011, 23, 1307-1321.	3.1	117
95	Speeding Cis-Trans Regulation Discovery by Phylogenomic Analyses Coupled with Screenings of an Arrayed Library of Arabidopsis Transcription Factors. <i>PLoS ONE</i> , 2011, 6, e21524.	1.1	78
96	Plant development goes like clockwork. <i>Trends in Genetics</i> , 2010, 26, 296-306.	2.9	166
97	SynRg - Biotechnologie zur Steigerung von Ertrag und Ertragsstabilität nachwachsender Rohstoffe. <i>Chemie-Ingenieur-Technik</i> , 2010, 82, 1517-1518.	0.4	0
98	Proteome-wide screens for small ubiquitin-like modifier (SUMO) substrates identify <i>Arabidopsis</i> proteins implicated in diverse biological processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 17415-17420.	3.3	159
99	Comparative Analysis of Flowering in Annual and Perennial Plants. <i>Current Topics in Developmental Biology</i> , 2010, 91, 323-348.	1.0	130
100	SnapShot: Control of Flowering in Arabidopsis. <i>Cell</i> , 2010, 141, 550-550.e2.	13.5	529
101	<i>cis</i> -Regulatory Elements and Chromatin State Coordinately Control Temporal and Spatial Expression of <i>FLOWERING LOCUS T</i> in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2010, 22, 1425-1440.	3.1	274
102	Effects of Genetic Perturbation on Seasonal Life History Plasticity. <i>Science</i> , 2009, 323, 930-934.	6.0	340
103	Distinct Patterns of Genetic Variation Alter Flowering Responses of Arabidopsis Accessions to Different Daylengths. <i>Plant Physiology</i> , 2009, 152, 177-191.	2.3	26
104	Substrates Related to Chromatin and to RNA-Dependent Processes Are Modified by Arabidopsis SUMO Isoforms That Differ in a Conserved Residue with Influence on Desumoylation. <i>Plant Physiology</i> , 2009, 149, 1529-1540.	2.3	91
105	The <i>Arabidopsis</i> B-Box Zinc Finger Family. <i>Plant Cell</i> , 2009, 21, 3416-3420.	3.1	306
106	<i>Chlamydomonas</i> CONSTANS and the Evolution of Plant Photoperiodic Signaling. <i>Current Biology</i> , 2009, 19, 359-368.	1.8	106
107	Control of perennial flowering and perenniality in <i>Arabis alpina</i> , a relative of <i>Arabidopsis thaliana</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2009, 153, S195-S196.	0.8	2
108	Genetic and spatial interactions between <i>FT</i> , <i>TSF</i> and <i>SVP</i> during the early stages of floral induction in Arabidopsis. <i>Plant Journal</i> , 2009, 60, 614-625.	2.8	194

#	ARTICLE	IF	CITATIONS
109	PEP1 regulates perennial flowering in <i>Arabis alpina</i> . <i>Nature</i> , 2009, 459, 423-427.	13.7	325
110	Possible role of EARLY FLOWERING 3 (ELF3) in clock-dependent floral regulation by SHORT VEGETATIVE PHASE (SVP) in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2009, 182, 838-850.	3.5	48
111	<i>Arabidopsis</i> DOF Transcription Factors Act Redundantly to Reduce CONSTANS Expression and Are Essential for a Photoperiodic Flowering Response. <i>Developmental Cell</i> , 2009, 17, 75-86.	3.1	493
112	Plant Phase Transitions Make a SPLash. <i>Cell</i> , 2009, 138, 625-627.	13.5	80
113	<i>Arabidopsis</i> COP1 shapes the temporal pattern of CO accumulation conferring a photoperiodic flowering response. <i>EMBO Journal</i> , 2008, 27, 1277-1288.	3.5	424
114	Genome-scale <i>Arabidopsis</i> promoter array identifies targets of the histone acetyltransferase GCN5. <i>Plant Journal</i> , 2008, 56, 493-504.	2.8	120
115	Phloem transport of flowering signals. <i>Current Opinion in Plant Biology</i> , 2008, 11, 687-694.	3.5	71
116	Regulation and Identity of Florigen: FLOWERING LOCUS T Moves Center Stage. <i>Annual Review of Plant Biology</i> , 2008, 59, 573-594.	8.6	889
117	The impact of chromatin regulation on the floral transition. <i>Seminars in Cell and Developmental Biology</i> , 2008, 19, 560-573.	2.3	69
118	Circadian Clock Proteins LHY and CCA1 Regulate SVP Protein Accumulation to Control Flowering in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2008, 20, 2960-2971.	3.1	180
119	A Circadian Rhythm Set by Dusk Determines the Expression of <i>FT</i> Homologs and the Short-Day Photoperiodic Flowering Response in <i>Pharbitis</i> . <i>Plant Cell</i> , 2007, 19, 2988-3000.	3.1	181
120	<i>Arabidopsis</i> TFL2/LHP1 Specifically Associates with Genes Marked by Trimethylation of Histone H3 Lysine 27. <i>PLoS Genetics</i> , 2007, 3, e86.	1.5	537
121	FT Protein Movement Contributes to Long-Distance Signaling in Floral Induction of <i>Arabidopsis</i> . <i>Science</i> , 2007, 316, 1030-1033.	6.0	1,855
122	Isolation of novel gain- and loss-of-function alleles of the circadian clock gene LATE ELONGATED HYPOCOTYL (LHY) in <i>Arabidopsis</i> . <i>Plant Biotechnology</i> , 2007, 24, 457-465.	0.5	2
123	<i>Arabidopsis</i> SPA proteins regulate photoperiodic flowering and interact with the floral inducer CONSTANS to regulate its stability. <i>Development (Cambridge)</i> , 2006, 133, 4608-4608.	1.2	2
124	The CCAAT binding factor can mediate interactions between CONSTANS-like proteins and DNA. <i>Plant Journal</i> , 2006, 46, 462-476.	2.8	247
125	<i>Arabidopsis</i> SPA proteins regulate photoperiodic flowering and interact with the floral inducer CONSTANS to regulate its stability. <i>Development (Cambridge)</i> , 2006, 133, 3213-3222.	1.2	272
126	The quest for florigen: a review of recent progress. <i>Journal of Experimental Botany</i> , 2006, 57, 3395-3403.	2.4	185

#	ARTICLE	IF	CITATIONS
127	CONSTANS and the CCAAT Box Binding Complex Share a Functionally Important Domain and Interact to Regulate Flowering of Arabidopsis. <i>Plant Cell</i> , 2006, 18, 2971-2984.	3.1	512
128	The transcription factor FLC confers a flowering response to vernalization by repressing meristem competence and systemic signaling in Arabidopsis. <i>Genes and Development</i> , 2006, 20, 898-912.	2.7	744
129	THE MOLECULAR GENETICS OF PHOTO PERIODIC RESPONSES:COMPARISONS BETWEEN LONG-DAY AND SHORT-DAY SPECIES. , 2006, , 605-625.		0
130	The Family of CONSTANS-Like Genes in <i>Physcomitrella patens</i> . <i>Plant Biology</i> , 2005, 7, 266-275.	1.8	55
131	Photoperiodic flowering of Arabidopsis: integrating genetic and physiological approaches to characterization of the floral stimulus. <i>Plant, Cell and Environment</i> , 2005, 28, 54-66.	2.8	126
132	Cell signalling and gene regulation. <i>Current Opinion in Plant Biology</i> , 2005, 8, 457-461.	3.5	4
133	Circadian clock components in Arabidopsis I. The terminal flower 1 enhances the early flowering phenotype of a mutant, <i>lhy cca1</i> . <i>Plant Biotechnology</i> , 2005, 22, 311-317.	0.5	7
134	Distinct Roles of GIGANTEA in Promoting Flowering and Regulating Circadian Rhythms in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 2255-2270.	3.1	408
135	A rapid and versatile combined DNA/RNA extraction protocol and its application to the analysis of a novel DNA marker set polymorphic between Arabidopsis thaliana ecotypes Col-0 and Landsberg erecta. <i>Plant Methods</i> , 2005, 1, 4.	1.9	67
136	Circadian clock components in Arabidopsis II. LHY/CCA1 regulate the floral integrator gene SOC1 in both GI-dependent and -independent pathways. <i>Plant Biotechnology</i> , 2005, 22, 319-325.	0.5	10
137	CONSTANS acts in the phloem to regulate a systemic signal that induces photoperiodic flowering of Arabidopsis. <i>Development (Cambridge)</i> , 2004, 131, 3615-3626.	1.2	573
138	The Molecular Basis of Diversity in the Photoperiodic Flowering Responses of Arabidopsis and Rice. <i>Plant Physiology</i> , 2004, 135, 677-684.	2.3	271
139	Induction of flowering by seasonal changes in photoperiod. <i>EMBO Journal</i> , 2004, 23, 1217-1222.	3.5	252
140	SUMO conjugation in plants. <i>Planta</i> , 2004, 220, 1-8.	1.6	86
141	Photoreceptor Regulation of CONSTANS Protein in Photoperiodic Flowering. <i>Science</i> , 2004, 303, 1003-1006.	6.0	1,089
142	Signalling for developmental plasticity. <i>Trends in Plant Science</i> , 2004, 9, 309-314.	4.3	117
143	Antisense suppression of the Arabidopsis PIF3 gene does not affect circadian rhythms but causes early flowering and increases FT expression. <i>FEBS Letters</i> , 2004, 557, 259-264.	1.3	54
144	Mutation of a family 8 glycosyltransferase gene alters cell wall carbohydrate composition and causes a humidity-sensitive semi-sterile dwarf phenotype in Arabidopsis. <i>Plant Molecular Biology</i> , 2003, 53, 687-701.	2.0	61

#	ARTICLE	IF	CITATIONS
145	Shedding light on the circadian clock and the photoperiodic control of flowering. <i>Current Opinion in Plant Biology</i> , 2003, 6, 13-19.	3.5	228
146	Distinct photoperiodic responses are conferred by the same genetic pathway in Arabidopsis and in rice. <i>Trends in Plant Science</i> , 2003, 8, 405-407.	4.3	18
147	EARLY BOLTING IN SHORT DAYS Is Related to Chromatin Remodeling Factors and Regulates Flowering in Arabidopsis by Repressing FT. <i>Plant Cell</i> , 2003, 15, 1552-1562.	3.1	121
148	A Nuclear Protease Required for Flowering-Time Regulation in Arabidopsis Reduces the Abundance of SMALL UBIQUITIN-RELATED MODIFIER Conjugates. <i>Plant Cell</i> , 2003, 15, 2308-2319.	3.1	204
149	The Evolution of CONSTANS-Like Gene Families in Barley, Rice, and Arabidopsis. <i>Plant Physiology</i> , 2003, 131, 1855-1867.	2.3	463
150	Arabidopsis A BOUT DE SOUFFLE, Which Is Homologous with Mammalian Carnitine Acyl Carrier, Is Required for Postembryonic Growth in the Light. <i>Plant Cell</i> , 2002, 14, 2161-2173.	3.1	69
151	early in short days 4, a mutation in Arabidopsis that causes early flowering and reduces the mRNA abundance of the floral repressor FLC. <i>Development (Cambridge)</i> , 2002, 129, 5349-5361.	1.2	95
152	Control of Flowering Time. <i>Plant Cell</i> , 2002, 14, S111-S130.	3.1	785
153	LHY and CCA1 Are Partially Redundant Genes Required to Maintain Circadian Rhythms in Arabidopsis. <i>Developmental Cell</i> , 2002, 2, 629-641.	3.1	572
154	REGIA, An EU Project on Functional Genomics of Transcription Factors from Arabidopsis thaliana. <i>Comparative and Functional Genomics</i> , 2002, 3, 102-108.	2.0	69
155	Mutations that delay flowering in Arabidopsis de-couple symptom response from cauliflower mosaic virus accumulation during infection. <i>Molecular Plant Pathology</i> , 2002, 3, 81-90.	2.0	26
156	Functional importance of conserved domains in the flowering-time gene CONSTANS demonstrated by analysis of mutant alleles and transgenic plants. <i>Plant Journal</i> , 2002, 28, 619-631.	2.8	397
157	Antagonistic regulation of flowering-time gene SOC1 by CONSTANS and FLC via separate promoter motifs. <i>EMBO Journal</i> , 2002, 21, 4327-4337.	3.5	432
158	Characterization of the ethanol-inducible alc gene-expression system in Arabidopsis thaliana. <i>Plant Journal</i> , 2001, 28, 225-235.	2.8	198
159	CONSTANS mediates between the circadian clock and the control of flowering in Arabidopsis. <i>Nature</i> , 2001, 410, 1116-1120.	13.7	1,258
160	Analysis of Flowering Time Control in Arabidopsis by Comparison of Double and Triple Mutants. <i>Plant Physiology</i> , 2001, 126, 1085-1091.	2.3	111
161	Early Bolting in Short Days: An Arabidopsis Mutation That Causes Early Flowering and Partially Suppresses the Floral Phenotype of leafy. <i>Plant Cell</i> , 2001, 13, 1011.	3.1	2
162	early bolting in short days: An Arabidopsis Mutation That Causes Early Flowering and Partially Suppresses the Floral Phenotype of leafy. <i>Plant Cell</i> , 2001, 13, 1011-1024.	3.1	71

#	ARTICLE	IF	CITATIONS
163	early bolting in short days: an Arabidopsis mutation that causes early flowering and partially suppresses the floral phenotype of leafy. <i>Plant Cell</i> , 2001, 13, 1011-24.	3.1	29
164	Time measurement and the control of flowering in plants. <i>BioEssays</i> , 2000, 22, 38-47.	1.2	127
165	Response of plant development to environment: control of flowering by daylength and temperature. <i>Current Opinion in Plant Biology</i> , 2000, 3, 37-42.	3.5	122
166	ACAULIS5, an Arabidopsis gene required for stem elongation, encodes a spermine synthase. <i>EMBO Journal</i> , 2000, 19, 4248-4256.	3.5	252
167	Mutagenesis of Plants Overexpressing CONSTANS Demonstrates Novel Interactions among Arabidopsis Flowering-Time Genes. <i>Plant Cell</i> , 2000, 12, 885.	3.1	0
168	Mutagenesis of Plants Overexpressing CONSTANS Demonstrates Novel Interactions among Arabidopsis Flowering-Time Genes. <i>Plant Cell</i> , 2000, 12, 885-900.	3.1	360
169	ZEITLUPE and FK1: novel connections between flowering time and circadian clock control. <i>Trends in Plant Science</i> , 2000, 5, 409-411.	4.3	21
170	Distinct Roles of CONSTANS Target Genes in Reproductive Development of Arabidopsis. <i>Science</i> , 2000, 288, 1613-1616.	6.0	1,272
171	Mutations in the Arabidopsis Gene IMMUTANS Cause a Variegated Phenotype by Inactivating a Chloroplast Terminal Oxidase Associated with Phytoene Desaturation. <i>Plant Cell</i> , 1999, 11, 57-68.	3.1	326
172	GIGANTEA: a circadian clock-controlled gene that regulates photoperiodic flowering in Arabidopsis and encodes a protein with several possible membrane-spanning domains. <i>EMBO Journal</i> , 1999, 18, 4679-4688.	3.5	691
173	Mutations in the Arabidopsis Gene IMMUTANS Cause a Variegated Phenotype by Inactivating a Chloroplast Terminal Oxidase Associated with Phytoene Desaturation. <i>Plant Cell</i> , 1999, 11, 57.	3.1	23
174	Conserved structure and function of the Arabidopsis flowering time gene CONSTANS in Brassica napus. <i>Plant Molecular Biology</i> , 1998, 37, 763-772.	2.0	103
175	The regulation of flowering time of Arabidopsis in response to daylength. <i>Journal of Plant Research</i> , 1998, 111, 271-275.	1.2	11
176	The late elongated hypocotyl Mutation of Arabidopsis Disrupts Circadian Rhythms and the Photoperiodic Control of Flowering. <i>Cell</i> , 1998, 93, 1219-1229.	13.5	805
177	BOTANY: Plants See the Blue Light. <i>Science</i> , 1998, 279, 1323-1324.	6.0	9
178	The Control of Flowering Time and Floral Identity in Arabidopsis1. <i>Plant Physiology</i> , 1998, 117, 1-8.	2.3	110
179	Transposon Tagging with AC/Ds in Arabidopsis. , 1998, 82, 315-328.		14
180	Analysis of Natural Allelic Variation at Flowering Time Loci in the Landsberg erecta and Cape Verde Islands Ecotypes of Arabidopsis thaliana. <i>Genetics</i> , 1998, 149, 749-764.	1.2	225

#	ARTICLE	IF	CITATIONS
181	ALBINO3, an Arabidopsis nuclear gene essential for chloroplast differentiation, encodes a chloroplast protein that shows homology to proteins present in bacterial membranes and yeast mitochondria.. Plant Cell, 1997, 9, 717-730.	3.1	209
182	ALBINO3, an Arabidopsis Nuclear Gene Essential for Chloroplast Differentiation, Encodes a Chloroplast Protein That Shows Homology to Proteins Present in Bacterial Membranes and Yeast Mitochondria. Plant Cell, 1997, 9, 717.	3.1	131
183	A Polycomb-group gene regulates homeotic gene expression in Arabidopsis. Nature, 1997, 386, 44-51.	13.7	760
184	The genetics of stamenoid petal production in oilseed rape (Brassica napus) and equivalent variation in Arabidopsis thaliana. Theoretical and Applied Genetics, 1997, 94, 731-736.	1.8	44
185	Regulation of flowering by photoperiod in Arabidopsis. Plant, Cell and Environment, 1997, 20, 785-789.	2.8	30
186	Ds elements on all five Arabidopsis chromosomes and assessment of their utility for transposon tagging. Plant Journal, 1997, 11, 145-148.	2.8	42
187	Genetics of homology-dependent gene silencing in Arabidopsis; a role for methylation. Plant Journal, 1997, 12, 791-804.	2.8	52
188	Arabidopsis genes that regulate flowering time in response to day-length. Seminars in Cell and Developmental Biology, 1996, 7, 419-425.	2.3	17
189	A Dissociation Insertion Causes a Semidominant Mutation That Increases Expression of TINY, an Arabidopsis Gene Related to APETALA2. Plant Cell, 1996, 8, 659.	3.1	2
190	Comparative mapping in Arabidopsis and Brassica, fine scale genome collinearity and congruence of genes controlling flowering time. Plant Journal, 1996, 9, 13-20.	2.8	222
191	Activation of floral meristem identity genes in Arabidopsis. Nature, 1996, 384, 59-62.	13.7	351
192	A Dissociation insertion causes a semidominant mutation that increases expression of TINY, an Arabidopsis gene related to APETALA2.. Plant Cell, 1996, 8, 659-671.	3.1	248
193	Genetic and environmental control of flowering time in Arabidopsis. Trends in Genetics, 1995, 11, 393-397.	2.9	121
194	LEAFY blooms in aspen. Nature, 1995, 377, 482-483.	13.7	19
195	The CONSTANS gene of arabidopsis promotes flowering and encodes a protein showing similarities to zinc finger transcription factors. Cell, 1995, 80, 847-857.	13.5	1,287
196	Regulation of flowering time: Arabidopsis as a model system to study genes that promote or delay flowering. Philosophical Transactions of the Royal Society B: Biological Sciences, 1995, 350, 27-34.	1.8	10
197	The presence of enhancers adjacent to the Ac promoter increases the abundance of transposase mRNA and alters the timing of Ds excision in Arabidopsis. Plant Molecular Biology, 1994, 24, 789-798.	2.0	20
198	Analysis of clones carrying repeated DNA sequences in two YAC libraries of Arabidopsis thaliana DNA. Plant Journal, 1994, 5, 735-744.	2.8	34

#	ARTICLE	IF	CITATIONS
199	A heat-shock promoter fusion to the Ac transposase gene drives inducible transposition of a Ds element during Arabidopsis embryo development. <i>Plant Journal</i> , 1994, 5, 755-764.	2.8	21
200	Analysis of the frequency of inheritance of transposed Ds elements in Arabidopsis after activation by a CaMV 35S promoter fusion to the Ac transposase gene. <i>Molecular Genetics and Genomics</i> , 1993, 241-241, 627-636.	2.4	31
201	Chromosome walking with YAC clones in Arabidopsis: isolation of 1700 kb of contiguous DNA on chromosome 5, including a 300 kb region containing the flowering-time gene CO. <i>Molecular Genetics and Genomics</i> , 1993, 239, 145-157.	2.4	50
202	The maize transposable element system Ac/Ds as a mutagen in Arabidopsis: identification of an albino mutation induced by Ds insertion.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 10370-10374.	3.3	129
203	Elevated Levels of Activator Transposase mRNA Are Associated with High Frequencies of Dissociation Excision in Arabidopsis. <i>Plant Cell</i> , 1992, 4, 583.	3.1	0
204	Elevated levels of Activator transposase mRNA are associated with high frequencies of Dissociation excision in Arabidopsis.. <i>Plant Cell</i> , 1992, 4, 583-595.	3.1	123
205	Transposon tagging in Arabidopsis. , 1992, , 290-309.		8
206	Transposons as tools for the isolation of plant genes. <i>Trends in Biotechnology</i> , 1991, 9, 31-37.	4.9	65
207	Structure and Function of the Maize Transposable Element Activator (AC). , 1991, , 285-298.		3
208	Sequences near the termini are required for transposition of the maize transposon Ac in transgenic tobacco plants.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 9385-9388.	3.3	113
209	Transposition of the maize transposable element Ac in <i>Solanum tuberosum</i> . <i>Molecular Genetics and Genomics</i> , 1988, 213, 285-290.	2.4	106
210	Characterization of the maize transposable element <i>Ac</i> by internal deletions. <i>EMBO Journal</i> , 1988, 7, 3653-3659.	3.5	101
211	Studies on Transposable Element Ac of <i>Zea Mays</i> . , 1988, , 91-99.		3
212	Characterization of the maize transposable element Ac by internal deletions. <i>EMBO Journal</i> , 1988, 7, 3653-9.	3.5	66
213	Phenotypic assay for excision of the maize controlling element <i>Ac</i> in tobacco. <i>EMBO Journal</i> , 1987, 6, 1547-1554.	3.5	159
214	The origin of transfer (oriT) of the conjugative plasmid R46: Characterization by deletion analysis and DNA sequencing. <i>Molecular Genetics and Genomics</i> , 1987, 208, 219-225.	2.4	24
215	Phenotypic assay for excision of the maize controlling element Ac in tobacco. <i>EMBO Journal</i> , 1987, 6, 1547-54.	3.5	84
216	Photoperiodic Responses and Regulation of Flowering. , 0, , 166-190.		1

#	ARTICLE	IF	CITATIONS
217	The Diversity and Significance of Flowering in Perennials. , 0, , 181-197.		4