

Merete Nordentoft

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9524946/publications.pdf>

Version: 2024-02-01

701
papers

51,276
citations

2423

97
h-index

2558

195
g-index

807
all docs

807
docs citations

807
times ranked

40044
citing authors

#	ARTICLE	IF	CITATIONS
1	Polygenic liability, stressful life events and risk for secondary-treated depression in early life: a nationwide register-based case-cohort study. <i>Psychological Medicine</i> , 2023, 53, 217-226.	2.7	7
2	Home environment of 11-year-old children born to parents with schizophrenia or bipolar disorder – a controlled, 4-year follow-up study: The Danish High Risk and Resilience Study – VIA 11. <i>Psychological Medicine</i> , 2023, 53, 2563-2573.	2.7	2
3	Alteration of Gut Microbiome in Patients With Schizophrenia Indicates Links Between Bacterial Tyrosine Biosynthesis and Cognitive Dysfunction. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 283-291.	1.0	12
4	Suicide and Suicide Attempts Among Asylum-Seekers in Denmark. <i>Archives of Suicide Research</i> , 2023, 27, 415-425.	1.2	5
5	Traumatic brain injury and risk of subsequent attempted suicide and violent crime. <i>Psychological Medicine</i> , 2023, 53, 4094-4102.	2.7	1
6	Discontinuation of antipsychotics in individuals with first-episode schizophrenia and its association to functional outcomes, hospitalization and death: a register-based nationwide follow-up study. <i>Psychological Medicine</i> , 2023, 53, 5033-5041.	2.7	2
7	Distress Related to Attenuated Psychotic Symptoms: Static and Dynamic Association With Transition to Psychosis, Nonremission, and Transdiagnostic Symptomatology in Clinical High-Risk Patients in an International Intervention Trial. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	6
8	Heterogeneity of social cognitive and language functions in children at familial high-risk of severe mental illness; The Danish High Risk and Resilience Study VIA 7. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 991-1002.	2.8	1
9	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
10	Intergenerational transmission of suicide attempt in a cohort of 4.4 million children. <i>Psychological Medicine</i> , 2022, 52, 3202-3209.	2.7	7
11	Characteristics of Survivors of Suicide Seeking Counseling From an NGO in Denmark: Analyses of a National Database. <i>Archives of Suicide Research</i> , 2022, 26, 1362-1377.	1.2	4
12	Post-error adjustment among children aged 7 years with a familial high risk of schizophrenia or bipolar disorder: A population-based cohort study. <i>Development and Psychopathology</i> , 2022, 34, 2023-2033.	1.4	2
13	Vagotomy and the risk of mental disorders: A nationwide population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 67-78.	2.2	3
14	Incidence rates and employment trends in schizophrenia spectrum disorders, bipolar affective disorders and recurrent depression in the years 2000–2013: a Danish nationwide register-based study. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 225-232.	0.7	4
15	Mental and pediatric disorders among children 0–6 years of parents with severe mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 244-254.	2.2	6
16	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
17	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.	1.0	31
18	Trajectories of Vocational Recovery Among Persons with Severe Mental Illness Participating in a Randomized Three-Group Superiority Trial of Individual Placement and Support (IPS) in Denmark. <i>Journal of Occupational Rehabilitation</i> , 2022, 32, 260-271.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
20	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2022, 91, 626-636.	0.7	21
21	Genome-wide association study of febrile seizures implicates fever response and neuronal excitability genes. <i>Brain</i> , 2022, 145, 555-568.	3.7	29
22	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	2.0	33
23	Evaluating the interrelations between the autism polygenic score and psychiatric family history in risk for autism. <i>Autism Research</i> , 2022, 15, 171-182.	2.1	7
24	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
25	Family disadvantage, gender, and the returns to genetic human capital*. <i>Scandinavian Journal of Economics</i> , 2022, 124, 550-578.	0.7	8
26	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 147-156.	2.0	2
27	Genome-wide by Environment Interaction Study of Stressful Life Events and Hospital-Treated Depression in the iPSYCH2012 Sample. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 400-410.	1.0	2
28	Comparing Copy Number Variations in a Danish Case Cohort of Individuals With Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2022, 79, 59.	6.0	24
29	Direct costs of hospital care of self-harm: A national register-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 319-331.	2.2	5
30	Mental disorders in preadolescent children at familial high risk of schizophrenia or bipolar disorder – a four-year follow-up study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1046-1056.	3.1	26
31	Early-Life Injuries and the Development of Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	1.1	0
32	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	2
33	Cognition Assessment in Virtual Reality: Validity and feasibility of a novel virtual reality test for real-life cognitive functions in mood disorders and psychosis spectrum disorders. <i>Journal of Psychiatric Research</i> , 2022, 145, 182-189.	1.5	12
34	The future of human behaviour research. <i>Nature Human Behaviour</i> , 2022, 6, 15-24.	6.2	28
35	Group cognitive behavioural therapy with virtual reality exposure versus group cognitive behavioural therapy with in vivo exposure for social anxiety disorder and agoraphobia: a protocol for a randomised clinical trial. <i>BMJ Open</i> , 2022, 12, e051147.	0.8	5
36	Neurocognitive heterogeneity in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study - VIA 7. <i>Journal of Affective Disorders</i> , 2022, 302, 214-223.	2.0	3

#	ARTICLE	IF	CITATIONS
37	Exploring protective and risk factors in the home environment in high-risk families – results from the Danish High Risk and Resilience Study – VIA 7. <i>BMC Psychiatry</i> , 2022, 22, 100.	1.1	4
38	Treatment-resistant depression and labor market affiliation in the Danish welfare society: a register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1189.	1.6	0
39	Treatment Approaches for First Episode and Early-Phase Schizophrenia in Adolescents and Young Adults: A Delphi Consensus Report from Europe. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 201-219.	1.0	3
40	Accounting for age of onset and family history improves power in genome-wide association studies. <i>American Journal of Human Genetics</i> , 2022, 109, 417-432.	2.6	16
41	Association between early risk factors and level of functioning at age seven in children at familial risk for schizophrenia or bipolar disorder - The Danish High Risk and Resilience Study VIA 7. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2022, 10, 12-23.	0.3	0
42	Sex differences across developmental domains among children with a familial risk of severe mental disorders. <i>Psychological Medicine</i> , 2022, , 1-16.	2.7	2
43	Implementing Evidence-Based Psychosocial Interventions for Psychosis. , 2022, , 128-156.		0
44	Machine learning based prediction and the influence of complement – Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 50-60.	2.0	4
45	Childhood trauma in children at familial high risk of schizophrenia or bipolar disorder: A longitudinal study. The Danish High Risk and Resilience Study – VIA 7 and VIA 11. <i>British Journal of Clinical Psychology</i> , 2022, 61, 875-894.	1.7	8
46	Transgenerational concordance in parent-to-child transmission of suicidal behaviour: a retrospective, nationwide, register-based cohort study of 419,642 individuals in Denmark. <i>Lancet Psychiatry</i> , 2022, 9, 363-374.	3.7	9
47	Genome-wide study of early and severe childhood asthma identifies interaction between CDHR3 and GSDMB. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 150, 622-630.	1.5	8
48	More coherent treatment needed for people at high risk of suicide. <i>Lancet Psychiatry</i> , 2022, 9, 263-264.	3.7	1
49	Neurocognitive Development in Children at Familial High Risk of Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 589.	6.0	12
50	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	13.7	929
51	Rare coding variants in ten genes confer substantial risk for schizophrenia. <i>Nature</i> , 2022, 604, 509-516.	13.7	326
52	The Danish High-Risk and Resilience Study – VIA 15 – A Study Protocol for the Third Clinical Assessment of a Cohort of 522 Children Born to Parents Diagnosed With Schizophrenia or Bipolar Disorder and Population-Based Controls. <i>Frontiers in Psychiatry</i> , 2022, 13, 809807.	1.3	3
53	Vaccination against SARS-CoV-2 infection among vulnerable and marginalised population groups in Denmark: A nationwide population-based study. <i>Lancet Regional Health - Europe</i> , 2022, 16, 100355.	3.0	20
54	Development of social responsiveness and theory of mind in children of parents with schizophrenia or bipolar disorder. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100242.	0.7	0

#	ARTICLE	IF	CITATIONS
55	Physical Activity and Sleep in 11-Year Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder. The Danish High Risk and Resilience Studyâ€”VIA 11. Schizophrenia Bulletin Open, 2022, 3, .	0.9	0
56	Effectiveness of medical treatment for bipolar disorder regarding suicide, self-harm and psychiatric hospital admission: between- and within-individual study on Danish national data. British Journal of Psychiatry, 2022, 221, 692-700.	1.7	5
57	The Strengths and Difficulties Questionnaire Is of Clinical Significance Regarding Emotional and Behavioral Problems in 7-Year-Old Children With Familial Risk of Schizophrenia or Bipolar Disorder and Population-Based Controls the Danish High Risk and Resilience Studyâ€”VIA 7; A Population-Based Cohort Study. Frontiers in Psychiatry, 2022, 13, .	1.3	0
58	Genetic correlates of phenotypic heterogeneity in autism. Nature Genetics, 2022, 54, 1293-1304.	9.4	51
59	Comprehensive genome-wide association study of different forms of hernia identifies more than 80 associated loci. Nature Communications, 2022, 13, .	5.8	9
60	Adverse SARS-CoV-2-associated outcomes among people experiencing social marginalisation and psychiatric vulnerability: A population-based cohort study among 4,4 million people. Lancet Regional Health - Europe, The, 2022, 20, 100421.	3.0	16
61	Associations between treatment with melatonin and suicidal behavior: a nationwide cohort study. Journal of Clinical Sleep Medicine, 2022, 18, 2451-2458.	1.4	4
62	Deep learningâ€”based integration of genetics with registry data for stratification of schizophrenia and depression. Science Advances, 2022, 8, .	4.7	6
63	Jumping to Conclusions and Its Associations With Psychotic Experiences in Preadolescent Children at Familial High Risk of Schizophrenia or Bipolar Disorder-The Danish High Risk and Resilience Study, VIA 11. Schizophrenia Bulletin, 2022, 48, 1363-1372.	2.3	2
64	Transmission of intelligence, working memory, and processing speed from parents to their seven-year-old offspring is function specific in families with schizophrenia or bipolar disorder. Schizophrenia Research, 2022, 246, 195-201.	1.1	1
65	Mismatch negativity and P3a amplitude in children with familial high risk of schizophrenia or bipolar disorder â€” A Danish register-based EEG study. Schizophrenia Research, 2022, 246, 187-194.	1.1	1
66	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. Molecular Psychiatry, 2021, 26, 4179-4190.	4.1	58
67	Omegaâ€”3 fatty acids and neurocognitive ability in young people at ultraâ€”high risk for psychosis. Microbial Biotechnology, 2021, 15, 874-881.	0.9	10
68	Executive functions in 7-year-old children of parents with schizophrenia or bipolar disorder compared with controls: The Danish High Risk and Resilience Studyâ€”VIA 7, a population-based cohort study. European Child and Adolescent Psychiatry, 2021, 30, 1871-1884.	2.8	7
69	People exposed to suicide attempts: Frequency, impact, and the support received. Suicide and Life-Threatening Behavior, 2021, 51, 467-477.	0.9	9
70	Gut microbial changes of patients with psychotic and affective disorders: A systematic review. Schizophrenia Research, 2021, 234, 41-50.	1.1	34
71	Suicide Rates in Nordic Prisons 2000â€”2016. Archives of Suicide Research, 2021, 25, 704-714.	1.2	5
72	International application of standards for health care quality, access and evaluation of services for early intervention in psychotic disorders. Microbial Biotechnology, 2021, 15, 723-730.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	0.9	11
74	Genetic factors underlying the bidirectional relationship between autoimmune and mental disorders – Findings from a Danish population-based study. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 10-23.	2.0	8
75	Association between neonatal homecare for preterm infants and incidence of severe postpartum depression in mothers. <i>Journal of Affective Disorders</i> , 2021, 278, 453-459.	2.0	3
76	Genetic predictors of educational attainment and intelligence test performance predict voter turnout. <i>Nature Human Behaviour</i> , 2021, 5, 281-291.	6.2	15
77	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
78	Gestational age-dependent development of the neonatal metabolome. <i>Pediatric Research</i> , 2021, 89, 1396-1404.	1.1	16
79	Associations between duration of untreated psychosis and domains of positive and negative symptoms persist after 10 years of follow-up: A secondary analysis from the OPUS trial. <i>Schizophrenia Research</i> , 2021, 228, 575-580.	1.1	4
80	Psychotic experiences in seven-year-old children with familial high risk of schizophrenia or bipolar disorder in: The Danish High Risk and Resilience Study – VIA 7; A population-based cohort study. <i>Schizophrenia Research</i> , 2021, 228, 510-518.	1.1	9
81	Decision making and its associations to neurocognitive functions, psychopathology, and the home environment in seven-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish High Risk and Resilience Study VIA 7. <i>Journal of Affective Disorders</i> , 2021, 281, 609-617.	2.0	3
82	Are attenuated positive symptoms and cortisol levels associated?. <i>Schizophrenia Research</i> , 2021, 228, 621-623.	1.1	0
83	Genome-wide association study across pediatric central nervous system tumors implicates shared predisposition and points to 1q25.2 (PAPPA2) and 11p12 (LRRC4C) as novel candidate susceptibility loci. <i>Child's Nervous System</i> , 2021, 37, 819-830.	0.6	9
84	Treatment-resistant depression and risk of all-cause mortality and suicidality in Danish patients with major depression. <i>Journal of Psychiatric Research</i> , 2021, 135, 197-202.	1.5	16
85	The effect of flexible assertive community treatment in Denmark: a quasi-experimental controlled study. <i>Lancet Psychiatry</i> , 2021, 8, 27-35.	3.7	29
86	Parental mental illness, attendance at preventive child healthcare and dental caries in the offspring: a nation-wide population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 583-592.	1.6	9
87	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	6.0	57
88	A polygenic resilience score moderates the genetic risk for schizophrenia. <i>Molecular Psychiatry</i> , 2021, 26, 800-815.	4.1	36
89	Annual incidence of cannabis-induced psychosis, other substance-induced psychoses and dually diagnosed schizophrenia and cannabis use disorder in Denmark from 1994 to 2016. <i>Psychological Medicine</i> , 2021, 51, 617-622.	2.7	27
90	No evidence of associations between genetic liability for schizophrenia and development of cannabis use disorder. <i>Psychological Medicine</i> , 2021, 51, 479-484.	2.7	12

#	ARTICLE	IF	CITATIONS
91	Predictors of remission from the ultra-high risk state for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 104-112.	0.9	8
92	Generalized neurocognitive impairment in individuals at ultra-high risk for psychosis: The possible key role of slowed processing speed. <i>Brain and Behavior</i> , 2021, 11, e01962.	1.0	10
93	Risk variants and polygenic architecture of disruptive behavior disorders in the context of attention-deficit/hyperactivity disorder. <i>Nature Communications</i> , 2021, 12, 576.	5.8	28
94	EPA guidance on treatment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e21.	0.1	70
95	Development of visual attention from age 7 to age 12 in children with familial high risk for schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2021, 228, 327-335.	1.1	0
96	Cancer and schizophrenia. <i>Current Opinion in Psychiatry</i> , 2021, 34, 260-265.	3.1	30
97	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10
98	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1342-1350.	2.3	17
99	The CHALLENGE Project: Fighting Auditory Hallucinations by using Virtual Reality. , 2021, , .		0
100	Identification of genetic loci associated with nocturnal enuresis: a genome-wide association study. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 201-209.	2.7	27
101	A Qualitative Study on the Implementation of Flexible Assertive Community Treatment – an Integrated Community-based Treatment Model for Patients with Severe Mental Illness. <i>International Journal of Integrated Care</i> , 2021, 21, 13.	0.1	6
102	Assessment of Suicide Risks During the First Week Immediately After Discharge From Psychiatric Inpatient Facility. <i>Frontiers in Psychiatry</i> , 2021, 12, 643303.	1.3	3
103	Co-occurring hydrocephalus in autism spectrum disorder: a Danish population-based cohort study. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 19.	1.5	8
104	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
105	Improving the precision of depression diagnosis in general practice: a cluster-randomized trial. <i>BMC Family Practice</i> , 2021, 22, 88.	2.9	1
106	Prevention in the mental health field should be implemented synergically at different levels. <i>World Psychiatry</i> , 2021, 20, 230-231.	4.8	6
107	Trajectories of symptoms of anxiety and depression among people on sick leave with mood or anxiety disorders: Secondary analysis from a randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2021, 137, 250-257.	1.5	3
108	Pharmacogenetic genotype and phenotype frequencies in a large Danish population-based case-cohort sample. <i>Translational Psychiatry</i> , 2021, 11, 294.	2.4	13

#	ARTICLE	IF	CITATIONS
109	Predictors of work and education among people with severe mental illness who participated in the Danish individual placement and support study: findings from a randomized clinical trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1669-1677.	1.6	6
110	Mortality in substance-induced psychosis: a register-based national cohort study. <i>Addiction</i> , 2021, 116, 3515-3524.	1.7	8
111	Leveraging both individual-level genetic data and GWAS summary statistics increases polygenic prediction. <i>American Journal of Human Genetics</i> , 2021, 108, 1001-1011.	2.6	22
112	Is the Association Between Parents' Mental Illness and Child Psychopathology Mediated via Home Environment and Caregivers' Psychosocial Functioning? A Mediation Analysis of the Danish High Risk and Resilience Study VIA7, a Population-Based Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	2
113	Reversibility of Antipsychotic-Induced Weight Gain: A Systematic Review and Meta-Analysis. <i>Frontiers in Endocrinology</i> , 2021, 12, 577919.	1.5	9
114	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
115	The 10-year trajectories of auditory hallucinations among 496 patients with a first schizophrenia-spectrum disorder: Findings from the OPUS cohort. <i>Schizophrenia Research</i> , 2021, , .	1.1	3
116	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021, 8, 579-588.	3.7	455
117	Polygenic Heterogeneity Across Obsessive-Compulsive Disorder Subgroups Defined by a Comorbid Diagnosis. <i>Frontiers in Genetics</i> , 2021, 12, 711624.	1.1	7
118	Effectiveness of an Internet-Based Self-help Therapy Program for Suicidal Ideation With Follow-up at 6 Months. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	1.1	14
119	Bereavement Among Adult Siblings: An Examination of Health Services Utilization and Mental Health Outcomes. <i>American Journal of Epidemiology</i> , 2021, 190, 2571-2581.	1.6	2
120	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 448-463.	2.2	9
121	Digital Shared Decision-Making Interventions in Mental Healthcare: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 691251.	1.3	8
122	Development Over Time of the Population-Attributable Risk Fraction for Cannabis Use Disorder in Schizophrenia in Denmark. <i>JAMA Psychiatry</i> , 2021, 78, 1013.	6.0	41
123	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021, 10, .	2.8	7
124	Editorial: Mortality Risk and Related Adverse Outcomes Following Discharge From Inpatient Psychiatric Care. <i>Frontiers in Psychiatry</i> , 2021, 12, 763342.	1.3	0
125	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.	6.0	88
126	The Danish OPUS Early Intervention Services for First-Episode Psychosis: A Phase 4 Prospective Cohort Study With Comparison of Randomized Trial and Real-World Data. <i>American Journal of Psychiatry</i> , 2021, 178, 941-951.	4.0	14

#	ARTICLE	IF	CITATIONS
127	Cerebrospinal fluid test results and associations with subsequent mental disorders, neurological diseases, and CNS infections: A population-based cohort study. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 210-218.	2.0	4
128	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021, 237, 192-201.	1.1	6
129	Medical cannabis and cannabis-based medicine show both potential efficacy and potential harms: Cross-sectional comparison with controls on self-rated and interviewer-rated outcomes within the Danish pilot program on medical cannabis. <i>Complementary Therapies in Clinical Practice</i> , 2021, 45, 101476.	0.7	3
130	Repetitive transcranial magnetic stimulation and transcranial direct current stimulation for auditory hallucinations in schizophrenia: Systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2021, 143, 163-175.	1.5	16
131	Substance-induced psychosis as a risk factor for unipolar depression or anxiety disordersâ€”A nationwide register-based prospective cohort study. <i>Journal of Affective Disorders</i> , 2021, 295, 960-966.	2.0	1
132	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
133	Assessment of Suicidal Behaviors Among Individuals With Autism Spectrum Disorder in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2033565.	2.8	84
134	EPA guidance on assessment of negative symptoms in schizophrenia. <i>European Psychiatry</i> , 2021, 64, e23.	0.1	94
135	Cannabisâ€”based medicines and medical cannabis for patients with neuropathic pain and other pain disorders: Nationwide registerâ€”based pharmacoepidemiologic comparison with propensity score matched controls. <i>European Journal of Pain</i> , 2021, , .	1.4	5
136	The impact of patient-controlled hospital admissions among patients with severe mental disorders on health care cost: A nationwide register-based cohort study using quasi-experimental design. <i>Journal of Psychiatric Research</i> , 2021, 144, 331-337.	1.5	3
137	Right-Based Mental Health Careâ€”Advantages of Tax-Financed Universal Mental Health Care. <i>JAMA Psychiatry</i> , 2021, , .	6.0	2
138	Associations between patterns in comorbid diagnostic trajectories of individuals with schizophrenia and etiological factors. <i>Nature Communications</i> , 2021, 12, 6617.	5.8	9
139	Psychiatric disorders in Nordic childhood cancer survivors. <i>Lancet Psychiatry</i> , the, 2021, , .	3.7	0
140	Pleiotropy between language impairment and broader behavioral disordersâ€”an investigation of both common and rare genetic variants. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 54.	1.5	5
141	P.0720 Cognition assessment in virtual reality: training of real-life cognitive functions with fully immersive virtual reality in mood or psychotic disorders. <i>European Neuropsychopharmacology</i> , 2021, 53, S527-S528.	0.3	0
142	Morbidity and Mortality in the Children and Young Adult Offspring of Parents With Schizophrenia or Affective Disordersâ€”A Nationwide Register-Based Cohort Study in 2 Million Individuals. <i>Schizophrenia Bulletin</i> , 2020, 46, 130-139.	2.3	29
143	Cannabis use disorders may protect against certain disorders of the digestive organs in people with schizophrenia but not in healthy controls. <i>Psychological Medicine</i> , 2020, 50, 499-506.	2.7	5
144	Stakeholder Perspectives on Using and Developing the MYPLAN Suicide Prevention Mobile Phone Application: A Focus Group Study. <i>Archives of Suicide Research</i> , 2020, 24, 48-63.	1.2	17

#	ARTICLE	IF	CITATIONS
145	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , 2020, 25, 2410-2421.	4.1	124
146	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	0.7	48
147	Assessing social skills in individuals at ultra-high risk for psychosis: Validation of the High Risk Social Challenge task (HiSoC). <i>Schizophrenia Research</i> , 2020, 215, 365-370.	1.1	7
148	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020, 226, 52-60.	1.1	8
149	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	1.1	27
150	Quality of life and self-esteem in 7-year-old children with familial high risk of schizophrenia or bipolar disorder: the Danish High Risk and Resilience Study-VIA 7—a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 849-860.	2.8	10
151	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.	0.7	27
152	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
153	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
154	Language deficits in specific language impairment, attention deficit/hyperactivity disorder, and autism spectrum disorder: An analysis of polygenic risk. <i>Autism Research</i> , 2020, 13, 369-381.	2.1	17
155	Socio-demographic and clinical risk factors of treatment-resistant depression: A Danish population-based cohort study. <i>Journal of Affective Disorders</i> , 2020, 261, 221-229.	2.0	27
156	Basic symptoms influence real-life functioning and symptoms in individuals at high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 231-240.	2.2	7
157	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. <i>Schizophrenia Research</i> , 2020, 216, 77-84.	1.1	1
158	Supplementary data for a focused review and meta-analysis of 1H-MRS studies on cerebral glutamate and GABA levels in high-risk of psychosis states. <i>Data in Brief</i> , 2020, 28, 104920.	0.5	1
159	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020, 216, 255-261.	1.1	8
160	A major role for common genetic variation in anxiety disorders. <i>Molecular Psychiatry</i> , 2020, 25, 3292-3303.	4.1	243
161	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020, 43, .	0.6	32
162	Genetic liability to ADHD and substance use disorders in individuals with ADHD. <i>Addiction</i> , 2020, 115, 1368-1377.	1.7	47

#	ARTICLE	IF	CITATIONS
163	Cerebral glutamate and GABA levels in high-risk of psychosis states: A focused review and meta-analysis of 1H-MRS studies. <i>Schizophrenia Research</i> , 2020, 215, 38-48.	1.1	36
164	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020, 124, 103527.	1.6	16
165	Cerebral Glutamate and Gamma-Aminobutyric Acid Levels in Individuals at Ultra-high Risk for Psychosis and the Association With Clinical Symptoms and Cognition. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 569-579.	1.1	12
166	M56. ASSORTATIVE MATING IN SCHIZOPHRENIA AND BIPOLAR DISORDER: A NATIONWIDE COHORT STUDY EXPLORING THE CHARACTERISTICS OF INDIVIDUALS WHO HAVE CHILDREN BY PARTNERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020, 46, S155-S156.	2.3	0
167	Investigating Cognitive and Clinical Predictors of Real-Life Functioning, Functional Capacity, and Quality of Life in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	5
168	Effectiveness of cognitive remediation in the ultra-high risk state for psychosis. <i>World Psychiatry</i> , 2020, 19, 401-402.	4.8	18
169	Efficacy and safety of anti-inflammatory agents in treatment of psychotic disorders – A comprehensive systematic review and meta-analysis. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 364-380.	2.0	66
170	Polygenic risk score, psychosocial environment and the risk of attention-deficit/hyperactivity disorder. <i>Translational Psychiatry</i> , 2020, 10, 335.	2.4	22
171	Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. <i>Schizophrenia Research</i> , 2020, 224, 151-158.	1.1	23
172	A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.	3.7	200
173	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis – A Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 873.	1.3	9
174	Baseline measures of cerebral glutamate and GABA levels in individuals at ultrahigh risk for psychosis: Implications for clinical outcome after 12 months. <i>European Psychiatry</i> , 2020, 63, e83.	0.1	7
175	The Duffy-null genotype and risk of infection. <i>Human Molecular Genetics</i> , 2020, 29, 3341-3349.	1.4	11
176	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.	3.7	1,101
177	Polygenic Risk and Progression to Bipolar or Psychotic Disorders Among Individuals Diagnosed With Unipolar Depression in Early Life. <i>American Journal of Psychiatry</i> , 2020, 177, 936-943.	4.0	40
178	Self-perceived cognitive impairments in psychosis ultra-high risk individuals: associations with objective cognitive deficits and functioning. <i>NPJ Schizophrenia</i> , 2020, 6, 31.	2.0	5
179	Collaborative care for depression and anxiety disorders: results and lessons learned from the Danish cluster-randomized Collabri trials. <i>BMC Family Practice</i> , 2020, 21, 234.	2.9	10
180	Interview and questionnaire assessment of cognitive impairment in subjects at ultra-high risk for psychosis: Associations with cognitive test performance, psychosocial functioning, and positive symptoms. <i>Psychiatry Research</i> , 2020, 294, 113498.	1.7	3

#	ARTICLE	IF	CITATIONS
181	High suicide rates during psychiatric inpatient stay and shortly after discharge. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 355-365.	2.2	26
182	Alterations in Task-Related Brain Activation in Children, Adolescents and Young Adults at Familial High-Risk for Schizophrenia or Bipolar Disorder - A Systematic Review. <i>Frontiers in Psychiatry</i> , 2020, 11, 632.	1.3	14
183	Genetic liability to major depression and risk of childhood asthma. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 433-439.	2.0	5
184	Development of Executive Functions as Reflected in Daily Life Behaviors in Young Adults at Ultra-High Risk for Psychosis: Associations With Symptoms and Functioning. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	1
185	Discontinuation of antipsychotic medicationâ€”time to rethink trial design. <i>Lancet Psychiatry</i> , the, 2020, 7, 841-842.	3.7	7
186	Infections of the central nervous system as a risk factor for mental disorders and cognitive impairment: A nationwide register-based study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 668-674.	2.0	16
187	Congenital Heart Disease and Risk of Suicide and Selfâ€”Harm: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e015735.	1.6	7
188	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 667-669.	1.3	6
189	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020, 220, 275-277.	1.1	3
190	Homelessness and police-recorded crime victimisation: a nationwide, register-based cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e333-e341.	4.7	20
191	Restriction of non-opioid analgesics sold over-the-counter in Denmark: A national study of impact on poisonings. <i>Journal of Affective Disorders</i> , 2020, 268, 61-68.	2.0	17
192	A large population-based investigation into the genetics of susceptibility to gastrointestinal infections and the link between gastrointestinal infections and mental illness. <i>Human Genetics</i> , 2020, 139, 593-604.	1.8	14
193	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	1.1	8
194	Limited Conclusions Can Be Reached From Danish Randomized Clinical Trial of Supported Employmentâ€”Reply. <i>JAMA Psychiatry</i> , 2020, 77, 327.	6.0	1
195	Children of Patients Undergoing Psychiatric Treatment: An Investigation of Statutory Support Services After Referrals to Child Protection Services. <i>Frontiers in Psychiatry</i> , 2020, 11, 527.	1.3	2
196	Quantitative genome-wide association analyses of receptive language in the Danish High Risk and Resilience Study. <i>BMC Neuroscience</i> , 2020, 21, 30.	0.8	7
197	Infections as a Risk Factor for and Prognostic Factor After Substance-Induced Psychoses. <i>American Journal of Psychiatry</i> , 2020, 177, 335-341.	4.0	12
198	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14

#	ARTICLE	IF	CITATIONS
199	Future directions in risk research. , 2020, , 417-430.		0
200	Large-Scale Exome Sequencing Study Implicates Both Developmental and Functional Changes in the Neurobiology of Autism. <i>Cell</i> , 2020, 180, 568-584.e23.	13.5	1,422
201	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.	4.1	116
202	Experiential negative symptoms are more predictive of real-life functional outcome than expressive negative symptoms in clinical high-risk states. <i>Schizophrenia Research</i> , 2020, 218, 151-156.	1.1	19
203	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020, 217, 390-396.	1.7	11
204	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020, 382, 1721-1731.	13.9	258
205	Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. <i>Psychiatry Research</i> , 2020, 290, 112969.	1.7	6
206	Suicide risk and prevention during the COVID-19 pandemic. <i>Lancet Psychiatry</i> , the, 2020, 7, 468-471.	3.7	1,054
207	Suicide among persons who entered same-sex and opposite-sex marriage in Denmark and Sweden, 1989â€“2016: a binational, register-based cohort study. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, 78-83.	2.0	13
208	Association Between Neurological Disorders and Death by Suicide in Denmark. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 444.	3.8	82
209	Effect of Routine Cytochrome P450 2D6 and 2C19 Genotyping on Antipsychotic Drug Persistence in Patients With Schizophrenia. <i>JAMA Network Open</i> , 2020, 3, e2027909.	2.8	14
210	FUT2â€“ABO epistasis increases the risk of early childhood asthma and <i>Streptococcus pneumoniae</i> respiratory illnesses. <i>Nature Communications</i> , 2020, 11, 6398.	5.8	21
211	Association Between Childhood Green Space, Genetic Liability, and the Incidence of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 1629-1637.	2.3	28
212	Cognitive functioning following discontinuation of antipsychotic medication. A naturalistic sub-group analysis from the OPUS II trial. <i>Psychological Medicine</i> , 2019, 49, 1138-1147.	2.7	20
213	Does future resource input reflect need in firstâ€‘episode psychosis: Examining the association between individual characteristics and 5â€‘year costs. <i>Microbial Biotechnology</i> , 2019, 13, 1056-1061.	0.9	0
214	Cerebrospinal fluid markers of inflammation and infections in schizophrenia and affective disorders: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2019, 24, 869-887.	4.1	151
215	Individual-Level Predictors for Becoming Homeless and Exiting Homelessness: a Systematic Review and Meta-analysis. <i>Journal of Urban Health</i> , 2019, 96, 741-750.	1.8	78
216	Risk of homelessness after discharge from psychiatric wards in Denmark: a nationwide registerâ€“based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 477-489.	2.2	13

#	ARTICLE	IF	CITATIONS
217	Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 358-365.	0.6	7
218	Suicide—turning the tide. <i>Science</i> , 2019, 365, 725-725.	6.0	18
219	Visual attention in 7-year-old children at familial high risk of schizophrenia or bipolar disorder: The Danish high risk and resilience study VIA 7. <i>Journal of Affective Disorders</i> , 2019, 258, 56-65.	2.0	23
220	Schizophrenia is associated with increased risk of subsequent substance abuse diagnosis: A nationwide population-based register study. <i>Addiction</i> , 2019, 114, 2217-2226.	1.7	20
221	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 393.	1.3	22
222	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019, 10, 4558.	5.8	363
223	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835.	6.3	329
224	Collaborative care vs consultation liaison for depression and anxiety disorders in general practice: study protocol for two randomized controlled trials (the Danish Collabri Flex trials). <i>Trials</i> , 2019, 20, 607.	0.7	7
225	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019, 2, e1914401.	2.8	29
226	Genetic risk scores for major psychiatric disorders and the risk of postpartum psychiatric disorders. <i>Translational Psychiatry</i> , 2019, 9, 288.	2.4	27
227	Urgent need for better care after self-harm. <i>Lancet Psychiatry, the</i> , 2019, 6, 971-972.	3.7	2
228	A large-scale genomic investigation of susceptibility to infection and its association with mental disorders in the Danish population. <i>Translational Psychiatry</i> , 2019, 9, 283.	2.4	46
229	Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Psychiatry</i> , 2019, 62, 1-9.	0.1	7
230	F18. PSYCHOPATHOLOGY AND SELF-CONCEPT IN A LONGITUDINAL COHORT OF CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S261-S261.	2.3	0
231	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S275-S275.	2.3	0
232	T10. MARKERS OF INFLAMMATION IN THE CEREBROSPINAL FLUID AND INCREASED BBB PERMEABILITY AS RISK FACTORS FOR SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A DANISH REGISTER-BASED STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S207.	2.3	0
233	T97. PATTERNS OF COGNITIVE FUNCTION ARE UNIQUELY ASSOCIATED WITH WHITE MATTER-MICROSTRUCTURE IN INDIVIDUALS AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S241-S242.	2.3	0
234	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , 2019, 40, 5185-5201.	1.9	22

#	ARTICLE	IF	CITATIONS
235	Variants in the fetal genome near pro-inflammatory cytokine genes on 2q13 associate with gestational duration. <i>Nature Communications</i> , 2019, 10, 3927.	5.8	49
236	Effects of Individual Placement and Support Supplemented With Cognitive Remediation and Work-Focused Social Skills Training for People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2019, 76, 1232.	6.0	56
237	Schizophrenia polygenic risk scores, urbanicity and treatment-resistant schizophrenia. <i>Schizophrenia Research</i> , 2019, 212, 79-85.	1.1	19
238	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. <i>The Lancet Digital Health</i> , 2019, 1, e261-e270.	5.9	33
239	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 350-362.	4.0	60
240	Polygenic risk for psychiatric disorder and singleness in patients with severe mental illness and controls. <i>Journal of Psychiatric Research</i> , 2019, 119, 60-66.	1.5	6
241	A genome-wide association study of shared risk across psychiatric disorders implicates gene regulation during fetal neurodevelopment. <i>Nature Neuroscience</i> , 2019, 22, 353-361.	7.1	173
242	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516.	6.0	78
243	Genome-wide association study implicates <i>CHRNA2</i> in cannabis use disorder. <i>Nature Neuroscience</i> , 2019, 22, 1066-1074.	7.1	94
244	The Momentum trial: the efficacy of using a smartphone application to promote patient activation and support shared decision making in people with a diagnosis of schizophrenia in outpatient treatment settings: a randomized controlled single-blind trial. <i>BMC Psychiatry</i> , 2019, 19, 185.	1.1	13
245	Home visits in the Danish High Risk and Resilience Study "VIA": assessment of the home environment of 508 7-year-old children born to parents diagnosed with schizophrenia or bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 126-134.	2.2	26
246	Suicidal behaviour among persons with attention-deficit hyperactivity disorder. <i>British Journal of Psychiatry</i> , 2019, 215, 615-620.	1.7	27
247	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
248	Genetic Variants Associated With Anxiety and Stress-Related Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 924.	6.0	140
249	GENOME-WIDE ASSOCIATION STUDY OF ANXIETY AND STRESS-RELATED DISORDERS. <i>European Neuropsychopharmacology</i> , 2019, 29, S819-S820.	0.3	0
250	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning "Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
251	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
252	7.2 PSYCHOTIC LIKE EXPERIENCES AND THEIR ASSOCIATIONS IN SEVEN-YEAR-OLD CHILDREN WITH FAMILIAL HIGH RISK OF SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S98.	2.3	0

#	ARTICLE	IF	CITATIONS
253	Assertive community treatment versus standard treatment for severely mentally ill patients in Denmark: a quasi-experimental trial. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 149-158.	0.7	14
254	Efficacy of anti-inflammatory treatment on major depressive disorder or depressive symptoms: meta-analysis of clinical trials. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 404-419.	2.2	257
255	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 1218-1230.	2.3	34
256	Variable DNA methylation in neonates mediates the association between prenatal smoking and birth weight. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180120.	1.8	46
257	Immunity and mental illness: findings from a Danish population-based immunogenetic study of seven psychiatric and neurodevelopmental disorders. <i>European Journal of Human Genetics</i> , 2019, 27, 1445-1455.	1.4	38
258	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
259	VIA Family a family-based early intervention versus treatment as usual for familial high-risk children: a study protocol for a randomized clinical trial. <i>Trials</i> , 2019, 20, 112.	0.7	15
260	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019, 51, 431-444.	9.4	1,538
261	Illness management and recovery: one-year follow-up of a randomized controlled trial in Danish community mental health centers: long-term effects on clinical and personal recovery. <i>BMC Psychiatry</i> , 2019, 19, 65.	1.1	18
262	MITOCHONDRIAL DNA SNPS ASSOCIATED WITH SCHIZOPHRENIA EXHIBIT HIGHLY VARIABLE INTER-ALLELIC HAPLOGROUP AFFILIATION AND NUCLEAR GENO GEOGRAPHIC AFFINITY: BI-GENOMIC LINKAGE DISEQUILIBRIUM RAISES MAJOR CONCERN FOR LINK TO DISEASE. <i>European Neuropsychopharmacology</i> , 2019, 29, S781.	0.3	0
263	SA133GENETIC PREDICTION OF TRANSITION FROM CHILDHOOD AND ADOLESCENT PSYCHIATRIC DISORDER TO SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1262.	0.3	0
264	Autism spectrum disorder and attention deficit hyperactivity disorder have a similar burden of rare protein-truncating variants. <i>Nature Neuroscience</i> , 2019, 22, 1961-1965.	7.1	148
265	P.026 Socio-demographic and clinical risk factors of treatment-resistant depression: a danish population-based cohort study. <i>European Neuropsychopharmacology</i> , 2019, 29, S38-S39.	0.3	0
266	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
267	P.098 Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. <i>European Neuropsychopharmacology</i> , 2019, 29, S84-S85.	0.3	0
268	Association of Whole-Genome and NETRIN1 Signaling Pathway Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100.	1.1	16
269	Emotion recognition latency, but not accuracy, relates to real life functioning in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2019, 210, 197-202.	1.1	13
270	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	1.1	46

#	ARTICLE	IF	CITATIONS
271	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	9.4	1,594
272	Infections, Anti-infective Agents, and Risk of Deliberate Self-harm and Suicide in a Young Cohort: A Nationwide Study. <i>Biological Psychiatry</i> , 2019, 85, 744-751.	0.7	15
273	Cause-specific life years lost among persons diagnosed with schizophrenia: Is it getting better or worse?. <i>Schizophrenia Research</i> , 2019, 206, 284-290.	1.1	78
274	Streptococcal Infections and Exacerbations in PANDAS. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 189-194.	1.1	9
275	Validation of the MUSIC Model of Motivation Inventory for use with cognitive training for schizophrenia spectrum disorders: A multinational study. <i>Schizophrenia Research</i> , 2019, 206, 142-148.	1.1	5
276	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019, 76, 259.	6.0	374
277	Parental Infections Before, During, and After Pregnancy as Risk Factors for Mental Disorders in Childhood and Adolescence: A Nationwide Danish Study. <i>Biological Psychiatry</i> , 2019, 85, 317-325.	0.7	63
278	Development of a fidelity scale for Danish specialized early interventions service. <i>Microbial Biotechnology</i> , 2019, 13, 568-573.	0.9	7
279	Programme fidelity of specialized early intervention in Denmark. <i>Microbial Biotechnology</i> , 2019, 13, 627-632.	0.9	9
280	User Involvement in Developing the MYPLAN Mobile Phone Safety Plan App for People in Suicidal Crisis: Case Study. <i>JMIR Mental Health</i> , 2019, 6, e11965.	1.7	27
281	Attenuated Psychosis Syndromes Among Danish Youth and Young Adults: Early Identification and Intervention. , 2019, , 333-348.		0
282	Association between alcohol and substance use disorders and psychiatric service use in patients with severe mental illness: a nationwide Danish register-based cohort study. <i>Psychological Medicine</i> , 2018, 48, 2592-2600.	2.7	28
283	Patient-controlled hospital admission for patients with severe mental disorders: a nationwide prospective multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 355-363.	2.2	21
284	Childhood Infections and Subsequent School Achievement Among 598,553 Danish Children. <i>Pediatric Infectious Disease Journal</i> , 2018, 37, 731-737.	1.1	9
285	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018, 50, 381-389.	9.4	1,332
286	Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders – Baseline and two-years findings from the CHANGE trial. <i>Schizophrenia Research</i> , 2018, 199, 96-102.	1.1	41
287	Out-of-home placement to age 18 years in children exposed to a postpartum mental disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 35-43.	2.2	7
288	Early Intervention Service for Young People With Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 427.	6.0	9

#	ARTICLE	IF	CITATIONS
289	Long-term treatment effect of trauma-affected refugees with flexible cognitive behavioural therapy and antidepressants. <i>Psychiatry Research</i> , 2018, 264, 217-223.	1.7	13
290	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , 2018, 92, 72-80.	1.3	26
291	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018, 197, 550-556.	1.1	54
292	Shared molecular neuropathology across major psychiatric disorders parallels polygenic overlap. <i>Science</i> , 2018, 359, 693-697.	6.0	851
293	Availability of Paracetamol Sold Over the Counter in Europe: A Descriptive Cross-sectional International Survey of Pack Size Restriction. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 643-649.	1.2	31
294	Trajectories of Return to Work Among People on Sick Leave with Mood or Anxiety Disorders: Secondary Analysis from a Randomized Controlled Trial. <i>Journal of Occupational Rehabilitation</i> , 2018, 28, 666-677.	1.2	9
295	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 555.	6.0	516
296	Polygenic Risk Scores, School Achievement, and Risk for Schizophrenia: A Danish Population-Based Study. <i>Biological Psychiatry</i> , 2018, 84, 684-691.	0.7	30
297	Association of Substance Use Disorders With Conversion From Schizotypal Disorder to Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 733.	6.0	21
298	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.	9.4	2,224
299	S102. CANNABIS MAY PROTECT AGAINST CERTAIN DISORDERS OF THE DIGESTIVE ORGANS IN PATIENTS WITH SCHIZOPHRENIA BUT NOT IN HEALTHY CONTROLS. <i>Schizophrenia Bulletin</i> , 2018, 44, S365-S365.	2.3	0
300	Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. <i>Schizophrenia Research</i> , 2018, 199, 109-115.	1.1	61
301	Non-pharmacological modulation of cerebral white matter organization: A systematic review of non-psychiatric and psychiatric studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 88, 84-97.	2.9	13
302	Participants' and staffs' evaluation of the Illness Management and Recovery program: a randomized clinical trial. <i>Journal of Mental Health</i> , 2018, 27, 30-37.	1.0	16
303	Premorbid adjustment in individuals at ultra-high risk for developing psychosis: a case-control study. <i>Microbial Biotechnology</i> , 2018, 12, 839-847.	0.9	14
304	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. <i>Schizophrenia Research</i> , 2018, 195, 543-548.	1.1	28
305	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.	0.7	87
306	Heritability of Schizophrenia and Schizophrenia Spectrum Based on the Nationwide Danish Twin Register. <i>Biological Psychiatry</i> , 2018, 83, 492-498.	0.7	374

#	ARTICLE	IF	CITATIONS
307	Fever and infections during pregnancy and psychosis-like experiences in the offspring at age 11. A prospective study within the Danish National Birth Cohort. <i>Psychological Medicine</i> , 2018, 48, 426-436.	2.7	17
308	Rates and Predictors of Conversion to Schizophrenia or Bipolar Disorder Following Substance-Induced Psychosis. <i>American Journal of Psychiatry</i> , 2018, 175, 343-350.	4.0	153
309	School performance from primary education in the adolescent offspring of parents with schizophrenia and bipolar disorder – a national, register-based study. <i>Psychological Medicine</i> , 2018, 48, 1993-2000.	2.7	33
310	Social functioning in patients with first-episode psychosis. <i>Lancet Psychiatry</i> , 2018, 5, 3-4.	3.7	2
311	A Genetic Investigation of Sex Bias in the Prevalence of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2018, 83, 1044-1053.	0.7	146
312	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563.	1.1	5
313	Incidence of child and adolescent mental disorders in children aged 0-17 with familial high risk for severe mental illness - A Danish register study. <i>Schizophrenia Research</i> , 2018, 197, 298-304.	1.1	52
314	Homelessness as a predictor of mortality: an 11-year register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 63-75.	1.6	27
315	Early intervention in psychosis: From clinical intervention to health system implementation. <i>Microbial Biotechnology</i> , 2018, 12, 757-764.	0.9	44
316	White matter maturation during 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 65-78.	2.2	23
317	Morbidity and mortality in homeless individuals, prisoners, sex workers, and individuals with substance use disorders in high-income countries: a systematic review and meta-analysis. <i>Lancet</i> , 2018, 391, 241-250.	6.3	532
318	Psychopathology and social functioning of 42 subjects from a Danish ultra high risk cohort. <i>Microbial Biotechnology</i> , 2018, 12, 1181-1187.	0.9	7
319	O7.7. COGNITIVE FUNCTIONING FOLLOWING DISCONTINUATION OF ANTIPSYCHOTIC MEDICATION: A SUB-GROUP ANALYSIS FROM THE OPUS II TRIAL. <i>Schizophrenia Bulletin</i> , 2018, 44, S95-S96.	2.3	0
320	O9.1. CANNABIS AND OTHER SUBSTANCE USE DISORDERS PREDICT CONVERSION FROM SCHIZOTYPAL DISORDER TO SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S99-S99.	2.3	1
321	O12.5. GENETIC AND ENVIRONMENTAL PREDICTORS OF MAIN OUTCOMES IN THE DANISH HIGH RISK AND RESILIENCE STUDY - VIA 7. A STUDY OF 522 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA, BIPOLAR DISORDER OR NEITHER OF THESE DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S110-S111.	2.3	0
322	T49. THE NEURAPRO STUDY: ADHERENCE TO STUDY MEDICATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S132-S133.	2.3	5
323	F84. ASSOCIATIONS BETWEEN INTELLIGENCE, VERBAL WORKING MEMORY AND PROCESSING SPEED IN PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER AND THEIR 7-YEAR OLD OFFSPRING. <i>Schizophrenia Bulletin</i> , 2018, 44, S252-S252.	2.3	1
324	F137. INFECTIONS OF THE CENTRAL NERVOUS SYSTEM AS A RISK FACTOR FOR MENTAL DISORDERS AND COGNITIVE IMPAIRMENT: A NATIONWIDE REGISTER-BASED STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S273-S273.	2.3	0

#	ARTICLE	IF	CITATIONS
325	O4.6. GENOME-WIDE ASSOCIATION STUDY, HERITABILITY ESTIMATION AND POLYGENIC RISK ANALYSIS OF SUSCEPTIBILITY TO INFECTIONS IN 65,534 INDIVIDUALS WITH SEVERE MENTAL DISORDERS AND POPULATION CONTROLS. <i>Schizophrenia Bulletin</i> , 2018, 44, S85-S85.	2.3	0
326	O11.2. CHANGES IN PSYCHOPATHOLOGY PREDICT CHANGES IN WORKING ALLIANCE IN FIRST EPISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S106-S107.	2.3	0
327	Effectiveness of the Gold Standard Programme (GSP) for smoking cessation on smokers with and without a severe mental disorder: a Danish cohort study. <i>BMJ Open</i> , 2018, 8, e021114.	0.8	10
328	T9. CROSS-SECTIONAL ASSOCIATION OF MEMBRANE FATTY ACID COMPOSITION AND PSYCHOPATHOLOGY IN THE NEURAPRO-E STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S116-S116.	2.3	2
329	T16. GLUTAMATERGIC CHANGES IN UHR. <i>Schizophrenia Bulletin</i> , 2018, 44, S119-S119.	2.3	0
330	T248. PSYCHOPATHOLOGY IN F2X.X-UNAFFECTED CO-TWINS AS A VULNERABILITY INDICATOR OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S213-S214.	2.3	0
331	F25. NEURAPRO REVISITED: INCREASES IN LONG-CHAIN OMEGA-3 FATTY ACIDS IMPROVE FUNCTIONAL AND SYMPTOMATIC OUTCOMES IN ULTRAHIGH RISK PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S228-S228.	2.3	1
332	F204. THE DANISH HIGH-RISK AND RESILIENCE STUDY - VIA 7 - A PROSPECTIVE COHORTE STUDY OF 522 7 YEARS OLD CHILDREN BORN TO PARENTS DIAGNOSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER - RESULTS ON PSYCHOPATHOLOGY, COGNITION AND LIVING CONDITIONS. <i>Schizophrenia Bulletin</i> , 2018, 44, S300-S300.	2.3	0
333	S136. A NOVEL APPROACH FOR DEVELOPING PREDICTION MODEL OF TRANSITION TO PSYCHOSIS: DYNAMIC PREDICTION USING JOINT MODELLING. <i>Schizophrenia Bulletin</i> , 2018, 44, S378-S379.	2.3	1
334	S34. DEVELOPMENTAL TRAJECTORIES OF PSYCHOTIC EXPERIENCES AND THEORY OF MIND IN 11-YEAR-OLD OFFSPRING OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018, 44, S336-S337.	2.3	0
335	F67. NEUROCOGNITION IN 7-YEAR-OLD CHILDREN OF PARENTS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2018, 44, S245-S246.	2.3	0
336	The Danish High Risk and Resilience Studyâ€”VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort âˆ”522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018, 9, 661.	1.3	27
337	Self-harm, Traumatic Brain Injury, and Suicideâ€”Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 2485.	3.8	0
338	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , 2018, 13, e0208828.	1.1	15
339	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , 2018, 13, e0208829.	1.1	5
340	F205. OLFACTORY IDENTIFICATION IN 7-YEAR OLD CHILDREN AT FAMILIAL RISK TO DEVELOP SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S300-S301.	2.3	0
341	How family income is associated with suicidal and violent behaviour in young adults. <i>Lancet Public Health</i> , The, 2018, 3, e463-e464.	4.7	5
342	Implementation of the safeguards model to reduce the use of coercive measures in adult psychiatric inpatient units: An interrupted time-series analysis. <i>Journal of Psychiatric Research</i> , 2018, 105, 147-152.	1.5	30

#	ARTICLE	IF	CITATIONS
343	31.2 CAN WE IMPROVE FUNCTIONAL OUTCOME AND ADHERENCE IN OPTIMISE PARTICIPANTS WITH A PSYCHOSOCIAL INTERVENTION?. Schizophrenia Bulletin, 2018, 44, S50-S50.	2.3	0
344	T11. CEREBROSPINAL FLUID (CSF) MARKERS OF INFLAMMATION AND INFECTIONS IN SCHIZOPHRENIA AND AFFECTIVE DISORDERS: A SYSTEMATIC REVIEW AND META-ANALYSIS. Schizophrenia Bulletin, 2018, 44, S116-S117.	2.3	0
345	Mortality in unipolar depression preceding and following chronic somatic diseases. Acta Psychiatrica Scandinavica, 2018, 138, 500-508.	2.2	22
346	O8.8. NEUROCOGNITION IN ULTRA-HIGHRISK INDIVIDUALS AND RELATIONSHIP TO TRANSITION TO PSYCHOSIS, DEPRESSIVE DISORDER, AND FUNCTIONING: FINDINGS FROM THE NEURAPRO TRIAL. Schizophrenia Bulletin, 2018, 44, S99-S99.	2.3	1
347	Quantifying the Impact of Rare and Ultra-rare Coding Variation across the Phenotypic Spectrum. American Journal of Human Genetics, 2018, 102, 1204-1211.	2.6	102
348	Sustained Attention and Interference Control Among 7-Year-Old Children With a Familial High Risk of Schizophrenia or Bipolar Disorder—A Nationwide Observational Cohort Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 704-712.	1.1	26
349	NEURAPRO: a multi-centre RCT of omega-3 polyunsaturated fatty acids versus placebo in young people at ultra-high risk of psychotic disorders—medium-term follow-up and clinical course. NPJ Schizophrenia, 2018, 4, 11.	2.0	41
350	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. British Journal of Psychiatry, 2018, 213, 555-560.	1.7	32
351	T123. PERSISTENT NEGATIVE SYMPTOMS IN FIRST EPISODE PSYCHOSIS: PREVALENCE, PREDICTORS AND PROGNOSIS. Schizophrenia Bulletin, 2018, 44, S163-S163.	2.3	0
352	O12.7. RISK OF PSYCHOSIS IN OFFSPRING OF PARENTS WITH A HISTORY OF HOMELESSNESS DURING CHILDHOOD AND ADOLESCENCE: A NATIONWIDE, REGISTER-BASED, COHORT STUDY. Schizophrenia Bulletin, 2018, 44, S111-S111.	2.3	0
353	Dynamic prediction of transition to psychosis using joint modelling. Schizophrenia Research, 2018, 202, 333-340.	1.1	18
354	The association between norepinephrine and metabolism in patients with major depression. Neurology Psychiatry and Brain Research, 2018, 30, 91-97.	2.0	4
355	Elevated polygenic burden for autism is associated with differential DNA methylation at birth. Genome Medicine, 2018, 10, 19.	3.6	88
356	Systematic review and meta-analysis of cerebrospinal fluid markers of inflammation and infections in schizophrenia and affective disorders. Neurology Psychiatry and Brain Research, 2018, 29, 17-18.	2.0	2
357	Infections of the central nervous system as a risk factor for mental disorders and cognitive impairment. Neurology Psychiatry and Brain Research, 2018, 29, 18-19.	2.0	0
358	Association Between Traumatic Brain Injury and Risk of Suicide. JAMA - Journal of the American Medical Association, 2018, 320, 580.	3.8	127
359	Illness management and recovery: Clinical outcomes of a randomized clinical trial in community mental health centers. PLoS ONE, 2018, 13, e0194027.	1.1	17
360	Prevalence of rearrangements in the 22q11.2 region and population-based risk of neuropsychiatric and developmental disorders in a Danish population: a case-cohort study. Lancet Psychiatry, 2018, 5, 573-580.	3.7	102

#	ARTICLE	IF	CITATIONS
361	T42. WHEN SHOULD EARLY INTERVENTION START, AND FOR HOW LONG SHOULD IT LAST?. Schizophrenia Bulletin, 2018, 44, S129-S129.	2.3	2
362	T54. TAILOR " TAPERED DISCONTINUATION VERSUS MAINTENANCE THERAPY OF ANTIPSYCHOTIC MEDICATION IN PATIENTS WITH NEWLY DIAGNOSED SCHIZOPHRENIA SPECTRUM DISORDERS IN REMISSION OF PSYCHOTIC SYMPTOMS. Schizophrenia Bulletin, 2018, 44, S134-S135.	2.3	2
363	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. Schizophrenia Research, 2018, 201, 62-69.	1.1	22
364	Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services. Microbial Biotechnology, 2018, 12, 1235-1242.	0.9	35
365	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder " The Danish High Risk and Resilience Study "VIA 7, a population-based cohort study. World Psychiatry, 2018, 17, 210-219.	4.8	60
366	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. JAMA Psychiatry, 2018, 75, 844.	6.0	60
367	The iPSYCH2012 case " cohort sample: new directions for unravelling genetic and environmental architectures of severe mental disorders. Molecular Psychiatry, 2018, 23, 6-14.	4.1	257
368	Incidence of, Risk Factors for, and Changes Over Time in Treatment-Resistant Depression in Denmark. Journal of Clinical Psychiatry, 2018, 79, .	1.1	27
369	NEURAPRO " study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. Microbial Biotechnology, 2017, 11, 418-428.	0.9	55
370	Association analyses of depression and genes in the hypothalamus " pituitary " adrenal axis. Acta Neuropsychiatrica, 2017, 29, 59-64.	1.0	11
371	The Self-help Online against Suicidal thoughts (SOS) trial: study protocol for a randomized controlled trial. Trials, 2017, 18, 45.	0.7	9
372	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. World Psychiatry, 2017, 16, 30-40.	4.8	477
373	Years of potential life lost and life expectancy in schizophrenia: a systematic review and meta-analysis. Lancet Psychiatry, the, 2017, 4, 295-301.	3.7	772
374	Association between alcohol, cannabis, and other illicit substance abuse and risk of developing schizophrenia: a nationwide population based register study. Psychological Medicine, 2017, 47, 1668-1677.	2.7	68
375	Associations between substance use disorders and suicide or suicide attempts in people with mental illness: a Danish nation-wide, prospective, register-based study of patients diagnosed with schizophrenia, bipolar disorder, unipolar depression or personal. Addiction, 2017, 112, 1250-1259.	1.7	114
376	Is an Early Age at Illness Onset in Schizophrenia Associated With Increased Genetic Susceptibility? Analysis of Data From the Nationwide Danish Twin Register. EBioMedicine, 2017, 18, 320-326.	2.7	22
377	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. Nature Genetics, 2017, 49, 978-985.	9.4	401
378	Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. Psychological Medicine, 2017, 47, 2689-2707.	2.7	32

#	ARTICLE	IF	CITATIONS
379	Effect of ω -3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	6.0	216
380	210. NEURAPRO: A Multi-center RCT of Omega-3 Polyunsaturated Fatty Acids Versus Placebo in Young People at Ultra-High Risk of Psychotic Disorders: Medium-Term Outcome. <i>Schizophrenia Bulletin</i> , 2017, 43, S107-S107.	2.3	2
381	The effect of cognitive remediation in individuals at ultra-high risk for psychosis: a systematic review. <i>NPJ Schizophrenia</i> , 2017, 3, 20.	2.0	62
382	Association of Streptococcal Throat Infection With Mental Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 740.	6.0	83
383	Effect on return to work or education of Individual Placement and Support modified for people with mood and anxiety disorders: results of a randomised clinical trial. <i>Occupational and Environmental Medicine</i> , 2017, 74, 717-725.	1.3	30
384	Comparing post-deployment mental health services utilization in soldiers deployed to Balkan, Iraq and Afghanistan. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 564-572.	2.2	2
385	Impairments of motor function among children with a familial risk of schizophrenia or bipolar disorder at 7 years old in Denmark: an observational cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 400-408.	3.7	47
386	Association Between Spousal Suicide and Mental, Physical, and Social Health Outcomes. <i>JAMA Psychiatry</i> , 2017, 74, 456.	6.0	123
387	Attitudes towards people with depression and schizophrenia among social service workers in Denmark. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 165-170.	0.7	8
388	Stability and development of psychotic symptoms and the use of antipsychotic medication – long-term follow-up. <i>Psychological Medicine</i> , 2017, 47, 2118-2129.	2.7	22
389	Risk factors of coercion among psychiatric inpatients: a nationwide register-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 979-987.	1.6	34
390	Negative symptoms mediate the relationship between neurocognition and function in individuals at ultrahigh risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 250-258.	2.2	25
391	The effect of duration of untreated psychosis and treatment delay on the outcomes of prolonged early intervention in psychotic disorders. <i>NPJ Schizophrenia</i> , 2017, 3, 34.	2.0	61
392	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 292-299.	4.0	20
393	Exercise for patients with major depression: a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , 2017, 7, e014820.	0.8	90
394	Assertive Interventions for First Episode Psychoses: The Danish Experience. <i>European Psychiatry</i> , 2017, 41, S4-S4.	0.1	0
395	5. Mitochondrial DNA Haplogroups are Associated with Psychiatric Disease: A Nation-Wide Study of 74,763 Danes. <i>Biological Psychiatry</i> , 2017, 81, S3.	0.7	0
396	The Impact of the Change Trial on Physical Health in People With Schizophrenia. <i>European Psychiatry</i> , 2017, 41, S10-S10.	0.1	0

#	ARTICLE	IF	CITATIONS
397	Associations between cognition in parents with schizophrenia or bipolar disorder and their 7-year old high-risk offspring. <i>European Psychiatry</i> , 2017, 41, s813-s813.	0.1	0
398	Removing Firearms From the Home After Attempted Suicide Can Be Life Saving. <i>American Journal of Psychiatry</i> , 2017, 174, 721-722.	4.0	6
399	Letter to the Editor. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 615.	0.8	0
400	SA57. Life Expectancy and Years of Potential Life Lost in Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, S133-S134.	2.3	7
401	MYPLAN – mobile phone application to manage crisis of persons at risk of suicide: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 171.	0.7	36
402	Antipsychotic medication and remission of psychotic symptoms 10 years after a first-episode psychosis. <i>Schizophrenia Research</i> , 2017, 182, 42-48.	1.1	80
403	Course of illness in a sample of patients diagnosed with a schizotypal disorder and treated in a specialized early intervention setting. Findings from the 3.5 year follow-up of the OPUS II study. <i>Schizophrenia Research</i> , 2017, 182, 24-30.	1.1	16
404	Cause-specific life-years lost in people with mental disorders: a nationwide, register-based cohort study. <i>Lancet Psychiatry</i> , 2017, 4, 937-945.	3.7	110
405	Risk of psychiatric disorders in offspring of parents with a history of homelessness during childhood and adolescence in Denmark: a nationwide, register-based, cohort study. <i>Lancet Public Health</i> , 2017, 2, e541-e550.	4.7	20
406	Early intervention services are effective and must be defended. <i>World Psychiatry</i> , 2017, 16, 272-274.	4.8	3
407	Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). <i>BMJ: British Medical Journal</i> , 2017, 356, i6681.	2.4	79
408	22. The Effects of Antidepressant use on Clinical Outcomes in the NEURAPRO-E Trial. <i>Schizophrenia Bulletin</i> , 2017, 43, S15-S16.	2.3	0
409	SA81. Glutamatergic and GABAergic Disturbances in Individuals at Ultra-High Risk of Psychosis: Implications for Clinical and Functional Outcome. <i>Schizophrenia Bulletin</i> , 2017, 43, S142-S142.	2.3	0
410	SA90. Nonpharmacological Modulation of Cerebral White Matter Organization: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2017, 43, S145-S145.	2.3	0
411	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> , 2017, 12, e0185881.	1.1	33
412	Collaborative care for depression in general practice: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 344.	0.7	7
413	Collaborative care for panic disorder, generalised anxiety disorder and social phobia in general practice: study protocol for three cluster-randomised, superiority trials. <i>Trials</i> , 2017, 18, 382.	0.7	8
414	TAILOR – tapered discontinuation versus maintenance therapy of antipsychotic medication in patients with newly diagnosed schizophrenia or persistent delusional disorder in remission of psychotic symptoms: study protocol for a randomized clinical trial. <i>Trials</i> , 2017, 18, 445.	0.7	26

#	ARTICLE	IF	CITATIONS
415	The CapOplus Trial for Cannabis Use Disorders. , 2017, , 1086-1092.		1
416	Risk Estimates and Risk Factors Related to Psychiatric Inpatient Suicide—An Overview. International Journal of Environmental Research and Public Health, 2017, 14, 253.	1.2	39
417	The Danish Schizophrenia Registry. Clinical Epidemiology, 2016, Volume 8, 691-695.	1.5	16
418	Incidence Rates of Deliberate Self-Harm in Denmark 1994–2011. Crisis, 2016, 37, 256-264.	0.9	51
419	Increased use of primary care during 6 years of prodromal schizophrenia. Acta Psychiatrica Scandinavica, 2016, 134, 225-233.	2.2	29
420	EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER-A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. Depression and Anxiety, 2016, 33, 520-530.	2.0	85
421	Research Review: Do motor deficits during development represent an endophenotype for schizophrenia? A meta-analysis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 446-456.	3.1	60
422	Psychosocial therapy and causes of death after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. Psychological Medicine, 2016, 46, 3419-3427.	2.7	20
423	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. Biological Psychiatry, 2016, 80, 609-616.	0.7	38
424	Trajectories of suicidal ideation in patients with first-episode psychosis: secondary analysis of data from the OPUS trial. Lancet Psychiatry, 2016, 3, 443-450.	3.7	48
425	The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial. British Journal of Psychiatry, 2016, 208, 252-259.	1.7	73
426	Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. Schizophrenia Research, 2016, 175, 57-63.	1.1	61
427	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. British Journal of Psychiatry, 2016, 208, 330-336.	1.7	113
428	The Effect of Changes in Cannabis Exposure on Psychotic Symptoms in Patients With Comorbid Cannabis Use Disorder. Journal of Dual Diagnosis, 2016, 12, 129-136.	0.7	5
429	Systemic oxidative DNA and RNA damage are not increased during early phases of psychosis: A case control study. Psychiatry Research, 2016, 241, 201-206.	1.7	20
430	Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. Schizophrenia Research: Cognition, 2016, 5, 21-27.	0.7	46
431	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. World Psychiatry, 2016, 15, 187-188.	4.8	7
432	You Seldom Get a Second Chance With a Gunshot: Lethality of Suicidal Acts. American Journal of Psychiatry, 2016, 173, 1069-1070.	4.0	3

#	ARTICLE	IF	CITATIONS
433	Listen to the patient: challenges in the evaluation of the risk of suicidal behaviour. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 255-256.	2.2	2
434	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , 2016, 15, 155-165.	4.8	112
435	A Nationwide Cohort Study of the Association Between Hospitalization With Infection and Risk of Death by Suicide. <i>JAMA Psychiatry</i> , 2016, 73, 912.	6.0	100
436	Children of Parents With Serious Mental Illness: With Whom Do They Grow Up? A Prospective, Population-Based Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 953-961.	0.3	45
437	Postdischarge Suicides. <i>JAMA Psychiatry</i> , 2016, 73, 1113.	6.0	17
438	The incidence of schizophrenia and schizophrenia spectrum disorders in Denmark in the period 2000-2012. A register-based study. <i>Schizophrenia Research</i> , 2016, 176, 533-539.	1.1	46
439	Should psychiatrists be more cautious about the long-term prophylactic use of antipsychotics?. <i>British Journal of Psychiatry</i> , 2016, 209, 361-365.	1.7	193
440	Patient-controlled hospital admission for patients with severe mental disorders: study protocol for a nationwide prospective multicentre study. <i>BMJ Open</i> , 2016, 6, e013088.	0.8	6
441	Social cognition, functional capacity and symptoms in the longitudinal prediction of outcome in subjects with first-episode schizophrenia. <i>European Psychiatry</i> , 2016, 33, S67-S67.	0.1	0
442	Early intervention services in psychosis: from evidence to wide implementation. <i>Microbial Biotechnology</i> , 2016, 10, 540-546.	0.9	44
443	Psychosocial therapy for people at risk of suicide. <i>Lancet Psychiatry</i> , 2016, 3, 494-495.	3.7	1
444	Effectiveness of Mental Health First Aid training in Denmark: a randomized trial in waitlist design. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 597-606.	1.6	28
445	Prevalence of substance use disorders in psychiatric patients: a nationwide Danish population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 129-140.	1.6	147
446	Treatment of adult patients with schizophrenia and complex mental health needs - A national clinical guideline. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 231-240.	0.7	25
447	High loading of polygenic risk in cases with chronic schizophrenia. <i>Molecular Psychiatry</i> , 2016, 21, 969-974.	4.1	62
448	High-Quality Exome Sequencing of Whole-Genome Amplified Neonatal Dried Blood Spot DNA. <i>PLoS ONE</i> , 2016, 11, e0153253.	1.1	38
449	Trajectories of Suicidal Ideation in People Seeking Web-Based Help for Suicidality: Secondary Analysis of a Dutch Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e178.	2.1	17
450	Repeated Suicide Attempts and Suicide Among Individuals With a First Emergency Department Contact for Attempted Suicide. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 832-840.	1.1	66

#	ARTICLE	IF	CITATIONS
451	Comment and response to the commentary. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2016, 26, 5.	0.1	0
452	Influence of early life characteristics on psychiatric admissions and impact of psychiatric disease on inflammatory biomarkers and survival: a Danish cohort study. World Psychiatry, 2015, 14, 364-365.	4.8	7
453	Improving quality of care among patients hospitalised with schizophrenia: a nationwide initiative. BJPsych Open, 2015, 1, 48-53.	0.3	13
454	Suicidal Behavior and Mortality in First-Episode Psychosis. Journal of Nervous and Mental Disease, 2015, 203, 387-392.	0.5	93
455	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. Schizophrenia Research, 2015, 168, 84-91.	1.1	141
456	The Danish High Risk and Resilience Study "VIA 7 - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. BMC Psychiatry, 2015, 15, 233.	1.1	67
457	Individual Placement and Support supplemented with cognitive remediation and work-related social skills training in Denmark: study protocol for a randomized controlled trial. Trials, 2015, 16, 280.	0.7	16
458	Psychiatric Disorders and Psychopharmacologic Treatment as Risk Factors in Elective Fast-track Total Hip and Knee Arthroplasty. Anesthesiology, 2015, 123, 1281-1291.	1.3	47
459	The Association between Infections and General Cognitive Ability in Young Men "A Nationwide Study. PLoS ONE, 2015, 10, e0124005.	1.1	35
460	Thirty-Day Mortality After Infection Among Persons With Severe Mental Illness: A Population-Based Cohort Study in Denmark. American Journal of Psychiatry, 2015, 172, 776-783.	4.0	35
461	EPA guidance on the early intervention in clinical high risk states of psychoses. European Psychiatry, 2015, 30, 388-404.	0.1	390
462	Analysis of risk factors for schizophrenia with two different case definitions: A nationwide register-based external validation study. Schizophrenia Research, 2015, 162, 74-78.	1.1	7
463	Delay in blood sampling for routine newborn screening is associated with increased risk of schizophrenia. Schizophrenia Research, 2015, 162, 90-96.	1.1	0
464	Schizophrenia and Metacognition: An Investigation of Course of Illness and Metacognitive Beliefs Within a First Episode Psychosis. Cognitive Therapy and Research, 2015, 39, 61-69.	1.2	23
465	Short-term and long-term effects of psychosocial therapy for people after deliberate self-harm: a register-based, nationwide multicentre study using propensity score matching. Lancet Psychiatry, the, 2015, 2, 49-58.	3.7	86
466	Specialised assertive intervention in early psychosis. Lancet Psychiatry, the, 2015, 2, 2-3.	3.7	5
467	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. Trials, 2015, 16, 25.	0.7	40
468	Effect of Anti-inflammatory Treatment On Depression, Depressive Symptoms and Side Effects: a Systematic Review and Meta-analysis of Randomized Clinical Trials. European Psychiatry, 2015, 30, 342.	0.1	1

#	ARTICLE	IF	CITATIONS
469	Improving Quality of Care Among Patients Hospitalized with Schizophrenia: a Nationwide Initiative. <i>European Psychiatry</i> , 2015, 30, 236.	0.1	0
470	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-626.	2.3	127
471	DEPEROR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , 2015, 179, 121-127.	2.0	5
472	Exercise for patients with major depression: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2015, 4, 40.	2.5	22
473	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	2.3	36
474	New Targets for Prevention of Schizophrenia: Is It Time for Interventions in the Premorbid Phase?. <i>Schizophrenia Bulletin</i> , 2015, 41, 795-800.	2.3	56
475	From research to practice: how <sc>OPUS</sc> treatment was accepted and implemented throughout <sc>D</sc>enmark. <i>Microbial Biotechnology</i> , 2015, 9, 156-162.	0.9	74
476	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.1	318
477	Mortality and life expectancy of people with alcohol use disorder in Denmark, Finland and Sweden. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 297-306.	2.2	96
478	The effect of the mental health first-aid training course offered employees in Denmark: study protocol for a randomized waitlist-controlled superiority trial mixed with a qualitative study. <i>BMC Psychiatry</i> , 2015, 15, 80.	1.1	8
479	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , 2015, 15, 119.	1.1	13
480	Association between alcohol and substance use disorders and all-cause and cause-specific mortality in schizophrenia, bipolar disorder, and unipolar depression: a nationwide, prospective, register-based study. <i>Lancet Psychiatry</i> , 2015, 2, 801-808.	3.7	132
481	Risk of Schizophrenia Increases After All Child and Adolescent Psychiatric Disorders: A Nationwide Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 963-970.	2.3	63
482	The Association Between Working Alliance and Clinical and Functional Outcome in a Cohort of 400 Patients With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e83-e90.	1.1	19
483	Serious Mental Illness and Disrupted Caregiving for Children. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1006-e1014.	1.1	40
484	Follow-up study of the treatment outcomes at a psychiatric trauma clinic for refugees. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 16.	0.1	13
485	Cognitive behavioral psychotherapeutic treatment at a psychiatric trauma clinic for refugees: description and evaluation. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 16.	0.1	6
486	Cognitive behavioral psychotherapeutic treatment at a psychiatric trauma clinic for refugees: description and evaluation. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2015, 25, 17-32.	0.1	8

#	ARTICLE	IF	CITATIONS
487	Prospective study of the course of delusional themes in first-episode non-effective psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 340-347.	0.9	12
488	A Nationwide Study on the Risk of Autoimmune Diseases in Individuals With a Personal or a Family History of Schizophrenia and Related Psychosis. <i>American Journal of Psychiatry</i> , 2014, 171, 218-226.	4.0	155
489	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
490	Genome-wide study of association and interaction with maternal cytomegalovirus infection suggests new schizophrenia loci. <i>Molecular Psychiatry</i> , 2014, 19, 325-333.	4.1	163
491	Head Injury as Risk Factor for Psychiatric Disorders: A Nationwide Register-Based Follow-Up Study of 113,906 Persons With Head Injury. <i>American Journal of Psychiatry</i> , 2014, 171, 463-469.	4.0	132
492	Can Exercise Increase Fitness and Reduce Weight in Patients with Schizophrenia and Depression?. <i>Frontiers in Psychiatry</i> , 2014, 5, 89.	1.3	26
493	Suicide and unintentional injury mortality among homeless people: a Danish nationwide register-based cohort study. <i>European Journal of Public Health</i> , 2014, 24, 50-56.	0.1	43
494	Cognitive remediation combined with an early intervention service in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 300-310.	2.2	39
495	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014, 160, 131-135.	1.1	15
496	The Diagnostic Apathia Scale predicts the ability to return to work following depression or anxiety. <i>Acta Neuropsychiatrica</i> , 2014, 26, 364-371.	1.0	12
497	How successful are first episode programs? A review of the evidence for specialized assertive early intervention. <i>Current Opinion in Psychiatry</i> , 2014, 27, 167-172.	3.1	88
498	Effect of Anti-inflammatory Treatment on Depression, Depressive Symptoms, and Adverse Effects. <i>JAMA Psychiatry</i> , 2014, 71, 1381.	6.0	727
499	Long-term mortality of persons with severe mental illness and diabetes: a population-based cohort study in Denmark. <i>Psychological Medicine</i> , 2014, 44, 3097-3107.	2.7	55
500	Change in cannabis use, clinical symptoms and social functioning among patients with first-episode psychosis: a 5-year follow-up study of patients in the OPUS trial. <i>Psychological Medicine</i> , 2014, 44, 117-126.	2.7	50
501	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	4.1	85
502	Gender differences in first-episode psychosis at 5-year follow-up – two different courses of disease? Results from the OPUS study at 5-year follow-up. <i>European Psychiatry</i> , 2014, 29, 44-51.	0.1	102
503	The association between depressive symptoms, cognitive function, and inflammation in major depression. <i>Brain, Behavior, and Immunity</i> , 2014, 35, 70-76.	2.0	146
504	Poster #T95 EXCESS MORTALITY IN MENTAL DISORDERS ATTRIBUTABLE TO SUBSTANCE USE DISORDERS. <i>Schizophrenia Research</i> , 2014, 153, S322-S323.	1.1	0

#	ARTICLE	IF	CITATIONS
505	Poster #S270 DOES SUBSTANCE ABUSE INCREASE THE RISK OF PSYCHIATRIC ILLNESS?. Schizophrenia Research, 2014, 153, S188.	1.1	0
506	Poster #S174 STRESS, CORTISOL AND PITUITARY VOLUME DURING PSYCHOSIS. Schizophrenia Research, 2014, 153, S152-S153.	1.1	0
507	Poster #S227 REMEMBERING DAILY COGNITIVE FUNCTIONING IN SUBJECTS AT ULTRA-HIGH RISK FOR PSYCHOSIS: A CROSS-SECTIONAL STUDY ON EVERYDAY MANIFESTATIONS OF COGNITIVE DEFICITS IN AN ULTRA-HIGH RISK COHORT. Schizophrenia Research, 2014, 153, S171-S172.	1.1	0
508	The effect of exercise on hippocampal volume and neurotrophines in patients with major depression – A randomized clinical trial. Journal of Affective Disorders, 2014, 165, 24-30.	2.0	91
509	Risk of suicide according to level of psychiatric treatment: a nationwide nested case – control study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1357-1365.	1.6	86
510	Poster #T93 CONCORDANCE RATES AND HERITABILITY IN SCHIZOPHRENIA DATA FROM A DANISH TWIN STUDY. Schizophrenia Research, 2014, 153, S322.	1.1	0
511	CBT for psychotic disorders: beyond meta-analyses and guidelines - it is time to implement!. World Psychiatry, 2014, 13, 260-261.	4.8	6
512	EPA-1033 – Cognitive adaptation training for outpatients with schizophrenia in integrated treatment. European Psychiatry, 2014, 29, 1.	0.1	1
513	EPA-1525 - Change- it is about life. a randomized clinical trial of two health promoting programs versus standard treatment for patients with schizophrenia. European Psychiatry, 2014, 29, 1.	0.1	0
514	The DiaS trial: dialectical behavior therapy versus collaborative assessment and management of suicidality on self-harm in patients with a recent suicide attempt and borderline personality disorder traits - study protocol for a randomized controlled trial. Trials, 2014, 15, 194.	0.7	9
515	Excess Early Mortality in Schizophrenia. Annual Review of Clinical Psychology, 2014, 10, 425-448.	6.3	602
516	Adolescent cannabis use and adverse sequelae in adulthood. Lancet Psychiatry, the, 2014, 1, 249-251.	3.7	0
517	Association between Attention-Deficit Hyperactivity Disorder in childhood and schizophrenia later in adulthood. European Psychiatry, 2014, 29, 259-263.	0.1	92
518	Poster #T20 THE ASSOCIATION BETWEEN INFECTIONS AND GENERAL COGNITIVE ABILITY IN YOUNG MEN – A DANISH NATIONWIDE STUDY. Schizophrenia Research, 2014, 153, S296.	1.1	0
519	Predictors of adherence to exercise interventions in patients with clinical depression – A pooled analysis from two clinical trials. Mental Health and Physical Activity, 2014, 7, 50-54.	0.9	16
520	Population impact of familial and environmental risk factors for schizophrenia: A nationwide study. Schizophrenia Research, 2014, 153, 214-219.	1.1	31
521	Was Risk of Suicide Underestimated?. JAMA Psychiatry, 2014, 71, 716.	6.0	3
522	Intervention Efficacy in Trials Targeting Cannabis Use Disorders in Patients with Comorbid Psychosis Systematic Review and Meta-analysis. Current Pharmaceutical Design, 2014, 20, 2205-2211.	0.9	18

#	ARTICLE	IF	CITATIONS
523	Symptoms, Quality of Life and level of functioning of traumatized refugees at Psychiatric Trauma Clinic in Copenhagen. <i>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture</i> , 2014, 24, 15.	0.1	18
524	Deliberate self-harm before psychiatric admission and risk of suicide: survival in a Danish national cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1481-1489.	1.6	18
525	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. <i>Schizophrenia Research</i> , 2013, 150, 163-168.	1.1	144
526	Patterns in mortality among people with severe mental disorders across birth cohorts: a register-based study of Denmark and Finland in 1982â€“2006. <i>BMC Public Health</i> , 2013, 13, 834.	1.2	40
527	The effect of IPS-modified, an early intervention for people with mood and anxiety disorders: study protocol for a randomised clinical superiority trial. <i>Trials</i> , 2013, 14, 442.	0.7	12
528	The Feasibility of Cognitive Adaptation Training for Outpatients with Schizophrenia in Integrated Treatment. <i>Community Mental Health Journal</i> , 2013, 49, 630-635.	1.1	8
529	Testâ€“retest reliability of the Danish Adult Reading Test in patients with comorbid psychosis and cannabis-use disorder. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 159-163.	0.7	19
530	Psychiatric treatment following participation in the CapOpus randomized trial for patients with comorbid cannabis use disorder and psychosis. <i>Schizophrenia Research</i> , 2013, 151, 191-196.	1.1	10
531	Systemic oxidatively generated DNA/RNA damage in clinical depression: Associations to symptom severity and response to electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2013, 149, 355-362.	2.0	66
532	Pituitary gland volume in patients with schizophrenia, subjects at ultra high-risk of developing psychosis and healthy controls: A systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2013, 38, 2394-2404.	1.3	62
533	2103 â€“ Cognitive adaptation training in an assertive community treatment setting for outpatients with schizophrenia. <i>European Psychiatry</i> , 2013, 28, 1.	0.1	0
534	Copeptin during rest and exercise in major depression. <i>Journal of Affective Disorders</i> , 2013, 151, 284-290.	2.0	18
535	Autoimmune Diseases and Severe Infections as Risk Factors for Mood Disorders. <i>JAMA Psychiatry</i> , 2013, 70, 812.	6.0	422
536	Adolescents and young adults who are not in employment, education, or training. <i>BMJ, The</i> , 2013, 347, f5270-f5270.	3.0	57
537	Neuropeptide Y genes and suicidal behaviour among schizophrenic patients. <i>Psychiatric Genetics</i> , 2013, 23, 139-140.	0.6	1
538	An association study between the norepinephrine transporter gene and depression. <i>Psychiatric Genetics</i> , 2013, 23, 217-221.	0.6	4
539	Specialized psychosocial treatment plus treatment as usual (TAU) <i>versus</i> TAU for patients with cannabis use disorder and psychosis: the CapOpus randomized trial. <i>Psychological Medicine</i> , 2013, 43, 1499-1510.	2.7	51
540	Profile of cognitive deficits and associations with depressive symptoms and intelligence in chronic earlyâ€“onset schizophrenia patients. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 363-370.	0.8	4

#	ARTICLE	IF	CITATIONS
541	Suicide mortality trends in the Nordic countries 1980–2009. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 414-423.	0.7	58
542	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	1.7	106
543	Processes of In-Hospital Psychiatric Care and Subsequent Criminal Behaviour among Patients with Schizophrenia: A National Population-Based, Follow-up Study. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 515-521.	0.9	6
544	The Risk of Schizophrenia and Child Psychiatric Disorders in Offspring of Mothers with Lung Cancer and Other Types of Cancer: A Danish Nationwide Register Study. <i>PLoS ONE</i> , 2013, 8, e79031.	1.1	10
545	Patterns in mortality among people with severe mental disorders in 1982-2006 across Finnish and Danish birth cohorts. <i>European Journal of Public Health</i> , 2013, 23, .	0.1	0
546	Excess Mortality, Causes of Death and Life Expectancy in 270,770 Patients with Recent Onset of Mental Disorders in Denmark, Finland and Sweden. <i>PLoS ONE</i> , 2013, 8, e55176.	1.1	486
547	Life Expectancy and Death by Diseases of the Circulatory System in Patients with Bipolar Disorder or Schizophrenia in the Nordic Countries. <i>PLoS ONE</i> , 2013, 8, e67133.	1.1	250
548	Reduction of Crime in First-Onset Psychosis. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e439-e444.	1.1	22
549	Changes in Inpatient and Postdischarge Suicide Rates in a Nationwide Cohort of Danish Psychiatric Inpatients, 1998–2005. <i>Journal of Clinical Psychiatry</i> , 2013, 74, e1190-e1194.	1.1	34
550	Staff attitudes towards patients with schizophrenia. <i>Danish Medical Journal</i> , 2013, 60, A4710.	0.5	6
551	How do general practitioners in Denmark promote physical activity?. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 141-146.	0.6	21
552	Does the Medication Pattern Reflect the CYP2D6 Genotype in Patients With Diagnoses Within the Schizophrenic Spectrum?. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 100-105.	0.7	9
553	Effect of assertive outreach after suicide attempt in the AID (assertive intervention for deliberate self) Tj ETQq1 1 0,784314 rgBT /Ove 3.0 58	3.0	58
554	Cognition and HPA axis reactivity in mildly to moderately depressed outpatients. A case–control study. <i>Nordic Journal of Psychiatry</i> , 2012, 66, 414-421.	0.7	16
555	Offending prior to first psychiatric contact: a population-based register study. <i>Psychological Medicine</i> , 2012, 42, 2673-2684.	2.7	15
556	Validity of Timeline Follow-Back for self-reported use of cannabis and other illicit substances – Systematic review and meta-analysis. <i>Addictive Behaviors</i> , 2012, 37, 225-233.	1.7	289
557	Cognitive adaptation training combined with assertive community treatment: A randomised longitudinal trial. <i>Schizophrenia Research</i> , 2012, 135, 105-111.	1.1	28
558	Cognitive and clinical predictors of functional capacity in patients with first episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 141, 251-256.	1.1	86

#	ARTICLE	IF	CITATIONS
559	The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, and mortality. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1251-1261.	1.6	21
560	Short-term street soccer improves fitness and cardiovascular health status of homeless men. <i>European Journal of Applied Physiology</i> , 2012, 112, 2097-2106.	1.2	61
561	Association of antipsychotic polypharmacy with health service cost: a register-based cost analysis. <i>European Journal of Health Economics</i> , 2012, 13, 355-363.	1.4	37
562	Correlations and agreement between delta-9-tetrahydrocannabinol (THC) in blood plasma and timeline follow-back (TLFB)-assisted self-reported use of cannabis of patients with cannabis use disorder and psychotic illness attending the CapOpus randomized clinical trial. <i>Addiction</i> , 2012, 107, 1123-1131.	1.7	54
563	Association of the leucine-7 to proline-7 variation in the signal sequence of neuropeptide Y with major depression. <i>Acta Neuropsychiatrica</i> , 2012, 24, 81-90.	1.0	4
564	MBL and MASP-2 concentrations in serum and MBL2 promoter polymorphisms are associated to schizophrenia. <i>Acta Neuropsychiatrica</i> , 2012, 24, 199-207.	1.0	11
565	Suicidal changes in patients with first episode psychosis: clinical predictors of increasing suicidal tendency in the early treatment phase. <i>Microbial Biotechnology</i> , 2012, 6, 292-299.	0.9	19
566	Utility and adoption of CYP2D6 and CYP2C19 genotyping and its translation into psychiatric clinical practice. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 228-237.	2.2	22
567	Autoimmunity and infections as risk factors for depression and other severe mental illnesses. <i>Neurology Psychiatry and Brain Research</i> , 2012, 18, 40-41.	2.0	2
568	hsCRP in depressed outpatients. Any association to depressive symptoms?. <i>Neurology Psychiatry and Brain Research</i> , 2012, 18, 64-65.	2.0	1
569	DEMO-II Trial. Aerobic Exercise versus Stretching Exercise in Patients with Major Depression—A Randomised Clinical Trial. <i>PLoS ONE</i> , 2012, 7, e48316.	1.1	92
570	Predictors of Psychiatric Inpatient Suicide. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 144-151.	1.1	80
571	Drs Madsen and Nordentoft Reply. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 1034-1035.	1.1	12
572	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
573	Predictors of recovery from psychosis. <i>Schizophrenia Research</i> , 2011, 125, 257-266.	1.1	143
574	Suicide risk in first episode psychosis: A selective review of the current literature. <i>Schizophrenia Research</i> , 2011, 129, 1-11.	1.1	131
575	Cognitive training plus a comprehensive psychosocial programme (OPUS) versus the comprehensive psychosocial programme alone for patients with first-episode schizophrenia (the NEUROCOM trial): A study protocol for a centrally randomised, observer-blinded multi-centre clinical trial. <i>Trials</i> , 2011, 12, 35.	0.7	20
576	Crucial elements in suicide prevention strategies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 848-853.	2.5	57

#	ARTICLE	IF	CITATIONS
577	Outcomes of Nordic mental health systems: life expectancy of patients with mental disorders. <i>British Journal of Psychiatry</i> , 2011, 199, 453-458.	1.7	448
578	Psychiatric disorders and mortality among people in homeless shelters in Denmark: a nationwide register-based cohort study. <i>Lancet, The</i> , 2011, 377, 2205-2214.	6.3	163
579	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , 2011, 21, 125-131.	0.6	8
580	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011, 16, 59-66.	4.1	140
581	Heart disease treatment and mortality in schizophrenia and bipolar disorder – Changes in the danish population between 1994 and 2006. <i>Journal of Psychiatric Research</i> , 2011, 45, 29-35.	1.5	79
582	N-terminal pro-atrial natriuretic peptide response to acute exercise in depressed patients and healthy controls. <i>Psychoneuroendocrinology</i> , 2011, 36, 656-663.	1.3	6
583	Treatment of first-episode psychosis patient, psychosocial aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 37-41.	0.5	1
584	Illness management and recovery (IMR) in Danish community mental health centres. <i>Trials</i> , 2011, 12, 195.	0.7	13
585	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 72.	0.7	35
586	Media awards for responsible reporting of suicide: Experiences from Australia, Belgium and Denmark. <i>International Journal of Mental Health Systems</i> , 2011, 5, 15.	1.1	15
587	Association of <i>GRIN1</i> and <i>GRIN2A</i> With schizophrenia and genetic interaction with maternal herpes simplex virus-2 infection affecting disease risk. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 913-922.	1.1	44
588	Absolute Risk of Suicide After First Hospital Contact in Mental Disorder. <i>Archives of General Psychiatry</i> , 2011, 68, 1058.	13.8	563
589	Autoimmune Diseases and Severe Infections as Risk Factors for Schizophrenia: A 30-Year Population-Based Register Study. <i>American Journal of Psychiatry</i> , 2011, 168, 1303-1310.	4.0	459
590	Key Considerations for Preventing Suicide in Older Adults. <i>Crisis</i> , 2011, 32, 106-109.	0.9	74
591	The Effect of Exercise in Clinically Depressed Adults. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 529-538.	1.1	267
592	Does the EQ-5D measure quality of life in schizophrenia?. <i>Journal of Mental Health Policy and Economics</i> , 2011, 14, 187-96.	0.6	9
593	Course of intelligence deficits in early onset, first episode schizophrenia: a controlled, 5-year longitudinal study. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 341-351.	2.8	18
594	Deficient maturation of aspects of attention and executive functions in early onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2010, 19, 773-786.	2.8	25

#	ARTICLE	IF	CITATIONS
595	Perceptions of Coercion in the Community: A Qualitative Study of Patients in a Danish Assertive Community Treatment Team. <i>Psychiatric Quarterly</i> , 2010, 81, 35-47.	1.1	15
596	Growth hormone, prolactin and cortisol response to exercise in patients with depression. <i>Journal of Affective Disorders</i> , 2010, 125, 189-197.	2.0	44
597	Support of association between <i>BRD1</i> and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 582-591.	1.1	47
598	Evaluation of a multifaceted intervention to limit excessive antipsychotic co-prescribing in schizophrenia outpatients. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 367-374.	2.2	43
599	CACNA1C (rs1006737) is associated with schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 119-121.	4.1	167
600	Review: pharmacological and psychological interventions decrease cannabis use in people with depressive and psychotic disorders in the short term. <i>Evidence-Based Mental Health</i> , 2010, 13, 124-124.	2.2	0
601	Deinstitutionalization revisited: a 5-year follow-up of a randomized clinical trial of hospital-based rehabilitation versus specialized assertive intervention (OPUS) versus standard treatment for patients with first-episode schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2010, 40, 1619-1626.	2.7	23
602	Early intervention in psychosis: keeping faith with evidence-based health care. <i>Psychological Medicine</i> , 2010, 40, 399-404.	2.7	74
603	The quality of life among first-episode psychotic patients in the opus trial. <i>Schizophrenia Research</i> , 2010, 116, 27-34.	1.1	33
604	S25-02 - Preventive and Intensive Treatment of Psychosis for High-Risk and First-Episode Subjects. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
605	P01-411 - Development of Heart Disease Treatment, and Mortality, from 1994 to 2006 among Persons with Schizophrenia or Bipolar Disorder. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
606	PW01-207 - Quality Of Care And Crime Rates Among Patients With Schizophrenia: A Nationwide Population-Based Follow-Up Study. <i>European Psychiatry</i> , 2010, 25, .	0.1	0
607	Support for a bipolar affective disorder susceptibility locus on chromosome 12q24.3. <i>Psychiatric Genetics</i> , 2010, 20, 93-101.	0.6	6
608	Antipsychotic Polypharmacy and Risk of Death From Natural Causes in Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 103-108.	1.1	114
609	Exploring Regional Variation in Antipsychotic Coprescribing Practice. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1457-1464.	1.1	16
610	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
611	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
612	An intron 1 polymorphism in the cholecystikininA receptor gene associated with schizophrenia in males. <i>Acta Psychiatrica Scandinavica</i> , 2009, 120, 281-287.	2.2	20

#	ARTICLE	IF	CITATIONS
613	Predictors of poor adherence to medication among patients with first-episode schizophrenia-spectrum disorder. <i>Microbial Biotechnology</i> , 2009, 3, 66-74.	0.9	38
614	The rationale for early intervention in schizophrenia and related disorders. <i>Microbial Biotechnology</i> , 2009, 3, S3-7.	0.9	18
615	Treatment of cannabis use disorders in people with schizophrenia spectrum disorders – A systematic review. <i>Addictive Behaviors</i> , 2009, 34, 520-525.	1.7	39
616	Reprint of “Treatment of cannabis use disorders in people with schizophrenia spectrum disorders” A systematic review. <i>Addictive Behaviors</i> , 2009, 34, 846-851.	1.7	16
617	Course of illness in a sample of 265 patients with first-episode psychosis – Five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009, 107, 173-178.	1.1	85
618	OPUS -trial: Five-year Follow-up of a RCT of Specialized Treatment for Patients with First Episode Psychosis. <i>European Psychiatry</i> , 2009, 24, .	0.1	1
619	The Demo Trial: An Observer-blinded RCT of Strength Versus Aerobic Versus Relaxation Training for Patients with Mild to Moderate Depression. <i>European Psychiatry</i> , 2009, 24, .	0.1	0
620	CAPOPUS Trial: an Observer-blinded RCT of Specialized Addiction Treatment Versus Standard Treatment for Young Patients with Cannabis Abuse and Psychosis. <i>European Psychiatry</i> , 2009, 24, .	0.1	2
621	The DEMO Trial: A Randomized, Parallel-Group, Observer-Blinded Clinical Trial of Strength Versus Aerobic Versus Relaxation Training for Patients With Mild to Moderate Depression. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 790-800.	1.1	107
622	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	1.1	258
623	Design paper: The CapOpus trial: A randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. <i>Trials</i> , 2008, 9, 42.	0.7	13
624	The challenge of suicidal behaviour in early psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 1-2.	0.9	7
625	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008, 2, 22-26.	0.9	7
626	Effect of integrated treatment on the use of coercive measures in first-episode schizophrenia-spectrum disorder. A randomized clinical trial. <i>International Journal of Law and Psychiatry</i> , 2008, 31, 72-76.	0.5	17
627	Experiences from Danish network projects. <i>European Psychiatry</i> , 2008, 23, S55-S56.	0.1	0
628	The association between pre-morbid adjustment, duration of untreated psychosis and outcome in first-episode psychosis. <i>Psychological Medicine</i> , 2008, 38, 1157-1166.	2.7	96
629	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. <i>Archives of General Psychiatry</i> , 2008, 65, 762.	13.8	399
630	Impaired childhood development and suicidal behaviour in a cohort of Danish men born in 1953. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 23-28.	2.0	47

#	ARTICLE	IF	CITATIONS
631	Coercion in patients who at their first contact with the psychiatric services system were diagnosed within the schizophrenia-spectrum in Denmark. A register study. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 77-81.	0.7	13
632	Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 660-670.	0.9	87
633	Gender Differences in Suicidal Intent and Choice of Method Among Suicide Attempters. <i>Crisis</i> , 2008, 29, 209-212.	0.9	37
634	Dr. Laursen and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1188.	1.1	1
635	Suicidal behaviour and mortality in first-episode psychosis: the OPUS trial. <i>British Journal of Psychiatry</i> , 2007, 191, s140-s146.	1.7	144
636	Suicide and occupation: the impact of socio-economic, demographic and psychiatric differences. <i>Psychological Medicine</i> , 2007, 37, 1131-1140.	2.7	168
637	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007, 37, 479.	2.7	100
638	Design paper: The DEMO trial: A randomized, parallel-group, observer-blinded clinical trial of aerobic versus non-aerobic versus relaxation training for patients with light to moderate depression. <i>Contemporary Clinical Trials</i> , 2007, 28, 79-89.	0.8	14
639	Cannabis use and risk of psychosis in later life. <i>Lancet, The</i> , 2007, 370, 293-294.	6.3	21
640	Restrictions in Means for Suicide: An Effective Tool in Preventing Suicide: The Danish Experience. <i>Suicide and Life-Threatening Behavior</i> , 2007, 37, 688-697.	0.9	51
641	Intensive treatment models and coercion. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 369-378.	0.7	11
642	Cognitive function in childhood and early adulthood and hospital admission for schizophrenia and bipolar disorders in Danish men born in 1953. <i>Schizophrenia Research</i> , 2007, 92, 132-141.	1.1	53
643	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 60-67.	1.1	19
644	Gender Differences in Young Adults With First-Episode Schizophrenia Spectrum Disorders at Baseline in the Danish OPUS Study. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 396-405.	0.5	158
645	Restrictions in Availability of Drugs Used for Suicide. <i>Crisis</i> , 2007, 28, 44-49.	0.9	12
646	Suicide risk in schizophrenia: learning from the past to change the future. <i>Annals of General Psychiatry</i> , 2007, 6, 10.	1.2	235
647	Substance abuse and first-episode schizophrenia-spectrum disorders. The Danish OPUS trial. <i>Microbial Biotechnology</i> , 2007, 1, 88-96.	0.9	43
648	Increased Mortality Among Patients Admitted With Major Psychiatric Disorders. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 899-907.	1.1	317

#	ARTICLE	IF	CITATIONS
649	A Comparison of Selected Risk Factors for Unipolar Depressive Disorder, Bipolar Affective Disorder, Schizoaffective Disorder, and Schizophrenia From a Danish Population-Based Cohort. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1673-1681.	1.1	158
650	Prevention of suicide and attempted suicide in Denmark. Epidemiological studies of suicide and intervention studies in selected risk groups. <i>Danish Medical Bulletin</i> , 2007, 54, 306-69.	0.3	61
651	FC9C ASSOCIATION BETWEEN PREMORBID FUNCTIONING, DURATION OF UNTREATED PSYCHOSIS AND TWO-YEAR OUTCOME IN FIRST-EPISODE PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S43.	1.1	1
652	FC9D SUBSTANCE ABUSE IN FIRST-EPISODE SCHIZOPHRENIA-SPECTRUM DISORDERS. <i>Schizophrenia Research</i> , 2006, 86, S44.	1.1	10
653	Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. <i>Schizophrenia Research</i> , 2006, 83, 29-40.	1.1	154
654	Social network among young adults with first-episode schizophrenia spectrum disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 761-770.	1.6	55
655	Book Review Mind, Brain, and Schizophrenia By Peter Williamson. 278 pp., illustrated. New York, Oxford University Press, 2006. \$65. 0-19-517637-5. <i>New England Journal of Medicine</i> , 2006, 355, 1288-1288.	13.9	0
656	Time-trends in method-specific suicide rates compared with the availability of specific compounds. The Danish experience. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 97-106.	0.7	22
657	Childhood Social Environment and Risk of Drug and Alcohol Abuse in a Cohort of Danish Men Born in 1953. <i>American Journal of Epidemiology</i> , 2006, 163, 654-661.	1.6	43
658	Trends in Suicide Risk Associated With Hospitalized Psychiatric Illness. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1936-1941.	1.1	28
659	Treatment of patients with first-episode psychosis: two-year outcome data from the Danish National Schizophrenia Project. <i>World Psychiatry</i> , 2006, 5, 100-3.	4.8	16
660	Birth dimensions and risk of depression in adulthood: cohort study of Danish men born in 1953. <i>British Journal of Psychiatry</i> , 2005, 186, 400-403.	1.7	43
661	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. <i>BMJ: British Medical Journal</i> , 2005, 331, 602.	2.4	480
662	Integrated treatment of first-episode psychosis: effect of treatment on family burden. <i>British Journal of Psychiatry</i> , 2005, 187, s85-s90.	1.7	125
663	Registration, psychiatric evaluation and adherence to psychiatric treatment after suicide attempt. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 213-216.	0.7	39
664	Suicide Risk in Relation to Psychiatric Hospitalization. <i>Archives of General Psychiatry</i> , 2005, 62, 427.	13.8	537
665	Improving 1-year outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s98-s103.	1.7	131
666	The Danish National Schizophrenia Project: prospective, comparative longitudinal treatment study of first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 394-399.	1.7	69

#	ARTICLE	IF	CITATIONS
667	Effect of a Suicide Prevention Centre for young people with suicidal behaviour in Copenhagen. <i>European Psychiatry</i> , 2005, 20, 121-128.	0.1	15
668	Integrated treatment ameliorates negative symptoms in first episode psychosis—results from the Danish OPUS trial. <i>Schizophrenia Research</i> , 2005, 79, 95-105.	1.1	143
669	Book Review Early Clinical Intervention and Prevention in Schizophrenia Edited by William S. Stone, Stephen V. Faraone, and Ming T. Tsuang. 374 pp. Totowa, N.J., Humana Press, 2004. \$125. 1-58829-001-8. <i>New England Journal of Medicine</i> , 2004, 351, 942-943.	13.9	1
670	Change in suicide rates for patients with schizophrenia in Denmark, 1981-97: nested case-control study. <i>BMJ: British Medical Journal</i> , 2004, 329, 261.	2.4	110
671	10 year follow up study of mortality among users of hostels for homeless people in Copenhagen. <i>BMJ: British Medical Journal</i> , 2003, 327, 81-0.	2.4	129
672	Familial, psychiatric, and socioeconomic risk factors for suicide in young people: nested case-control study. <i>BMJ: British Medical Journal</i> , 2002, 325, 74-74.	2.4	327
673	Drop-out and continuity of care for patients suffering from schizophrenia and schizophrenia-like psychosis evaluated by means of routine registration. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 175-179.	0.7	6
674	OPUS study: Suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2002, 181, s98-s106.	1.7	247
675	Psychiatric emergency outreach: A report on the first 2 years of functioning in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 399-405.	0.7	7
676	Early detection and assertive community treatment of young psychotics: the Opus Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 283-287.	1.6	92
677	Expressed emotion and family burden in first episode psychosis. <i>Schizophrenia Research</i> , 2000, 41, 168-169.	1.1	3
678	Copenhagen Community Psychiatric Project (CCPP): characteristics and treatment of homeless patients in the psychiatric services after introduction of community mental health centres. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997, 32, 369-378.	1.6	16
679	CCPP-Copenhagen Community Psychiatric Project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 336-344.	1.6	18
680	The Copenhagen Community Psychiatric Project (CCPP). , 1996, , 67-81.		0
681	Intrauterine growth retardation and premature delivery: the influence of maternal smoking and psychosocial factors.. <i>American Journal of Public Health</i> , 1996, 86, 347-354.	1.5	262
682	Small Group Homes for the Long-Term Mentally Ill: Clinical and Social Characteristics of the Residents. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 297-303.	0.7	1
683	Delirium tremens and physical alcohol withdrawal: A double-blind comparison of phenobarbital and barbital treatment. <i>Nordic Journal of Psychiatry</i> , 1994, 48, 121-130.	0.7	2
684	Prenatal stressors of human life affect fetal brain development. <i>Pediatric Neurology</i> , 1994, 11, 82.	1.0	3

#	ARTICLE	IF	CITATIONS
685	PRENATAL STRESSORS OF HUMAN LIFE AFFECT FETAL BRAIN DEVELOPMENT. <i>Developmental Medicine and Child Neurology</i> , 1994, 36, 826-832.	1.1	242
686	A 10 YEARS FOLLOW-UP STUDY OF SUICIDE ATTEMPTERS. , 1994, , .		0
687	SOCIAL CONDITIONS AND MENTAL ILLNESS AMONG HOMELESS PEOPLE IN COPENHAGEN. , 1994, , .		0
688	High mortality by natural and unnatural causes: a 10 year follow up study of patients admitted to a poisoning treatment centre after suicide attempts.. <i>BMJ: British Medical Journal</i> , 1993, 306, 1637-1641.	2.4	199
689	Attempted suicide: Are effective disorders missed?: Authors' reply. <i>BMJ: British Medical Journal</i> , 1993, 307, 866-866.	2.4	2
690	Mental illness and social integration among suicide attempters in Copenhagen. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 278-285.	2.2	53
691	Thiamine pyrophosphate effect and erythrocyte transketolase activity during severe alcohol withdrawal syndrome. <i>Acta Psychiatrica Scandinavica</i> , 1993, 88, 80-84.	2.2	12
692	Suicide and suicide attempts among young persons in Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1993, 47, 61-69.	0.7	2
693	The role of general practice in community mental health: A survey in four districts of Copenhagen. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 223-227.	0.7	2
694	Housing conditions and residential needs of psychiatric patients in Copenhagen. <i>Acta Psychiatrica Scandinavica</i> , 1992, 85, 385-389.	2.2	20
695	Psychosocial stress and severe prematurity. <i>Lancet, The</i> , 1992, 340, 54.	6.3	31
696	Patients in the care of private psychiatric practitioners. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1992, 27, 156-160.	1.6	2
697	Accumulation of disadvantages across multiple domains amongst subgroups of children of parents with schizophrenia or bipolar disorder. Clustering data from the Danish High Risk and Resilience Study VIA 7. <i>Schizophrenia Bulletin Open</i> , 0, , .	0.9	0
698	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> , 0, , 1-9.	0.7	0
699	Level of Suicidal Ideation Among Callers to the Danish Suicide Prevention Helpline. <i>Archives of Suicide Research</i> , 0, , 1-16.	1.2	1
700	Experiences of helplessness and fear among caregivers diagnosed with severe mental illness and co-caregivers: The Danish High Risk and Resilience Study " VIA 7. <i>Development and Psychopathology</i> , 0, , 1-12.	1.4	0
701	Genetic liability to posttraumatic stress disorder and its association with postpartum depression. <i>Psychological Medicine</i> , 0, , 1-8.	2.7	0