

Martin Schroder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/953238/publications.pdf>

Version: 2024-02-01

519
papers

31,732
citations

4146
87
h-index

6654
156
g-index

548
all docs

548
docs citations

548
times ranked

17108
citing authors

#	ARTICLE	IF	CITATIONS
1	Adsorption of iodine in metal-organic framework materials. <i>Chemical Society Reviews</i> , 2022, 51, 3243-3262.	38.1	175
2	Coordination chemistry of nitrile-functionalized mixed thia-aza macrocycles [9]aneN ₂ S and [9]aneNS ₂ towards silver(I). <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2022, 78, 169-175.	0.5	1
3	High capacity ammonia adsorption in a robust metal-organic framework mediated by reversible host-guest interactions. <i>Chemical Communications</i> , 2022, 58, 5753-5756.	4.1	6
4	Direct Observation of Ammonia Storage in UiO-66 Incorporating Cu(II) Binding Sites. <i>Journal of the American Chemical Society</i> , 2022, 144, 8624-8632.	13.7	24
5	How Reproducible are Surface Areas Calculated from the BET Equation?. <i>Advanced Materials</i> , 2022, 34, .	21.0	82
6	Efficient Photocatalytic Reduction of CO ₂ Catalyzed by the Metal-Organic Framework MFM-300(Ga). <i>CCS Chemistry</i> , 2022, 4, 2560-2569.	7.8	9
7	Structural and Dynamic Analysis of Sulphur Dioxide Adsorption in a Series of Zirconium-Based Metal-Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	12
8	Direct Visualization of Supramolecular Binding and Separation of Light Hydrocarbons in MFM-300(In). <i>Chemistry of Materials</i> , 2022, 34, 5698-5705.	6.7	11
9	Direct photo-oxidation of methane to methanol over a mono-iron hydroxyl site. <i>Nature Materials</i> , 2022, 21, 932-938.	27.5	77
10	Highly Efficient Proton Conduction in the Metal-Organic Framework Material MFM-300(Cr)-SO ₄ (H ₃ O) ₂ . <i>Journal of the American Chemical Society</i> , 2022, 144, 11969-11974.	13.7	26
11	Enhanced proton conductivity in a flexible metal-organic framework promoted by single-crystal-to-single-crystal transformation. <i>Chemical Communications</i> , 2021, 57, 65-68.	4.1	14
12	Ultra-thin g-C ₃ N ₄ /MFM-300(Fe) heterojunctions for photocatalytic aerobic oxidation of benzylic carbon centers. <i>Materials Advances</i> , 2021, 2, 5144-5149.	5.4	6
13	Binding and separation of CO ₂ , SO ₂ and C ₂ H ₂ in homo- and hetero-metallic metal-organic framework materials. <i>Journal of Materials Chemistry A</i> , 2021, 9, 7190-7197.	10.3	17
14	Catalytic decomposition of NO ₂ over a copper-decorated metal-organic framework by non-thermal plasma. <i>Cell Reports Physical Science</i> , 2021, 2, 100349.	5.6	10
15	High Ammonia Adsorption in MFM-300 Materials: Dynamics and Charge Transfer in Host-Guest Binding. <i>Journal of the American Chemical Society</i> , 2021, 143, 3153-3161.	13.7	67
16	Selective Gas Uptake and Rotational Dynamics in a (3,24)-Connected Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2021, 143, 3348-3358.	13.7	39
17	The Impact of Structural Defects on Iodine Adsorption in UiO-66. <i>Chemistry</i> , 2021, 3, 525-531.	2.2	15
18	Exceptional Packing Density of Ammonia in a Dual-Functionalized Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2021, 143, 6586-6592.	13.7	37

#	ARTICLE	IF	CITATIONS
19	The Origin of Catalytic Benzylic C β -H Oxidation over a Redox-Active Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15243-15247.	13.8	15
20	The Origin of Catalytic Benzylic C β -H Oxidation over a Redox-Active Metal-Organic Framework. <i>Angewandte Chemie</i> , 2021, 133, 15371-15375.	2.0	0
21	Construction of C-C bonds via photoreductive coupling of ketones and aldehydes in the metal-organic-framework MFM-300(Cr). <i>Nature Communications</i> , 2021, 12, 3583.	12.8	35
22	Purification of Propylene and Ethylene by a Robust Metal-Organic Framework Mediated by Host-Guest Interactions. <i>Angewandte Chemie</i> , 2021, 133, 15669-15675.	2.0	11
23	Purification of Propylene and Ethylene by a Robust Metal-Organic Framework Mediated by Host-Guest Interactions. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15541-15547.	13.8	51
24	Atomically Dispersed Copper Sites in a Metal-Organic Framework for Reduction of Nitrogen Dioxide. <i>Journal of the American Chemical Society</i> , 2021, 143, 10977-10985.	13.7	66
25	Simultaneous neutron powder diffraction and microwave characterisation at elevated temperatures. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 23602-23609.	2.8	0
26	Quantitative Electro-Reduction of CO ₂ to Liquid Fuel over Electro-Synthesized Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2020, 142, 17384-17392.	13.7	73
27	Porous Metal-Organic Polyhedra: Morphology, Porosity, and Guest Binding. <i>Inorganic Chemistry</i> , 2020, 59, 15646-15658.	4.0	16
28	Long-Term Stability of MFM-300(Al) toward Toxic Air Pollutants. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42949-42954.	8.0	19
29	Adsorption of Nitrogen Dioxide in a Redox-Active Vanadium Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2020, 142, 15235-15239.	13.7	50
30	Electro-reduction of carbon dioxide at low over-potential at a metal-organic framework decorated cathode. <i>Nature Communications</i> , 2020, 11, 5464.	12.8	62
31	Guest-Controlled Incommensurate Modulation in a Meta-Rigid Metal-Organic Framework Material. <i>Journal of the American Chemical Society</i> , 2020, 142, 19189-19197.	13.7	24
32	Refinement of pore size at sub-angstrom precision in robust metal-organic frameworks for separation of xylenes. <i>Nature Communications</i> , 2020, 11, 4280.	12.8	61
33	Observation of binding of carbon dioxide to nitro-decorated metal-organic frameworks. <i>Chemical Science</i> , 2020, 11, 5339-5346.	7.4	28
34	Reversible MOF-Based Sensors for the Electrical Detection of Iodine Gas. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27982-27988.	8.0	52
35	Analysis by synchrotron X-ray scattering of the kinetics of formation of an Fe-based metal-organic framework with high CO ₂ adsorption. <i>APL Materials</i> , 2019, 7, 111104.	5.1	4
36	Iodine Adsorption in a Redox-Active Metal-Organic Framework: Electrical Conductivity Induced by Host-Guest Charge-Transfer. <i>Inorganic Chemistry</i> , 2019, 58, 14145-14150.	4.0	74

#	ARTICLE	IF	CITATIONS
37	Modulating proton diffusion and conductivity in metal-organic frameworks by incorporation of accessible free carboxylic acid groups. <i>Chemical Science</i> , 2019, 10, 1492-1499.	7.4	68
38	Host-guest selectivity in a series of isoreticular metal-organic frameworks: observation of acetylene-to-alkyne and carbon dioxide-to-amide interactions. <i>Chemical Science</i> , 2019, 10, 1098-1106.	7.4	47
39	Post-synthetic modulation of the charge distribution in a metal-organic framework for optimal binding of carbon dioxide and sulfur dioxide. <i>Chemical Science</i> , 2019, 10, 1472-1482.	7.4	62
40	Porous metal-organic frameworks as emerging sorbents for clean air. <i>Nature Reviews Chemistry</i> , 2019, 3, 108-118.	30.2	202
41	Understanding Hysteresis in Carbon Dioxide Sorption in Porous Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2019, 58, 6811-6820.	4.0	19
42	Capture of nitrogen dioxide and conversion to nitric acid in a porous metal-organic framework. <i>Nature Chemistry</i> , 2019, 11, 1085-1090.	13.6	116
43	Integration of mesopores and crystal defects in metal-organic frameworks via templated electrosynthesis. <i>Nature Communications</i> , 2019, 10, 4466.	12.8	90
44	Reversible coordinative binding and separation of sulfur dioxide in a robust metal-organic framework with open copper sites. <i>Nature Materials</i> , 2019, 18, 1358-1365.	27.5	171
45	Heterobimetallic [NiFe] Complexes Containing Mixed CO/CN ⁺ Ligands: Analogs of the Active Site of the [NiFe] Hydrogenases. <i>Inorganic Chemistry</i> , 2018, 57, 2558-2569.	4.0	14
46	Direct observation of supramolecular binding of light hydrocarbons in vanadium(<i>scp>iii</scp</i>) and (<i>scp>iv</scp</i>) metal-organic framework materials. <i>Chemical Science</i> , 2018, 9, 3401-3408.	7.4	22
47	Locating the binding domains in a highly selective mixed matrix membrane <i><i>via</i></i> synchrotron IR microspectroscopy. <i>Chemical Communications</i> , 2018, 54, 2866-2869.	4.1	9
48	Enhancement of CO ₂ Uptake and Selectivity in a Metal-Organic Framework by the Incorporation of Thiophene Functionality. <i>Inorganic Chemistry</i> , 2018, 57, 5074-5082.	4.0	50
49	Polycatenated 2D Hydrogen-Bonded Binary Supramolecular Organic Frameworks (SOFs) with Enhanced Gas Adsorption and Selectivity. <i>Crystal Growth and Design</i> , 2018, 18, 2555-2562.	3.0	49
50	Unusual and Tunable Negative Linear Compressibility in the Metal-Organic Framework MFM-133(M) (M) Tj ETQq0.0 0 rgBT ₆₀ ^{13.7} Overlock		
51	Innenräcktitelbild: Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework (<i>Angew. Chem.</i> 45/2018). <i>Angewandte Chemie</i> , 2018, 130, 15163-15163.	2.0	0
52	Exceptional Adsorption and Binding of Sulfur Dioxide in a Robust Zirconium-Based Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2018, 140, 15564-15567.	13.7	149
53	Optimal Binding of Acetylene to a Nitro-Decorated Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2018, 140, 16006-16009.	13.7	31
54	Enhancement of Proton Conductivity in Nonporous Metal-Organic Frameworks: The Role of Framework Proton Density and Humidity. <i>Chemistry of Materials</i> , 2018, 30, 7593-7602.	6.7	55

#	ARTICLE	IF	CITATIONS
55	High Volumetric Hydrogen Adsorption in a Porous Anthracene-Decorated Metal-Organic Framework. <i>Inorganic Chemistry</i> , 2018, 57, 12050-12055.	4.0	23
56	Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework. <i>Angewandte Chemie</i> , 2018, 130, 14994-14997.	2.0	14
57	Ammonia Storage by Reversible Host-Guest Site Exchange in a Robust Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 14778-14781.	13.8	86
58	Characterisation of redox states of metal-organic frameworks by growth on modified thin-film electrodes. <i>Chemical Science</i> , 2018, 9, 6572-6579.	7.4	13
59	Reversible adsorption of nitrogen dioxide within a robust porous metal-organic framework. <i>Nature Materials</i> , 2018, 17, 691-696.	27.5	162
60	A Cryptand Metal-Organic Framework as a Platform for the Selective Uptake and Detection of Group I Metal Cations. <i>Chemistry - A European Journal</i> , 2017, 23, 2286-2289.	3.3	18
61	Rational Synthesis and Investigation of Porous Metal-Organic Framework Materials from a Preorganized Heterometallic Carboxylate Building Block. <i>Inorganic Chemistry</i> , 2017, 56, 1599-1608.	4.0	63
62	Tailoring porosity and rotational dynamics in a series of octacarboxylate metal-organic frameworks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3056-3061.	7.1	73
63	Stepwise observation and quantification and mixed matrix membrane separation of CO ₂ within a hydroxy-decorated porous host. <i>Chemical Science</i> , 2017, 8, 3239-3248.	7.4	15
64	Unravelling exceptional acetylene and carbon dioxide adsorption within a tetra-amide functionalized metal-organic framework. <i>Nature Communications</i> , 2017, 8, 14085.	12.8	193
65	Modulating supramolecular binding of carbon dioxide in a redox-active porous metal-organic framework. <i>Nature Communications</i> , 2017, 8, 14212.	12.8	75
66	Binding CO ₂ by a Cr ₈ Metallacrown. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 5527-5530.	13.8	18
67	Binding CO ₂ by a Cr ₈ Metallacrown. <i>Angewandte Chemie</i> , 2017, 129, 5619-5622.	2.0	4
68	Structural and dynamic studies of substrate binding in porous metal-organic frameworks. <i>Chemical Society Reviews</i> , 2017, 46, 239-274.	38.1	206
69	Metal-organic frameworks in seconds via selective microwave heating. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7333-7338.	10.3	71
70	Probing the use of long lived intra-ligand π^* excited states for photocatalytic systems: A study of the photophysics and photochemistry of [ReCl(CO) ₃ (dppz-(CH ₃) ₂)]. <i>Polyhedron</i> , 2017, 123, 259-264.	2.2	5
71	Halochromic coordination polymers based on a triarylmethane dye for reversible detection of acids. <i>Dalton Transactions</i> , 2017, 46, 465-470.	3.3	9
72	Gas adsorption and structural diversity in a family of Cu(II) pyridyl-isophthalate metal-organic framework materials. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2017, 375, 20160334.	3.4	10

#	ARTICLE	IF	CITATIONS
73	Confinement of Iodine Molecules into Triple-Helical Chains within Robust Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2017, 139, 16289-16296.	13.7	199
74	Porous Metal-Organic Polyhedral Frameworks with Optimal Molecular Dynamics and Pore Geometry for Methane Storage. <i>Journal of the American Chemical Society</i> , 2017, 139, 13349-13360.	13.7	99
75	Supramolecular networks stabilise and functionalise black phosphorus. <i>Nature Communications</i> , 2017, 8, 1385.	12.8	72
76	The effect of carboxylate position on the structure of a metal organic framework derived from cyclotrimeratrylene. <i>CrystEngComm</i> , 2017, 19, 603-607.	2.6	10
77	Tracking charge in metal organic frameworks promises to improve fuel cell materials. <i>Fuel Cells Bulletin</i> , 2016, 2016, 12-13.	0.1	1
78	Computational Evaluation of the Impact of Incorporated Nitrogen and Oxygen Heteroatoms on the Affinity of Polyaromatic Ligands for Carbon Dioxide and Methane in Metal-Organic Frameworks. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27342-27348.	3.1	9
79	Selective Hysteretic Sorption of Light Hydrocarbons in a Flexible Metal-Organic Framework Material. <i>Chemistry of Materials</i> , 2016, 28, 2331-2340.	6.7	112
80	Adsorption Properties of MFM-400 and MFM-401 with CO ₂ and Hydrocarbons: Selectivity Derived from Directed Supramolecular Interactions. <i>Inorganic Chemistry</i> , 2016, 55, 7219-7228.	4.0	41
81	Proton Conduction in a Phosphonate-Based Metal-Organic Framework Mediated by Intrinsic Free Diffusion inside a Sphere. <i>Journal of the American Chemical Society</i> , 2016, 138, 6352-6355.	13.7	186
82	Amides Do Not Always Work: Observation of Guest Binding in an Amide-Functionalized Porous Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016, 138, 14828-14831.	13.7	44
83	Selective Adsorption of Sulfur Dioxide in a Robust Metal-Organic Framework Material. <i>Advanced Materials</i> , 2016, 28, 8705-8711.	21.0	214
84	High-pressure studies of three polymorphs of a palladium(II) oxathioether macrocyclic complex. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2016, 72, 357-371.	1.1	4
85	Observation of Binding and Rotation of Methane and Hydrogen within a Functional Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2016, 138, 9119-9127.	13.7	54
86	Assembly of high nuclearity clusters from a family of tripodal tris-carboxylate ligands. <i>Polyhedron</i> , 2016, 120, 18-29.	2.2	5
87	A Comparison of the Selectivity of Extraction of [PtCl ₆] ²⁻ by Mono-, Bi-, and Tripodal Receptors That Address Its Outer Coordination Sphere. <i>Inorganic Chemistry</i> , 2016, 55, 6247-6260.	4.0	14
88	Stabilising the lowest energy charge-separated state in a {metal chromophore - fullerene} assembly: a tuneable panchromatic absorbing donor-acceptor triad. <i>Chemical Science</i> , 2016, 7, 5908-5921.	7.4	15
89	Understanding the electromagnetic interaction of metal organic framework reactants in aqueous solution at microwave frequencies. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 5419-5431.	2.8	31
90	Enhancement of CO ₂ Adsorption and Catalytic Properties by Fe-Doping of [Ga ₂ (OH) ₂ (L)] (H ₄ L = Biphenyl-3,3'-,5,5'-tetracarboxylic Acid), MFM-300(Ga ₂). <i>Inorganic Chemistry</i> , 2016, 55, 1076-1088.	4.0	70

#	ARTICLE	IF	CITATIONS
91	Auophilicity under pressure: a combined crystallographic and in situ spectroscopic study. <i>Chemical Communications</i> , 2016, 52, 6769-6772.	4.1	14
92	Non-Interpenetrated Metal-Organic Frameworks Based on Copper(II) Paddlewheel and Oligoparaxylene-Isophthalate Linkers: Synthesis, Structure, and Gas Adsorption. <i>Journal of the American Chemical Society</i> , 2016, 138, 3371-3381.	13.7	104
93	Synthesis and Photophysical Study of a [NiFe] Hydrogenase Biomimetic Compound Covalently Linked to a Re-diimine Photosensitizer. <i>Inorganic Chemistry</i> , 2016, 55, 527-536.	4.0	20
94	New coordination chemistry and properties revealed by high pressure crystallography. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2016, 72, s65-s65.	0.1	0
95	Synthesis and characterization of chiral copper(ii) coordination polymers with 4,4'-bipyridine and lactic acid derivatives. <i>Russian Chemical Bulletin</i> , 2015, 64, 2908-2913.	1.5	2
96	Epitaxial Retrieval of a Disappearing Polymorph. <i>Crystal Growth and Design</i> , 2015, 15, 115-123.	3.0	10
97	Selective gas adsorption in microporous metal-organic frameworks incorporating urotropine basic sites: an experimental and theoretical study. <i>Chemical Communications</i> , 2015, 51, 13918-13921.	4.1	29
98	Structural aspects of metal-organic framework-based energy materials research at Diamond. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015, 373, 20130149.	3.4	2
99	Hirshfeld Surface Investigation of Structure-Directing Interactions within Dipicolinic Acid Derivatives. <i>Crystal Growth and Design</i> , 2015, 15, 1697-1706.	3.0	68
100	A Ni(<i><scp>i</scp></i>)Fe(<i><scp>ii</scp></i>) analogue of the Ni-L state of the active site of the [NiFe] hydrogenases. <i>Chemical Communications</i> , 2015, 51, 16988-16991.	4.1	25
101	Control of Assembly of Dihdropyridyl and Pyridyl Molecules via Directed Hydrogen Bonding. <i>Crystal Growth and Design</i> , 2015, 15, 4219-4224.	3.0	10
102	Nucleation and Early Stages of Layer-by-Layer Growth of Metal Organic Frameworks on Surfaces. <i>Journal of Physical Chemistry C</i> , 2015, 119, 23544-23551.	3.1	49
103	The new chemistry of the elements. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015, 373, 20140190.	3.4	3
104	Supramolecular binding and separation of hydrocarbons within a functionalized porous metal-organic framework. <i>Nature Chemistry</i> , 2015, 7, 121-129.	13.6	530
105	Switching intermolecular interactions by confinement in carbon nanotubes. <i>Chemical Communications</i> , 2015, 51, 648-651.	4.1	5
106	Tuning the interactions between electron spins in fullerene-based triad systems. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 332-343.	2.2	8
107	Studies on Metal-Organic Frameworks of Cu(II) with Isophthalate Linkers for Hydrogen Storage. <i>Accounts of Chemical Research</i> , 2014, 47, 296-307.	15.6	261
108	Simultaneous adsorption of Cu(II) and SO ₄ 2- ions by a novel silica gel functionalized with a ditopic zwitterionic Schiff base ligand. <i>Chemical Engineering Journal</i> , 2014, 250, 55-65.	12.7	65

#	ARTICLE	IF	CITATIONS
109	A Novel Bismuth-Based Metal-Organic Framework for High Volumetric Methane and Carbon Dioxide Adsorption. <i>Chemistry - A European Journal</i> , 2014, 20, 8024-8029.	3.3	67
110	New Pathway for Heterogenization of Molecular Catalysts by Non-covalent Interactions with Carbon Nanoreactors. <i>Chemistry of Materials</i> , 2014, 26, 6461-6466.	6.7	23
111	Porous macromolecular dihydropyridyl frameworks exhibiting catalytic and halochromic activity. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19889-19896.	10.3	4
112	Synthesis of metal-organic frameworks by continuous flow. <i>Green Chemistry</i> , 2014, 16, 3796-3802.	9.0	137
113	Analysis of High and Selective Uptake of CO ₂ in an Oxamide-Containing {Cu ₂ (OOCR) ₄ }Based Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2014, 20, 7317-7324.	3.3	119
114	A Robust Binary Supramolecular Organic Framework (SOF) with High CO ₂ Adsorption and Selectivity. <i>Journal of the American Chemical Society</i> , 2014, 136, 12828-12831.	13.7	287
115	Photochemical Dihydrogen Production Using an Analogue of the Active Site of [NiFe] Hydrogenase. <i>Inorganic Chemistry</i> , 2014, 53, 4430-4439.	4.0	26
116	Methane Adsorption in Metal-Organic Frameworks Containing Nanographene Linkers: A Computational Study. <i>Journal of Physical Chemistry C</i> , 2014, 118, 15573-15580.	3.1	17
117	High-pressure studies of palladium and platinum thioether macrocyclic dihalide complexes. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2014, 70, 469-486.	1.1	6
118	Inelastic neutron scattering study of binding of para-hydrogen in an ultra-microporous metal-organic framework. <i>Chemical Physics</i> , 2014, 428, 111-116.	1.9	10
119	Structural chemistry of metal coordination complexes at high pressure. <i>Coordination Chemistry Reviews</i> , 2014, 277-278, 187-207.	18.8	27
120	Transition Metal Complexes of a Salen-Fullerene Diad: Redox and Catalytically Active Nanostructures for Delivery of Metals in Nanotubes. <i>Chemistry - A European Journal</i> , 2013, 19, 11999-12008.	3.3	15
121	Permanent Porosity Derived From the Self-Assembly of Highly Luminescent Molecular Zinc Carbonate Nanoclusters. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13414-13418.	13.8	46
122	Modulating the packing of [Cu ₂₄ (isophthalate) ₂₄] cubooctahedra in a triazole-containing metal-organic polyhedral framework. <i>Chemical Science</i> , 2013, 4, 1731.	7.4	123
123	Five Coordinate M(II)-Diphenolate [M = Zn(II), Ni(II), and Cu(II)] Schiff Base Complexes Exhibiting Metal- and Ligand-Based Redox Chemistry. <i>Inorganic Chemistry</i> , 2013, 52, 660-670.	4.0	39
124	Irreversible Network Transformation in a Dynamic Porous Host Catalyzed by Sulfur Dioxide. <i>Journal of the American Chemical Society</i> , 2013, 135, 4954-4957.	13.7	123
125	Triad and cyclic diad compounds of [60]fullerene with metallocenes. <i>Dalton Transactions</i> , 2013, 42, 5056.	3.3	8
126	Bowing to the Pressure of... Interactions: Bending of Phenyl Rings in a Palladium(II) Thioether Crown Complex. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 5093-5095.	13.8	18

#	ARTICLE	IF	CITATIONS
127	Packing of Isophthalate Tetracarboxylic Acids on Au(111): Rows and Disordered Herringbone Structures. <i>Journal of Physical Chemistry C</i> , 2013, 117, 18381-18385.	3.1	13
128	High-Nuclearity Metal-Organic Nanospheres: A Cd ₆₆ Ball. <i>Journal of the American Chemical Society</i> , 2012, 134, 55-58.	13.7	61
129	Redox Non-innocence of Thioether Crowns: Elucidation of the Electronic Structure of the Mononuclear Pd(III) Complexes [Pd([9]aneS ₃) ₂] ³⁺ and [Pd([18]aneS ₆) ₂] ³⁺ . <i>Inorganic Chemistry</i> , 2012, 51, 1450-1461.	4.0	16
130	Near-critical water, a cleaner solvent for the synthesis of a metal-organic framework. <i>Green Chemistry</i> , 2012, 14, 117-122.	9.0	53
131	Selectivity and direct visualization of carbon dioxide and sulfur dioxide in a decorated porous host. <i>Nature Chemistry</i> , 2012, 4, 887-894.	13.6	466
132	Broken symmetry and the variation of critical properties in the phase behaviour of supramolecular rhombus tilings. <i>Nature Chemistry</i> , 2012, 4, 112-117.	13.6	60
133	Selective CO ₂ uptake and inverse CO ₂ /C ₂ H ₂ selectivity in a dynamic bifunctional metal-organic framework. <i>Chemical Science</i> , 2012, 3, 2993.	7.4	117
134	A partially interpenetrated metal-organic framework for selective hysteretic sorption of carbon dioxide. <i>Nature Materials</i> , 2012, 11, 710-716.	27.5	430
135	Design and Function of Pre-Organised Outer-Sphere Amidopyridyl Extractants for Zinc(II) and Cobalt(II) Chlorometallates: The Role of C≡H Hydrogen Bonds. <i>Chemistry - A European Journal</i> , 2012, 18, 7715-7728.	3.3	28
136	An efficient route to the synthesis of symmetric and asymmetric diastereomerically pure fullerene triads. <i>Tetrahedron</i> , 2012, 68, 4976-4985.	1.9	5
137	A mesoporous metal-organic framework constructed from a nanosized C ₃ -symmetric linker and [Cu ₂₄ (isophthalate) ₂₄] cuboctahedra. <i>Chemical Communications</i> , 2011, 47, 9995.	4.1	130
138	Increasing nuclearity of secondary building units in porous cobalt(II) metal-organic frameworks: Variation in structure and H ₂ adsorption. <i>Dalton Transactions</i> , 2011, 40, 12342.	3.3	26
139	Encapsulation of transition metal atoms into carbon nanotubes: a supramolecular approach. <i>Chemical Communications</i> , 2011, 47, 5696.	4.1	24
140	Highly porous and robust scandium-based metal-organic frameworks for hydrogen storage. <i>Chemical Communications</i> , 2011, 47, 8304.	4.1	156
141	Pore with Gate: Enhancement of the Isosteric Heat of Adsorption of Dihydrogen via Postsynthetic Cation Exchange in Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2011, 50, 9374-9384.	4.0	84
142	High capacity gas storage by a 4,8-connected metal-organic polyhedral framework. <i>Chemical Communications</i> , 2011, 47, 4487.	4.1	220
143	Pore with gate: modulating hydrogen storage in metal-organic framework materials via cation exchange. <i>Faraday Discussions</i> , 2011, 151, 19.	3.2	48
144	Guest-induced growth of a surface-based supramolecular bilayer. <i>Nature Chemistry</i> , 2011, 3, 74-78.	13.6	142

#	ARTICLE	IF	CITATIONS
145	Metal Complex of Hydrogenase Active Sites. RSC Energy and Environment Series, 2011, , 326-386.	0.5	4
146	A Piggyback Ride for Transition Metals: Encapsulation of Exohedral Metallofullerenes in Carbon Nanotubes. Chemistry - A European Journal, 2011, 17, 668-674.	3.3	34
147	Redox Non- C_60 Innocence of Thioether Crowns: Spectroelectrochemistry and Electronic Structure of Formal Nickel(III) Complexes of Aza- C_60 Thioether Macrocycles. Chemistry - A European Journal, 2011, 17, 10246-10258.	3.3	18
148	Modifying Cage Structures in Metal-Organic Polyhedral Frameworks for H ₂ Storage. Chemistry - A European Journal, 2011, 17, 11162-11170.	3.3	73
149	Structures and H ₂ Adsorption Properties of Porous Scandium Metal-Organic Frameworks. Chemistry - A European Journal, 2010, 16, 13671-13679.	3.3	77
150	Transition metal dipicolinates as designer T-shaped building blocks. CrystEngComm, 2010, 12, 1576.	2.6	17
151	Exceptional Thermal Stability in a Supramolecular Organic Framework: Porosity and Gas Storage. Journal of the American Chemical Society, 2010, 132, 14457-14469.	13.7	369
152	Metal-Organic Polyhedral Frameworks: High H ₂ Adsorption Capacities and Neutron Powder Diffraction Studies. Journal of the American Chemical Society, 2010, 132, 4092-4094.	13.7	281
153	Interaction of tripodal Schiff-base ligands with silver(i): structural and solution studies. CrystEngComm, 2010, 12, 4176.	2.6	25
154	Complexation of Constrained Ligands Piperazine, N-substituted Piperazines, and Thiomorpholine. Australian Journal of Chemistry, 2009, 62, 1196.	0.9	4
155	Enhancement of H ₂ Adsorption in Coordination Framework Materials by Use of Ligand Curvature. Chemistry - A European Journal, 2009, 15, 4829-4835.	3.3	112
156	Selective Extraction and Transport of the [PtCl ₆] ²⁻ Anion through Outer-Sphere Coordination Chemistry. Chemistry - A European Journal, 2009, 15, 4836-4850.	3.3	58
157	Dynamic Equilibria in Solvent-Mediated Anion, Cation and Ligand Exchange in Transition-Metal Coordination Polymers: Solid-State Transfer or Recrystallisation?. Chemistry - A European Journal, 2009, 15, 8861-8873.	3.3	118
158	Cation-induced kinetic trapping and enhanced hydrogen adsorption in a modulated anionic metal-organic framework. Nature Chemistry, 2009, 1, 487-493.	13.6	375
159	Exceptionally high H ₂ storage by a metal-organic polyhedral framework. Chemical Communications, 2009, , 1025.	4.1	316
160	In situ synthesis of 5-substituted-tetrazoles and metallosupramolecular co-ordination polymers. CrystEngComm, 2009, 11, 67-81.	2.6	39
161	High Capacity Hydrogen Adsorption in Cu(II) Tetracarboxylate Framework Materials: The Role of Pore Size, Ligand Functionalization, and Exposed Metal Sites. Journal of the American Chemical Society, 2009, 131, 2159-2171.	13.7	723
162	Hydrogen, Methane and Carbon Dioxide Adsorption in Metal-Organic Framework Materials. Topics in Current Chemistry, 2009, 293, 35-76.	4.0	110

#	ARTICLE	IF	CITATIONS
163	Solvent Control of Supramolecular Architectures Derived from 4,4'-Bipyridyl-Bridged Copper(II) Dipicolinate Complexes. <i>Crystal Growth and Design</i> , 2009, 9, 4685-4699.	3.0	53
164	Second-sphere hydrogen-bonding in heteroditopic mercaptopyridinium copper(I) frameworks. <i>CrystEngComm</i> , 2009, 11, 763.	2.6	10
165	Outer-sphere amidopyridyl extractants for zinc(Zn^{2+}) and cobalt(Co^{2+}) chlorometallates. <i>Chemical Communications</i> , 2009, , 583-585.	4.1	23
166	Unusual formation of a $[\text{NiFe}_2(\text{CO})_6]$ cluster: a structural model for the inactive form of [NiFe] hydrogenase. <i>Dalton Transactions</i> , 2009, , 925-931.	3.3	21
167	Self-Assembly of Metal-Organic Coordination Polymers Constructed from a Bent Dicarboxylate Ligand: Diversity of Coordination Modes, Structures, and Gas Adsorption. <i>Inorganic Chemistry</i> , 2009, 48, 11067-11078.	4.0	84
168	Supramolecular Chemistry of 4,4'-Bipyridine-N,N'-dioxide in Transition Metal Complexes: A Rich Diversity of Co-ordinate, Hydrogen-Bond and Aromatic Stacking Interactions. <i>Structure and Bonding</i> , 2009, , 135-161.	1.0	1
169	Supramolecular Chemistry of 4,4'-Bipyridine-N,N'-dioxide in Transition Metal Complexes: A Rich Diversity of Co-ordinate, Hydrogen-Bond and Aromatic Stacking Interactions. <i>Structure and Bonding</i> , 2009, , 135-161.	1.0	10
170	Molecular and Electronic Structures of One-Electron Oxidized Ni^{II} (Dithiosalicylidenediamine) Complexes: Ni^{III} Thiolate versus Ni^{II} Thyl Radical States. <i>Chemistry - A European Journal</i> , 2008, 14, 2564-2576.	3.3	48
171	Design of Neutral Metallomesogens from 5,5'-Dimethyldipyrromethane: Metal Ion Mediated Control of Folding and Hairpin Structures. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 5056-5066.	2.0	19
172	Outer-Sphere Coordination Chemistry: Selective Extraction and Transport of the $[\text{PtCl}_6]^{2-}$ Anion. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 1745-1748.	13.8	64
173	Electronic Structure of a Binuclear Nickel Complex of Relevance to [NiFe] Hydrogenase. <i>Inorganic Chemistry</i> , 2008, 47, 11688-11697.	4.0	19
174	Structural Diversity in Metal-Organic Frameworks Derived from Binuclear Alkoxo-Bridged Copper(II) Nodes and Pyridyl Linkers. <i>Crystal Growth and Design</i> , 2008, 8, 964-975.	3.0	41
175	Metal-directed columnar phase formation in tetrahedral zinc(ii) and manganese(ii) metallomesogens. <i>New Journal of Chemistry</i> , 2008, 32, 297-305.	2.8	21
176	The structural characterisation and elucidation of the electronic structure of the mononuclear Pt(iii) complex $[\text{Pt}([9]\text{aneS}_3)_2]^{3+}$ ($[9]\text{aneS}_3 = 1,4,7\text{-trithiacyclononane}$). <i>Chemical Communications</i> , 2008, , 5707.	4.1	29
177	Enhancement of H ₂ adsorption in Li ⁺ -exchanged co-ordination framework materials. <i>Chemical Communications</i> , 2008, , 6108.	4.1	164
178	Directing two-dimensional molecular crystallization using guest templates. <i>Chemical Communications</i> , 2008, , 2304.	4.1	129
179	A biporous coordination framework with high H ₂ storage density. <i>Chemical Communications</i> , 2008, , 359-361.	4.1	84
180	Electronic structure of the mononuclear Ag(ii) complex $[\text{Ag}([18]\text{aneS}_4\text{O}_2)]^{2+}$ ($[18]\text{aneS}_4\text{O}_2 = \text{Tj ETQqO } 0\ 0\ \text{rgBT}_{4.1} \text{Overlock}_{14}$). <i>Chemical Communications</i> , 2008, , 5050-5051.	4.1	6

#	ARTICLE	IF	CITATIONS
181	Novel Metalâ“Organic Frameworks Derived from Group II Metal Cations and Aryldicarboxylate Anionic Ligands. <i>Crystal Growth and Design</i> , 2008, 8, 911-922.	3.0	122
182	Multi-Dimensional Transition-Metal Coordination Polymers of 4,4â€2-Bipyridine- <i>N,N,N',N'</i> -dioxide: 1D Chains and 2D Sheets. <i>Inorganic Chemistry</i> , 2008, 47, 8652-8664.	4.0	84
183	Crystallographic, Electrochemical, and Electronic Structure Studies of the Mononuclear Complexes of Au(I)/(II)/(III) with [9]aneS ₂ O ([9]aneS ₂ O = 1-oxa-4,7-dithiacyclononane). <i>Inorganic Chemistry</i> , 2008, 47, 9919-9929.	4.0	32
184	Metal-organic framework materials for hydrogen storage. , 2008, , 288-312.		6
185	Random Tiling and Topological Defects in a Two-Dimensional Molecular Network. <i>Science</i> , 2008, 322, 1077-1081.	12.6	224
186	Hydrogen storage in metalâ“organic frameworks. <i>CrystEngComm</i> , 2007, 9, 438-448.	2.6	271
187	Twelve-connected porous metalâ“organic frameworks with high H ₂ adsorption. <i>Chemical Communications</i> , 2007, , 840-842.	4.1	219
188	Design and Synthesis of Binucleating Macrocyclic Clefts Derived from Schiff-Base Calixpyrroles. <i>Chemistry - A European Journal</i> , 2007, 13, 3707-3723.	3.3	60
189	Anion Selectivity in Zwitterionic Amide-Functionalised Metal Salt Extractants. <i>Chemistry - A European Journal</i> , 2007, 13, 6091-6107.	3.3	31
190	Dioxygen Reduction at Dicobalt Complexes of a Schiff Base Calixpyrrole Ligand. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 584-586.	13.8	95
191	Controlled Assembly of Silver(I)â€Pyridylfullerene Networks. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8013-8016.	13.8	52
192	Extended structures of polyiodide salts of transition metal macrocyclic complexes. <i>Acta Crystallographica Section B: Structural Science</i> , 2007, 63, 81-92.	1.8	16
193	High pressure co-ordination chemistry of a palladium thioether complex: pressure versus electrons. <i>Chemical Communications</i> , 2006, , 4081-4083.	4.1	56
194	Electrocatalytic production of hydrogen by a synthetic model of [NiFe] hydrogenases. <i>Chemical Communications</i> , 2006, , 1103.	4.1	44
195	Design and synthesis of heteroditopic aza-thioether macrocycles for metal extraction. <i>New Journal of Chemistry</i> , 2006, 30, 1755-1767.	2.8	24
196	Formation of [(L)Ni(Î¼2-S)x{Fe(CO) ₃ }x] adducts (x = 1 or 2): analogues of the active site of [NiFe] hydrogenase. <i>Chemical Communications</i> , 2006, , 317-319.	4.1	33
197	Synthesis of pyridazinyl ligands for multimetallic complexes. <i>New Journal of Chemistry</i> , 2006, 30, 1498-1508.	2.8	23
198	Triggered Ligand Release Coupled to Framework Rearrangement: Generating Crystalline Porous Coordination Materials. <i>Inorganic Chemistry</i> , 2006, 45, 8838-8840.	4.0	116

#	ARTICLE	IF	CITATIONS
199	Control of Copper(I) Iodide Architectures by Ligand Design: Angular versus Linear Bridging Ligands. <i>Inorganic Chemistry</i> , 2006, 45, 6179-6187.	4.0	82
200	Imido Titanium Ethylene Polymerization Catalysts Containing Triazacyclic Ligands. <i>Organometallics</i> , 2006, 25, 3888-3903.	2.3	33
201	Redox Non-innocence of Thioether Macrocycles: Elucidation of the Electronic Structures of Mononuclear Complexes of Gold(II) and Silver(II). <i>Journal of the American Chemical Society</i> , 2006, 128, 13827-13839.	13.7	49
202	A Porous Framework Polymer Based on a Zinc(II) 4,4'-Bipyridine-2,6,2'',6''-tetracarboxylate: Synthesis, Structure, and <i>Zeolite-Like</i> -Behaviors. <i>Journal of the American Chemical Society</i> , 2006, 128, 10745-10753.	13.7	296
203	Structural characterization of selenium and selenium-diiodine analogues of the antithyroid drug 6-n-propyl-2-thiouracil and its alkyl derivatives. <i>Acta Crystallographica Section B: Structural Science</i> , 2006, 62, 580-591.	1.8	16
204	Acetonitrilebis(nitrato- $\text{O}^{\text{-}},\text{O}^{\text{-}}\text{O}$)(1,10-phenanthroline)cobalt(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m2301-m2302.	0.2	1
205	Polyamine-based anion receptors: Extraction and structural studies. <i>Coordination Chemistry Reviews</i> , 2006, 250, 2987-3003.	18.8	126
206	Improved synthetic methods to mixed-donor thiacrown ethers. <i>Polyhedron</i> , 2006, 25, 599-612.	2.2	33
207	The one-pot halomethylation of 5-substituted salicylaldehydes as convenient precursors for the preparation of heteroditopic ligands for the binding of metal salts. <i>Tetrahedron Letters</i> , 2006, 47, 8983-8987.	1.4	50
208	High H ₂ Adsorption by Coordination-Framework Materials. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7358-7364.	13.8	692
209	Synthesis and Ethylene Polymerization Capability of Metallocene-like Imido Titanium Dialkyl Compounds and Their Reactions with AliBu ₃ . <i>Organometallics</i> , 2006, 25, 5549-5565.	2.3	31
210	Lanthanide co-ordination frameworks: Opportunities and diversity. <i>Journal of Solid State Chemistry</i> , 2005, 178, 2414-2419.	2.9	115
211	Silver alkoxide and amino N-heterocyclic carbenes; syntheses and crystal structures. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 5710-5719.	1.8	54
212	New Approaches to the Analysis of High Connectivity Materials: Design Frameworks Based upon 44- and 63-Subnet Tectons. <i>Accounts of Chemical Research</i> , 2005, 38, 335-348.	15.6	529
213	Anion Control over Interpenetration and Framework Topology in Coordination Networks Based on Homoleptic Six-Connected Scandium Nodes. <i>Chemistry - A European Journal</i> , 2005, 11, 1384-1391.	3.3	157
214	Helical Bipyrazole Networks Conditioned by Hydrothermal Crystallization. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2005, 631, 1095-1100.	1.2	46
215	Binding and Structural Aspects of Nitrile- and Amino-Functionalised Pendant Arm Derivatives of 1,4,7-Triazacyclononane ([9]aneN ₃). , 2005, , 67-86.	3	
216	Modulation of the electronic structure and the Ni-Fe distance in heterobimetallic models for the active site in [NiFe]hydrogenase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 18280-18285.	7.1	158

#	ARTICLE	IF	CITATIONS
217	Metal-directed ring-expansion in Schiff-base polypyrrolic macrocycles. <i>Chemical Communications</i> , 2005, , 4423.	4.1	39
218	A unique example of a 36 tessellated 2-D net based on a tri-nuclear zinc(ii)-1,4-benzenedicarboxylate framework. <i>Chemical Communications</i> , 2005, , 5435.	4.1	100
219	Using microscopic techniques to reveal the mechanism of anion exchange in crystalline co-ordination polymers. <i>Journal of Microscopy</i> , 2004, 214, 261-271.	1.8	39
220	Intramolecular cyclization of 4,7-bis(2-bromoacetyl)-1-thia-4,7-diazacyclononane. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o100-o102.	0.4	2
221	The imide tautomer of sulfasalazine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o226-o228.	0.4	21
222	(Ferrocenylmethyl)trimethylammonium triiodide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m20-m21.	0.2	2
223	10,13-Bis(p-tolylsulfonyl)-1,4,7-trithia-10,13-diazacyclopentadecane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o901-o903.	0.2	0
224	Non-Natural Eight-Connected Solid-State Materials: A New Coordination Chemistry. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1851-1854.	13.8	176
225	The Synthesis and Electronic Structure of a Novel [Ni ²⁺ S ₄ Fe ₂ (CO) ₆] Radical Cluster: Implications for the Active Site of the [NiFe] Hydrogenases. <i>Chemistry - A European Journal</i> , 2004, 10, 3384-3396.	3.3	40
226	Discovery and evaluation of highly active imidotitanium ethylene polymerisation catalysts using high throughput catalyst screening. <i>Chemical Communications</i> , 2004, , 434-435.	4.1	62
227	Co-ordination chemistry of amino pendant arm derivatives of 1,4,7-triazacyclononane. <i>Dalton Transactions</i> , 2004, , 1934-1944.	3.3	17
228	Unprecedented bilayer topologies in 5- and 6-connected framework polymers. <i>Chemical Communications</i> , 2004, , 1792-1793.	4.1	76
229	A design strategy for four-connected coordination frameworks. <i>Chemical Communications</i> , 2004, , 642-643.	4.1	35
230	Lanthanide complexes of new nonadentate imino-phosphonate ligands derived from 1,4,7-triazacyclononane: synthesis, structural characterisation and NMR studies. <i>Dalton Transactions</i> , 2004, , 1945-1952.	3.3	13
231	Conformational and stereochemical flexibility in cadmium(ii) complexes of aza-thioether macrocycles. <i>Dalton Transactions</i> , 2004, , 1953-1959.	3.3	15
232	New Thiolate-Cobalt(II) Complexes for Catalytic Chain Transfer Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 2004, 37, 6667-6669.	4.8	32
233	Conserved hydrogen-bonded supramolecular synthons in pyridinium tetrachlorometallates. <i>CrystEngComm</i> , 2004, 6, 87-95.	2.6	44
234	Supramolecular Isomerism. , 2004, , 1420-1426.		9

#	ARTICLE	IF	CITATIONS
235	Assembly of Dicobalt(III) Complexes Incorporating Di- tBu_4 -thiophenolate Moieties. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2389-2392.	2.0	7
236	Coordination Chemistry of Nitrile and Amino Pendant Arm Derivatives of [9]aneN ₂ S and [9]aneNS ₂ with PdII and CuII. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 1232-1241.	2.0	17
237	Columnar Mesomorphism from Hemi-Disklike Metallomesogens Derived from 2,6-Bis[3 a^2 ,4 a^2 ,5 a^2 -tri(alkoxy)phenyliminomethyl]pyridines (L): Crystal and Molecular Structures of [M(L)Cl ₂] (M=Mn, Ni, Zn). <i>Chemistry - A European Journal</i> , 2003, 9, 2484-2501.	3.3	127
238	Synthesis and structures of titanium imido complexes of sulfur- and mixed nitrogen-sulfur- and nitrogen-oxygen-donor macrocycles. <i>Inorganica Chimica Acta</i> , 2003, 345, 44-52.	2.4	15
239	OLEX: new software for visualization and analysis of extended crystal structures. <i>Journal of Applied Crystallography</i> , 2003, 36, 1283-1284.	4.5	447
240	A zinc-lithium complex of 4,7-bis(2-aminoethyl)-1,4,7-triazacyclononane-1-acetate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, m43-m45.	0.4	0
241	Methanolysis of nitrile-functionalised pendant arm derivatives of 1,4,7-triazacyclononane upon coordination to CuII. Electronic supplementary information (ESI) available: frozen solution EPR (77 K) spectra for [Cu(1)](BF ₄) ₂ and [Cu(2)](BF ₄) ₂ ·H ₂ O (Fig. S1) and [Cu(L ₂)Cl ₂] (Fig. S2) in CH ₃ CN-DMF (9 : 1) 3.3 solutions. Modelling of the disorder in [Cu(1)](BF ₄) ₂ and [Cu(2)](BF ₄) ₂ ·H ₂ O. See http://www.rsc.org/suppdata/dt/b2/b209091k/ . <i>Dalton Transactions</i> , 2003, , 301-310.	3.3	23
242	Stereoselective Association of Binuclear Metallacycles in Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2003, 125, 6753-6761.	13.7	106
243	Coordination Chemistry of a New Cofacial Binucleating Macrocyclic Derived from 1,4,7-Triazacyclononane. <i>Inorganic Chemistry</i> , 2003, 42, 8690-8701.	4.0	16
244	Cationic Assembly of Metal Complex Aggregates: Structural Diversity, Solution Stability, and Magnetic Properties. <i>Journal of the American Chemical Society</i> , 2003, 125, 9476-9483.	13.7	69
245	Structure and electronic properties of an asymmetric thiolate-bridged binuclear complex: a model for the active site of acetyl CoA synthase. <i>Chemical Communications</i> , 2003, , 3012-3013.	4.1	32
246	Formation of nickel-thiolate aggregates via reaction with CH ₂ Cl ₂ . <i>Chemical Communications</i> , 2003, , 2776-2777.	4.1	20
247	Synthesis and structure of mononuclear and binuclear zinc(ii) compartmental macrocyclic complexes. <i>Dalton Transactions</i> , 2003, , 1730-1737.	3.3	40
248	Macrocyclic diiminodipyrromethane complexes: structural analogues of Pac-Man porphyrins. <i>Chemical Communications</i> , 2003, , 2508-2509.	4.1	75
249	Anion effects in selective bifunctional metal salt extractants based on aza-thioether macrocycles: co-operative cation-anion binding?. <i>Dalton Transactions</i> , 2003, , 1941-1951.	3.3	27
250	Helical templating of polyiodide networks at a binuclear metallo complex. Electronic supplementary information (ESI) available: synthetic details, crystal data (CCDC 198624 and 198625 in CIF format) and views of the C-H ₂ I and H-I interactions between I ₆ 2 ⁺ and I ₃ ⁺ and the cationic component in 2. See http://www.rsc.org/suppdata/cc/b2/b211743f/ . <i>Chemical Communications</i> , 2003, , 312-313.	4.1	37
251	Lanthanide complexes of iminocarboxylate ligands derived from 1,4,7-triazacyclononane: structural characterisation and relaxivity of the GdIII and luminescence of the EuIII complexes. Electronic supplementary information (ESI) available: ¹ H NMR spectra of [Y(L ₁)(CH ₃ CO ₂)] (6) in D ₂ O at 298 K and ¹ H NMR data on acid-catalysed hydrolysis of [La(L)] (5) in D ₂ O (pD = 4.4). See http://www.rsc.org/suppdata/dt/b2/b209090m/ . <i>Dalton Transactions</i> , 2003, , 1693-1700.	3.3	9
252	Ni(iii) vs. Ni(ii)-thiyl radical: charge-delocalisation in a binuclear Ni(iii)Ni(ii)-dithiolate complex. <i>Chemical Communications</i> , 2003, , 1098-1099.	4.1	32

#	ARTICLE	IF	CITATIONS
253	A novel synthetic strategy for hexanuclear supramolecular architecturesElectronic supplementary information (ESI) available: synthesis and single crystal X-ray diffraction. See http://www.rsc.org/suppdata/cc/b3/b300605k/ . Chemical Communications, 2003, , 682-683.	4.1	50
254	Construction of the first cross-linked double helical polyiodide. Chemical Communications, 2003, , 1488-1489.	4.1	28
255	Pinwheel motifs: formation of unusual homo- and hetero-nuclear aggregates via bridging thiolates. Chemical Communications, 2003, , 2020-2021.	4.1	23
256	Nitrile functionalised pendant-arm derivatives of aza- and mixed donor macrocyclic ligands as new building blocks for inorganic crystal engineering. Dalton Transactions RSC, 2002, , 1662-1670.	2.3	32
257	Anion exchange in co-ordination polymers: a solid-state or a solvent-mediated process?. CrystEngComm, 2002, 4, 426-431.	2.6	119
258	[Ni(L)(MeCN)][BF ₄]2Å{L = 2,5,8-trithia[9],(2,9)-1,10-phenanthrolinophane} as a building block for the synthesis of binuclear nickel(ii) complexes: X-ray crystal structure and magnetochemistry of a singly F-bridged nickel(ii) dimer. Dalton Transactions RSC, 2002, , 4389-4394.	2.3	18
259	Synthesis of asymmetric derivatives of 1,4,7-triazacyclononane and trigonal prismatic Mn(ii) complexes. Dalton Transactions RSC, 2002, , 1247-1249.	2.3	8
260	Bridging mode flexibility of 1,3-dithiacyclohexane in silver(i) co-ordination polymers. Dalton Transactions RSC, 2002, , 4134.	2.3	14
261	Hydrogen-bonding interactions between linear bipyridinium cations and nitrate anions. CrystEngComm, 2002, 4, 483-495.	2.6	58
262	Compartmental Schiff-base ligands as selective double-loaded extractants for copper(ii)Electronic supplementary information (ESI) available: synthetic and spectroscopic data. See http://www.rsc.org/suppdata/cc/b1/b109635b/ . Chemical Communications, 2002, , 340-341.	4.1	43
263	Constructing Terbium Co-ordination Polymers of 4,4- ϵ -Bipyridine-N,N- ϵ -dioxide by Means of Diffusion Solvent Mixtures. Chemistry - A European Journal, 2002, 8, 2026-2033.	3.3	129
264	Selective and reversible extraction of heavy metal-ions by mixed-donor crown ether-modified oxirane and thiirane resins. Reactive and Functional Polymers, 2002, 51, 33-47.	4.1	30
265	Supramolecular interactions in 4,4- ϵ -Bipyridine cobalt(II) nitrate networks. Journal of Supramolecular Chemistry, 2002, 2, 163-174.	0.4	30
266	4-Methoxyphenylphosphonic acid: reactivity of Lawesson's reagent. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o260-o262.	0.4	7
267	Triaqua(2,6-pyridinedicarboxylato)copper(II) at 150...K. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, m43-m46.	0.2	6
268	1-(4-Pyridinio)-2-[4-pyridinio-(E)-methylidene]hydrazide dinitrate. Acta Crystallographica Section E: Structure Reports Online, 2002, 58, o519-o522.	0.2	1
269	trans-Dichlorobis(4-cyanopyridine)palladium(II). Acta Crystallographica Section E: Structure Reports Online, 2002, 58, m385-m386.	0.2	0
270	Aggregation of imino-“phosphonate monoester complexes. Inorganica Chimica Acta, 2002, 331, 336-339.	2.4	4

#	ARTICLE	IF	CITATIONS
271	Synthesis, solution studies and structural characterisation of complexes of a mixed oxa-aza macrocycle bearing nitrile pendant arms. <i>Inorganica Chimica Acta</i> , 2002, 337, 59-69.	2.4	17
272	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 476-480.	1.5	3
273	Inorganic-organic interpenetrating frameworks: 4,4'-bipyridine N,N'-dioxide as a bridging hydrogen-bond acceptor. <i>Chemical Communications</i> , 2001, , 2258-2259.	4.1	33
274	Lanthanum Coordination Networks Based on Unusual Five-Connected Topologies. <i>Journal of the American Chemical Society</i> , 2001, 123, 3401-3402.	13.7	230
275	Metal-mediated formation of liquid crystals: synthesis, structural and thermal analysis of palladium(ii) complexes of crown thioether derivativesElectronic supplementary information (ESI) available: Figs. 1-3 with full captions, Fig. 4: view of the packing of [Pd(7)][BF ₄] ₂ . Fig. 5: schematic of undulating layers in [Pd(7)][BF ₄] ₂ . See http://www.rsc.org/suppdata/cc/b1/b107027b/ . <i>Chemical Communications</i> , 2001, , 2580-2581.	4.1	20
276	Formation of columnar hexagonal mesophases near room temperature from functionalised [9]aneNS2 (1,4-dithia-7-azacyclononane). <i>Journal of Materials Chemistry</i> , 2001, 11, 1011-1018.	6.7	13
277	Conformationally locked pentadentate macrocycles containing the 1,10-phenanthroline unit. Synthesis and crystal structure of 5-oxa-2,8-dithia[9](2,9)-1,10-phenanthrolinophane (L) and its coordination properties to NiII, PdII, PtII, RhIII and RuIII. <i>Dalton Transactions RSC</i> , 2001, , 1180-1188.	2.3	31
278	Ditopic azathioether macrocycles as hosts for transition metal saltsElectronic supplementary information (ESI) available: full experimental details. See http://www.rsc.org/suppdata/cc/b1/b109486f/ . <i>Chemical Communications</i> , 2001, , 2678-2679.	4.1	25
279	Anion influence on co-ordination polymers of Ag(I) with 1,4-dithiacyclohexane. <i>Dalton Transactions RSC</i> , 2001, , 2530-2538.	2.3	46
280	Na ⁺ -Mediated aggregation of imino-carboxylate transition metal complexesElectronic supplementary information (ESI) available: further crystallographic details. See http://www.rsc.org/suppdata/dt/b1/b107873a/ . <i>Dalton Transactions RSC</i> , 2001, , 3137-3139.	2.3	10
281	Discrete molecular and extended polymeric copper(I) halide complexes of tetradentate thioether macrocycles. <i>Dalton Transactions RSC</i> , 2001, , 456-465.	2.3	83
282	Neutral and cationic organometallic aluminium and indium complexes of mono-pendant arm triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2001, , 157-169.	2.3	23
283	New main-group and early transition-metal complexes of mono-pendant arm triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2001, , 170-180.	2.3	28
284	A new cofacial binucleating macropolycycle: segregated versus encapsulated complexationElectronic supplementary information (ESI) available: spectroscopic and crystallographic data. See http://www.rsc.org/suppdata/cc/b1/b108549m/ . <i>Chemical Communications</i> , 2001, , 2582-2583.	4.1	15
285	A Silver(I) Difluorophosphate(V)-tetramethylhexathiadamatane Coordination Polymer with a 3-D Rutile (TiO ₂) Framework Construction. <i>Crystal Growth and Design</i> , 2001, 1, 395-399.	3.0	13
286	Tris(2-succinimidioethyl)amine hydrate (1/0.075). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o690-o691.	0.2	0
287	Bis(1,4,7-trithiacyclononane-S,S ²⁻ ,S ²⁻)nickel(II) dibromide tetrahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, m376-m377.	0.2	5
288	trans-Dichloro(meso-2,3,7,11,12-pentamethyl-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene-1 ⁹ N3,7,11,17)rhodium(III) hexafluorophosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, m459-m461.	0.2	0

#	ARTICLE	IF	CITATIONS
289	Hexakis(dimethyl sulfoxide)nickel(II) dinitrate dimethyl sulfoxide disolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, m556-m557.	0.2	3
290	Unprecedented Seven- and Eight-Connected Lanthanide Coordination Networks. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 2443-2447.	13.8	162
291	Structural mimics for the active site of [NiFe] hydrogenase. <i>Coordination Chemistry Reviews</i> , 2001, 219-221, 1055-1074.	18.8	132
292	Topological isomerism in coordination polymers. <i>Chemical Communications</i> , 2001, , 1432-1433.	4.1	213
293	Aggregate, Polymer and Cluster Formation from Metal-Imino Carboxylate Complexes. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2001, 41, 23-30.	1.6	3
294	Supramolecular design of one-dimensional coordination polymers based on silver(I) complexes of aromatic nitrogen-donor ligands. <i>Coordination Chemistry Reviews</i> , 2001, 222, 155-192.	18.8	1,129
295	catena-Poly[[trans-dichlorocopper(II)]- $\text{I}^{1/4}$ -1,4,7,10,13,16-hexathiacyclooctadecane-S1:S10]. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 36-37.	0.4	8
296	Controlled Assembly of Dinuclear Metallacycles into a Three-Dimensional Helical Array. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2317-2320.	13.8	81
297	Titanium imido complexes containing 1,3,5-triazacyclohexane ligands. <i>Journal of Organometallic Chemistry</i> , 2000, 600, 71-83.	1.8	31
298	The synthesis and properties of surfactant aza macrocycles. <i>Chemical Communications</i> , 2000, , 955-956.	4.1	14
299	Lanthanide co-ordination frameworks of 4,4'-bipyridine-N,N'-dioxide. <i>Chemical Communications</i> , 2000, , 1369-1370.	4.1	162
300	An unprecedented coordination mode for hemilabile pendant-arm 1,4,7-triazacyclononanes and the synthesis of cationic organoaluminium complexes. <i>Chemical Communications</i> , 2000, , 1269-1270.	4.1	21
301	ansa-Linked titanium macrocycle-imido complexes. <i>New Journal of Chemistry</i> , 2000, 24, 575-577.	2.8	15
302	Synthesis and characterisation of pendant-arm amino derivatives of 1,4,7-triazacyclononane and alkyl-bridged bis(1,4,7-triazacyclononane) macrocycles and complexation to Cu(II). <i>Dalton Transactions RSC</i> , 2000, , 3034-3040.	2.3	17
303	Long-range chain orientation in 1-D co-ordination polymers as a function of anions and intermolecular aromatic interactions. <i>Dalton Transactions RSC</i> , 2000, , 4285-4291.	2.3	123
304	Engineering of co-ordination polymers of trans-4,4'-azobis(pyridine) and trans-1,2-bis(pyridin-4-yl)ethene: a range of interpenetrated network motifs. <i>Dalton Transactions RSC</i> , 2000, , 3261-3268.	2.3	68
305	Synthesis, solution studies and structural characterisation of complexes of a mixed oxa-aza macrocycle bearing pendant amino arms. <i>Dalton Transactions RSC</i> , 2000, , 4122-4129.	2.3	18
306	A novel alkoxide bridging motif between boron trifluoride and copper(II) in a crown thioether complex. <i>Chemical Communications</i> , 2000, , 563-564.	4.1	4

#	ARTICLE	IF	CITATIONS
307	Thioether ligands as molecular rods in silver(I) coordination networks: 1,4-dithiane as an analogue of pyrazine. <i>CrystEngComm</i> , 2000, 2, 41.	2.6	18
308	New Group 5 and 6 transition metal imido complexes with monodeprotonated triazacyclononane ligands. <i>Dalton Transactions RSC</i> , 2000, , 4130-4137.	2.3	11
309	Lanthanide complexes of a new nonadentate ligand derived from 1,4,7-triazacyclononane: synthesis, structural characterisation and NMR spectroscopic studies. <i>Dalton Transactions RSC</i> , 2000, , 2793-2799.	2.3	31
310	Macrocycle-Supported Titanium Complexes with Chelating Imido Ligands: Å Analogues of ansa-Metallocenes. <i>Inorganic Chemistry</i> , 2000, 39, 5483-5491.	4.0	38
311	Assembly of a Three-Dimensional Polyknotted Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2000, 122, 4044-4046.	13.7	102
312	Can 4,4'-bipyridine N,N'-dioxide play the same important role as 4,4'-bipyridine in the construction of metal coordination networks and crystal engineering?. <i>Chemical Communications</i> , 2000, , 2273-2274.	4.1	67
313	6-Amino[14]aneS4: A New Amine-Functionalised Crown Chalcogenide. <i>Synlett</i> , 1999, 1999, 921-924.	1.8	3
314	An improved preparation of 4-ethynylpyridine and its application to the synthesis of linear bipyridyl ligands. <i>Tetrahedron Letters</i> , 1999, 40, 5413-5416.	1.4	54
315	Silver(I)-“3,6-bis(pyridin-3-yl)-1,2,4,5-tetrazine coordination polymers: a diversity of chain motifs. <i>Crystal Engineering</i> , 1999, 2, 123-136.	0.7	34
316	Thioether crown complexes as templates for the assembly of extended polyiodide networks: synthesis x	0.7	7
317	Copper(I) iodide coordination networks—controlling the placement of (CuI) ladders and chains within two-dimensional sheets. <i>Crystal Engineering</i> , 1999, 2, 181-195.	0.7	99
318	Inorganic crystal engineering using self-assembly of tailored building-blocks. <i>Coordination Chemistry Reviews</i> , 1999, 183, 117-138.	18.8	1,675
319	Synthesis and Full Characterisation of the First Discrete Binuclear Complex Featuring a Two-Electron ($\text{f}^1/\text{f}^2-\text{C}^{\pm}$) Bridging Cyanide. <i>Chemistry - A European Journal</i> , 1999, 5, 1987-1991.	3.3	21
320	Template Assembly of Metal Aggregates by Imino-Carboxylate Ligands. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1915-1918.	13.8	84
321	Functionalised thioether macrocycles: synthesis of 1,5,9-trithiacyclododecane-3,7,11-triol ($\text{HO})_3[12]\text{aneS}_3$). <i>New Journal of Chemistry</i> , 1999, 23, 671-674.	2.8	9
322	The synthesis and structure of a neutral tetranuclear zinc(II) complex [Zn ₄ (L) ₄] [LH ₂ ...=...N,N-bis(2-mercaptoethyl)benzylamine]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, 1, 1041-1042.	1.1	10
323	Mixed aza-“thia crowns containing the 1,10-phenanthroline sub-unit. Substitution reactions in [NiL(MeCN)][BF ₄] ₂ {L=...2,5,8-trithia[9](2,9)-1,10-phenanthrolinophane}â€“. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1085-1092.	33	
324	Controlling copper(I) halide framework formation using N-donor bridging ligand symmetry: use of 1,3,5-triazine to construct architectures with threefold symmetry. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2103-2110.	1.1	152

#	ARTICLE	IF	CITATIONS
325	Parallel interpenetration in novel herringbone sheets formed by Co(II) and Cd(II) complexes with trans-4,4'-azobis(pyridine). <i>New Journal of Chemistry</i> , 1999, 23, 573-575.	2.8	97
326	Titanium imido complexes with 1,3,5-triazacyclohexane ligands: syntheses, solution dynamics and solid state structures. <i>New Journal of Chemistry</i> , 1999, 23, 271-273.	2.8	9
327	Structural and spectroscopic studies of charge-transfer adducts formed between IBr and thioether crowns. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 525-532.	1.1	19
328	Synthesis and crystal structure of $[Au_2(N-Ts[9]aneNS2)Cl_2]_2$ $\{N-Ts[9]aneNS2=7-(toluenesulfonyl)-7-aza-1,4-dithiacyclononane\}$ incorporating $Au\cdots A\cdots Au$ and π -interactions. <i>New Journal of Chemistry</i> , 1999, 23, 345-346.	2.8	5
329	Solvent Control in the Synthesis of 3,6-Bis(pyridin-3-yl)-1,2,4,5-tetrazine-Bridged Cadmium(II) and Zinc(II) Coordination Polymers. <i>Inorganic Chemistry</i> , 1999, 38, 2259-2266.	4.0	329
330	Two- and three-dimensional CuSCN co-ordination networks including new CuSCN structural motifs. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2813-2817.	1.1	75
331	Synthesis and Full Characterisation of the First Discrete Binuclear Complex Featuring a Two-Electron ($1f$) 2-C:C Bridging Cyanide. <i>Chemistry - A European Journal</i> , 1999, 5, 1987-1991.	3.3	0
332	Chemistry of mixed nitrogen- and sulfur-donor tridentate macrocycles. <i>Coordination Chemistry Reviews</i> , 1998, 174, 417-468.	18.8	63
333	Template Assembly of Polyiodide Networks at Complexed Metal Cations: Synthesis and Structures of $[Pd_2Cl_2([18]aneN_2S_4)]_{1.5}I_5(I_3)_2$ and $[K([15]aneO_5)_2]I_9$. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 293-296.	13.8	49
334	Hexakis(N,N-dimethylformamide-O)nickel(II) Bis(tetrafluoroborate). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 349-351.	0.4	4
335	Bis(acetonitrile-N)(1,4,8,12-tetraazacyclopentadecane)nickel(II) Bis(triiodide) and (1,4,8,12-Tetraazacyclopentadecane)palladium(II) Bis(triiodide). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 299-302.	0.4	2
336	Bis(1,4,7-trithiacyclononane-S,S',S'')cobalt(II) Bis(triiodide). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 293-295.	0.4	2
337	1,4,8,11-Tetrathiacyclotetradecan-6-one. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 245-247.	0.4	1
338	Dichloro($\frac{1}{4}\cdot[18]aneN_2S_4$)dipalladium(II) Bis(triiodide). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 1408-1410.	0.4	3
339	trans-Dichloro([16]aneS ₄)rhodium(III) Pentaiodide Diiodine. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 1410-1413.	0.4	4
340	Extended networks formed by coordination polymers in the solid state. <i>Current Opinion in Solid State and Materials Science</i> , 1998, 3, 419-424.	11.5	65
341	Cadmium(II), bismuth(III), lead(II) and thallium(I) crown thioether chemistry: synthesis and crystal structures of $[(CdI_2)_2([24]aneS_8)]$, $[(BiCl_3)_2([24]aneS_8)]$, $[Pb_2([28]aneS_8)]_1[ClO_4]_4$ and $[Tl([24]aneS_8)]PF_6$ ($[24]aneS_8$ =1,4,7,10,13,16,19,22-octathiacyclotetrasocane). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Transactions, 1998, , 3961-3968.		
342	Synthesis and characterisation of thioether crown hydrazones, and palladium(II) and platinum(II) complexes of 6-(2,4-dinitrophenylhydrazone)-1,4,8,11-tetrathiacyclotetradecane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 279-284.	1.1	2

#	ARTICLE	IF	CITATIONS
343	Syntheses and structures of a new class of aza- and thio-ether macrocyclic d0 imido complexes. <i>Chemical Communications</i> , 1998, , 1007-1008.	4.1	34
344	Synthesis and characterisation of pendant-arm alcohol derivatives of [9]aneN2S and complexation with Cull ([9]aneN2S-1-thia-4,7-diazacyclononane). <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2335-2340.	1.1	17
345	Self-assembly of a polynuclear ribbon: the structure of $\{[Cu_2(CN)_2(L)]\cdot MeNO_2\}\sim$ [$L=4,7\text{-bis}(2\text{-cyanoethyl})\text{-1-thia-4,7-diazacyclononane}$]. <i>New Journal of Chemistry</i> , 1998, 22, 1301-1303.	2.8	12
346	Nitrile functionalised pendant-arm derivatives of [9]aneN3 as new multidentate ligands for inorganic crystal engineering ([9]aneN3 = 1,4,7-triazacyclononane). <i>Chemical Communications</i> , 1998, , 2633-2634.	4.1	31
347	Thioether-iodine charge-transfer complexes. Synthesis and low-temperature single-crystal structures of complexes of penta-, hexa- and octa-dentate homoleptic thioether macrocycles. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2037-2046.	1.1	33
348	pH-Induced switching of metal ion co-ordination: the structure of $[Pd([18]aneN2S4\cdot 2H^+)\cdot [BF_4]4\cdot 2H_2O]$ from a twinned crystal ($[18]aneN2S4\cdot 1,4,10,13\text{-tetrathia-7,16-diazacyclooctadecane}$). <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2597-2598.	1.1	2
349	Mercury(II), silver(I) and gold(I) thioether crown chemistry: synthesis, electrochemistry and structures of $[(HgBr_2)_2([24]aneS_8)]$, $[(Ag_2([24]aneS_8)(CF_3SO_3)_2(MeCN)_2)\sim]$, $[Ag_2([28]aneS_8)][NO_3]_2$ and $[Au_2([28]aneS_8)][PF_6]_2$ ($[24]aneS_8\cdot 1,4,7,10,13,16,19,22\text{-octathiacyclotetrasulfane}$; Tj ETQq1 1 0.784314 rgBT /Overload Transactions, 1998, , 2031-2038.	1.1	14314 rgBT /Overload
350	Silver- γ -Thioether Crown Complexes as Templates for the Synthesis of Extended Polyiodide Networks: A Synthesis and X-ray Crystal Structures of $[Ag_2([15]aneS_5)_2]I_2$, $[Ag([18]aneS_6)]I$, $[Ag([18]aneS_6)]I_3$, and $[Ag([9]aneS_3)_2]I_5$. <i>Inorganic Chemistry</i> , 1998, 37, 5070-5077.	4.0	48
351	A new Cu(I) structural motif: synthesis of an uncharged three-dimensional co-ordination network. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 1533-1534.	1.1	53
352	Structural and Voltammetric Studies on the Reduction of the Bis(2,2'-bipyridyl)platinum(II) Cation in Aprotic Media. <i>Journal of the American Chemical Society</i> , 1998, 120, 8805-8811.	13.7	22
353	Synthesis, structures and magnetochemistry of binuclear cobalt(II), nickel(II) and copper(II) complexes of 2,6-diformyl-4-methylphenol dioxime. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3953-3960.	1.1	48
354	Macrocyclic Thioether Complexes of Palladium with Dibromoiodide Anions. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1998, 54, 295-298.	0.4	5
355	Template self-assembly of polyiodide networks. <i>Chemical Society Reviews</i> , 1998, 27, 195.	38.1	166
356	Copper(I) halide supramolecular networks linked by N-heterocyclic donor bridging ligands. <i>Pure and Applied Chemistry</i> , 1998, 70, 2351-2357.	1.9	97
357	Synthesis and complexation of nickel(II) and copper(II) by pendant-arm alcohol derivatives of [9]aneNS2 (7-aza-1,4-dithiacyclononane). <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3969-3976.	1.1	22
358	Crystal engineering: the effects of $\pi\cdots\pi$ interactions in copper(I) and silver(I) complexes of 2,7-diazapyrene. <i>Chemical Communications</i> , 1997, , 1339-1340.	4.1	104
359	Synthesis, structural and electronic characterisation of trans-[OsCl ₂ (PEt ₂ Ph) ₃ {(NC) ₂ C≡C(CN)OH}], a complex featuring a redox-active, tetracyanoethylene-derived ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 1973-1980.	1.1	1
360	Polycatenated copper(I) molecular ladders: a new structural motif in inorganic coordination polymers. <i>Chemical Communications</i> , 1997, , 2027-2028.	4.1	133

#	ARTICLE	IF	CITATIONS
361	Formation of oligomeric lanthanide complexes with new tripodal poly(imino carboxylate) ligands. Journal of the Chemical Society Dalton Transactions, 1997, , 3655-3658.	1.1	16
362	Thioether macrocycles as spacers for crystal engineering: synthesis and crystal structures of $[\text{Ag}_2([24]\text{aneS}_8)(\text{CF}_3\text{SO}_3)_2(\text{MeCN})_2]^{+}$ and $[\text{Ag}([\text{16}]\text{aneS}_4)(\text{BF}_4)^{-}]^{+}([24]\text{aneS}_8 =)$. $\text{Tj ETQq0 0 0 rgBT /Overlock}_{4.1} \text{Tf 50 702 Td (1,4}$ Communications, 1997, , 1943.	1.1	28
363	Control of interpenetrating copper(i) adamantoid networks: synthesis and structure of $\{[\text{Cu}(\text{bpe})_2]\text{BF}_4\}_n$. Chemical Communications, 1997, , 1005-1006.	4.1	164
364	Structural and solution studies of diiodine charge-transfer complexes of thioether crowns. Journal of the Chemical Society Dalton Transactions, 1997, , 1337-1346.	1.1	27
365	Lanthanoid complexes of a tripodal acetal ligand: synthesis, structural characterisation and reactivity with 3d metals. Journal of the Chemical Society Dalton Transactions, 1997, , 173-180.	1.1	41
366	In situ ligand synthesis and construction of an unprecedented three-dimensional array with silver(i): a new approach to inorganic crystal engineering. Chemical Communications, 1997, , 1675-1676.	4.1	189
367	Bis[bis(2-aminoethyl-N)sulfide-S]nickel(II) Bis(hexafluorophosphate). Acta Crystallographica Section C: Crystal Structure Communications, 1997, 53, 411-413.	0.4	3
368	1,4,8,11-Tetrakis(diiodine)-1,4,8,11-tetrathiacyclotetradecane. Acta Crystallographica Section C: Crystal Structure Communications, 1997, 53, 886-888.	0.4	9
369	Anion Control in Bipyridylsilver(I) Networks: A Helical Polymeric Array. Angewandte Chemie International Edition in English, 1997, 36, 2327-2329.	4.4	473
370	Synthesis and structure of tetranuclear zinc(II) and binuclear copper(II) complexes of a dithiolate compartmental macrocyclic ligand: a model for the binuclear CuAsite in cytochrome c oxidase and N ₂ O reductase. Chemical Communications, 1996, , 2573-2574.	4.1	49
371	Synthesis and structure of half-sandwich palladium(II) complexes of 1,4,7-trithiacyclononane ([9]aneS ₃) incorporating halide, phosphine and heterocyclic ligands. Journal of the Chemical Society Dalton Transactions, 1996, , 1885-1895.	1.1	42
372	Schiff-base compartmental macrocyclic complexes. Chemical Communications, 1996, , 457-464.	4.1	147
373	Asymmetric functionalisation of aza macrocycles. Syntheses, crystal structures and electrochemistry of $[\text{Ni}(\text{Bz}[9]\text{aneN}_3)_2][\text{PF}_6]_2$ and $[\text{Pd}(\text{Bz}[9]\text{aneN}_3)_2][\text{PF}_6]_2$. $\text{2MeCN (Bz[9]aneN}_3=)$. $\text{Tj ETQq1 1 0.784314 rgBT /Overlock}_{10.2} \text{Tf 50 257}$	1.1	27
374	Template synthesis of polyiodide belt at a metal complex cation: structure of $[(\text{[16]aneS}_4)\text{M}^{+}]^{+}\text{M}^{+}(\text{[16]aneS}_4)]^{3+} + [\text{I}_5^{-}]^{2-}$ ($\text{M} = \text{Pd, Pt}$) incorporating a symmetric linear $\text{M}-\text{M}$ bridge ($[\text{16]aneS}_4 = 1,5,9,13\text{-tetrathiacyclohexadecane}$). Chemical Communications, 1996, , 2207-2208.	4.1	23
375	Synthesis, platinum-195 nuclear magnetic resonance spectroscopic and extended X-ray absorption fine structure studies on platinum-(II) and -(IV) thioether macrocyclic complexes. Journal of the Chemical Society Dalton Transactions, 1996, , 2979-2983.	1.1	13
376	Selective derivatisation of aza macrocycles. Journal of the Chemical Society Dalton Transactions, 1996, , 4379-4387.	1.1	26
377	A new class of mixed aza-thioether crown containing a 1,10-phenanthroline sub-unit. Journal of the Chemical Society Dalton Transactions, 1996, , 3705-3712.	1.1	31
378	Synthesis, structure and characterisation of amido derivatives of [9]aneN ₃ (1,4,7-triazacyclononane). Journal of the Chemical Society Dalton Transactions, 1996, , 31-43.	1.1	11

#	ARTICLE	IF	CITATIONS
379	Macrocyclic liquid crystals. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 1996, 354, 395-414.	3.4	19
380	catena-{{[HgCl ₂ ([18]aneS ₂ O ₄)]HgCl ₂ } at 150K: a Redetermination and Reinterpretation. Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 21-24.	0.4	4
381	mer-Bis[2,6-bis(1-phenyliminoethyl)pyridine-N,N',N'']copper(II) Diperchlorate. Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 37-39.	0.4	6
382	4-(4-n-Heptylbenzoyloxy)benzoic Acid. Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 194-197.	0.4	1
383	Potassium Dibenzo-18-crown-6 Triiodide. Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 24-27.	0.4	9
384	Tetrakis(dimethyl sulfoxide-O)copper(II) Bis(perchlorate). Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 514-516.	0.4	4
385	Tris(1,4,7,10-tetraoxa-13,16-dithiacyclooctadecane-S,S')ruthenium(II) Bis(hexafluorophosphate)â€“Waterâ€“Methanol (1/2/1). Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 1401-1403.	0.4	3
386	2,5-Dithiahexane-1,6-diyl-4,4'-bis(1,3-dioxolan-2-one). Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 1699-1701.	0.4	1
387	4,7-Bis(2-thiophenyl)-1-thia-4,7-diazacyclononane. Acta Crystallographica Section C: Crystal Structure Communications, 1996, 52, 3062-3064.	0.4	3
388	1,4,7-Triazatricyclo[5.2.1.04,10]decane at 100 K. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 738-741.	0.4	7
389	5,5'-Di(antracenecarboxylic) Anhydride. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 1472-1474.	0.4	0
390	1,4,7,10,13-Pentaoxa-16,19-dithiacycloheicosane Sesquihydrate at 150 K. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 2186-2189.	0.4	0
391	4-n-Heptylbenzoic Acid. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 2666-2668.	0.4	5
392	Redetermination of the Structures of 1,4,7-Trioxa-10,13-dithiacyclopentadecane and 1,4,7,10-Tetraoxa-13,16-dithiacyclooctadecane. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 2668-2671.	0.4	4
393	Selbstorganisation von Polyanionen an einem Komplexkationenâ€“Templat: Synthesen und Strukturen von {[Ag([18]anS₆)]I₇}_n_in_i_n und [Ag([18]anS₆)]I₃. Angewandte Chemie, 1995, 107, 2563-2565.	2.0	14
394	Self-Assembly of Polyanions at a Metal Cation Template: Syntheses and Structures of {[Ag([18]aneS ₆)I ₇] _n and [Ag([18]aneS ₆)]I ₃ . Angewandte Chemie International Edition in English, 1995, 34, 2374-2376.	4.4	102
395	Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures of [RuCl ₂ (PPh ₃) ₂ ([15]aneS ₂ O ₃)], [RuCl(PPh ₃)([18]aneS ₂ O ₄) ₂]PF ₆ , [RuCl(p-MeC ₆ H ₄ -i-Pr)([15]-aneS ₂ O ₃)]PF ₆ , [RuCl(C ₆ H ₆)([18]aneS ₂ O ₄)]X (X = PF ₆ or BPh ₄) and [Ru(C ₅ H ₅)(PPh ₃)([18]aneS ₂ O ₄)]PF ₆ , ([15]aneS ₂ O ₃ =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (1,4,7,10-		
396	Synthesis and characterisation of palladium(II) complexes of mixed thioether/oxa ionophores. Crystal structures of [PdCl ₂ ([18]aneS ₂ O ₄)], [Pd([18]aneS ₂ O ₄) ₂]PF ₆ 2([18]aneS ₂ O ₄ =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (1,4,7,10-, 4045-4052.	1.1	13

#	ARTICLE	IF	CITATIONS
397	The synthesis and single-crystal X-ray structure of the tetranuclear silver(I) complex $\{[Ag_2([18]aneS2O4)_2]_2\}(PF6)_4$ ([18]aneS2O4= 1,4,7, 10-tetraoxa-13, 16-dithiacyclooctadecane). Journal of the Chemical Society Chemical Communications, 1994, , 985-986.	2.0	14
398	Platinum metal complexes of hexa-aza macrocycles: Synthesis and single crystal X-ray structure of $[Pd_2Cl_2(Me_6[18]aneN_6)](PF6)_2$ ($Me_6[18]aneN_6 \leftarrow$) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 697 Td (1,4,7,10,13,16-hexamethyl-1,4,7,1		
399	A series of osmium carbonyl complexes with related terminal, bridging and capping phosphorus ligands. Acta Crystallographica Section C: Crystal Structure Communications, 1994, 50, 371-375.	0.4	1
400	Synthesis and electrochemistry of nickel and cobalt complexes of mixed thiaâ€“aza crown ethers: single-crystal structures of $[Ni([18]aneN_2S_4)](PF6)_2$ ·0.33H2O and $[CO([18]aneN_2S_4)](PF6)_3$ ·3H2O ([18]aneN2S4= 1,4,10,13-tetrathia-7,16-diazacyclooctadecane). Journal of the Chemical Society Dalton Transactions, 1994, , 3291-3297.	1.1	13
401	Macrocyclic liquid crystals from functionalised thioether crowns: the single-crystal X-ray structures of cis- and trans-R2[14]aneS4(R = O2C6H4OMe-4). Journal of the Chemical Society Chemical Communications, 1994, , 2471-2473.	2.0	8
402	Synthesis of cationic half-sandwich rhodium(I) complexes of 1,4,7-trithiacyclononane ([9]aneS3). The single-crystal structures of $[Rh([9]aneS_3)(C_2H_4)_2]PF_6$, $[Rh([9]aneS_3)(C_8H_{12})]BF_4$ and $[Rh([9]aneS_3)(C_4H_6)]PF_6$ ·0.25Et2. Journal of the Chemical Society Dalton Transactions, 1994, , 2197-2208.	1.1	8
403	Stacked amido macrocyclic complexes: synthesis and single crystal X-ray structure of $Na[Cu(L)(NCMe)](BF_4)_2(NO_3)$ [L = 1-formyl-4,7-bis(2-hydroxy-2-methylpropyl)-1,4,7-triazacyclononane]. Journal of the Chemical Society Chemical Communications, 1994, , 2467-2469.	2.0	20
404	New ligands for complexation of lanthanoids: the synthesis and structures of a nonadentate Schiff-base ligand (L1) and of the complexes $[ML_1(OH_2)](ClO_4)_3$ ·3MeNO2(M = La, Pr) and $[YL_1](ClO_4)_3$ ·3MeCN. Journal of the Chemical Society Chemical Communications, 1994, , 1669-1670.	2.0	20
405	Synthesis of a new binucleating ligand LH4: synthesis and X-ray structures of anti- $[Co_2(LH_4)(OH_2)_2](NO_3)_4$ ·5H2O, anti- $[Ni_2(LH_4)(NCMe)_2](PF_6)_4$ ·4H2O, anti- $[Zn_2(LH_4)(NO_3)_2](NO_3)_2$ and o syn- $[Cu_2(LH_2)](BPh_4)_2$. Journal of the Chemical Society Chemical Communications, 1994, , 1981-1982.		17
406	Platinum thioether macrocyclic chemistry: synthesis and electrochemistry of $[PtL][PF_6]_2$ (L =[12]-, [14]-) Tj ETQq0 0 0 rgBT /Overlock 10 Tf the Chemical Society Dalton Transactions, 1994, , 627-631.	1.1	23
407	Nickel thioether chemistry: syntheses and crystal structures of $[Ni_2L_2(\mu-Cl)_2][BF_4]_2$ (I =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1463-1470.	1.1	13
408	Organometallic macrocyclic chemistry: synthesis of cationic half-sandwich iridium(I) complexes of 1,4,7-trithiacyclononane ([9]aneS3). Crystal structures of $[Ir([9]aneS_3)(C_2H_4)_2]PF_6$, $[Ir([9]aneS_3)(C_8H_{12})]PF_6$ and $[Ir([9]aneS_3)(C_4H_6)]PF_6$ ·0.5Et2O. Journal of the Chemical Society Dalton Transactions, 1994, , 1631-1639.	1.1	17
409	$[Rh([9]aneS_3)(CO)(PPh_3)] + PF_6^-$. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 85-87.	0.4	7
410	Structure of carbonylbis(diphenyldithiophosphinato)(triphenylphosphine)ruthenium diethyl ether solvate $[Ru(CO)(S_2PPh_2)_2(PPh_3)]$ ·0.25Et2O. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 135-137.	0.4	1
411	[12]aneS4PdCl2. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 167-168.	0.4	0
412	Tetra(n-butyl)ammonium trifluoromethanesulfonate. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 1652-1654.	0.4	4
413	Conformational studies on [16]aneS4. Structures of $\hat{\imath}^{\pm}$ - and $\hat{\imath}^2$ -[16]aneS4 ([16]aneS4 =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 773-779.	1.8	16
414	Synthesis, structure and electrochemistry of $[Pt([10]aneS_3)_2][PF_6]_2$ ([10]aneS3=) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (1,4,7-tr	1.1	26

#	ARTICLE	IF	CITATIONS
415	Structural isomerism in silver thioether macrocyclic chemistry: the synthesis, redox properties and crystal structures of $[\text{Ag}_n([15]\text{aneS}_5)_n][\text{PF}_6]_n$, $[\text{Ag}_2([15]\text{aneS}_5)_2][\text{BPh}_4]_2$ and $[\text{Ag}([15]\text{aneS}_5)][\text{B}(\text{C}_6\text{F}_5)_4]$ ($[15]\text{aneS}_5 = 1,4,7,10,13\text{-pentathiacyclopentadecane}$). <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 521-531.	1.1	48
416	Polynuclear nickel(II) complexes of N4O2- and N4S2-compartmental macrocycles: the structures of a Ni4O4cubane cluster and the binuclear nickel(II) complex of a benzenethiolate macrocycle. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1662-1665.	2.0	55
417	Synthesis of binuclear platinum metal N4O2-compartmental complexes: the structures of the protonated metal-free macrocycle $[\text{LH}_4](\text{PF}_6)_2\cdot\text{MeNO}_2$ and of $[\text{Pd}_2(\text{L})](\text{BF}_4)_2\cdot\text{MeNO}_2$. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 353-355.	2.0	22
418	Synthesis, structure and electrochemistry of $[\text{Pd}([9]\text{aneNS}_2)_2]\cdot[\text{BF}_4]_2$ ($[9]\text{aneNS}_2 = \text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}\text{S}_2\text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}$). <i>Tetrahedron Letters</i> , 1993, 10, 622-625.	1.1	10
419	Nickel thioether chemistry: synthesis, structures and electrochemistry of five-co-ordinate nickel(II) complexes of $[9]\text{aneS}_3$. Crystal structures of $[\text{Ni}([9]\text{aneS}_3)\text{(dpmm)}][\text{PF}_6]_2$, $[\text{Ni}([9]\text{aneS}_3)\text{(dcpe)}][\text{PF}_6]_2$ ($\text{A} = 1.25\text{MeCN}$) and $[\text{Ni}([9]\text{aneS}_3)\text{(tdpme)}][\text{PF}_6]_2$ ($[9]\text{aneS}_3 = 1,4,7\text{-Trithiacyclononane}$, dpmm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, dcpe = $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_4\text{P}(\text{C}_6\text{H}_{11})_2$, tdpme = $\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_2\text{CH}_3$). <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, 2209-2219.	1.1	21
420	Interconversion of aul/II/Illcentres in thioether macrocyclic complexes: the synthesis, structures and redox properties of $[\text{Au}([18]\text{aneS}_6)]\text{PF}_6$ and $[\text{Au}_2([15]\text{aneS}_5)_2][\text{B}(\text{C}_6\text{F}_5)_4]_2$. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1097-1098.	2.0	18
421	Agostic Pd a^- H+ a^- NHR2and apical Pd a^- NHR2interactions: the synthesis and structures of $[\text{PdII}\text{Cl}_2(\text{H}[9]\text{aneN}_3)]^+$, the PdII a^- PdIIdimer $[(\text{H}[9]\text{aneN}_3)\text{Cl}_2\text{Pd}\text{a}^-]^+$, $[\text{Pd}(\text{Me}_3[9]\text{aneN}_3)(\text{NCMe})_2]^+$ and $[\text{Pd}(\text{Me}_3[9]\text{aneN}_3)(\text{NCMe})_2]^+$. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 260-262.	2.0	23
422	The synthesis and low-temperature single crystal X-ray structure of the charge-transfer complex $([9]\text{aneS}_3)_2(2)(4)([9]\text{aneS}_3 = 1,4,7\text{-trithiacyclononane})$. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1191-1193.	2.0	21
423	Crystal structure of (1,4,7-trithiacyclononane)-(1,2-bis(diphenylphosphino)ethane)nickel(II)bis(tetrafluoroborate), $\text{C}_{32}\text{H}_{36}\text{NiP}_2\text{S}_3(\text{BF}_4)_2(\text{H}_2\text{O})_0.4$. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 1993, 205, 295-299.	0.8	3
424	Crystal structure of $7\text{H}^+, 16\text{H}^- + 1,4,10,13\text{-tetrathia-7,16-diazacyclooctadecane bis(tetraphenylboronate)}$, $(\text{C}_{12}\text{H}_{28}\text{N}_2\text{S}_4)((\text{C}_6\text{H}_5)_4\text{B})_2$. <i>Zeitschrift FÄhrer Kristallographie</i> , 1992, 198, 162-164.	1.1	1
425	Crystal structure of trans-bis(acetonitrile)-bis(1,2-bis(diphenylphosphino)ethane)iron(II)-bis-(tetrafluoroborate) bis(dichloromethane), $(\text{CH}_3\text{CN})_2(\text{C}_{26}\text{H}_{24}\text{P}_2)_2\text{Fe}(\text{BF}_4)_2(\text{CH}_2\text{Cl}_2)_2$. <i>Zeitschrift FÄhrer Kristallographie</i> , 1992, 199, 287-289.	1.1	4
426	Heteronuclear cluster formation: the synthesis and structure of the chloro-bridged tetranuclear complex $[\text{TiCl}_2\text{Ru}(\text{PPh}_3)([9]\text{aneS}_3)]_2(\text{PF}_6)_2$ incorporating a $[\text{RuCl}_2\text{Ti}_2\text{Cl}_2\text{Ru}]$ ladder ($[9]\text{aneS}_3 = \text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}\text{S}_2\text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}$). <i>Tetrahedron Letters</i> , 1992, 10, 217-220.	1.1	20
427	Correlation of the redox properties and stereochemical features of copper complexes of $[18]\text{aneN}_2\text{S}_4$ ($1,4,10,13\text{-tetrathia-7,16-diazacyclooctadecane}$) and its $\text{N},\text{N}^2\text{-dimethyl derivative}$ $\text{Me}_2[18]\text{aneN}_2\text{S}_4$. Crystal structures of $[\text{Cu}(\text{I})([18]\text{aneN}_2\text{S}_4)][\text{ClO}_4]_2\cdot\text{H}_2\text{O}$, $[\text{Cu}(\text{II})(\text{Me}_2[18]\text{aneN}_2\text{S}_4)][\text{PF}_6]_2$, $[\text{Cu}_2([18]\text{aneN}_2\text{S}_4)]\text{BPh}_4$, $[\text{Cu}(\text{Me}_2[18]\text{aneN}_2\text{S}_4)]\text{PF}_6$ and $[\text{Cu}_2(\text{Me}_2[18]\text{aneN}_2\text{S}_4)(\text{NCMe})_2][\text{PF}_6]_2$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, 2803-2808.	1.1	12
428	Nickel thioether chemistry: syntheses of nickel(II) complexes of tetra- and penta-thia macrocyclic ligands. The single-crystal structures of $[\text{Ni}([16]\text{aneS}_4)(\text{OH}_2)_2]\text{BF}_4$ and $[\text{Ni}([15]\text{aneS}_5)][\text{PF}_6]_2$ ($[16]\text{aneS}_4 = 1,5,9,13\text{-tetrathiacyclohexadecane}$, $[15]\text{aneS}_5 = 1,4,7\text{-trithiacyclononane}$). <i>Tetrahedron Letters</i> , 1992, 10, 217-220.	1.1	10
429	Nickel thioether chemistry: a re-examination of the electrochemistry of $[\text{Ni}([9]\text{aneS}_3)_2]^{2+}$. The single-crystal X-ray structure of a nickel(III) thioether complex, $[\text{Ni}^{III}([9]\text{aneS}_3)_2][\text{H}_5\text{O}_2]_3[\text{ClO}_4]_6$ ($[9]\text{aneS}_3 = 1,4,7\text{-trithiacyclononane}$). <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3427-3431.	1.1	24
430	On the transport and selective complexation of silver(I) by mixed thioether-oxa crowns. The single crystal X-ray structures of $[\text{Ag}_n([15]\text{aneS}_2\text{O}_3)_n](\text{PF}_6)_n$ and $[\text{Ag}_2([15]\text{aneS}_2\text{O}_3)_3](\text{PF}_6)_2$ ($[15]\text{aneS}_2\text{O}_3 = \text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}\text{SO}_3^-$). <i>Tetrahedron Letters</i> , 1992, 10, 217-220.	2.0	45
431	Thallium macrocyclic chemistry: synthesis and crystal structures of $[\text{Ti}([18]\text{aneN}_2\text{S}_4)]\text{PF}_6$ and $[\text{Ti}([18]\text{aneS}_6)]\text{PF}_6$ ($[18]\text{aneN}_2\text{S}_4 = 1,4,10,13\text{-tetrathia-7,16-diazacyclooctadecane}$, $[18]\text{aneS}_6 = \text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}\text{S}_2\text{C}_6\text{H}_{11}\text{CH}_2\text{C}_6\text{H}_{11}$). <i>Tetrahedron Letters</i> , 1992, 10, 2987-2992.	1.1	13
432	Osmium thioether chemistry: synthesis and single-crystal X-ray structures of $[\text{Os}([9]\text{aneS}_3)_2][\text{PF}_6]_2\cdot\text{MeNO}_2$, $[\text{Os}(4\text{-MeC}_6\text{H}_4\text{Pri})([9]\text{aneS}_3)][\text{BPh}_4]_2\cdot\text{MeNO}_2$ and $[\text{OsH}(\text{CO})(\text{PPh}_3)([9]\text{aneS}_3)][\text{PF}_6]_2\cdot0.5\text{CH}_2\text{Cl}_2$ ($[9]\text{aneS}_3 = 1,4,7\text{-trithiacyclononane}$). <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 2977-2986.	1.1	16

#	ARTICLE	IF	CITATIONS
433	Thioether macrocyclic chemistry: Synthesis of $[\text{RhCl}([\text{15}]\text{aneS5})]^{2+}$ and $[\text{Ru}(\text{PPh}_3)([\text{15}]\text{aneS5})]^{2+}$. The single crystal X-ray structure of $[\text{Ru}(\text{PPh}_3)([\text{15}]\text{aneS5})](\text{BPh}_4)_2$ ($[\text{15}]\text{aneS5} = \text{Tj ETQq1 1 0.784314 rgBT /Overlock}_{20}$ Tf 501737 Td 1,2,3)		
434	Rhodium thioether chemistry: the synthesis and electrochemistry of $[\text{Rh}([\text{18}]\text{aneS6})]^{3+}$ and the ring-opened vinyl thioether complexes $[\text{Rh}([\text{18}]\text{aneS6-H})]^{2+}$ and $[\text{Rh}(\text{Me}_2[\text{18}]\text{aneN2S4-H})]^{2+}$ ($[\text{18}]\text{aneS6} = \text{Tj ETQq0 0 0 rgBT}_{2,2,3} /Overlock_{13}$)		
435	Tri- t^1C -chloro-bis(1,4,7-trithiacyclononane)dinickel(II) tetrafluoroborate acetonitrile solvate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1992, 48, 1844-1846.	0.4	2
436	Is the molecular structure of 1,4,7-trithiacyclononane([9]aneS3) as symmetrical in the gas phase as it is in the crystal? An electron diffraction study. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1991, , 773-778.	0.9	13
437	Notes. Thallium thioether chemistry. Synthesis and crystal structure of $[\text{Tl}([\text{9}]\text{aneS3})]\text{PF}_6$ ($[\text{9}]\text{aneS3} = \text{Tj ETQq1 1 0.784314 rgBT /Overlock}_{1,1,18}$) <i>Chemical Society Dalton Transactions</i> , 1991, , 529-532.		
438	Silver macrocyclic complexes: synthesis, crystal structures and redox properties of $[\text{Ag}([\text{18}]\text{aneN2S4})]\text{PF}_6$ and $[\text{Ag}(\text{Me}_2[\text{18}]\text{aneN2S4})]\text{BPh}_4$ ($[\text{18}]\text{aneN2S4} = \text{Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (1,4,10,13-tetra}_{1,1,24}$)		
439	Transactions, 1991, , 615-620. Synthesis, structure and reactivity of cationic rhodium(I) and iridium(I) thioether crowns: structures of $[\text{M}([\text{9}]\text{aneS3})(\text{cod})]^{+}$ ($\text{M} = \text{Rh, Ir; cod} = \text{cycloocta-1,5-diene}$) and $[\text{Rh}([\text{9}]\text{aneS3})(\text{C}_2\text{H}_4)_2]^{+}$ ($[\text{9}]\text{aneS3} = \text{Tj ETQq1 1 0.784314 rgBT /Overlock}_{1,1,18}$)		
440	Crystal structure of 2,4-dimethyl-benzo-1,5-diazepinium hexafluorophosphate, $\text{C}_{11}\text{H}_{13}\text{N}_2\text{PF}_6$. <i>Zeitschrift fÃ¼r Kristallographie</i> , 1991, 194, 148-151.	1.1	6
441	Dichloro(7,16-dimethyl-1,4,10,13-tetrathia-7,16-diazacyclooctadecane)diplatinum bis(hexafluorophosphate). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 64-66.	0.4	4
442	Structure of $\text{O}_6[\text{9}]\text{aneS3}$ (1,4,7-trithiacyclononane 1,1,4,4,7,7-hexaoxide). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1991, 47, 2717-2718.	0.4	7
443			

#	ARTICLE	IF	CITATIONS
451	Bis(1,4,7-trithiacyclononan)gold(II) dikation: Ein paramagnetischer, einkerniger Au ^{II} -Komplex. <i>Angewandte Chemie</i> , 1990, 102, 203-204.	2.0	27
452	Photopolymerisation of ion-selective membranes onto silicon nitride surfaces for ISFET fabrication. <i>Electrochimica Acta</i> , 1990, 35, 777-783.	5.2	16
453	Stereochemical and conformational control of metal redox processes: the co-ordination chemistry of the mixed N- and S-donor macrocyclic crowns [18]aneN ₂ S ₄ and Me ₂ [18]aneN ₂ S ₄ . <i>Chemical Society Reviews</i> , 1990, 19, 239-269.	38.1	108
454	Ruthenium thioether chemistry: the synthesis and structure of a host-guest complex [Ru([9]aneS ₃) ₂][BPh ₄] ₂ ·2Me ₂ SO, and of [Ru([9]aneS ₃) ₂][BPh ₄] ₂ ·2MeNO ₂ and [Ru([18]aneS ₆)][BPh ₄] ₂ ([9]aneS ₃ =1,4,7-trithiacyclononane, [18]aneS ₆ =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 61 Td (1,4,9,10,13,10,3841-3847.	1.1	1
455	The spectroelectrochemical study of [Ru ₂ Cl ₈ py] ⁿ⁺ (n= 1,2,3; py = pyridine): a series of complexes with two accessible mixed-valence states. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, .	2.0	2
456	Platinum metal complexes of mixed thia/oxa ionophores. The synthesis and single-crystal X-ray structures of [Pd([15]aneS ₂ O ₃) ₂][PF ₆] ₂ and [RuCl(PPh ₃)([15]aneS ₂ O ₃) ₂]PF ₆ ·H ₂ O ([15]aneS ₂ O ₃ =) Tj ETQq0 0 0 rgBT /Overlock 10 3849-3856.	1.1	16
457	Iridium thioether chemistry: the synthesis and structures of [IrL ₂][PF ₆] ₃ and [IrHL ₂][PF ₆] ₂ (L =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Synthesis, structures, and electrochemistry of palladium and platinum macrocyclic complexes of [18]aneN ₂ S ₄ (1,4,10,13-tetrathia-7,16-diazacyclo-octadecane) and Me ₂ [18]aneN ₂ S ₄ (7,16-dimethyl-1,4,10,13-tetrathia-7,16-diazacyclo-octadecane). Single crystal X-ray structures of [Pd(Me ₂ [18]aneN ₂ S ₄)][PF ₆] ₂ ·Me ₂ CO, [Pd([18]aneN ₂ S ₄)][BPh ₄] ₂ , and [Pd ₂ Cl ₂ ([18]aneN ₂ S ₄)][PF ₆] ₂ ·2MeCN. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 3363-3373.	1.1	43
459	[Ag ₂ ([15]aneS ₅) ₂] ₂ ⁺ : a binuclear silver(I) complex incorporating asymmetrically bridging thioether donors. ([15]aneS ₅ = 1,4,7,10,13-pentathiacyclopentadecane). <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 974-976.	2.0	29
460	Chemistry of Thioether Macroyclic Complexes. <i>Advances in Inorganic Chemistry</i> , 1990, 35, 1-80.	1.0	369
461	Structure of trans-di-1/4-chloro-dichlorobis(triethylphosphine)diplatinum. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1218-1219.	0.4	7
462	Structure of 7,16-dimethyl-7H ⁺ ,16H ⁺ -1,4,10,13-tetrathia-7,16-diazoniacyclooctadecane dipicrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1989, 45, 1637-1639.	0.4	1
463	Organometallic macrocyclic complexes: the synthesis, electrochemistry and single crystal X-ray structure of [Fe(C ₅ H ₅)(L)] ⁺ (L = 1,4,7-trithiacyclononane). <i>Journal of Organometallic Chemistry</i> , 1989, 359, 371-378.	1.8	17
464	Silver thioether chemistry: Synthesis, X-ray crystal structure and redox properties of [Ag([18]aneS ₆)] ⁺ ([18]aneS ₆ = 1,4,7,10,13,16-hexathiacyclooctadecane). <i>Polyhedron</i> , 1989, 8, 513-518.	2.2	66
465	Mercury thioether chemistry: The synthesis and structure of [Hg([9]aneS ₃) ₂](PF ₆) ₂ ([9]aneS ₃ =) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.2	41
466	Platinum metal thioether macrocyclic complexes: synthesis, electrochemistry, and single-crystal X-ray structures of cis-[RhCl ₂ L ₂]PF ₆ and trans-[RhCl ₂ L ₃]PF ₆ (L ₂ = 1,4,8,11 -tetrathiacyclotetradecane, L ₃ =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 1675-1680.	1.1	26
467	Stereochemical and electronic control of the copper(II)/(I) couple by N ₂ S ₄ -donor macrocycles. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 984-986.	2.0	14
468	C ¹³ H activation in a co-ordinated catenane: ortho-metallation of cat30 by palladium(II). <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 1663-1665.	2.0	15

#	ARTICLE	IF	CITATIONS
469	C_6H Activation of co-ordinated crowns thioethers: deprotonation and ring-opening of $[\text{M}([\text{9}]\text{aneS}3)2]3+$ ($\text{M} = \text{Co, Rh, Ir}$). Crystal structure of $[\text{Rh}(\text{H}_2\text{C}\text{EtCHS}(\text{CH}_2)\text{S}(\text{CH}_2)\text{S}([\text{9}]\text{aneS}3)](\text{PF}_6)_2$ ($[\text{9}]\text{aneS}3 = 1,4,7\text{-trithiacyclononane}$). Journal of the Chemical Society Chemical Communications, 1989, , 1600-1602.	2.0	50
470	Precursor catenand complexes: synthesis, structure, and electrochemistry of bis(2,6-di-iminopyridyl) complexes of nickel(II). The single-crystal X-ray structure of $[\text{NiL}42][\text{BF}_4]_2$. Journal of the Chemical Society Dalton Transactions, 1989, , 965-970.	1.1	27
471	Gold thioether chemistry: synthesis, structure, and redox interconversion of $[\text{Au}([\text{9}]\text{aneS}3)2]+2/3+([\text{9}]\text{aneS}3 = 1,4,7\text{-trithiacyclononane})$. Journal of the Chemical Society Chemical Communications, 1989, , 876-878.	2.0	47
472	J^{C} -Effects in thioether macrocyclic complexes: the stabilisation and structure of the low-spin Fe^{III} thioether complex $[\text{Fe}([\text{9}]\text{aneS}3)2]3+$. Journal of the Chemical Society Chemical Communications, 1989, , 1433-1434.	2.0	32
473	Structure of cis-[PdCl_2L] ($\text{L} = 1,4,7\text{-trithiacyclononane}$). Acta Crystallographica Section C: Crystal Structure Communications, 1988, 44, 360-361.	0.4	15
474	Structure of C-meso-2,12-dimethyl-3,7,11,17-tetraazabicyclo[11.3.1]heptadeca-1(17),13,15-triene monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 1988, 44, 1325-1326.	0.4	0
475	Structure of trans-[bis(2,2'-bipyridyl)bis(methyldiphenylphosphine)ruthenium(II)] perchlorate tetrahydrofuran solvate. Acta Crystallographica Section C: Crystal Structure Communications, 1988, 44, 935-936.	0.4	3
476	Platinum metal thioether macrocyclic complexes: synthesis and single crystal X-ray structure of cis-[$\text{IrCl}_2(\text{L})\text{BPh}_4$ ($\text{L} = 1,4,8,11\text{-tetrathiacyclotetradecane}$)]. Journal of Organometallic Chemistry, 1988, 356, 389-396.	1.8	11
477	Synthesis and single-crystal X-ray structure determination of trans-[$\text{RhCl}_2(\text{tmc})\text{PF}_6$ ($\text{tmc} = \text{Tj ETQq1 1 0.784314 rgBT /Overlock 10 TFS}$)]. Transactions, 1988, , 1561-1564.	1.1	6
478	Homoleptic hexathia complexes of rhodium. The synthesis, electrochemistry, and single-crystal X-ray structure of $[\text{RhL}_2][\text{PF}_6]_3$ ($\text{L} = 1,4,7\text{-trithiacyclononane}$). Journal of the Chemical Society Dalton Transactions, 1988, , 1861-1865.	1.1	40
479	Palladium(II)/(III) complexes of triaza macrocycles: synthesis and single crystal X-ray structures of $[\text{Pd}^{III}(\text{tacn})_2]3+$ and $[\text{Pd}^{II}(\text{tacn})(\text{tacnH})]3+$ ($\text{tacn} = 1,4,7\text{-triazacyclononane}$). Journal of the Chemical Society Chemical Communications, 1988, , 1452-1454.	2.0	47
480	Intra- and inter-molecular stacking in tetracyanoethylene (tcne) complexes of platinum metal dithio acids: the structures and electrochemistry of $[\text{Os}(\text{S}2\text{PR}_2)_2(\text{PPh}_3)(\text{tcne})]$ ($\text{R} = \text{Me, Ph}$). Journal of the Chemical Society Chemical Communications, 1988, , 1533-1535.	2.0	12
481	Rhenium complexes of tetra-aza macrocycles: the synthesis and single-crystal X-ray structure of trans-[$\text{Re}(\text{O})_2(\text{cyclam})\text{Cl}_2\cdot 2(\text{BPh}_3\text{H}_2\text{O})$]. Journal of the Chemical Society Dalton Transactions, 1988, , 2645-2647.	1.1	26
482	Hydro platinum metal macrocyclic complexes: the synthesis and single-crystal X-ray structure of cis-[$\text{IrCl}(\text{H})\text{L}_1\text{PF}_6$ { $\text{L}_1 = 7\text{-methyl-3,7,11,17-tetrazabicyclo[11.3.1]heptadeca-1(17),13,15-triene}$ }]. Journal of the Chemical Society Dalton Transactions, 1988, , 1165-1168.	1.1	5
483	Stereochemical and redox properties of palladium complexes of 1,4,10,13-tetrathia-7,16-diazacyclo-octadecane. Journal of the Chemical Society Chemical Communications, 1988, , 1397-1399.	2.0	43
484	Macrocyclic complexes of the platinum metals. Pure and Applied Chemistry, 1988, 60, 517-524.	1.9	125
485	Stabilisation of trivalent platinum by structurally accommodating thiamacrocycles. Journal of the Chemical Society Chemical Communications, 1987, , 118-120.	2.0	87
486	Mixed-metal phosphinito complexes of platinum(II) and palladium(II) with lanthanide and actinide elements. The single-crystal X-ray structure of $[\text{UO}_2(\text{OH})_2\{(\text{OPPh}_2)_2\text{Pd}(\text{S}_2\text{CNEt}_2)\}_2]$. Journal of the Chemical Society Dalton Transactions, 1987, , 2853-2856.	1.1	11

#	ARTICLE	IF	CITATIONS
487	Studies on transition-metal macrocyclic complexes. Single-crystal X-ray structure and electrochemistry of the bis-macrocyclic complex $[\text{Cu}(\text{L})_2](\text{ClO}_4)_2 \cdot 2\text{H}_2\text{O}$ ($\text{L} = 1,4,7\text{-triazacyclononane}$). Journal of the Chemical Society Dalton Transactions, 1987, , 373-377.	1.1	19
488	Trapping of dopant anions in two-layer polypyrrole films. Journal of the Chemical Society Chemical Communications, 1987, , 1095-1097.	2.0	11
489	Stabilisation of monovalent palladium by tetra-aza macrocycles. Journal of the Chemical Society Chemical Communications, 1987, .	2.0	31
490	Tetrahedral distortion in palladium(II) macrocyclic complexes: the single crystal X-ray structure of $[\text{Pd}(\text{tbc})(\text{PF}_6)_2] \cdot 0.4\text{MeNO}_2$ ($\text{tbc} = 1,4,8,11\text{-tetra-azacyclotetradecane}$). Journal of the Chemical Society Chemical Communications, 1987, , 1730-1732.	2.0	22
491	Stabilisation of mononuclear palladium(III). The single crystal X-ray structure of the $[\text{Pd}(\text{L})_2]^{3+}$ cation ($\text{L} = 1,4,7\text{-trithiacyclononane}$). Journal of the Chemical Society Chemical Communications, 1987, , 987-988.	2.0	84
492	The interaction of nitrogen and sulphur donor macrocyclic ligands with dirhodium(II) tetracarboxylates. Polyhedron, 1987, 6, 461-463.	2.2	7
493	Transition metal complexes of homoleptic polythia crowns. Journal of Inclusion Phenomena, 1987, 5, 169-172.	0.6	18
494	Synthesis and Crystal Structure of the Homoleptic Thioether Ruthenium Complex $[\text{Ru}(1,4,7\text{-trithiacyclononane})_2](\text{BPh}_4)_2 \cdot 2\text{Me}_2\text{SO}$. Angewandte Chemie International Edition in English, 1987, 26, 250-251.	4.4	46
495	Structural and electrochemical studies on trithia macrocyclic complexes of palladium. Journal of Organometallic Chemistry, 1987, 323, 261-270.	1.8	103
496	Structure of tetracarbonyl(5,7,12,14-tetramethyldibenzo[b,i][1,4,8,11]tetraazacyclotetradeca-2,4,6,9,11,14-hexaene)molybdenum(0). Acta Crystallographica Section C: Crystal Structure Communications, 1987, 43, 847-850.	1	
497	Carbocyclic complexes incorporating macrocyclic ligands. The synthesis and single crystal X-ray structure of the binuclear species $[\text{Rh}_2(\text{C}_5\text{Me}_5)_2\text{Cl}_2(\text{L})](\text{BPh}_4)_2$ ($\text{L} = \text{Tj ETQq1} \text{ 1.0784314 rgBT /Overlock 10 Tf } 50.342 \text{ Td } 22.1$). 1986, , 471-472.	2.0	
498	Synthesis of platinum metal macrocyclic complexes incorporating a pyridine-2,6-diyl moiety. The single crystal X-ray structure of cis-[$\text{Ru}(\text{Cl}(\text{CO})(\text{L}))(\text{BPh}_4)$] $\{\text{L} = 2,7,12\text{-trimethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1,(17),13,15-triene}\}$. Journal of the Chemical Society Chemical Communications, 1986, , 334-336.	2.0	9
499	Palladium(II) and Platinum(II) Complexes of 1,4,7,10,13,16-Hexathiacyclooctadecane. Angewandte Chemie International Edition in English, 1986, 25, 274-276.	4.4	64
500	Polynuclear metal complexes incorporating hydrido-phosphido ligands. Journal of Organometallic Chemistry, 1986, 312, c41-c43.	1.8	26
501	Synthesis and single crystal X-ray structure of a di-copper(I) hexathia macrocyclic complex $[\text{Cu}_2(\text{L})(\text{NCMe})_2](\text{ClO}_4)_2$ ($\text{L} = 1,4,7,10,13,16\text{-hexathiacyclo-octadecane}$). Journal of the Chemical Society Chemical Communications, 1985, .	2.0	20
502	Oxo complexes of ruthenium(VI) and (VII) as organic oxidants. Journal of the Chemical Society Perkin Transactions 1, 1984, , 681-686.	0.9	98
503	Synthesis, molecular structure and electrochemistry of pentagonal bipyramidal nickel(II) complexes of quinquedentate macrocyclic ligand incorporating a $2,2\text{-biquinoline-6,2,2-terpyridyl}$ moiety. Polyhedron, 1983, 2, 301-302.	2.2	44
504	The preparation and electrochemistry of manganese(II) complexes of an unsaturated pentadentate macrocyclic ligand. Polyhedron, 1983, 2, 489-491.	2.2	4

#	ARTICLE	IF	CITATIONS
505	The reductive activation of $[M_5C(CO)_{15}]$ ($M = Ru$ or Os) and subsequent reactions of the dianion $[Os_5C(CO)_{14}]^{2-}$, carbonylation of $[M_5C(CO)_{15}]$ ($M = Ru$ or Os), and the crystal structures of $[Os_5C(CO)_{16}]$, $[N(PPh_3)_2]_2[Os_5C(CO)_{14}]$, and $[Os_5C(CO)_{14}\{Au(PPh_3)\}_2]$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 2447-2457.	1.1	44
506	Reduction of Schiff-base macrocyclic complexes. Stabilisation of nickel(I) conjugated macrocyclic complexes via a reversible ligand-to-metal electron-transfer process. <i>Journal of the Chemical Society Dalton Transactions</i> , 1982, , 1085-1089.	1.1	39
507	The stabilisation of low oxidation state transition metal complexes. Preparation and electrochemistry of cobalt(II) unsaturated macrocyclic complexes and the stabilisation of a cobalt(I) derivative. Crystal and molecular structures of $[Co(L)(CH_3OH)_2][BF_4]_2$ and $[Co(L)\{P(OCH_3)_3\}][BF_4]$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1982, , 1593-1601.	1.1	32
508	Synthesis and X-ray crystal structure of the cluster cation $[Os_4(\mu_2-H)_3(CO)_{12}(NCMe)_2]^+$: an example of an unsupported butterfly Os ₄ geometry. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 610-612.	2.0	9
509	Direct spectroscopic evidence for the formation of an asymmetric intermediate in the oxidation of alkenes by osmium tetroxide. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 734-736.	2.0	16
510	X-Ray crystal structure of the pentagonal bipyramidal nickel(II) complex $[Ni_II(L)(H_2O)_2](BF_4)_2$ and the selective stabilisation of the nickel(I) oxidation state by a quinquedentate macrocyclic ligand. <i>Journal of the Chemical Society Chemical Communications</i> , 1982, , 546-547.	2.0	37
511	The preparation and electrochemistry of complexes of $4,4'-diphenyl-2,2':6,2''-biphenyl-3,3':2,2''-bipyridine$. <i>Polyhedron</i> , 1982, 1, 311-312.	2.2	29
512			