

Dimitrios C Karampinos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9537594/publications.pdf>

Version: 2024-02-01

178
papers

4,865
citations

94433

37
h-index

128289

60
g-index

181
all docs

181
docs citations

181
times ranked

4898
citing authors

#	ARTICLE	IF	CITATIONS
1	CT-like MR-derived Images for the Assessment of Craniosynostosis and other Pathologies of the Pediatric Skull. <i>Clinical Neuroradiology</i> , 2023, 33, 57-64.	1.9	4
2	Patellar instability MRI measurements are associated with knee joint degeneration after reconstruction of the medial patellofemoral ligament. <i>Skeletal Radiology</i> , 2022, 51, 535-547.	2.0	9
3	Preconditioned water-fat total field inversion: Application to spine quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 417-430.	3.0	11
4	Noise reduction in diffusion weighted MRI of the pancreas using an L1-regularized iterative SENSE reconstruction. <i>Magnetic Resonance Imaging</i> , 2022, 87, 1-6.	1.8	6
5	Single-voxel short-TR multi-TE STEAM MRS for water-fat relaxometry. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2587-2599.	3.0	3
6	High-Resolution, High b-Value Computed Diffusion-Weighted Imaging Improves Detection of Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2022, 14, 470.	3.7	6
7	Evaluation of MR-derived simulated CT-like images and simulated radiographs compared to conventional radiography in patients with shoulder pain: a proof-of-concept study. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 122.	1.9	4
8	Association Between Adipose Tissue Proton Density Fat Fraction, Resting Metabolic Rate and FTO Genotype in Humans. <i>Frontiers in Endocrinology</i> , 2022, 13, 804874.	3.5	2
9	Susceptibility artifact correction in MR thermometry for monitoring of mild radiofrequency hyperthermia using total field inversion. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 120-132.	3.0	7
10	Editorial for "Performance of $C\text{-SENSE}$ Accelerated Rapid Liver Shear Stiffness Measurement Using Displacement Wave Polarity Inversion Motion Encoding: An Evaluation Study". <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 766-767.	3.4	0
11	Intraindividual difference between supraclavicular and subcutaneous proton density fat fraction is associated with cold-induced thermogenesis. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 2877-2890.	2.0	0
12	Multi-scanner and multi-modal lumbar vertebral body and intervertebral disc segmentation database. <i>Scientific Data</i> , 2022, 9, 97.	5.3	6
13	On quantification errors of $R2^*\{R\}_2^{\text{ast}}$ and proton density fat fraction mapping in trabecularized bone marrow in the static dephasing regime. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 1126-1139.	3.0	1
14	Transcriptome and fatty-acid signatures of adipocyte hypertrophy and its non-invasive MR-based characterization in human adipose tissue. <i>EBioMedicine</i> , 2022, 79, 104020.	6.1	16
15	Hierarchical Multi-Resolution Graph-Cuts for Water-Fat-Silicone Separation in Breast MRI. <i>IEEE Transactions on Medical Imaging</i> , 2022, 41, 3253-3265.	8.9	2
16	Deep learning-based acceleration of Compressed Sense MR imaging of the ankle. <i>European Radiology</i> , 2022, 32, 8376-8385.	4.5	18
17	MRI -Based Quantitative Osteoporosis Imaging at the Spine and Femur. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 12-35.	3.4	61
18	Trajectory correction based on the gradient impulse response function improves high-resolution UTE imaging of the musculoskeletal system. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 2001-2015.	3.0	12

#	ARTICLE	IF	CITATIONS
19	Physiological variation of the vertebral bone marrow water T2 relaxation time. NMR in Biomedicine, 2021, 34, e4439.	2.8	9
20	Improved body quantitative susceptibility mapping by using a variable layer single-min-cut graph for field mapping. Magnetic Resonance in Medicine, 2021, 85, 1697-1712.	3.0	16
21	Estimating vertebral bone marrow fat unsaturation based on short-TE STEAM MRS. Magnetic Resonance in Medicine, 2021, 85, 615-626.	3.0	6
22	Texture Features of Proton Density Fat Fraction Maps from Chemical Shift Encoding-Based MRI Predict Paraspinal Muscle Strength. Diagnostics, 2021, 11, 239.	2.6	8
23	Association of Thigh Muscle Strength with Texture Features Based on Proton Density Fat Fraction Maps Derived from Chemical Shift Encoding-Based Water-Fat MRI. Diagnostics, 2021, 11, 302.	2.6	2
24	Patients with episodic migraine show increased T2 values of the trapezius muscles – an investigation by quantitative high-resolution magnetic resonance imaging. Cephalalgia, 2021, 41, 934-942.	3.9	4
25	Lipid droplet size mapping in human adipose tissue using a clinical 3T system. Magnetic Resonance in Medicine, 2021, 86, 1256-1270.	3.0	5
26	Longitudinal changes on liver proton density fat fraction differ between liver segments. Quantitative Imaging in Medicine and Surgery, 2021, 11, 1701-1709.	2.0	5
27	Magnetic resonance imaging as a diagnostic tool for periodontal disease: A prospective study with correlation to standard clinical findings – is there added value?. Journal of Clinical Periodontology, 2021, 48, 929-948.	4.9	23
28	A distribution-centered approach for analyzing human adipocyte size estimates and their association with obesity-related traits and mitochondrial function. International Journal of Obesity, 2021, 45, 2108-2117.	3.4	16
29	Regional variation of thigh muscle fat infiltration in patients with neuromuscular diseases compared to healthy controls. Quantitative Imaging in Medicine and Surgery, 2021, 11, 2610-2621.	2.0	7
30	Quantitative Muscle MRI in Patients with Neuromuscular Diseases – Association of Muscle Proton Density Fat Fraction with Semi-Quantitative Grading of Fatty Infiltration and Muscle Strength at the Thigh Region. Diagnostics, 2021, 11, 1056.	2.6	9
31	Geometric accuracy of magnetic resonance imaging derived virtual 3-dimensional bone surface models of the mandible in comparison to computed tomography and cone beam computed tomography: A porcine cadaver study. Clinical Implant Dentistry and Related Research, 2021, 23, 779-788.	3.7	9
32	Vertebral bone marrow T2* mapping using chemical shift encoding-based water-fat separation in the quantitative analysis of lumbar osteoporosis and osteoporotic fractures. Quantitative Imaging in Medicine and Surgery, 2021, 11, 3715-3725.	2.0	15
33	MRI-Determined Psoas Muscle Fat Infiltration Correlates with Severity of Weight Loss during Cancer Cachexia. Cancers, 2021, 13, 4433.	3.7	7
34	Imaging modalities for diagnosis and monitoring of cancer cachexia. EJMAMI Research, 2021, 11, 94.	2.5	14
35	Quantitative 3-T Magnetic Resonance Imaging After Matrix-Associated Autologous Chondrocyte Implantation With Autologous Bone Grafting of the Knee: The Importance of Subchondral Bone Parameters. American Journal of Sports Medicine, 2021, 49, 476-486.	4.2	17
36	CT-like images based on T1 spoiled gradient-echo and ultra-short echo time MRI sequences for the assessment of vertebral fractures and degenerative bone changes of the spine. European Radiology, 2021, 31, 4680-4689.	4.5	35

#	ARTICLE	IF	CITATIONS
37	Qualitative and Quantitative Comparison of Respiratory Triggered Reduced Field-of-View (FOV) Versus Full FOV Diffusion Weighted Imaging (DWI) in Pancreatic Pathologies. <i>Academic Radiology</i> , 2021, 28, S234-S243.	2.5	7
38	Association of Cervical and Lumbar Paraspinal Muscle Composition Using Texture Analysis of MR-Based Proton Density Fat Fraction Maps. <i>Diagnostics</i> , 2021, 11, 1929.	2.6	3
39	Postmenopausal Chinese-Singaporean Women Have a Higher Ratio of Visceral to Subcutaneous Adipose Tissue Volume than Caucasian Women of the Same Age and BMI. <i>Diagnostics</i> , 2021, 11, 2127.	2.6	1
40	Multi-Center, Multi-Vendor Reproducibility and Calibration of MRI-Based R2* for Liver Iron Quantification. <i>Blood</i> , 2021, 138, 2010-2010.	1.4	0
41	Assessment of vertebral fractures and edema of the thoracolumbar spine based on water-fat and susceptibility-weighted images derived from a single ultra-short echo time scan. <i>Magnetic Resonance in Medicine</i> , 2021, , .	3.0	10
42	Texture Analysis Using CT and Chemical Shift Encoding-Based Water-Fat MRI Can Improve Differentiation Between Patients With and Without Osteoporotic Vertebral Fractures. <i>Frontiers in Endocrinology</i> , 2021, 12, 778537.	3.5	8
43	Gradient nonlinearity correction in liver DWI using motion-compensated diffusion encoding waveforms. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2021, , 1.	2.0	7
44	Chemical-shift encoding-based water-fat separation with multifrequency fat spectrum modeling in spin-echo MRI. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 1608-1624.	3.0	5
45	MRI of the inferior alveolar nerve and lingual nerve-anatomical variation and morphometric benchmark values of nerve diameters in healthy subjects. <i>Clinical Oral Investigations</i> , 2020, 24, 2625-2634.	3.0	25
46	Reduction of vibration-induced signal loss by matching mechanical vibrational states: Application in high value diffusion-weighted MRS. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 39-51.	3.0	12
47	Noninvasive in situ proton MRS in muscle tissue and bone marrow as a novel approach to identify previous freezing in a completely thawed cadaver. <i>NMR in Biomedicine</i> , 2020, 33, e4220.	2.8	2
48	Magnetic resonance imaging of obesity and metabolic disorders: Summary from the 2019 ISMRM Workshop. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 1565-1576.	3.0	24
49	Water T2 Mapping in Fatty Infiltrated Thigh Muscles of Patients With Neuromuscular Diseases Using a T2-Prepared 3D Turbo Spin Echo With SPAIR. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1727-1736.	3.4	13
50	Cartilage T2-Relaxation Times and Subchondral Trabecular Bone Parameters Predict Morphological Outcome After Matrix-Associated Autologous Chondrocyte Implantation With Autologous Bone Grafting. <i>American Journal of Sports Medicine</i> , 2020, 48, 3573-3585.	4.2	5
51	Magnetic Resonance Imaging Techniques for Brown Adipose Tissue Detection. <i>Frontiers in Endocrinology</i> , 2020, 11, 421.	3.5	35
52	Magnetic resonance imaging based computer-guided dental implant surgery-A clinical pilot study. <i>Clinical Implant Dentistry and Related Research</i> , 2020, 22, 612-621.	3.7	20
53	Vertebral Bone Marrow Heterogeneity Using Texture Analysis of Chemical Shift Encoding-Based MRI: Variations in Age, Sex, and Anatomical Location. <i>Frontiers in Endocrinology</i> , 2020, 11, 555931.	3.5	14
54	Diffusion tensor imaging and tractography for preoperative assessment of benign peripheral nerve sheath tumors. <i>European Journal of Radiology</i> , 2020, 129, 109110.	2.6	8

#	ARTICLE	IF	CITATIONS
55	Investigation of the Relationship between MR-Based Supraclavicular Fat Fraction and Thyroid Hormones. <i>Obesity Facts</i> , 2020, 13, 331-343.	3.4	4
56	Age- and BMI-related variations of fat distribution in sacral and lumbar bone marrow and their association with local muscle fat content. <i>Scientific Reports</i> , 2020, 10, 9686.	3.3	8
57	Magnetic resonance neurography of the lumbosacral plexus at 3 Tesla "CSF-suppressed imaging with submillimeter resolution by a three-dimensional turbo spin echo sequence. <i>Magnetic Resonance Imaging</i> , 2020, 71, 132-139.	1.8	2
58	Regional variation in paraspinal muscle composition using chemical shift encoding-based water-fat MRI. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 496-507.	2.0	5
59	Reporting Guidelines, Review of Methodological Standards, and Challenges Toward Harmonization in Bone Marrow Adiposity Research. Report of the Methodologies Working Group of the International Bone Marrow Adiposity Society. <i>Frontiers in Endocrinology</i> , 2020, 11, 65.	3.5	53
60	Age- and gender-related variations of cervical muscle composition using chemical shift encoding-based water-fat MRI. <i>European Journal of Radiology</i> , 2020, 125, 108904.	2.6	8
61	T2 mapping of the distal sciatic nerve in healthy subjects and patients suffering from lumbar disc herniation with nerve compression. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 713-724.	2.0	10
62	Association of thigh and paraspinal muscle composition in young adults using chemical shift encoding-based water-fat MRI. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 128-136.	2.0	5
63	Generalized parameter estimation in multi-echo gradient-echo-based chemical species separation. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 554-567.	2.0	15
64	Association of quadriceps muscle, gluteal muscle, and femoral bone marrow composition using chemical shift encoding-based water-fat MRI: a preliminary study in healthy young volunteers. <i>European Radiology Experimental</i> , 2020, 4, 35.	3.4	0
65	Applications of Fat Mapping. <i>Advances in Magnetic Resonance Technology and Applications</i> , 2020, 1, 735-777.	0.1	1
66	Quantitative 3-T MRI Outcome Evaluation after Spongiosa-augmented MACI at the Knee: The Importance of Subchondral Bone Parameters. <i>Seminars in Musculoskeletal Radiology</i> , 2020, 24, .	0.7	0
67	Regional Variation of Thigh Muscle Composition in Healthy Controls and Patients with Myotonic Dystrophy Type 2, Limb Girdle Muscular Dystrophy Type 2A, and Pompe's Disease. , 2020, 24, .		0
68	MR-derived CT-like Images for the Assessment of Acute Vertebral Fractures and Osseous Degenerative Changes in the Thoracolumbar Spine. , 2020, 24, .		0
69	Improved Brachial Plexus Visualization Using an Adiabatic iMSDE-Prepared STIR 3D TSE. <i>Clinical Neuroradiology</i> , 2019, 29, 631-638.	1.9	25
70	Association of paraspinal muscle water-fat MRI-based measurements with isometric strength measurements. <i>European Radiology</i> , 2019, 29, 599-608.	4.5	66
71	Multi-center evaluation of stability and reproducibility of quantitative MRI measures in healthy calf muscles. <i>NMR in Biomedicine</i> , 2019, 32, e4119.	2.8	50
72	Vertebral bone marrow fat fraction changes in postmenopausal women with breast cancer receiving combined aromatase inhibitor and bisphosphonate therapy. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 515.	1.9	4

#	ARTICLE	IF	CITATIONS
73	Acceleration of chemical shift encoding-based water fat MRI for liver proton density fat fraction and T2* mapping using compressed sensing. PLoS ONE, 2019, 14, e0224988.	2.5	12
74	Camera-based respiratory triggering improves the image quality of 3D magnetic resonance cholangiopancreatography. European Journal of Radiology, 2019, 120, 108675.	2.6	9
75	Quantitative magnetic resonance imaging of the upper trapezius muscles – assessment of myofascial trigger points in patients with migraine. Journal of Headache and Pain, 2019, 20, 8.	6.0	23
76	Differentiating supraclavicular from gluteal adipose tissue based on simultaneous PDFF and T ₂ * mapping using a 2D echo gradient echo acquisition. Journal of Magnetic Resonance Imaging, 2019, 50, 424-434.	3.4	23
77	Accelerating anatomical 2D turbo spin echo imaging of the ankle using compressed sensing. European Journal of Radiology, 2019, 118, 277-284.	2.6	28
78	Comparison of regional bone marrow adiposity characteristics at the hip of underweight and weight-recovered women with anorexia nervosa using magnetic resonance spectroscopy. Bone, 2019, 127, 135-145.	2.9	15
79	Decreased water T ₂ in fatty infiltrated skeletal muscles of patients with neuromuscular diseases. NMR in Biomedicine, 2019, 32, e4111.	2.8	20
80	Magnetic resonance cholangiopancreatography at 3 Tesla: Image quality comparison between 3D compressed sensing and 2D single-shot acquisitions. European Journal of Radiology, 2019, 115, 53-58.	2.6	24
81	No healing improvement after rotator cuff reconstruction augmented with an autologous periosteal flap. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 3212-3221.	4.2	7
82	Texture analysis of vertebral bone marrow using chemical shift encoding-based water-fat MRI: a feasibility study. Osteoporosis International, 2019, 30, 1265-1274.	3.1	30
83	Recent Advances in Pediatric Brain, Spine, and Neuromuscular Magnetic Resonance Imaging Techniques. Pediatric Neurology, 2019, 96, 7-23.	2.1	8
84	Exploration of New Contrasts, Targets, and MR Imaging and Spectroscopy Techniques for Neuromuscular Disease – A Workshop Report of Working Group 3 of the Biomedicine and Molecular Biosciences COST Action BM1304 MYO-MRI. Journal of Neuromuscular Diseases, 2019, 6, 1-30.	2.6	46
85	Lumbar muscle and vertebral bodies segmentation of chemical shift encoding-based water-fat MRI: the reference database MyoSegmentUM spine. BMC Musculoskeletal Disorders, 2019, 20, 152.	1.9	10
86	Paraspinal Muscle DTI Metrics Predict Muscle Strength. Journal of Magnetic Resonance Imaging, 2019, 50, 816-823.	3.4	22
87	3D grating-based X-ray phase-contrast computed tomography for high-resolution quantitative assessment of cartilage: An experimental feasibility study with 3T MRI, 7T MRI and biomechanical correlation. PLoS ONE, 2019, 14, e0212106.	2.5	9
88	Measuring large lipid droplet sizes by probing restricted lipid diffusion effects with diffusion-weighted MRS at 3T. Magnetic Resonance in Medicine, 2019, 81, 3427-3439.	3.0	15
89	On the sensitivity of quantitative susceptibility mapping for measuring trabecular bone density. Magnetic Resonance in Medicine, 2019, 81, 1739-1754.	3.0	20
90	T2-relaxation time of cartilage repair tissue is associated with bone remodeling after spongiosa-augmented matrix-associated autologous chondrocyte implantation. Osteoarthritis and Cartilage, 2019, 27, 90-98.	1.3	17

#	ARTICLE	IF	CITATIONS
91	High Isotropic Resolution T2 Mapping of the Lumbosacral Plexus with T2-Prepared 3D Turbo Spin Echo. <i>Clinical Neuroradiology</i> , 2019, 29, 223-230.	1.9	15
92	Associations of thigh muscle fat infiltration with isometric strength measurements based on chemical shift encoding-based water-fat magnetic resonance imaging. <i>European Radiology Experimental</i> , 2019, 3, 45.	3.4	27
93	T2 mapping of lumbosacral nerves in patients suffering from unilateral radicular pain due to degenerative disc disease. <i>Journal of Neurosurgery: Spine</i> , 2019, 30, 750-758.	1.7	5
94	MRI biomarkers of proximal nerve injury in CIDP. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 19-28.	3.7	40
95	Non-invasive Measurement of Brown Fat Metabolism Based on Optoacoustic Imaging of Hemoglobin Gradients. <i>Cell Metabolism</i> , 2018, 27, 689-701.e4.	16.2	105
96	Improving chemical shift encoding-based water-fat separation based on a detailed consideration of magnetic field contributions. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 990-1004.	3.0	26
97	Molecular In Vivo Imaging of Bone Marrow Adipose Tissue. <i>Current Molecular Biology Reports</i> , 2018, 4, 25-33.	1.6	1
98	T2-Weighted Dixon Turbo Spin Echo for Accelerated Simultaneous Grading of Whole-Body Skeletal Muscle Fat Infiltration and Edema in Patients With Neuromuscular Diseases. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 574-579.	0.9	12
99	Isotropic resolution diffusion tensor imaging of lumbosacral and sciatic nerves using a phase-corrected diffusion-prepared 3D turbo spin echo. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 609-618.	3.0	13
100	Association of proton density fat fraction in adipose tissue with imaging-based and anthropometric obesity markers in adults. <i>International Journal of Obesity</i> , 2018, 42, 175-182.	3.4	34
101	Orthogonally combined motion- and diffusion-sensitized driven equilibrium (OC-MDSDE) preparation for vessel signal suppression in 3D turbo spin echo imaging of peripheral nerves in the extremities. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 407-415.	3.0	16
102	Quantitative MRI and spectroscopy of bone marrow. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 332-353.	3.4	185
103	Automated assessment of paraspinal muscle fat composition based on the segmentation of chemical shift encoding-based water/fat-separated images. <i>European Radiology Experimental</i> , 2018, 2, 32.	3.4	5
104	Gender- and Age-Related Changes in Trunk Muscle Composition Using Chemical Shift Encoding-Based Water-Fat MRI. <i>Nutrients</i> , 2018, 10, 1972.	4.1	21
105	Associations Between Lumbar Vertebral Bone Marrow and Paraspinal Muscle Fat Compositions—An Investigation by Chemical Shift Encoding-Based Water-Fat MRI. <i>Frontiers in Endocrinology</i> , 2018, 9, 563.	3.5	39
106	Anatomical Variation of Age-Related Changes in Vertebral Bone Marrow Composition Using Chemical Shift Encoding-Based Water-Fat Magnetic Resonance Imaging. <i>Frontiers in Endocrinology</i> , 2018, 9, 141.	3.5	65
107	Techniques and Applications of Magnetic Resonance Imaging for Studying Brown Adipose Tissue Morphometry and Function. <i>Handbook of Experimental Pharmacology</i> , 2018, 251, 299-324.	1.8	20
108	Magnetic Resonance Imaging of Adipose Tissue in Metabolic Dysfunction. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2018, 190, 1121-1130.	1.3	11

#	ARTICLE	IF	CITATIONS
109	Thigh muscle segmentation of chemical shift encoding-based water-fat magnetic resonance images: The reference database MyoSegmenTUM. PLoS ONE, 2018, 13, e0198200.	2.5	22
110	Measurement of vertebral bone marrow proton density fat fraction in children using quantitative water-fat MRI. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2017, 30, 449-460.	2.0	46
111	Proton Density Fat-Fraction of Rotator Cuff Muscles Is Associated With Isometric Strength 10 Years After Rotator Cuff Repair: A Quantitative Magnetic Resonance Imaging Study of the Shoulder. American Journal of Sports Medicine, 2017, 45, 1990-1999.	4.2	9
112	Five-Year Outcomes After Treatment for Acute Instability of the Tibiofibular Syndesmosis Using a Suture-Button Fixation System. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770285.	1.7	25
113	ADC Quantification of the Vertebral Bone Marrow Water Component: Removing the Confounding Effect of Residual Fat. Magnetic Resonance in Medicine, 2017, 78, 1432-1441.	3.0	17
114	T ₂ mapping with magnetization-prepared 3D TSE based on a modified BIR4 preparation. NMR in Biomedicine, 2017, 30, e3773.	2.8	17
115	Correction of phase errors in quantitative water-fat imaging using a monopolar time-interleaved multi-echo gradient echo sequence. Magnetic Resonance in Medicine, 2017, 78, 984-996.	3.0	50
116	Two patients with G _{MPPB} mutation: The overlapping phenotypes of limb-girdle myasthenic syndrome and limb-girdle muscular dystrophy dystroglycanopathy. Muscle and Nerve, 2017, 56, 334-340.	2.2	22
117	Analysis of phase error effects in multishot diffusion-prepared turbo spin echo imaging. Quantitative Imaging in Medicine and Surgery, 2017, 7, 238-250.	2.0	15
118	B1-insensitive T2 mapping of healthy thigh muscles using a T2-prepared 3D TSE sequence. PLoS ONE, 2017, 12, e0171337.	2.5	18
119	Proton-Density Fat Fraction of Rotator Cuff Muscles Is Associated with Isometric Strength 10 Years after Rotator Cuff Repair: A Quantitative MR Imaging Study of the Shoulder. Seminars in Musculoskeletal Radiology, 2017, 21, S1-S5.	0.7	1
120	Use of MR-based trabecular bone microstructure analysis at the distal radius for osteoporosis diagnostics: a study in post-menopausal women with breast cancer and treated with aromatase inhibitor. Clinical Cases in Mineral and Bone Metabolism, 2016, 13, 29-32.	1.0	1
121	MR-Based Assessment of Bone Marrow Fat in Osteoporosis, Diabetes, and Obesity. Frontiers in Endocrinology, 2016, 7, 74.	3.5	70
122	Association of Quadriceps Muscle Fat With Isometric Strength Measurements in Healthy Males Using Chemical Shift Encoding-Based Water-Fat Magnetic Resonance Imaging. Journal of Computer Assisted Tomography, 2016, 40, 447-451.	0.9	32
123	Imaging of the lumbar plexus: Optimized refocusing flip angle train design for 3D TSE. Journal of Magnetic Resonance Imaging, 2016, 43, 789-799.	3.4	16
124	Reduction of the n-6:n-3 long-chain PUFA ratio during pregnancy and lactation on offspring body composition: follow-up results from a randomized controlled trial up to 5 y of age. American Journal of Clinical Nutrition, 2016, 103, 1472-1481.	4.7	41
125	Automatic segmentation of abdominal organs and adipose tissue compartments in water-fat MRI: Application to weight-loss in obesity. European Journal of Radiology, 2016, 85, 1613-1621.	2.6	34
126	MR-based assessment of body fat distribution and characteristics. European Journal of Radiology, 2016, 85, 1512-1518.	2.6	68

#	ARTICLE	IF	CITATIONS
127	Diffusion-weighted stimulated echo acquisition mode (DW-STEAM) MR spectroscopy to measure fat unsaturation in regions with low proton-density fat fraction. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 32-41.	3.0	23
128	The need for T_2 correction on MRS-based vertebral bone marrow fat quantification: implications for bone marrow fat fraction age dependence. <i>NMR in Biomedicine</i> , 2015, 28, 432-439.	2.8	52
129	Validation of bone marrow fat quantification in the presence of trabecular bone using MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 539-544.	3.4	65
130	Modeling of T_2^* decay in vertebral bone marrow fat quantification. <i>NMR in Biomedicine</i> , 2015, 28, 1535-1542.	2.8	46
131	MR-detected changes in liver fat, abdominal fat, and vertebral bone marrow fat after a four-week calorie restriction in obese women. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1272-1280.	3.4	51
132	Association of MRS-Based Vertebral Bone Marrow Fat Fraction with Bone Strength in a Human In Vitro Model. <i>Journal of Osteoporosis</i> , 2015, 2015, 1-8.	0.5	36
133	MR-based trabecular bone microstructure is not altered in subjects with indolent systemic mastocytosis. <i>Clinical Imaging</i> , 2015, 39, 886-889.	1.5	0
134	Double Inversion Recovery Sequence of the Cervical Spinal Cord in Multiple Sclerosis and Related Inflammatory Diseases. <i>American Journal of Neuroradiology</i> , 2015, 36, 219-225.	2.4	34
135	Spatial variations in magnetic resonance-based diffusion of articular cartilage in knee osteoarthritis. <i>Magnetic Resonance Imaging</i> , 2015, 33, 1051-1058.	1.8	10
136	Assessment of whole spine vertebral bone marrow fat using chemical shift-encoding based water-fat MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1018-1023.	3.4	82
137	Discrimination Between Brown and White Adipose Tissue Using a 2-Point Dixon Water-Fat Separation Method in Simultaneous PET/MRI. <i>Journal of Nuclear Medicine</i> , 2015, 56, 1742-1747.	5.0	45
138	Cartilage Repair Surgery: Outcome Evaluation by Using Noninvasive Cartilage Biomarkers Based on Quantitative MRI Techniques?. <i>BioMed Research International</i> , 2014, 2014, 1-17.	1.9	46
139	Ex vivo porcine model to measure pH dependence of chemical exchange saturation transfer effect of glycosaminoglycan in the intervertebral disc. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1743-1749.	3.0	17
140	Emerging Research on Bone Health Using High-Resolution CT and MRI. <i>Current Radiology Reports</i> , 2014, 2, 1.	1.4	3
141	Quantitative assessment of fat infiltration in the rotator cuff muscles using water-fat MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1178-1185.	3.4	88
142	Quadriceps intramuscular fat fraction rather than muscle size is associated with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 226-234.	1.3	108
143	Bone marrow fat quantification in the presence of trabecular bone: Initial comparison between water-fat imaging and single-voxel MRS. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1158-1165.	3.0	127
144	Magnetic resonance imaging of ankle tendon pathology: benefits of additional axial short-tau inversion recovery imaging to reduce magic angle effects. <i>Skeletal Radiology</i> , 2013, 42, 499-510.	2.0	10

#	ARTICLE	IF	CITATIONS
145	Cartilage and meniscal T2 relaxation time as non-invasive biomarker for knee osteoarthritis and cartilage repair procedures. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1474-1484.	1.3	159
146	Quadriceps and Hamstrings Morphology Is Related to Walking Mechanics and Knee Cartilage MRI Relaxation Times in Young Adults. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 881-890.	3.5	9
147	Diffusion tensor imaging and T_2 relaxometry of bilateral lumbar nerve roots: feasibility of in-plane imaging. <i>NMR in Biomedicine</i> , 2013, 26, 630-637.	2.8	26
148	Bone marrow fat composition as a novel imaging biomarker in postmenopausal women with prevalent fragility fractures. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1721-1728.	2.8	272
149	Automated unsupervised multi-parametric classification of adipose tissue depots in skeletal muscle. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 917-927.	3.4	39
150	High-Resolution Bone Imaging for Osteoporosis Diagnostics and Therapy Monitoring Using Clinical MDCT and MRI. <i>Current Medicinal Chemistry</i> , 2013, 20, 4844-4852.	2.4	23
151	Chemical shift-based water/fat separation in the presence of susceptibility-induced fat resonance shift. <i>Magnetic Resonance in Medicine</i> , 2012, 68, 1495-1505.	3.0	30
152	Characterization of the regional distribution of skeletal muscle adipose tissue in type 2 diabetes using chemical shift-based water/fat separation. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 899-907.	3.4	103
153	Comparison of clinical semi-quantitative assessment of muscle fat infiltration with quantitative assessment using chemical shift-based water/fat separation in MR studies of the calf of post-menopausal women. <i>European Radiology</i> , 2012, 22, 1592-1600.	4.5	58
154	A novel approach for modelling LiBr-H ₂ O falling film absorption on cooled horizontal bundle of tubes. <i>International Journal of Refrigeration</i> , 2012, 35, 1115-1122.	3.4	25
155	Considerations in high-resolution skeletal muscle diffusion tensor imaging using single-shot echo planar imaging with stimulated echo preparation and sensitivity encoding. <i>NMR in Biomedicine</i> , 2012, 25, 766-778.	2.8	31
156	Does vertebral bone marrow fat content correlate with abdominal adipose tissue, lumbar spine bone mineral density, and blood biomarkers in women with type 2 diabetes mellitus?. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 117-124.	3.4	196
157	The Effects of a Higher Protein Intake During Energy Restriction on Changes in Body Composition and Physical Function in Older Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1218-1225.	3.6	81
158	Removal of olefinic fat chemical shift artifact in diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 692-701.	3.0	57
159	Generation of an atlas of the proximal femur and its application to trabecular bone analysis. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 1181-1191.	3.0	14
160	T_1 -corrected fat quantification using chemical shift-based water/fat separation: Application to skeletal muscle. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 1312-1326.	3.0	102
161	Reduced somatosensory activations in swallowing with age. <i>Human Brain Mapping</i> , 2011, 32, 730-743.	3.6	48
162	Age-Related Differences in Laterality of Cortical Activations in Swallowing. <i>Dysphagia</i> , 2010, 25, 238-249.	1.8	47

#	ARTICLE	IF	CITATIONS
163	Intravoxel partially coherent motion technique: Characterization of the anisotropy of skeletal muscle microvasculature. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 31, 942-953.	3.4	62
164	Protein supplementation during 6 mo weight loss enhances body composition changes in older women. <i>FASEB Journal</i> , 2010, 24, 93.7.	0.5	0
165	k -Space and Image-Space Combination for Motion-Induced Phase-Error Correction in Self-Navigated Multicoil Multishot DWI. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1770-1780.	8.9	16
166	Neural activation of swallowing and swallowing-related tasks in healthy young adults: An attempt to separate the components of deglutition. <i>Human Brain Mapping</i> , 2009, 30, 3209-3226.	3.6	142
167	High-resolution diffusion tensor imaging of the human pons with a reduced field-of-view, multishot, variable-density, spiral acquisition at 3 T. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 1007-1016.	3.0	35
168	Myofiber Ellipticity as an Explanation for Transverse Asymmetry of Skeletal Muscle Diffusion MRI In Vivo Signal. <i>Annals of Biomedical Engineering</i> , 2009, 37, 2532-2546.	2.5	43
169	Current trends and challenges in MRI acquisitions to investigate brain function. <i>International Journal of Psychophysiology</i> , 2009, 73, 33-42.	1.0	26
170	K-space and image space combination for motion artifact correction in multicoil multishot diffusion weighted imaging. , 2008, 2008, 1675-8.		4
171	High resolution reduced-FOV Diffusion Tensor Imaging of the human pons with multi-shot variable density spiral at 3T. , 2008, 2008, 5761-4.		7
172	In Vivo Study of Cross-Sectional Skeletal Muscle Fiber Asymmetry with Diffusion-Weighted MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 327-30.	0.5	15
173	Velocity extraction from spin-tagging MRI images using a weighted least-squares optical flow method. , 2007, , .		2
174	Ab Initio Study of the Energetics of Ionic Hydration with the Polarizable Continuum Model. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2007, 11, 363-378.	2.6	2
175	A detailed analysis of water-vapour absorption in LiBr-H ₂ O solution on a cooled horizontal tube. <i>Applied Thermal Engineering</i> , 2006, 26, 2095-2102.	6.0	14
176	Ab Initio Investigation of Ionic Hydration With the Polarizable Continuum Model. , 2005, , 473.		0
177	A realistic approach to model LiBr-H ₂ O smooth falling film absorption on a vertical tube. <i>Applied Thermal Engineering</i> , 2003, 23, 2269-2283.	6.0	17
178	Finite Element Analysis of Osteoporotic and Osteoblastic Vertebrae and Its Association With the Proton Density Fat Fraction From Chemical Shift Encoding-Based Water-Fat MRI – A Preliminary Study. <i>Frontiers in Endocrinology</i> , 0, 13, .	3.5	2