Byung Eui Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9537984/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Origin of Allergy From <i>In Utero</i> Exposures to the Postnatal Environment. Allergy, Asthma and Immunology Research, 2022, 14, 8.	2.9	8
2	Transient receptor potential vanilloid 1 plays a major role in low temperature–mediated skin barrier dysfunction. Journal of Allergy and Clinical Immunology, 2022, 150, 362-372.e7.	2.9	11
3	Dietary Diversity during Early Infancy Increases Microbial Diversity and Prevents Egg Allergy in High-Risk Infants. Immune Network, 2022, 22, e17.	3.6	9
4	Particulate matter causes skin barrier dysfunction. JCI Insight, 2021, 6, .	5.0	51
5	Recent advances in atopic dermatitis. Current Opinion in Immunology, 2020, 66, 14-21.	5.5	37
6	Side-by-Side Comparison of Skin Biopsies and Skin Tape Stripping Highlights Abnormal Stratum Corneum in Atopic Dermatitis. Journal of Investigative Dermatology, 2019, 139, 2387-2389.e1.	0.7	37
7	Pathophysiology of atopic dermatitis: Clinical implications. Allergy and Asthma Proceedings, 2019, 40, 84-92.	2.2	300
8	Interactions Between Atopic Dermatitis and <i>Staphylococcus aureus</i> Infection: Clinical Implications. Allergy, Asthma and Immunology Research, 2019, 11, 593.	2.9	92
9	Expression and function of the ectopic olfactory receptor OR10G7 in patients with atopic dermatitis. Journal of Allergy and Clinical Immunology, 2019, 143, 1838-1848.e4.	2.9	25
10	Minimally invasive skin tape strip RNA sequencing identifies novel characteristics of the type 2–high atopic dermatitis disease endotype. Journal of Allergy and Clinical Immunology, 2018, 141, 1298-1309.	2.9	85
11	Skin Wound Healing Is Accelerated by aÂLipid Mixture Representing Major Lipid Components of Chamaecyparis obtusa PlantÂExtract. Journal of Investigative Dermatology, 2018, 138, 1176-1186.	0.7	11
12	Significance of Skin Barrier Dysfunction in Atopic Dermatitis. Allergy, Asthma and Immunology Research, 2018, 10, 207.	2.9	228
13	Epidermal thymic stromal lymphopoietin predicts the development of atopic dermatitis during infancy. Journal of Allergy and Clinical Immunology, 2016, 137, 1282-1285.e4.	2.9	52
14	Increased epidermal filaggrin in chronic idiopathic urticaria is associated with severity of urticaria. Annals of Allergy, Asthma and Immunology, 2014, 112, 533-538.	1.0	14
15	IL-25 Enhances HSV-1 Replication by Inhibiting Filaggrin Expression, and Acts Synergistically with Th2 Cytokines to Enhance HSV-1 Replication. Journal of Investigative Dermatology, 2013, 133, 2678-2685.	0.7	64
16	Epidermal Barrier in Atopic Dermatitis. Allergy, Asthma and Immunology Research, 2012, 4, 12.	2.9	79
17	TNF-α Downregulates Filaggrin and Loricrin through c-Jun N-terminal Kinase: Role for TNF-α Antagonists to Improve Skin Barrier. Journal of Investigative Dermatology, 2011, 131, 1272-1279.	0.7	162
18	Loricrin and involucrin expression is down-regulated by Th2 cytokines through STAT-6. Clinical Immunology, 2008, 126, 332-337.	3.2	441

#	Article	IF	CITATIONS
19	Macrophage inflammatory protein 3α deficiency in atopic dermatitis skin and role in innate immune response to vaccinia virus. Journal of Allergy and Clinical Immunology, 2007, 119, 457-463.	2.9	52
20	Cytokine modulation of atopic dermatitis filaggrin skin expression. Journal of Allergy and Clinical Immunology, 2007, 120, 150-155.	2.9	768