

# Felipe Wartchow

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9541484/publications.pdf>

Version: 2024-02-01

68

papers

901

citations

840776

11

h-index

526287

27

g-index

69

all docs

69

docs citations

69

times ranked

1322

citing authors

#	ARTICLE	IF	CITATIONS
1	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	12.3	256
2	Fungal Planet description sheets: 469-557. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2016, 37, 218-403.	4.4	196
3	Diversity of Brazilian Fungi. <i>Rodriguesia</i> , 2015, 66, 1033-1045.	0.9	67
4	Diversity and Distribution of Ectomycorrhizal Fungi from Amazonian Lowland Whiteâ€sand Forests in Brazil and French Guiana. <i>Biotropica</i> , 2016, 48, 90-100.	1.6	46
5	Cantharellus aurantiococonspicuus (Cantharellales), a new species from Pernambuco, Brazil. <i>Nova Hedwigia</i> , 2012, 94, 129-137.	0.4	24
6	Cantharellaceae of Guyana II: New species of <i>Craterellus</i> , new South American distribution records for <i>Cantharellus guyanensis</i> and <i>Craterellus excelsus</i> , and a key to the Neotropical taxa. <i>Mycologia</i> , 2014, 106, 307-324.	1.9	23
7	The (re)discovery of ectomycorrhizal symbioses in Neotropical ecosystems sketched in FlorianÃ³polis. <i>New Phytologist</i> , 2017, 214, 920-923.	7.3	18
8	<i>Amanita lippiae</i> : a new species from the semi-arid caatinga region of Brazil. <i>Mycologia</i> , 2009, 101, 864-870.	1.9	17
9	<i>Lactifluus dunensis</i> , a new species from Rio Grande do Norte, Brazil. <i>Mycosphere</i> , 2013, 4, 261-265.	6.1	16
10	Studies on lentinoid fungi ( <i>Lentinus</i> and <i>Panus</i> ) from the semi-arid region of Brazil <sup>1</sup> . <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 437-446.	0.3	15
11	Studies on Amanita (Agaricomycetidae, Amanitaceae) in Brazil: two yellow gemmatoid taxa. <i>Nova Hedwigia</i> , 2012, 96, 61-71.	0.4	12
12	&lt;I&gt;Lactarius&lt;/I&gt; &lt;I&gt;rupestris&lt;/I&gt;â€”a new species from the Brazilian semi-arid region. <i>Mycotaxon</i> , 2010, 112, 55-63.	0.3	11
13	<i>Longistriata flava</i> (Boletaceae, Basidiomycota) â€“ a new monotypic sequestrate genus and species from Brazilian Atlantic Forest. <i>MycoKeys</i> , 2020, 62, 53-73.	1.9	11
14	Studies on <i>Gymnopus</i> sect. <i>Impudicae</i> (Omphalotaceae, Agaricales) from Northern Brazil: two new species and notes on <i>G. montagnei</i> . <i>Mycological Progress</i> , 2015, 14, 1.	1.4	10
15	The Neotropical <i>Amanita crebresulcata</i> Bas: new citation from Northeast Brazil. <i>Hoehnea (revista)</i> , 2007, 34, 131-134.	0.2	10
16	<i>Sulzbacheromyces caatingae</i> : notes on its systematics, morphology and distribution based on ITS barcoding sequences. <i>Lichenologist</i> , 2016, 48, 61-70.	0.8	9
17	Agaricaceae Fr. (Agaricales, Basidiomycota) from areas of Atlantic Forest in Pernambuco, Brazil. <i>Acta Botanica Brasilica</i> , 2008, 22, 287-299.	0.8	8
18	<i>Lactifluus batistae</i> (RUSSULACEAE), A NEW SPECIES FROM BAHIA, BRAZIL. <i>AgrotrÃ³pica (Itabuna)</i> , 2013, 25, 103-108.	0.1	8

#	ARTICLE	IF	CITATIONS
19	<i>Cantharellus amazonensis</i> , a new species from Amazon. <i>Mycosphere</i> , 2012, 3, 414-418.	6.1	8
20	Studies on <i>Entoloma</i> (Agaricales, Basidiomycota) in the Atlantic Forest, Northeast Brazil. <i>Nova Hedwigia</i> , 2013, 97, 139-157.	0.4	7
21	Taxonomic studies of <i>Amanita muscaria</i> (L.) Lam (Amanitaceae, Agaricomycetes) and its infraspecific taxa in Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 31-39.	0.8	7
22	A new species of <i>Lactifluus</i> (Russulales, Agaricomycetes) from the Brazilian caatinga semiarid region. <i>New Zealand Journal of Botany</i> , 2019, 57, 169-178.	1.1	7
23	Two <i>Oudemansiella</i> species with echinulate basidiospores from South America with <i>O. macracantha</i> lectotypified. <i>Mycotaxon</i> , 2010, 113, 119-127.	0.3	6
24	<i>Sebacina aureomagnifica</i> , a new heterobasidiomycete from the Atlantic Forest of northeast Brazil. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	6
25	&lt;p&gt;&lt;strong&gt;Two novel&lt;em&gt; &lt;/em&gt;species of &lt;em&gt;Lactifluus &lt;/em&gt;subg. &lt;em&gt;Pseudogymnocarpi &lt;/em&gt;(&lt;em&gt;Russulaceae&lt;/em&gt;) from Brazil&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 436, 222-236.	0.3	6
26	Traditional use of <i>Gymnopus nubicola</i> as food resource in a Kichwa community, Pichincha, Ecuador. <i>Mycosphere</i> , 2014, 5, 180-186.	6.1	6
27	<i>Amanita psammolimbata</i> , a new species from Northeastern Brazilian sand dunes. <i>Mycosphere</i> , 2015, 6, 260-265.	6.1	6
28	<i>Volvariella leucocalix</i> (Pluteaceae), a new species from Brazilian semiarid region. <i>Mycosphere</i> , 2016, 7, 30-35.	6.1	5
29	&lt;l&gt; <i>Volvariella</i> &lt;/l&gt; &lt;l&gt; <i>cubensis</i> &lt;/l&gt;; a rare neotropical agaric new to South America. <i>Mycotaxon</i> , 2009, 107, 181-187.	0.3	4
30	<i>Phaeocollybia nigripes</i> (<i>Agaricomycetes</i>), a new species from Brazil. <i>Mycotaxon</i> , 2012, 120, 171-179.	0.3	4
31	<i>Megacollybia rimosa</i> (Agaricales), a new species from Brazil. <i>Mycoscience</i> , 2013, 54, 206-209.	0.8	4
32	<i>Gymnopilus purpureograminicola</i> (Strophariaceae, Agaricomycetidae), a new species from Paraíba, Brazil. <i>Nova Hedwigia</i> , 2015, 101, 395-402.	0.4	4
33	<i>Tylopilus nigripes</i> sp. nov. (Boletaceae, Basidiomycota) from the Atlantic Forest of Brazil. <i>Feddes Repertorium</i> , 2020, 131, 244-250.	0.5	4
34	Novelties in <i>Lactifluus</i> subg. <i>Gymnocarpi</i> (Russulales, Basidiomycota) from Brazilian tropical forests. <i>Mycological Progress</i> , 2021, 20, 549-565.	1.4	4
35	<i>Amanita viridissima</i> (Amanitaceae, Basidiomycota), a striking new species from highlands of the semiarid region of Bahia, Brazil. <i>Plant Ecology and Evolution</i> , 2016, 149, 241-248.	0.7	4
36	<i>Amanita chocoana</i>" a new species from Ecuador. <i>Mycotaxon</i> , 2013, 121, 405-412.	0.3	4

#	ARTICLE	IF	CITATIONS
37	Hydropus griseolazulinus, a striking new species from Paraíba, Brazil. <i>Mycosphere</i> , 2013, 4, 218-225.	6.1	4
38	Craterellus niger (Cantharellaceae, Cantharellales, Basidiomycota): a new species from Pernambuco, Brazil. <i>Nova Hedwigia</i> , 2014, 99, 525-530.	0.4	3
39	Mycophagous Drosophilidae (Diptera) guild and their hosts in the Brazilian Amazon. <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195920.	0.4	3
40	A new species of Amanita growing under Eucalyptus is discovered in South Brazil. <i>Mycosphere</i> , 2016, 7, 262-267.	6.1	3
41	Limacella Ochraceolutea (Agaricomycetes) in the Atlantic Forest of Southern Brazil. <i>Field Mycology</i> , 2013, 14, 64-67.	0.0	2
42	Inocybe austrolilacina(Agaricales), a new species from Southern Brazil1. <i>Journal of the Torrey Botanical Society</i> , 2014, 141, 363-366.	0.3	2
43	Lactarius taedae (Russulales): an unexpected new gasteroid fungus from Brazil. <i>Phytotaxa</i> , 2018, 379, 234.	0.3	2
44	< i>Inocybe lepidosparta</i> (Agaricales: Basidiomycota): a new species from Pernambuco, Brazil. <i>New Zealand Journal of Botany</i> , 2018, 56, 438-443.	1.1	2
45	Type studies and new combinations in Brazilian milkcaps (Lactifluus, Russulaceae). <i>New Zealand Journal of Botany</i> , 2019, 57, 289-308.	1.1	2
46	Sarcodon atroviridis sensu lato, a stipitate hydnoid from Amazonian campinarana, Roraima, Brazil. <i>Check List</i> , 2015, 11, 1603.	0.4	2
47	Two Oudemansiella from a forest fragment in Southwestern Amazonia. <i>Mycosphere</i> , 2014, 5, 172-178.	6.1	2
48	A new combination in Oudemansiella (Physalacriaceae, Agaricomycetes). <i>Mycosphere</i> , 2014, 5, 701-705.	6.1	2
49	Considerations on the rare species Phlebopus brasiliensis (Fungi, Basidiomycota, Boletinellaceae) from Atlantic Forest of Northeast Brazil. <i>Proceedings of the Biological Society of Washington</i> , 2020, 133, .	0.3	2
50	New records of < i>Agaricales</i> from Atlantic Forest fragments of Pernambuco, Northeast Brazil. <i>Mycotaxon</i> , 2012, 118, 137-146.	0.3	1
51	Studies on Amanita (Amanitaceae) in Brazil: the discovery of A. aureofloccosa in the Brazil. <i>Revista Brasileira De Botanica</i> , 2015, 38, 639-643.	1.3	1
52	A second record of Entoloma azureoviride (Agaricales, Basidiomycota) from Brazilian Amazon. <i>Hoehnea (revista)</i> , 2019, 46, .	0.2	1
53	Hygrocybe aurantiomagnifica: a new species of section Firmae (Hygrophoraceae, Basidiomycota) from Brazil. <i>Kew Bulletin</i> , 2019, 74, 1.	0.9	1
54	O gênero < em>Amanita</em> (Fungi): Sistemática e distribuição no Brasil. <i>Pesquisa E Ensino Em Ciências Exatas E Da Natureza</i> , 2017, 1, 28.	0.1	1

#	ARTICLE	IF	CITATIONS
55	Neoclitocybe infuscata: a new species from Atlantic Forest of Pernambuco State, Brazil. <i>Mycosphere</i> , 2016, 7, 773-777.	6.1	1
56	A new species of <i>Pluteus</i> section <i>Celluloderma</i> (Agaricales, Basidiomycota) from Southern Brazil. <i>Lilloa</i> , 2018, 55, 75-79.	0.1	1
57	PSATHYRELLA EUTHYGRAMMA (AGARICALES, BASIDIOMYCOTA), A NEW RECORD FROM BRAZIL. <i>Darwiniana</i> , 2019, 7, 187-190.	0.2	1
58	<i>Psathyrella atlantica</i> (Agaricales: Basidiomycota), a new species from Brazil. <i>Acta Botanica Brasilica</i> , 2020, 34, 394-400.	0.8	1
59	Checklist of the agaricoid and similar morphology mycobiota of Paraíba State, Brazil. <i>Hoehnea</i> (revista), 0, 48, .	0.2	1
60	<i>Amanitas</i> (Agaricomycetidae, Amanitaceae) from Portugal deposited at URM herbarium. <i>Nova Hedwigia</i> , 2013, 97, 251-266.	0.4	0
61	Erratum to Wartchow, F: Studies on <i>Amanita</i> (Agaricomycetidae, Amanitaceae) in Brasil: Two yellow gemmatoid taxa – <i>Nova Hedwigia</i> 96: 61-71. <i>Nova Hedwigia</i> , 2013, 97, 267-267.	0.4	0
62	<i>Amanita xenokommosis</i> (Agaricales, Basidiomycota), a striking new species from sand dune forest of northeastern Brazil, with a key for phenetically similar species. <i>Plant Biosystems</i> , 2020, 154, 700-704.	1.6	0
63	<i>Amanita dulcidiora</i> (Amanitaceae, Basidiomycota), a striking new species of <i>Amanita</i> section <i>Lepidella</i> from Northeast Brazil. <i>Plant Ecology and Evolution</i> , 2018, 151, 262-270.	0.7	0
64	Morphological description and new records of <i>Hygrocybe conica</i> var. <i>conica</i> and <i>H. nigrescens</i> var. <i>brevispora</i> (Hygrophoraceae) in Brazil. <i>Hoehnea</i> (revista), 2019, 46, .	0.2	0
65	<i>Pseudotulostoma volvatum</i> (Elaphomycetaceae, Ascomycota) from an Amazonian white-sand forest in Brazil: odd and rare in the Neotropics?. <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.9	0
66	Fine-scale diversity in <i>Rhodocybe mellea</i> (Entolomataceae, Basidiomycota), with a description of a new variety and notes on sclerotia formation in <i>Rhodocybe</i> . <i>Phytotaxa</i> , 2022, 538, 87-99.	0.3	0
67	Neotype of <i>Amanita spissa</i> var. <i>laeta</i> (Basidiomycota, Amanitaceae). <i>Anales Del Jardin Botanico De Madrid</i> , 2021, 78, e118.	0.4	0
68	<i>Leucocoprinus rhodolepis</i> (Agaricaceae: Basidiomycota), a new species from Brazilian semi-arid region. <i>Revista Mexicana De Biodiversidad</i> , 0, 93, e933821.	0.4	0