

# Felipe Wartchow

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9541484/publications.pdf>

Version: 2024-02-01

68

papers

901

citations

840776

11

h-index

526287

27

g-index

69

all docs

69

docs citations

69

times ranked

1322

citing authors

#	ARTICLE	IF	CITATIONS
1	Fine-scale diversity in <i>Rhodocybe mellea</i> (Entolomataceae, Basidiomycota), with a description of a new variety and notes on sclerotia formation in <i>Rhodocybe</i> . <i>Phytotaxa</i> , 2022, 538, 87-99.	0.3	0
2	Novelties in <i>Lactifluus</i> subg. <i>Gymnocarpi</i> (Russulales, Basidiomycota) from Brazilian tropical forests. <i>Mycological Progress</i> , 2021, 20, 549-565.	1.4	4
3	<i>Pseudotulostoma volvatum</i> (Elaphomycetaceae, Ascomycota) from an Amazonian white-sand forest in Brazil: odd and rare in the Neotropics?. <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.9	0
4	Neotype of <i>Amanita spissa</i> var. <i>laeta</i> (Basidiomycota, Amanitaceae). <i>Anales Del Jardin Botanico De Madrid</i> , 2021, 78, e118.	0.4	0
5	<i>Amanita xenokommosis</i> (Agaricales, Basidiomycota), a striking new species from sand dune forest of northeastern Brazil, with a key for phenetically similar species. <i>Plant Biosystems</i> , 2020, 154, 700-704.	1.6	0
6	<i>Tylopilus nigripes</i> sp. nov. (Boletaceae, Basidiomycota) from the Atlantic Forest of Brazil. <i>Feddes Repertorium</i> , 2020, 131, 244-250.	0.5	4
7	&lt;p&gt;&lt;strong&gt;Two novel&lt;em&gt; &lt;/em&gt;species of &lt;em&gt; <i>Lactifluus</i> &lt;/em&gt;subg. &lt;em&gt; <i>Pseudogymnocarpi</i> &lt;/em&gt;(Russulaceae) from Brazil&lt;/strong&gt;&lt;/p&gt;. <i>Phytotaxa</i> , 2020, 436, 222-236.	0.3	6
8	<i>Longistriata flava</i> (Boletaceae, Basidiomycota) â€“ a new monotypic sequestrate genus and species from Brazilian Atlantic Forest. <i>MycoKeys</i> , 2020, 62, 53-73.	1.9	11
9	<i>Psathyrella atlantica</i> (Agaricales: Basidiomycota), a new species from Brazil. <i>Acta Botanica Brasilica</i> , 2020, 34, 394-400.	0.8	1
10	Considerations on the rare species <i>Phlebopus brasiliensis</i> (Fungi, Basidiomycota, Boletellaceae) from Atlantic Forest of Northeast Brazil. <i>Proceedings of the Biological Society of Washington</i> , 2020, 133, .	0.3	2
11	Type studies and new combinations in Brazilian milkcaps ( <i>Lactifluus</i> , Russulaceae). <i>New Zealand Journal of Botany</i> , 2019, 57, 289-308.	1.1	2
12	A second record of <i>Entoloma azureoviride</i> (Agaricales, Basidiomycota) from Brazilian Amazon. <i>Hoehnea (revista)</i> , 2019, 46, .	0.2	1
13	A new species of <i>Lactifluus</i> (Russulales, Agaricomycetes) from the Brazilian caatinga semiarid region. <i>New Zealand Journal of Botany</i> , 2019, 57, 169-178.	1.1	7
14	Notes, outline and divergence times of Basidiomycota. <i>Fungal Diversity</i> , 2019, 99, 105-367.	12.3	256
15	<i>Hygrocybe aurantiomagnifica</i> : a new species of section <i>Firmae</i> (Hygrophoraceae, Basidiomycota) from Brazil. <i>Kew Bulletin</i> , 2019, 74, 1.	0.9	1
16	Morphological description and new records of <i>Hygrocybe conica</i> var. <i>conica</i> and <i>H. nigrescens</i> var. <i>brevispora</i> (Hygrophoraceae) in Brazil. <i>Hoehnea (revista)</i> , 2019, 46, .	0.2	0
17	PSATHYRELLA EUTHYGRAMMA (AGARICALES, BASIDIOMYCOTA), A NEW RECORD FROM BRAZIL. <i>Darwiniana</i> , 2019, 7, 187-190.	0.2	1
18	<i>Lactarius taedae</i> (Russulales): an unexpected new gasteroid fungus from Brazil. <i>Phytotaxa</i> , 2018, 379, 234.	0.3	2

#	ARTICLE	IF	CITATIONS
19	<i>Inocybe lepidosparta</i> (Agaricales: Basidiomycota): a new species from Pernambuco, Brazil. New Zealand Journal of Botany, 2018, 56, 438-443.	1.1	2
20	Amanita dulcidora (Amanitaceae, Basidiomycota), a striking new species of Amanita section Lepidella from Northeast Brazil. Plant Ecology and Evolution, 2018, 151, 262-270.	0.7	0
21	A new species of Pluteus section Celluloderma (Agaricales, Basidiomycota) from Southern Brazil. Lilloa, 2018, 55, 75-79.	0.1	1
22	The (re)discovery of ectomycorrhizal symbioses in Neotropical ecosystems sketched in Florianópolis. New Phytologist, 2017, 214, 920-923.	7.3	18
23	O gênero <em>Amanita</em> (Fungi): Sistemática e distribuição no Brasil. Pesquisa E Ensino Em Ciências Exatas E Da Natureza, 2017, 1, 28.	0.1	1
24	Fungal Planet description sheets: 469-557. Persoonia: Molecular Phylogeny and Evolution of Fungi, 2016, 37, 218-403.	4.4	196
25	Sulzbacheromyces caatingae: notes on its systematics, morphology and distribution based on ITS barcoding sequences. Lichenologist, 2016, 48, 61-70.	0.8	9
26	Diversity and Distribution of Ectomycorrhizal Fungi from Amazonian Lowland Whiteâ€sand Forests in Brazil and French Guiana. Biotropica, 2016, 48, 90-100.	1.6	46
27	Amanita viridissima (Amanitaceae, Basidiomycota), a striking new species from highlands of the semiarid region of Bahia, Brazil. Plant Ecology and Evolution, 2016, 149, 241-248.	0.7	4
28	Volvariella leucocalix (Pluteaceae), a new species from Brazilian semiarid region. Mycosphere, 2016, 7, 30-35.	6.1	5
29	A new species of Amanita growing under Eucalyptus is discovered in South Brazil. Mycosphere, 2016, 7, 262-267.	6.1	3
30	Neoclitocybe infuscata: a new species from Atlantic Forest of Pernambuco State, Brazil. Mycosphere, 2016, 7, 773-777.	6.1	1
31	Gymnopilus purpureograminicola (Strophariaceae, Agaricomycetidae), a new species from Paraíba, Brazil. Nova Hedwigia, 2015, 101, 395-402.	0.4	4
32	Diversity of Brazilian Fungi. Rodriguesia, 2015, 66, 1033-1045.	0.9	67
33	Studies on Gymnopus sect. Impudicæ (Omphalotaceae, Agaricales) from Northern Brazil: two new species and notes on G. montagnei. Mycological Progress, 2015, 14, 1.	1.4	10
34	Studies on Amanita (Amanitaceae) in Brazil: the discovery of A. aureofloccosa in the Brazil. Revista Brasileira De Botanica, 2015, 38, 639-643.	1.3	1
35	Sebacina aureomagnifica, a new heterobasidiomycete from the Atlantic Forest of northeast Brazil. Mycological Progress, 2015, 14, 1.	1.4	6
36	Sarcodon atroviridis sensu lato, a stipitate hydnoid from Amazonian campinarana, Roraima, Brazil. Check List, 2015, 11, 1603.	0.4	2

#	ARTICLE	IF	CITATIONS
37	Amanita psammolimbata, a new species from Northeastern Brazilian sand dunes. <i>Mycosphere</i> , 2015, 6, 260-265.	6.1	6
38	Craterellus niger (Cantharellaceae, Cantharellales, Basidiomycota): a new species from Pernambuco, Brazil. <i>Nova Hedwigia</i> , 2014, 99, 525-530.	0.4	3
39	Cantharellaceae of Guyana II: New species of <i>Craterellus</i> , new South American distribution records for <i>Cantharellus guyanensis</i> and <i>Craterellus excelsus</i> , and a key to the Neotropical taxa. <i>Mycologia</i> , 2014, 106, 307-324.	1.9	23
40	Inocybe austrolilacina(Agaricales), a new species from Southern Brazil1. <i>Journal of the Torrey Botanical Society</i> , 2014, 141, 363-366.	0.3	2
41	Two Oudemansiella from a forest fragment in Southwestern Amazonia. <i>Mycosphere</i> , 2014, 5, 172-178.	6.1	2
42	Traditional use of <i>Gymnopus nubicola</i> as food resource in a Kichwa community, Pichincha, Ecuador. <i>Mycosphere</i> , 2014, 5, 180-186.	6.1	6
43	A new combination in Oudemansiella (Physalacriaceae, Agaricomycetes). <i>Mycosphere</i> , 2014, 5, 701-705.	6.1	2
44	Megacollybia rimosa (Agaricales), a new species from Brazil. <i>Mycoscience</i> , 2013, 54, 206-209.	0.8	4
45	Limacella Ochraceous (Agaricomycetes) in the Atlantic Forest of Southern Brazil. <i>Field Mycology</i> , 2013, 14, 64-67.	0.0	2
46	Studies on Entoloma (Agaricales, Basidiomycota) in the Atlantic Forest, Northeast Brazil. <i>Nova Hedwigia</i> , 2013, 97, 139-157.	0.4	7
47	Amanitas (Agaricomycetidae, Amanitaceae) from Portugal deposited at URM herbarium. <i>Nova Hedwigia</i> , 2013, 97, 251-266.	0.4	0
48	Erratum to Wartchow, F: Studies on Amanita (Agaricomycetidae, Amanitaceae) in Brasil: Two yellow gemmatoid taxa – <i>Nova Hedwigia</i> 96: 61-71. <i>Nova Hedwigia</i> , 2013, 97, 267-267.	0.4	0
49	Taxonomic studies of Amanita muscaria (L.) Lam (Amanitaceae, Agaricomycetes) and its infraspecific taxa in Brazil. <i>Acta Botanica Brasilica</i> , 2013, 27, 31-39.	0.8	7
50	Lactifluus batistae (RUSSULACEAE), A NEW SPECIES FROM BAHIA, BRAZIL. <i>Agrotrópica (Itabuna)</i> , 2013, 25, 103-108.	0.1	8
51	< i>Amanita chocoana</i> a new species from Ecuador. <i>Mycotaxon</i> , 2013, 121, 405-412.	0.3	4
52	Hydropus griseolazulinus, a striking new species from Paraíba, Brazil. <i>Mycosphere</i> , 2013, 4, 218-225.	6.1	4
53	Lactifluus dunensis, a new species from Rio Grande do Norte, Brazil. <i>Mycosphere</i> , 2013, 4, 261-265.	6.1	16
54	Cantharellus aurantiioconspicuus (Cantharellales), a new species from Pernambuco, Brazil. <i>Nova Hedwigia</i> , 2012, 94, 129-137.	0.4	24

#	ARTICLE	IF	CITATIONS
55	Studies on Amanita (Agaricomycetidae, Amanitaceae) in Brazil: two yellow gemmatoid taxa. <i>Nova Hedwigia</i> , 2012, 96, 61-71.	0.4	12
56	New records of <i>&lt; i&gt;Agaricales&lt;/i&gt;</i> from Atlantic Forest fragments of Pernambuco, Northeast Brazil. <i>Mycotaxon</i> , 2012, 118, 137-146.	0.3	1
57	<i>&lt; i&gt;Phaeocollybia nigripes&lt;/i&gt;</i> ( <i>&lt; i&gt;Agaricomycetes&lt;/i&gt;</i> ), a new species from Brazil. <i>Mycotaxon</i> , 2012, 120, 171-179.	0.3	4
58	Studies on lentinoid fungi ( <i>&lt; i&gt;Lentinus&lt;/i&gt;</i> and <i>&lt; i&gt;Panus&lt;/i&gt;</i> ) from the semi-arid region of Brazil <sup>1</sup> . <i>Journal of the Torrey Botanical Society</i> , 2012, 139, 437-446.	0.3	15
59	<i>Cantharellus amazonensis</i> , a new specis from Amazon. <i>Mycosphere</i> , 2012, 3, 414-418.	6.1	8
60	<i>&amp;lt;i&amp;gt;Lactarius&amp;lt;/i&amp;gt; &amp;lt;i&amp;gt;rupestris&amp;lt;/i&amp;gt;</i> a new species from the Brazilian semi-arid region. <i>Mycotaxon</i> , 2010, 112, 55-63.	0.3	11
61	Two <i>&lt; i&gt;Oudemansiella&lt;/i&gt;</i> species with echinulate basidiospores from South America with <i>&lt; i&gt;O. macracantha&lt;/i&gt;</i> lectotypified. <i>Mycotaxon</i> , 2010, 113, 119-127.	0.3	6
62	<i>&lt; i&gt;Amanita lippiae&lt;/i&gt;</i> : a new species from the semi-arid caatinga region of Brazil. <i>Mycologia</i> , 2009, 101, 864-870.	1.9	17
63	<i>&amp;lt;i&amp;gt;Volvariella&amp;lt;/i&amp;gt; &amp;lt;i&amp;gt;cubensis&amp;lt;/i&amp;gt;</i> : a rare neotropical agaric new to South America. <i>Mycotaxon</i> , 2009, 107, 181-187.	0.3	4
64	Agaricaceae Fr. (Agaricales, Basidiomycota) from areas of Atlantic Forest in Pernambuco, Brazil. <i>Acta Botanica Brasilica</i> , 2008, 22, 287-299.	0.8	8
65	The Neotropical <i>Amanita crebresulcata</i> Bas: new citation from Northeast Brazil. <i>Hoehnea (revista)</i> , 2007, 34, 131-134.	0.2	10
66	Mycophagous Drosophilidae (Diptera) guild and their hosts in the Brazilian Amazon. <i>Papeis Avulsos De Zoologia</i> , 0, 59, e20195920.	0.4	3
67	Checklist of the agaricoid and similar morphology mycobiota of ParaÃba State, Brazil. <i>Hoehnea (revista)</i> , 0, 48, .	0.2	1
68	<i>Leucocoprinus rhodolepis</i> (Agaricaceae: Basidiomycota), a new species from Brazilian semi-arid region. <i>Revista Mexicana De Biodiversidad</i> , 0, 93, e933821.	0.4	0