Giampiero Mazzaglia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9542732/publications.pdf Version: 2024-02-01

| | | 81900 | 30922 |
|----------|----------------|--------------|----------------|
| 128 | 12,350 | 39 | 102 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 133 | 133 | 133 | 12218 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Antidepressants Drug Use during COVID-19 Waves in the Tuscan General Population: An Interrupted Time-Series Analysis. Journal of Personalized Medicine, 2022, 12, 178. | 2.5 | 8 |
| 2 | Costs and effects of cardiovascular risk reclassification using the ankle-brachial index (ABI) in addition to the Framingham risk scoring in women. Atherosclerosis, 2021, 317, 59-66. | 0.8 | 6 |
| 3 | Trends in cardiovascular diseases burden and vascular risk factors in Italy: The Global Burden of Disease study 1990–2017. European Journal of Preventive Cardiology, 2021, 28, 385-396. | 1.8 | 34 |
| 4 | Occupational Exposure in the Lombardy Region (Italy) to SARS-CoV-2 Infection: Results from the MUSTANG–OCCUPATION–COVID-19 Study. International Journal of Environmental Research and Public Health, 2021, 18, 2567. | 2.6 | 21 |
| 5 | COVID-19 Outbreak Impact on Anticoagulants Utilization: An Interrupted Time-Series Analysis Using Health Care Administrative Databases. Thrombosis and Haemostasis, 2021, 121, 1115-1118. | 3.4 | 3 |
| 6 | Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820. | 10.2 | 2,308 |
| 7 | Impact of COVID-19 Lockdown, during the Two Waves, on Drug Use and Emergency Department Access in People with Epilepsy: An Interrupted Time-Series Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 13253. | 2.6 | 8 |
| 8 | Cost-Effectiveness and Budget Impact of Emicizumab Prophylaxis in Haemophilia A Patients with Inhibitors. Thrombosis and Haemostasis, 2020, 120, 216-228. | 3.4 | 48 |
| 9 | Magnitude and time-course of excess mortality during COVID-19 outbreak: population-based empirical evidence from highly impacted provinces in northern Italy. ERJ Open Research, 2020, 6, 00458-2020. | 2.6 | 30 |
| 10 | Potential effects of vaccinations on the prevention of COVID-19: rationale, clinical evidence, risks, and public health considerations. Expert Review of Vaccines, 2020, 19, 919-936. | 4.4 | 72 |
| 11 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021. | 2.8 | 4,468 |
| 12 | â€~Use of antipsychotics in children and adolescents: a picture from the ARITMO population-based European cohort study'. Epidemiology and Psychiatric Sciences, 2020, 29, e117. | 3.9 | 21 |
| 13 | The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266. | 8.1 | 823 |
| 14 | PND28 THE ECONOMIC BURDEN OF MULTIPLE SCLEROSIS DEVELOPMENT OVER TIME: AN ANALYSIS FROM THE MULTIPLE SCLEROSIS CENTERS PERSPECTIVE. Value in Health, 2019, 22, S741. | 0.3 | 0 |
| 15 | Study Design and Evaluation of Risk Minimization Measures: A Review of Studies Submitted to the European Medicines Agency for Cardiovascular, Endocrinology, and Metabolic Drugs. Drug Safety, 2018, 41, 191-202. | 3.2 | 25 |
| 16 | Risk Management Process. , 2018, , 11-45. | | 0 |
| 17 | Antibiotic-Induced Liver Injury in Paediatric Outpatients: A Case-Control Study in Primary Care Databases. Drug Safety, 2017, 40, 305-315. | 3.2 | 29 |
| 18 | Use of azithromycin and risk of ventricular arrhythmia. Cmaj, 2017, 189, E560-E568. | 2.0 | 42 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Drugâ€induced progressive multifocal leukoencephalopathy in multiple sclerosis: European regulators' perspective. Clinical Pharmacology and Therapeutics, 2017, 102, 283-289. | 4.7 | 17 |
| 20 | Prescribing pattern of antipsychotic drugs during the years 1996–2010: a populationâ€based database study in Europe with a focus on torsadogenic drugs. British Journal of Clinical Pharmacology, 2016, 82, 487-497. | 2.4 | 27 |
| 21 | Global cardiovascular risk evaluation. Journal of Cardiovascular Medicine, 2016, 17, 581-586. | 1.5 | 3 |
| 22 | Automatic identification of type 2 diabetes, hypertension, ischaemic heart disease, heart failure and their levels of severity from Italian General Practitioners' electronic medical records: a validation study. BMJ Open, 2016, 6, e012413. | 1.9 | 26 |
| 23 | Drug utilization research and risk management. , 2016, , 392-398. | | 1 |
| 24 | Effects of a computerized decision support system in improving pharmacological management in high-risk cardiovascular patients: A cluster-randomized open-label controlled trial. Health Informatics Journal, 2016, 22, 232-247. | 2.1 | 10 |
| 25 | The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. British Journal of Clinical Pharmacology, 2015, 80, 304-314. | 2.4 | 25 |
| 26 | Using real-world healthcare data for pharmacovigilance signal detection – the experience of the EU-ADR project. Expert Review of Clinical Pharmacology, 2015, 8, 95-102. | 3.1 | 31 |
| 27 | Development and Validation of a Score for Adjusting Health Care Costs in General Practice. Value in Health, 2015, 18, 884-895. | 0.3 | 8 |
| 28 | Risk of atrial fibrillation among bisphosphonate users: a multicenter, population-based, Italian study. Osteoporosis International, 2015, 26, 1499-1506. | 3.1 | 23 |
| 29 | Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. Drug Safety, 2015, 38, 1201-1210. | 3.2 | 49 |
| 30 | Drug utilization, safety, and effectiveness of exenatide, sitagliptin, and vildagliptin for type 2 diabetes in the real world: Data from the Italian AIFA Anti-diabetics Monitoring Registry. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 1346-1353. | 2.6 | 39 |
| 31 | Userâ€only design to assess drug effectiveness in clinical practice: application to bisphosphonates and secondary prevention of fractures. Pharmacoepidemiology and Drug Safety, 2014, 23, 859-867. | 1.9 | 25 |
| 32 | Signal Detection of Potentially Drug-Induced Acute Liver Injury in Children Using a Multi-Country Healthcare Database Network. Drug Safety, 2014, 37, 99-108. | 3.2 | 25 |
| 33 | Oral bisphosphonates do not increase the risk of severe upper gastrointestinal complications: a nested case–control study. BMC Gastroenterology, 2014, 14, 5. | 2.0 | 7 |
| 34 | Systemic antibiotic prescribing to paediatric outpatients in 5 European countries: a population-based cohort study. BMC Pediatrics, 2014, 14, 174. | 1.7 | 86 |
| 35 | Risk of Upper Gastrointestinal Bleeding From Different Drug Combinations. Gastroenterology, 2014, 147, 784-792.e9. | 1.3 | 132 |
| 36 | Effectiveness of oral bisphosphonates for primary prevention of osteoporotic fractures. European Journal of Clinical Pharmacology, 2014, 70, 1129-1137. | 1.9 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | ldiopathic Acute Liver Injury in Paediatric Outpatients: Incidence and Signal Detection in Two European Countries. Drug Safety, 2013, 36, 1007-1016. | 3.2 | 18 |
| 38 | 812 Synergistic Effects of Concomitant Use of Non-Selective NSAIDs, Coxibs and Low-Dose Aspirin on Risk of Upper Gastrointestinal Bleeding. Gastroenterology, 2013, 144, S-141. | 1.3 | 1 |
| 39 | Cycloâ€oxygenaseâ€2 inhibitors or nonselective <scp>NSAID</scp> s plus gastroprotective agents: what to prescribe in daily clinical practice?. Alimentary Pharmacology and Therapeutics, 2013, 38, 178-189. | 3.7 | 13 |
| 40 | Replication of the OMOP Experiment in Europe: Evaluating Methods for Risk Identification in Electronic Health Record Databases. Drug Safety, 2013, 36, 159-169. | 3.2 | 41 |
| 41 | Assessing the risk of osteonecrosis of the jaw due to bisphosphonate therapy in the secondary prevention of osteoporotic fractures. Osteoporosis International, 2013, 24, 697-705. | 3.1 | 34 |
| 42 | 1038 Cyclo-Oxygenase-2 Inhibitors or Nonselective NSAIDs Plus Gastroprotective Agents: What to Prescribe in Daily Clinical Practice?. Gastroenterology, 2013, 144, S-195. | 1.3 | 0 |
| 43 | Chronic disease prevalence from Italian administrative databases in the VALORE project: a validation through comparison of population estimates with general practice databases and national survey. BMC Public Health, 2013, 13, 15. | 2.9 | 79 |
| 44 | Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. Journal of the American Medical Informatics Association: JAMIA, 2013, 20, 184-192. | 4.4 | 75 |
| 45 | Identification of acute myocardial infarction from electronic healthcare records using different disease coding systems: a validation study in three European countries. BMJ Open, 2013, 3, e002862. | 1.9 | 101 |
| 46 | Epidemiology of gout and hyperuricaemia in Italy during the years 2005–2009: a nationwide population-based study. Annals of the Rheumatic Diseases, 2013, 72, 694-700. | 0.9 | 231 |
| 47 | Burden of community-acquired pneumonia in Italian general practice: Table 1–. European Respiratory Journal, 2013, 42, 1739-1742. | 6.7 | 28 |
| 48 | Drug-Induced Acute Myocardial Infarction: Identifying â€~Prime Suspects' from Electronic Healthcare Records-Based Surveillance System. PLoS ONE, 2013, 8, e72148. | 2.5 | 41 |
| 49 | Risk of Severe Upper Gastrointestinal Complications among Oral Bisphosphonate Users. PLoS ONE, 2013, 8, e73159. | 2.5 | 5 |
| 50 | Using Electronic Health Care Records for Drug Safety Signal Detection. Medical Care, 2012, 50, 890-897. | 2.4 | 79 |
| 51 | Prescription of nonselective <scp>NSAID</scp> s, coxibs and gastroprotective agents in the era of rofecoxib withdrawal ―a 617Â400â€patient study. Alimentary Pharmacology and Therapeutics, 2012, 36, 790-799. | 3.7 | 12 |
| 52 | Assessing 5-year incidence rates and determinants of osteoporotic fractures in primary care. Bone, 2012, 50, 85-90. | 2.9 | 42 |
| 53 | Risk of Cardiac Valve Regurgitation with Dopamine Agonist use in Parkinson's Disease and Hyperprolactinaemia. Drug Safety, 2012, 35, 159-171. | 3.2 | 42 |
| 54 | The risk of new onset heart failure associated with dopamine agonist use in Parkinson's disease. Pharmacological Research, 2012, 65, 358-364. | 7.1 | 53 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. Pharmacoepidemiology and Drug Safety, 2012, 21, 611-621. | 1.9 | 73 |
| 56 | Adherence to gastroprotection during cyclooxygenase 2 inhibitor treatment and the risk of upper gastrointestinal tract events: A populationâ€based study. Arthritis and Rheumatism, 2012, 64, 2792-2802. | 6.7 | 17 |
| 57 | Suboptimal Gastroprotective Coverage of NSAID Use and the Risk of Upper Gastrointestinal Complications. Gastroenterology, 2011, 140, S-45. | 1.3 | Ο |
| 58 | Adherence to Gastroprotective Agents and the Risk of Upper Gastrointestinal Complications in Coxib Users. Gastroenterology, 2011, 140, S-585. | 1.3 | 1 |
| 59 | Time-Trends in Use of Gastroprotective Strategies With NSAID Treatment in the United Kingdom, Italy, and the Netherlands; A Comparative Study. Gastroenterology, 2011, 140, S-574. | 1.3 | 1 |
| 60 | Combining electronic healthcare databases in Europe to allow for largeâ€scale drug safety monitoring: the EUâ€ADR Project. Pharmacoepidemiology and Drug Safety, 2011, 20, 1-11. | 1.9 | 222 |
| 61 | A national survey on aspirin patterns of use and persistence in community outpatients in Italy. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 695-703. | 2.8 | 14 |
| 62 | Suboptimal gastroprotective coverage of NSAID use and the risk of upper gastrointestinal bleeding and ulcers: an observational study using three European databases. Gut, 2011, 60, 1650-1659. | 12.1 | 54 |
| 63 | Aderenza e persistenza: due elementi chiave per la determinazione dell'efficacia terapeutica in usual care. Farmeconomia E Percorsi Terapeutici, 2011, 12, 9-13. | 0.1 | 0 |
| 64 | Epidemiologia, prevenzione e trattamento delle malattie cardiovascolari: evidenze dal database della medicina generale. Farmeconomia E Percorsi Terapeutici, 2011, 12, 29-34. | 0.1 | 0 |
| 65 | EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. Studies in Health Technology and Informatics, 2011, 166, 25-30. | 0.3 | 34 |
| 66 | Opportunistic prostate-specific antigen screening in Italy: 6 years of monitoring from the Italian general practice database. European Journal of Cancer Prevention, 2010, 19, 413-416. | 1.3 | 21 |
| 67 | Prescribing pattern of antipsychotic drugs in the Italian general population 2000–2005: a focus on elderly with dementia. International Clinical Psychopharmacology, 2010, 25, 22-28. | 1.7 | 27 |
| 68 | Is suboptimal prescribing a risk factor for poor health outcomes in communityâ€dwelling elders? The ICARe Dicomano study. Pharmacoepidemiology and Drug Safety, 2010, 19, 954-960. | 1.9 | 28 |
| 69 | A national survey of the management of atrial fibrillation with antithrombotic drugs in Italian primary care. Thrombosis and Haemostasis, 2010, 103, 968-975. | 3.4 | 46 |
| 70 | Timing of stroke in elderly people exposed to typical and atypical antipsychotics: a replication cohort study after the paper of Kleijer, et al Journal of Psychopharmacology, 2010, 24, 1131-1132. | 4.0 | 20 |
| 71 | Safety Profile of the Fluoroquinolones. Drug Safety, 2010, 33, 789-799. | 3.2 | 26 |
| 72 | Venous thromboembolism in medical patients treated in the setting of primary care: A nationwide case-control study in Italy. Thrombosis Research, 2010, 126, 367-372. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Incidence of psoriasis and association with comorbidities in Italy: a 5-year observational study from a national primary care database. European Journal of Dermatology, 2010, 20, 593-8. | 0.6 | 61 |
| 74 | Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. Studies in Health Technology and Informatics, 2010, 160, 1085-9. | 0.3 | 13 |
| 75 | Different Models for Oral Anticoagulation Management May Be Applied Provided That Minimal Assistance Criteria Are Fulfilled: An Italian Experience. Seminars in Thrombosis and Hemostasis, 2009, 35, 568-573. | 2.7 | 2 |
| 76 | Blood pressure control and drug therapy in patients with diagnosed hypertension: a survey in Italian general practice. Journal of Human Hypertension, 2009, 23, 758-763. | 2.2 | 30 |
| 77 | Adherence to Antihypertensive Medications and Cardiovascular Morbidity Among Newly Diagnosed Hypertensive Patients. Circulation, 2009, 120, 1598-1605. | 1.6 | 524 |
| 78 | Epidemiology of Suboptimal Prescribing in Older, Community Dwellers. Drugs and Aging, 2009, 26, 1029-1038. | 2.7 | 34 |
| 79 | Hepatitis Status and Mortality in Hemodialysis Population. Renal Failure, 2009, 31, 6-12. | 2.1 | 12 |
| 80 | Pharmacological treatment after acute myocardial infarction from 2001 to 2006: a survey in Italian primary care. Journal of Cardiovascular Medicine, 2009, 10, 714-718. | 1.5 | 10 |
| 81 | Association between satisfaction and stress with aspects of job and practice management among primary care physicians. Quality in Primary Care, 2009, 17, 215-23. | 0.8 | 3 |
| 82 | A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. Studies in Health Technology and Informatics, 2009, 150, 190-4. | 0.3 | 16 |
| 83 | Discontinuity and failures of therapy with bisphosphonates: joint assessment of predictors with multiâ€state models. Pharmacoepidemiology and Drug Safety, 2008, 17, 260-269. | 1.9 | 15 |
| 84 | Detection and Awareness of Moderate to Advanced CKD by Primary Care Practitioners: A Cross-sectional Study From Italy. American Journal of Kidney Diseases, 2008, 52, 444-453. | 1.9 | 98 |
| 85 | Prevalence and antihyperglycemic prescribing trends for patients with type 2 diabetes in Italy: A 4-year retrospective study from national primary care data. Pharmacological Research, 2008, 57, 358-363. | 7.1 | 29 |
| 86 | Care available to severely disabled older persons living at home in Florence, Italy. Aging Clinical and Experimental Research, 2008, 20, 31-39. | 2.9 | 11 |
| 87 | Risk of stroke with typical and atypical anti-psychotics: a retrospective cohort study including unexposed subjects. Journal of Psychopharmacology, 2008, 22, 39-46. | 4.0 | 89 |
| 88 | Prevalence and treatment of hypertensive patients with multiple concomitant cardiovascular risk factors in The Netherlands and Italy. Journal of Human Hypertension, 2008, 22, 704-713. | 2.2 | 9 |
| 89 | Out of hospital sudden cardiac death in Italy: a population-based case–control study. Journal of Cardiovascular Medicine, 2008, 9, 595-600. | 1.5 | 19 |
| 90 | Monitoring statin safety in primary care. Pharmacoepidemiology and Drug Safety, 2007, 16, 652-657. | 1.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Co-prescriptions with itraconazole and fluconazole as a signal for possible risk of drug–drug interactions: a four-year analysis from Italian general practice. Pharmacoepidemiology and Drug Safety, 2007, 16, 422-428. | 1.9 | 13 |
| 92 | Screening of Older Communityâ€Dwelling People at Risk for Death and Hospitalization: The Assistenza Socio‧anitaria in Italia Project. Journal of the American Geriatrics Society, 2007, 55, 1955-1960. | 2.6 | 52 |
| 93 | Prescribing patterns of antiepileptic drugs in Italy: a nationwide populationâ€based study in the years 2000–2005. European Journal of Neurology, 2007, 14, 1317-1321. | 3.3 | 81 |
| 94 | Predictive Validity of Measures of Comorbidity in Older Community Dwellers: The Insufficienza Cardiaca negli Anziani Residenti a Dicomano Study. Journal of the American Geriatrics Society, 2006, 54, 210-216. | 2.6 | 99 |
| 95 | Antibiotic prescribing for acute and recurrent cystitis in primary care: a 4 year descriptive study. Journal of Antimicrobial Chemotherapy, 2006, 57, 551-556. | 3.0 | 30 |
| 96 | Incidence of diabetes in a general practice population: a database cohort study on the relationship with haloperidol, olanzapine, risperidone or quetiapine exposure. International Clinical Psychopharmacology, 2005, 20, 33-37. | 1.7 | 32 |
| 97 | Patterns of persistence with antihypertensive medications in newly diagnosed hypertensive patients in Italy: a retrospective cohort study in primary care. Journal of Hypertension, 2005, 23, 2093-2100. | 0.5 | 163 |
| 98 | Antipsychotic prescribing pattern among Italian general practitioners: a population-based study during the years 1999?2002. European Journal of Clinical Pharmacology, 2005, 61, 47-53. | 1.9 | 54 |
| 99 | Adverse drug events in emergency department population: a prospective Italian study. Pharmacoepidemiology and Drug Safety, 2005, 14, 333-340. | 1.9 | 57 |
| 100 | Cholesterol control in stroke prevention in Italy: a cross-sectional study in family practice. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 159-163. | 2.8 | 3 |
| 101 | L-carnitine infusions may suppress serum C-reactive protein and improve nutritional status in maintenance hemodialysis patients. , 2005, 15, 225-230. | | 62 |
| 102 | Cholesterol control in stroke prevention in Italy: a cross-sectional study in family practice. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 159-163. | 2.8 | 2 |
| 103 | Computerized general practice databases provide quick and cost-effective information on the prevalence of angina pectoris. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2005, 6, 49-51. | 0.1 | 11 |
| 104 | Homecare for patients with heart failure in Italy. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2005, 6, 573-7. | 0.1 | 1 |
| 105 | Oral anticoagulant therapy in Italy: prescribing prevalence and clinical reasons. Pharmacological Research, 2004, 50, 601-603. | 7.1 | 12 |
| 106 | Management of patients with suspected angina, but without known myocardial infarction: a cross-sectional survey. British Journal of General Practice, 2004, 54, 429-33. | 1.4 | 7 |
| 107 | Exploring patient- and doctor-related variables associated with antibiotic prescribing for respiratory infections in primary care. European Journal of Clinical Pharmacology, 2003, 59, 651-657. | 1.9 | 53 |
| 108 | Effects of Manidipine and Nifedipine on Blood Pressure and Renal Function in Patients with Chronic Renal Failure: A Multicenter Randomized Controlled Trial. Renal Failure, 2003, 25, 681-689. | 2.1 | 20 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Prevalence estimates for chronic diseases in Italy: exploring the differences between self-report and primary care databases. Journal of Public Health, 2003, 25, 254-257. | 1.8 | 142 |
| 110 | Effects of an Automated Electronic Reminder in Changing the Antiplatelet Drug-Prescribing Behavior Among Italian General Practitioners in Diabetic Patients: An intervention trial. Diabetes Care, 2003, 26, 1497-1500. | 8.6 | 82 |
| 111 | Secondary Prevention of Stroke in Italy. Stroke, 2003, 34, 1010-1014. | 2.0 | 68 |
| 112 | Antibiotic Prescribing for Dental Conditions: a Community-Based Study in Southern Italy. Journal of Chemotherapy, 2002, 14, 65-70. | 1.5 | 4 |
| 113 | Exploring the variability in antibiotic prescribing profiles among paediatricians from two different areas of Italy. Pharmacological Research, 2002, 45, 369-374. | 7.1 | 12 |
| 114 | Alcohol Consumption and Stroke: Difficulties in Assessing the Relationships. Addiction, 2002, 97, 230-231. | 3.3 | 0 |
| 115 | Exploring the relationship between alcohol consumption and non-fatal or fatal stroke: a systematic review. Addiction, 2001, 96, 1743-1756. | 3.3 | 88 |
| 116 | PRESCRIBING HABITS OF GENERAL PRACTITIONERS IN CHOOSING AN EMPIRICAL ANTIBIOTIC REGIMEN FOR LOWER RESPIRATORY TRACT INFECTIONS IN ADULTS IN SICILY. Pharmacological Research, 1999, 40, 47-52. | 7.1 | 14 |
| 117 | Hypertension in Dialysis Patients. Mineral and Electrolyte Metabolism, 1999, 25, 84-89. | 1.1 | 8 |
| 118 | PATTERN OF ANTIMICROBIAL DRUG PRESCRIBING AND PRESCRIPTIVE BEHAVIOUR FOR ACUTE OTITIS MEDIA AMONG PHYSICIANS IN SICILY. Pharmacological Research, 1998, 37, 421-426. | 7.1 | 0 |
| 119 | Adult acute upper respiratory tract infections in Sicily: pattern of antibiotic drug prescription in primary care. Journal of Antimicrobial Chemotherapy, 1998, 41, 259-266. | 3.0 | 29 |
| 120 | Glossitis, stomatitis, and black tongue with lansoprazole plus clarithromycin and other antibiotics. Annals of Pharmacotherapy, 1997, 31, 1548-1548. | 1.9 | 8 |
| 121 | Inhibition of nitric oxide formation reduces voluntary ethanol consumption in the rat. Psychopharmacology, 1996, 125, 398-401. | 3.1 | 39 |
| 122 | Food deprivation increases brain nitric oxide synthase and depresses brain serotonin levels in rats. Neuropharmacology, 1994, 33, 83-86. | 4.1 | 92 |
| 123 | Mediation by nitric oxide formation in the preoptic area of endotoxin and tumour necrosis factorâ€induced inhibition of water intake in the rat. British Journal of Pharmacology, 1994, 111, 1328-1332. | 5.4 | 24 |
| 124 | Nitric oxide (NO) mediates antidipsogenic action of Escherichia Coli endotoxin (LPS) and tumor necrosis factor (TNF-α) in the rat. Pharmacological Research, 1992, 26, 166-167. | 7.1 | 1 |
| 125 | Cloricromene antagonizes antidipsogenic effects induced by endotoxin, but not by TNFα, in the rat. Life Sciences, 1992, 51, 2041-2048. | 4.3 | 7 |
| 126 | IRFI-016, a selective analogue of vitamin E, exerts beneficial effects on cerebral ischemmia/reperfusion injury in Mongolian gerbils. Pharmacological Research, 1992, 26, 177. | 7.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effects of G 619 on cerebral ischemia/reperfusion injury in mongolian gerbils. Pharmacological Research, 1992, 26, 137. | 7.1 | Ο |
| 128 | Increased Risk of Stroke Due to Non-adherence and Non-persistence with Direct Oral Anticoagulants (DOACs): Real-World Analyses Using a Nested Case–Control Study from The Netherlands, Italy and Germany. Drugs - Real World Outcomes, 0, , . | 1.6 | 7 |